

# **STATUS REPORT ON MISSOURI'S SUBSTANCE ABUSE AND MENTAL HEALTH PROBLEMS**

---

**Nineteenth Edition -- 2013**



**MISSOURI DEPARTMENT OF MENTAL HEALTH  
Division of Behavioral Health**

# **STATUS REPORT ON MISSOURI'S SUBSTANCE ABUSE AND MENTAL HEALTH PROBLEMS**

**NINETEENTH EDITION — 2013**

**Randall C. Smith, M.P.A., M.Ed.**

**Christie J. Lundy, Ph.D.**

**Renee M. Rothermich, M.A.**

## **MISSOURI DEPARTMENT OF MENTAL HEALTH**

### **Division of Behavioral Health**

**1706 East Elm Street; P.O. Box 687**

**Jefferson City, MO 65102**

**573-751-9499**

**Website: <http://dmh.mo.gov>**

<b>Keith Schafer, Ed.D.</b>	<b>Director, Missouri Department of Mental Health</b>
<b>Mark Stringer</b>	<b>Director, Division of Behavioral Health</b>
<b>Steve Reeves</b>	<b>Deputy Director, Division of Behavioral Health</b>
<b>Clive Woodward</b>	<b>Director of Research and Statistics, Division of Behavioral Health</b>



**JEREMIAH W. (JAY) NIXON**  
GOVERNOR



**KEITH SCHAFER, Ed.D.**  
DIRECTOR

**MARK STRINGER**  
DIRECTOR  
**DIVISION OF  
BEHAVIORAL HEALTH**  
(573) 751-9499  
(573) 751-7814 FAX

**STATE OF MISSOURI  
DEPARTMENT OF MENTAL HEALTH**

1706 EAST ELM STREET  
P.O. BOX 687  
JEFFERSON CITY, MISSOURI 65102  
(573) 751-4122  
(573) 751-8224 FAX  
[www.dmh.mo.gov](http://www.dmh.mo.gov)

**PREFACE**

I am pleased to present this 19<sup>th</sup> edition of the *Status Report on Missouri's Substance Abuse and Mental Health Problems*. The report provides annual updates to sets of behavioral health data that quantify the magnitude of alcohol and drug misuse and mental illness; the problems related to these disorders; and treatment supported by the Department of Mental Health's Division of Behavioral Health—formerly the Division of Alcohol and Drug Abuse and the Division of Comprehensive Psychiatric Services. The *Status Report* is intended to inform the general public, policy-makers, planners, and program administrators. Hopefully it will meet many of your data needs.

The *Status Report* includes survey data that compares Missouri rates of substance abuse and mental disorders with national rates. The report also collects information from Missouri's state agencies on undesirable events occurring each year as a result of these disorders and organizes the data into county profiles. The profiles include numbers of residents accessing mental health and substance abuse treatment services managed by the Division of Behavioral Health. Notable enhancements to this year's report include a trend format for the Missouri Student Survey county-level profiles and the addition of survey profiles corresponding to substance abuse service areas to facilitate prevention planning. Prior editions of the *Status Report* are accessible at this website: <http://www.dmh.missouri.gov/ada/rpts/status.htm>.

A *Status Report* data archive developed through the support of the Missouri Behavioral Health Epidemiology Workgroup is also available online. Query tools enable users to customize analysis by combining data, selecting multiple variables, and displaying data relationships in charts and tables. The archive and query tool is located at this website: <http://dmh.mo.gov/seow/default.aspx>.

Inquiries and comments regarding the *Status Report* should be directed to the Division of Behavioral Health, Research and Statistics office at: [dbhmail@dmh.mo.gov](mailto:dbhmail@dmh.mo.gov).

Sincerely,

A handwritten signature in black ink, appearing to read "Mark Stringer".

Mark Stringer

## **ACKNOWLEDGMENTS**

Individuals from several agencies provided data or technical support for this 19th edition of the Status Report. The authors would like to thank and recognize them for their cooperation, customized data processing, and other generous assistance.

Bryan Angell, Missouri Department of Health and Senior Services  
Ron Beck, Missouri Department of Public Safety  
Carol Bontempo, Missouri Department of Health and Senior Services  
Karin Bosh, Missouri Department of Health and Senior Services  
Avera Daniels, Missouri Department of Corrections  
Susan Depue, Missouri Institute of Mental Health  
John Doyle, Missouri Department of Public Safety  
Keith Gast, Missouri Department of Revenue  
Andrew Hunter, Missouri Department of Health and Senior Services  
Brad Jones, Missouri Department of Public Safety  
Tracy Lehmen, Missouri Department of Public Safety  
David Litchfield, Missouri Department of Health and Senior Services  
Rick McElfresh, Missouri Office of State Courts Administrator  
Kimberly McKane, Missouri Department of Social Services  
Joan Masters, University of Missouri—Columbia  
Richard Morrissey, Missouri Office of State Courts Administrator  
Angela Plunkett, Missouri Office of State Courts Administrator  
Joseph Ramsey, University of Missouri—Columbia  
Dan Reilly, University of Missouri—Columbia  
Liz Sale, Missouri Institute of Mental Health  
Tina Senter, Missouri Office of State Courts Administrator  
Dennis Schulte, Missouri Department of Public Safety  
Freddie Spraggs, Missouri Department of Social Services  
DeWayne Sprenger, Missouri Department of Public Safety  
Angie Stuckenschneider, Missouri Department of Mental Health  
Mark VanTuinen, Missouri Department of Health and Senior Services  
Seth Veit, Missouri Department of Public Safety  
Clive Woodward, Missouri Department of Mental Health



# TABLE OF CONTENTS

## SECTION A: INTRODUCTION

<b>Overview</b>	<b>PAGE NUMBER</b>
Report Cover	A1
Title Page	A2
Preface	A3
Acknowledgments	A4
Table of Contents	A5-A9
 <b>Data Highlights</b>	
Adolescent Substance Use	A10
Adolescent Mental Illness	A12
Young Adult Substance Use	A12
Young Adult Mental Illness	A14
Older Adult Substance Use	A14
Older Adult Mental Illness	A16
Looking Ahead	A17

## SECTION B: UNITED STATES AND MISSOURI PREVALENCE SURVEYS

<b><i>National Survey on Drug Use and Health (NSDUH) — Alcohol and Drug Tables and Charts</i></b>	
Alcohol, Tobacco, Illicit Drugs — Overview: U.S. Ages 12 & Older	B1
Alcohol, Tobacco, Illicit Drugs — Overview: U.S. Ages 12-17	B2
Alcohol, Tobacco, Illicit Drugs — Overview: U.S. Ages 18-25	B3
Alcohol, Tobacco, Illicit Drugs — Overview: U.S. Ages 26 & Older	B4
Alcohol — Past-Month Use: U.S./Missouri Comparison	B5
Alcohol — Past-Month Binge Use: U.S./Missouri Comparison	B6
Alcohol — Perceived Risk of Binge Use: U.S./Missouri Comparison	B7
Alcohol — Past-Month, Binge, and Perceived Risk: Missouri Age Groups	B8
Alcohol — Past-Month, Binge, and Perceived Risk: Missouri Regions	B9
Tobacco — Past-Month Cigarette Use: U.S./Missouri Comparison	B10
Tobacco — Perceived Risk of Cigarette Use: U.S./Missouri Comparison	B11
Tobacco — Past-Month Tobacco and Cigarette Use and Perceived Risk: Missouri Age Groups	B12
Tobacco — Past-Month Tobacco and Cigarette Use and Perceived Risk: Missouri Regions	B13
Illicit Drugs — Past-Month Use of Any Illicit Drug: U.S./Missouri Comparison	B14
Illicit Drugs — Past-Month Use of Any Illicit Drug Other Than Marijuana: U.S./Missouri Comparison	B15
Illicit Drugs — Past-Month Use of Any Illicit Drug and Any Other Than Marijuana: Missouri Regions	B16
Marijuana — Past-Month Use: U.S./Missouri Comparison	B17
Marijuana — Past-Year Use: U.S./Missouri Comparison	B18
Marijuana — Perceived Risk of Use: U.S./Missouri Comparison	B19
Marijuana — Past-Month, First-Use in Past Year, Perceived Risk: Missouri Age Groups	B20
Marijuana — Past-Month, First-Use in Past Year, Perceived Risk: Missouri Regions	B21
Marijuana, Cocaine, Pain Relievers — Past-Year Use: Missouri Regions	B22
Cocaine — Past-Year Use: U.S./Missouri Comparison	B23
Pain Relievers — Past-Year Use: U.S./Missouri Comparison	B24
Alcohol, Illicit Drugs — Past-Year Dependence/Abuse: U.S./Missouri Comparison	B25
Alcohol, Illicit Drugs — Past-Year Dependence/Abuse: Missouri Population Estimates	B26
Alcohol, Illicit Drugs — Past-Year Dependence/Abuse: Missouri Regions Trend	B27
Alcohol, Illicit Drugs — Past-Year Dependence/Abuse: Missouri Regions and Age Groups	B28
Alcohol, Illicit Drugs — Past-Year Unmet Treatment Need: Missouri Population Estimates	B29
Alcohol, Illicit Drugs — Past-Year Unmet Treatment Need: Missouri Regions Trend	B30
Alcohol, Illicit Drugs — Past-Year Unmet Treatment Need: Missouri Regions and Age Groups	B31

**SECTION B: UNITED STATES AND MISSOURI PREVALENCE SURVEYS (continued)*****National Survey on Drug Use and Health (NSDUH) — Mental Health Charts***

Mental Illness — Any Mental Illness in Past Year: U.S./Missouri Comparison	B32
Mental Illness — Serious Mental Illness in Past Year: U.S./Missouri Comparison	B33
Depression — Major Past-Year Episode: U.S./Missouri Comparison	B34
Depression — Major Past-Year Episode: Missouri Regions	B35
Suicide — Serious Thoughts of Suicide in Past Year: U.S./Missouri Comparison and Missouri Regions	B36

***Missouri Student Survey (MSS) — Alcohol and Drug Tables and Charts***

Alcohol, Tobacco, Illicit Drugs — Overview of Past 30-Day Use: Missouri Students in Grades 6-12	B37
Alcohol, Tobacco, Illicit Drugs — Overview of Lifetime Use: Missouri Students in Grades 6-12	B38
Alcohol — Past 30-Day, Binge, and Lifetime Use: Missouri Students in Grades 6-12	B39
Tobacco — Past 30-Day and Lifetime Cigarette and Chewing Tobacco Use: Missouri Students in Grades 6-12	B40
Marijuana — Past 30-Day and Lifetime Use: Missouri Students in Grades 6-12	B41
Cocaine, Heroin — Past 30-Day and Lifetime Use: Missouri Students in Grades 6-12	B42
Stimulants — Past 30-Day and Lifetime Use: Missouri Students in Grades 6-12	B43
Inhalants — Past 30-Day and Lifetime Use: Missouri Students in Grades 6-12	B44
Hallucinogens — Past 30-Day and Lifetime Use: Missouri Students in Grades 6-12	B45
Club Drugs — Past 30-Day and Lifetime Use: Missouri Students in Grades 6-12	B46
Pharmaceutical Drugs — Lifetime Non-Prescribed Use: Missouri Students in Grades 6-12	B47
Over-the-Counter, Synthetic Drugs — Lifetime Non-Medical Use: Missouri Students in Grades 6-12	B48
Injection Drug Use — Lifetime IDU: Missouri Students in Grades 6-12	B49

***Youth Risk Behavior Survey (YRBS) — Alcohol and Drug Tables and Charts***

Alcohol, Tobacco — Past 30-Day, Lifetime, and Use Before Age 13: U.S./Missouri Comparison Grades 9-12	B50
Alcohol — Past 30-Day Use: U.S./Missouri Comparison Grades 9-12	B51
Alcohol — Past 30-Day Binge Use: U.S./Missouri Comparison Grades 9-12	B52
Alcohol — Past 30-Day, Binge, and Use Before Age 13: Missouri Grades 9-12	B53
Tobacco — Past 30-Day Cigarette Use: U.S./Missouri Comparison Grades 9-12	B54
Illicit Drugs — Past 30-Day and Lifetime Use: U.S./Missouri Comparison Grades 9-12	B55
Marijuana — Past 30-Day Use: U.S./Missouri Comparison Grades 9-12	B56
Marijuana — Use Before Age 13: U.S./Missouri Comparison Grades 9-12	B57

***Missouri College Health Behavior Survey (MCHBS) — Alcohol, Drug, and Mental Health Tables and Charts***

Alcohol — Past 30-Day, Past-Year, and Binge Alcohol Use: Missouri College Students	B58
Illicit Drugs — Past-Year Use: Missouri College Students	B59
Alcohol, Illicit Drugs — Past-Year Use and Related Problems: Missouri College Students	B60
Mental Health — Past-Year Problems: Missouri College Students	B61
Gambling — Past-Year Problems: Missouri College Students	B62

***Behavioral Risk Factor Survey (BRFS) — Alcohol and Tobacco Table***

Alcohol, Tobacco — Past 30-Day Use: U.S./Missouri Comparison Ages 18 and Older	B63
--	-----

***Pregnancy Risk Assessment and Monitoring System (PRAMS) — Alcohol, Tobacco, Mental Health Tables***

Alcohol, Tobacco, and Mental Health Involvement with Pregnancy — Missouri	B64
---	-----

***Monitoring The Future Survey (MTF) — Alcohol and Drug Tables***

Alcohol, Tobacco, Illicit Drugs: Daily, Past 30-Day, and Lifetime Use: U.S. Grade 8	B65
Alcohol, Tobacco, Illicit Drugs: Daily, Past 30-Day, and Lifetime Use: U.S. Grade 10	B66
Alcohol, Tobacco, Illicit Drugs: Daily, Past 30-Day, and Lifetime Use: U.S. Grade 12	B67
Alcohol, Tobacco, Illicit Drugs: Daily, Past 30-Day, and Lifetime Use: U.S. College Students	B68
Alcohol, Tobacco, Illicit Drugs: Daily, Past 30-Day, and Lifetime Use: U.S. Adults Ages 19-28	B69

***NSDUH, YRBS, and MSS Survey Results Comparisons — Charts***

Alcohol — Past-Month Use: Missouri Age Group and Grade Level Comparisons	B70
Tobacco — Past-Month Cigarette Use: Missouri Age Group and Grade Level Comparisons	B71
Marijuana — Past-Month Use: Missouri Age Group and Grade Level Comparisons	B72

## SECTION C: SUBSTANCE ABUSE INDICATORS IN TABLES AND CHARTS

Economic Costs of Substance Abuse: U.S. and Missouri	C1
Births and Fetal Exposure to Alcohol, Tobacco, and Other Drugs: Missouri	C2
Alcohol and Drug Related Hospitalizations and Emergency Department Episodes: Missouri	C3
Diseases Associated with Substance Abuse: Missouri	C4
Alcohol, Drug, and Smoking Induced Deaths: Missouri	C5
Alcohol-Involved Traffic Crashes: Missouri	C6
Drug-Involved Traffic Crashes: Missouri	C7
Alcohol and Drug Arrests: Missouri	C8
Alcohol and Drug Related Out-of-Home Placements and Juvenile Court Referrals: Missouri	C9
Criminal Justice Services for Alcohol and Drug Offenses: Missouri	C10
Per Capita Consumption of Beverage Alcohol Based on Sales: U.S. and Missouri	C11
Liquor Licenses: Missouri	C12
Cigarette Sales Based on Tax Revenue: Missouri	C13
Unemployment Rate: U.S. and Missouri	C14

## SECTION D: DIVISION OF ALCOHOL AND DRUG ABUSE STATEWIDE TREATMENT SERVICES

Treatment Admissions Overview	D1
Male Treatment Admissions	D2
Female Treatment Admissions	D3
Alcohol Admissions	D4
Marijuana Admissions	D5
Cocaine Admissions	D6
Methamphetamine Admissions	D7
Heroin Admissions	D8
Other Drug Admissions	D9
Age Profiles of Substance Abuse Treatment and Intervention Program Admissions	D10

## SECTION E: INDICATORS AND TREATMENT SERVICES BY GEOGRAPHIC AREA

### Missouri

Statewide Missouri E1-E4

### Missouri Counties

Adair	E5-E8
Audrain	E17-E20
Bates	E29-E32
Boone	E41-E44
Caldwell	E53-E56
Cape Girardeau	E65-E68
Cass	E77-E80
Christian	E89-E92
Clinton	E101-E104
Crawford	E113-E116
Daviess	E125-E128
Douglas	E137-E140
Gasconade	E149-E152
Grundy	E161-E164
Hickory	E173-E176
Howell	E185-E188
Jasper	E197-E200
Knox	E209-E211
Lawrence	E221-E224
Linn	E233-E236
Macon	E245-E248
Marion	E257-E260
Mississippi	E269-E272
Montgomery	E281-E284
Newton	E293-E296
Osage	E305-E308
Perry	E317-E320
Pike	E329-E332
Pulaski	E341-E344
Randolph	E353-E356
Ripley	E365-E368
Sainte Genevieve	E377-E379
Saline	E389-E392
Scott	E401-E404
Stoddard	E413-E416
Taney	E425-E428
Warren	E437-E440
Webster	E449-E452
Saint Louis City	E461-E464

Andrew	E9-E12
Barry	E21-E24
Benton	E33-E36
Buchanan	E45-E48
Callaway	E57-E60
Carroll	E69-E72
Cedar	E81-E84
Clark	E93-E96
Cole	E105-E108
Dade	E117-E120
DeKalb	E129-E132
Dunklin	E141-E144
Gentry	E153-E156
Harrison	E165-E168
Holt	E177-E180
Iron	E189-E192
Jefferson	E201-E204
Laclede	E213-E216
Lewis	E225-E228
Livingston	E237-E240
Madison	E249-E252
Mercer	E261-E264
Moniteau	E273-E276
Morgan	E285-E288
Nodaway	E297-E300
Ozark	E309-E312
Pettis	E321-E324
Platte	E333-E336
Putnam	E345-E348
Ray	E357-E360
Saint Charles	E369-E372
Saint Francois	E381-E384
Schuyler	E393-E395
Shannon	E405-E408
Stone	E417-E420
Texas	E429-E432
Washington	E441-E444
Worth	E453-E455

Atchison	E13-E16
Barton	E25-E28
Bollinger	E37-E40
Butler	E49-E52
Camden	E61-E64
Carter	E73-E76
Chariton	E85-E88
Clay	E97-E100
Cooper	E109-E112
Dallas	E121-E124
Dent	E133-E136
Franklin	E145-E148
Greene	E157-E160
Henry	E169-E172
Howard	E181-E184
Jackson	E193-E196
Johnson	E205-E208
Lafayette	E217-E220
Lincoln	E229-E232
McDonald	E241-E243
Maries	E253-E255
Miller	E265-E268
Monroe	E276-E280
New Madrid	E289-E292
Oregon	E301-E304
Pemiscot	E313-E316
Phelps	E325-E328
Polk	E337-E340
Ralls	E349-E351
Reynolds	E361-E364
Saint Clair	E373-E376
Saint Louis County	E385-E388
Scotland	E397-E400
Shelby	E409-E411
Sullivan	E421-E424
Vernon	E433-E436
Wayne	E445-E448
Wright	E457-E460

**SECTION E: INDICATORS AND TREATMENT SERVICES BY GEOGRAPHIC AREA (continued)*****Division of Behavioral Health (DBH) Planning Regions***

DBH Western Region	E465-E468	DBH Central Region	E468-E472	DBH Eastern Region	E473-E476
DBH Southwest Region	E477-E480	DBH Southeast Region	E481-E484		

***DBH Substance Abuse Service Areas (SA)***

Substance Abuse SA 1	E485-E487	Substance Abuse SA JC	E488-E490	Substance Abuse SA 6	E490-E493
Substance Abuse SA 7	E494-E496	Substance Abuse SA 8	E497-E499	Substance Abuse SA 9	E500-E502
Substance Abuse SA 10	E503-E505	Substance Abuse SA 11	E506-E508	Substance Abuse SA 12	E509-E511
Substance Abuse SA 13	E512-E514	Substance Abuse SA 14	E515-E517	Substance Abuse SA 15	E518-E520
Substance Abuse SA 16	E521-E523	Substance Abuse SA 17	E524-E526	Substance Abuse SA 18	E527-E529
Substance Abuse SA 19	E530-E532	Substance Abuse SA 20	E533-E535	Substance Abuse SA 21	E536-E538
Substance Abuse SA 22	E539-E541	Substance Abuse SA SL	E542-E544		

***DBH Adult Psychiatric Service Areas (SA)***

CPS Service Area 1	E545-E546	CPS Service Areas 2-5	E547-E548	CPS Service Area 6	E549-E550
CPS Service Area 7	E551-E552	CPS Service Area 8A	E553-E554	CPS Service Area 8B	E555-E556
CPS Service Area 9	E557-E558	CPS Service Area 10	E559-E560	CPS Service Area 11	E561-E562
CPS Service Area 12	E563-E564	CPS Service Area 13	E565-E566	CPS Service Area 14	E567-E568
CPS Service Area 15	E569-E570	CPS Service Area 16	E571-E572	CPS Service Area 17A	E573-E574
CPS Service Area 17B	E575-E576	CPS Service Area 18	E577-E578	CPS Service Area 19	E579-E580
CPS Service Area 20	E581-E582	CPS Service Area 21	E583-E584	CPS Service Area 22	E585-E586
CPS Service Area 23	E587-E588	CPS Service Area 24-25	E589-E590		

**SECTION F: APPENDIX**


Missouri Population Estimates by Age, Gender, Race, and Hispanic Origin	F1
Map of ADA/CPS Regions Containing Substate Estimates from National Survey on Drug Use and Health	F2
Map of ADA/CPS Regions and ADA Service Areas Containing Status Report Data	F3
Map of ADA/CPS Regions and CPS Adult Service Areas Containing Status Report Data	F4
About the Surveys: An Overview	F5-F8

# HIGHLIGHTS

## ADOLESCENT SUBSTANCE USE

**After years of decline, illicit drug use among Missouri adolescents appears to be increasing.** According to combined 2010 and 2011 data from the National Survey on Drug Use and Health (NSDUH), an estimated 9% of Missouri's 12-17 year-old adolescents used an illicit drug in the past month. These rates remained slightly lower than national rates. Marijuana and pain relievers were the most-used illicit drugs. Approximately 15% of Missouri adolescents used alcohol in the past month—higher than the national figure of 13.5% for the age group. While adolescent tobacco use continues to decline nationally and dipped to nearly 10% in 2011, tobacco product use among Missouri adolescents remains at 15%.


**Figure 1: Past-Month use of Alcohol, Tobacco, and Illicit Drugs among Missouri Adolescents (averages for 2-year periods)**



Data Source: Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health.

Trends in past-month use generally mirror trends in perceived risk of using substances. A recent increase in adolescent marijuana use coincides with a lower percentage believing that there is great risk in smoking marijuana once a month. Beliefs of great risk in smoking at least one pack of cigarettes daily and consuming five or more drinks on the same occasion once or twice a week remain more stable.


**Figure 2: Beliefs Regarding Great Risks of Substance Use among Missouri Adolescents (averages for 2-year periods)**



Data Source: Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health.


The National Survey on Drug Use and Health has tracked a decrease in adolescent alcohol abuse and the need for alcohol treatment during the last several years, while illicit drug abuse is beginning to rise.

**Figure 3: Past-Year Alcohol and Illicit Drug Dependence or Abuse among Missouri Adolescents (averages for 2-year periods)**



Data Source: Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health.


**Figure 4: Past-Year Unmet Need for Substance Abuse Treatment among Missouri Adolescents (averages for 2-year periods)**



Data Source: Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health.

**Marijuana accounts for a majority of the adolescent substance abuse admissions in Division of Behavioral Health treatment programs.** Admissions for methamphetamine are increasing but comprise only 2% of the total, and heroin and cocaine admissions remain at 1% each.

**Figure 5: Primary Drug of Abuse among Adolescents Admitted to Substance Abuse Treatment Programs: FY 2012**




Data Source: Missouri Department of Mental Health, Division of Behavioral Health, CIMOR system.

## ADOLESCENT MENTAL ILLNESS

Every year, approximately 9% of Missouri adolescents 12-17 years of age experience at least one major depressive episode. Among adolescents nationwide, the annual rate of major depression (MDE) averages nearly one percentage point lower. Children and adolescents under age 18 annually comprise about one-fifth of the individuals receiving psychiatric services in programs supported by the Division of Behavioral Health (DBH). In fiscal year 2012, 37% were treated for impulse control disorders, 26% for mood disorders, and 14% for anxiety disorders.

Figure 6: Past-Year Major Depressive Episode among Missouri and U.S. Adolescents (averages for 2-year periods)




Data Source: Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health.

## YOUNG ADULT SUBSTANCE USE

Alcohol and drug use rates are highest among Missouri's young adults. Data from the National Survey on Drug Use and Health indicate that 20% of Missouri young adults 18-25 years of age used an illicit drug and 60% used alcohol in the past month. Marijuana use has been slowly rising in Missouri and past-month use among 18-25 year-olds has reached the national rate of 18% for this age group. Past-month binge drinking among Missouri young adults has declined during the past decade and is now lower than the nationwide rate of 40%. An estimated 38% of Missouri's young adults smoked cigarettes in the past month compared to 34% nationwide.

Figure 7: Past-Month use of Alcohol, Tobacco, and Illicit Drugs among Missouri Young Adults (averages for 2-year periods)




Data Source: Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health.



Among Missouri's young adults, alcohol dependence and abuse have declined in recent years, but drug dependence and abuse are increasing. The data suggest that fewer young adults are problematic users of alcohol only, while more have problematic use limited to illicit drugs.


Figure 8: Past-year Alcohol and Drug Dependence or Abuse among Missouri Adults Ages 18-25 (2-year averages)



Data Source: Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health.

An estimated 85,000 Missouri young adults needed—but did not receive—treatment for alcohol dependence or abuse in 2011, or received an inadequate amount of alcohol treatment. Similarly, 51,000 young adults had an unmet or under-met need for treatment of illicit drug dependence or abuse. Among the 2,435 young adults 18-24 years of age admitted to DBH-funded substance abuse treatment programs in fiscal year 2012, marijuana was the primary problem for 38%, followed by alcohol (26%), methamphetamine (12%), heroin (11%), cocaine (2%), and all other drugs (11%).

Figure 9: Primary Drug of Abuse among Young Adults Admitted to Substance Abuse Treatment Programs: FY 2012




Data Source: Missouri Department of Mental Health, Division of Behavioral Health, CIMOR system.

## YOUNG ADULT MENTAL ILLNESS

**Missouri's young adults have the state's highest rates of mental illness.** Based on combined 2010 and 2011 data from the National Survey on Drug Use and Health, an estimated 29% of Missouri's population in the 18-25 age group had any past-year mental illness and over 7% had serious mental illness. Also, 8% of young adults had at least one major depressive episode and 6% seriously contemplated suicide. Despite their high rates of mental illness, 18-24 year-olds comprise less than one-tenth of those receiving psychiatric services in DBH programs. The prevalence of personality and mood disorders, anxiety, psychoses, and dementia tend to increase through the lifespan while impulse control, adjustment, and developmental disorders decrease. Midway through maturation, young adults may need treatment for any of these conditions. In FY 2012, 43% of the 18-24 year-olds in DBH psychiatric programs were treated for mood, 20% for anxiety, and 11% for impulse disorders.

**Figure 10: Percent of Treatment Consumers Diagnosed in Each Category of Disorder, by Age Group, FY 2012**




Data Source: Missouri Department of Mental Health, Division of Behavioral Health, CIMOR system.

## OLDER ADULT SUBSTANCE USE

**Marijuana use comprises the main illicit drug use by Missouri adults over age 25.** Past-year cocaine use continues to decline in the adult population. Rates for past-month binge drinking, illicit drug use and tobacco use are considerably lower in this age group than for Missouri young adults 18-25 years of age. Slightly over one-half of Missouri and U.S. adults are past-month users of alcohol.


**Figure 11: Past-Month Use of Alcohol, Tobacco, and Illicit Drugs among Missouri Adults Older than 25 (2-year averages)**



Data Source: Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health.

**Among the Missouri adult population, alcohol dependence and abuse are decreasing.** Estimates from the National Survey on Drug Use and Health indicate that the number of Missouri adults over age 25 with alcohol dependence or abuse declined to 166,000 in the 2010-2011 time period, the lowest total in the past ten years. The number of adults with drug dependence or abuse remained steady at 61,000. Approximately 16,000 adults are dependent on both alcohol and illicit drugs.


**Figure 12: Past-year Dependence or Abuse of Illicit Drugs and Alcohol among Missouri Adults over Age 25 (2-year averages)**



Data Source: Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health.

**A substantial number of Missouri adults over age 25 had an unmet need for substance abuse treatment in 2011.** They included an estimated 157,000 who needed but did not receive alcohol treatment and 55,000 who did not receive drug treatment. The adult unmet treatment need gap between alcohol and illicit drugs has narrowed in recent years, reflecting the decline in the number of alcohol-dependent adults. Nevertheless, alcohol remained the primary drug of abuse for the largest number of adults ages 25 and older entering DBH programs in FY 2012. Marijuana, methamphetamine, heroin, and cocaine ranked 2<sup>nd</sup>, 3<sup>rd</sup>, 4<sup>th</sup>, and 5<sup>th</sup> respectively in treatment admissions.


**Figure 13: Primary Drug of Abuse among Missouri Adults Admitted to Substance Abuse Treatment Programs: FY 2012**



Data Source: Missouri Department of Mental Health, Division of Behavioral Health, CIMOR system.

**Adults ages 25 and older comprised three-fourths of FY 2012 substance abuse treatment admissions.** Among admissions of all ages, Caucasian males accounted for 50% and Caucasian females 26%. African-American males comprised 14%, African-American females 5%, and other races/ethnicities 5%.

**Figure 14: Age Profile of Individuals Admitted to Substance Abuse Treatment Programs: FY 2012**




Data Source: Missouri Department of Mental Health, Division of Behavioral Health, CIMOR system.

## OLDER ADULT MENTAL ILLNESS

**Nearly one-fifth of Missouri adults recently had mental illness.** Estimates from the 2010 and 2011 National Survey on Drug Use and Health indicate that 19% of Missouri adults over age 25 (727,000 individuals) had any mental illness in the past year and 209,000 adults had serious mental illness. Approximately 7% of adults experienced a major depressive episode in the past year, over 5% had serious mental illness, and nearly 4% had serious thoughts of suicide. These rates are about the same as prior year estimates. As with substance abuse, individuals accessing DBH mental illness treatment comprise a small percentage of those with *serious* mental illness.

**Figure 15: Missouri Residents with Substance Abuse or Mental Illness, and Those Accessing DBH Treatment: FY 2012**




Data Sources: Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health; and Missouri Department of Mental Health, Division of Behavioral Health, CIMOR system.

## LOOKING AHEAD

Estimates from the National Survey on Drug Use and Health indicate substantially fewer Missouri residents have substance use disorders than several years ago. After reaching a peak of nearly one-half million adolescents and adults with alcohol or illicit drug dependence or abuse in 2004, the lower 2011 estimate of 363,000 is encouraging. Furthermore, this reduction has occurred despite a growth in the state's population.

Figure 16: Estimated Number of Missouri Residents (and Percent of MO and U.S. Ages 12+) with Substance Use Disorders



Data Source: Substance Abuse and Mental Health Services Administration (SAMHSA), National Survey on Drug Use and Health.

**Future progress will require more effort and resources.** Substance abuse and mental illness have widespread impacts, and a number of agencies and organizations encounter facets of behavioral health problems in the course of their routine responsibilities. The Missouri Division of Behavioral Health collaborates with several of these agencies to develop prevention and intervention programs designed to reach specific high-risk populations. Virtually every tragic tally in this report—whether it is an alcohol related traffic crash, an overdose in an emergency room, a self-inflicted injury, or an out-of-home placement—represents an opportunity to intervene and arrange appropriate treatment. Unfortunately, treatment is not always readily available to those who have garnered the courage to participate in it. Additional treatment capacity could further reduce mental illness and substance abuse prevalence and improve the lives and productivity of more Missouri citizens.

**NATIONAL SURVEY ON DRUG USE AND HEALTH  
U.S. AGES 12 AND OLDER, 2002-2012**

**Estimated Past-Month Substance Use (%)**

	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	52.1	51.8	51.8	51.9	51.6	51.2	51.0	51.8	50.3	50.1	51.0
Binge Alcohol Use *	23.0	22.6	23.1	23.7	23.4	23.3	23.0	22.7	22.8	22.6	22.9
Heavy Alcohol Use **	6.5	6.2	6.7	6.8	7.0	6.9	6.9	6.6	6.9	6.8	6.7
Any Tobacco	26.7	26.5	27.5	27.7	28.4	28.7	29.6	29.4	29.2	29.8	30.4
Cigarettes	22.1	22.1	23.0	23.3	24.0	24.3	25.0	24.9	24.9	25.4	26.0
Smokeless Tobacco	3.5	3.2	3.5	3.4	3.5	3.3	3.3	3.2	3.0	3.3	3.3
Any Illicit Drug	9.2	8.7	8.9	8.7	8.1	8.0	8.3	8.1	7.9	8.2	8.3
Marijuana	7.3	7.0	6.9	6.7	6.1	5.8	6.0	6.0	6.1	6.2	6.2
Inhalant	0.2	0.2	0.3	0.2	0.3	0.2	0.3	0.3	0.3	0.2	0.3
Hallucinogen	0.4	0.4	0.5	0.5	0.4	0.4	0.4	0.4	0.4	0.4	0.5
LSD	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.1	0.0
PCP	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Ecstasy	0.2	0.2	0.3	0.3	0.2	0.2	0.2	0.2	0.2	0.2	0.3
Cocaine (any form)	0.6	0.5	0.6	0.7	0.7	0.8	1.0	1.0	0.8	1.0	0.9
Crack Cocaine	0.2	0.1	0.1	0.2	0.1	0.2	0.3	0.3	0.2	0.3	0.2
Heroin	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Psychotherapeutics (Rx-type, non-medical use)	2.6	2.4	2.7	2.8	2.5	2.8	2.9	2.7	2.5	2.7	2.7
Pain Reliever	1.9	1.7	2.0	2.1	1.9	2.1	2.1	1.9	1.8	2.0	1.9
OxyContin®	0.1	0.2	0.2	0.2	0.2	0.1	0.1	0.1	0.1		
Stimulant	0.5	0.4	0.4	0.5	0.4	0.4	0.5	0.4	0.5	0.5	0.5
Methamphetamine	0.2	0.2	0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.3	0.3
Sedative	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.2
Tranquilizer	0.8	0.7	0.9	0.8	0.7	0.7	0.7	0.7	0.7	0.8	0.8

**Estimated Lifetime Substance Use (%)**

	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	82.3	82.2	82.5	82.8	82.2	82.3	82.7	82.9	82.4	83.1	83.1
Any Tobacco	66.8	67.5	68.7	69.1	69.6	69.5	70.7	70.8	71.4	72.7	73.1
Cigarettes	61.9	62.8	64.2	64.6	65.1	65.3	66.3	66.6	67.3	68.7	69.1
Smokeless Tobacco	17.7	18.0	17.7	17.8	18.4	18.2	18.6	18.4	18.6	19.4	19.9
Any Illicit Drug	48.0	47.0	47.3	47.4	47.2	46.2	45.4	46.1	45.8	46.4	46.0
Marijuana	42.8	41.9	42.0	41.7	41.2	40.6	39.7	40.1	40.2	40.6	40.4
Inhalant	8.1	8.0	8.6	9.0	9.0	9.1	9.3	9.4	9.5	9.7	9.7
Hallucinogen	14.6	14.1	14.8	14.9	14.4	13.8	14.3	13.9	14.3	14.5	14.6
LSD	9.1	8.9	9.2	9.4	9.4	9.2	9.5	9.2	9.7	10.3	10.4
PCP	2.5	2.4	2.5	2.5	2.7	2.5	2.7	2.7	2.8	3.0	3.2
Ecstasy	6.2	5.7	6.3	5.7	5.2	5.0	5.0	4.7	4.6	4.6	4.3
Cocaine (any form)	14.5	14.3	14.7	14.6	14.8	14.5	14.3	13.8	14.2	14.7	14.4
Crack Cocaine	3.5	3.2	3.6	3.3	3.4	3.5	3.5	3.3	3.3	3.3	3.6
Heroin	1.8	1.6	1.6	1.5	1.5	1.5	1.5	1.5	1.3	1.6	1.6
Psychotherapeutics (Rx-type, non-medical use)	20.9	19.9	20.4	20.6	20.9	20.4	20.7	20.4	20.4	20.6	20.4
Pain Reliever	14.2	13.3	13.8	14.0	14.0	13.4	13.6	13.4	13.2	13.1	12.6
OxyContin®	2.5	2.3	2.4	2.3	1.9	1.8	1.7	1.4	1.3	1.2	0.8
Stimulant	8.3	7.9	8.6	8.7	8.5	8.7	8.2	7.8	8.3	8.8	9.0
Methamphetamine	4.7	4.6	5.1	5.1	5.1	5.3	5.8	4.3	4.9	5.2	5.3
Sedative	3.1	2.9	3.0	3.4	3.6	3.4	3.6	3.7	4.1	4.0	4.2
Tranquilizer	9.1	8.4	8.7	8.7	8.6	8.2	8.7	8.7	8.3	8.5	8.2
Needle/Injection Drug Use	1.6	1.4	1.4	1.5	1.6	1.6	1.6	1.5	1.5	1.5	1.7

\* "Binge" alcohol use in the National Survey on Drug Use and Health is defined as consuming 5 or more drinks on the same occasion on at least one day in the past 30 days.

\*\* "Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days.

Some estimates from 2006-2010 differ slightly from those published in previous Status Reports due to recent SAMHSA updates.

*Data Source:*

U.S. Department of Health and Human Services, SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health.

<http://www.samhsa.gov/data/NSDUH/2012SummNatFindDetTables/DetTabs/NSDUH-DetTabsTOC2012.htm>

**NATIONAL SURVEY ON DRUG USE AND HEALTH  
U.S. AGES 12-17, 2002-2012**

**Estimated Past-Month Substance Use (%)**

	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	12.9	13.3	13.6	14.8	14.7	16.0	16.7	16.5	17.6	17.7	17.6
Binge Alcohol Use *	7.2	7.4	7.9	8.9	8.9	9.7	10.3	9.9	11.1	10.6	10.7
Heavy Alcohol Use **	1.3	1.5	1.7	2.1	2.0	2.3	2.4	2.4	2.7	2.6	2.5
Any Tobacco	8.6	10.0	10.7	11.8	11.5	12.4	12.9	13.1	14.4	14.4	15.2
Cigarettes	6.6	7.8	8.4	9.0	9.2	9.9	10.4	10.8	11.9	12.2	13.0
Smokeless Tobacco	2.1	2.1	2.3	2.4	2.2	2.5	2.4	2.1	2.3	2.0	2.0
Any Illicit Drug	9.5	10.1	10.1	10.1	9.3	9.5	9.8	9.9	10.6	11.2	11.6
Marijuana	7.2	7.9	7.4	7.4	6.7	6.7	6.7	6.8	7.6	7.9	8.2
Inhalant	0.8	0.9	1.1	1.0	1.1	1.2	1.3	1.2	1.2	1.3	1.2
Hallucinogen	0.6	0.9	0.9	0.9	1.0	0.7	0.7	0.8	0.8	1.0	1.0
LSD	0.1	0.1	0.2	0.1	0.2	0.1	0.1	0.1	0.2	0.2	0.2
PCP	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.1	0.1
Ecstasy	0.3	0.4	0.5	0.5	0.4	0.3	0.3	0.3	0.3	0.4	0.5
Cocaine (any form)	0.1	0.3	0.2	0.3	0.4	0.4	0.4	0.6	0.5	0.6	0.6
Crack Cocaine	***	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.1
Heroin	***	0.1	0.0	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.0
Psychotherapeutics (Rx-type, non-medical use)	2.8	2.8	3.0	3.1	2.9	3.3	3.3	3.3	3.6	4.0	4.0
Pain Reliever	2.2	2.3	2.5	2.7	2.3	2.7	2.7	2.7	3.0	3.2	3.2
OxyContin®	0.2	0.2	0.2	0.3	0.2	0.2	0.1	0.1	0.3		
Stimulant	0.5	0.4	0.4	0.5	0.5	0.5	0.7	0.7	0.7	0.9	0.8
Methamphetamine	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.2	0.3	0.3
Sedative	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.2	0.2
Tranquilizer	0.6	0.6	0.5	0.6	0.6	0.7	0.5	0.6	0.6	0.9	0.8

**Estimated Lifetime Substance Use (%)**

	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	32.4	34.5	35.2	38.1	38.3	39.4	40.4	40.6	42.0	42.9	43.4
Any Tobacco	21.5	23.2	24.9	26.9	27.2	27.8	29.7	30.7	32.7	34.5	36.8
Cigarettes	17.4	19.1	20.3	22.2	22.9	23.7	25.8	26.7	29.2	31.0	33.3
Smokeless Tobacco	6.4	6.8	7.2	7.6	7.2	7.7	7.1	7.1	7.1	7.6	8.0
Any Illicit Drug	24.2	25.5	25.8	26.9	26.4	26.3	27.6	27.7	30.0	30.5	30.9
Marijuana	17.0	17.5	17.1	17.1	16.6	16.2	17.3	17.4	19.0	19.6	20.6
Inhalant	6.5	7.5	8.3	9.3	9.3	9.6	10.1	10.5	11.0	10.7	10.5
Hallucinogen	3.3	3.7	4.1	4.1	3.9	3.6	3.9	3.9	4.6	5.0	5.7
LSD	1.0	0.9	0.9	1.0	1.1	0.8	0.9	1.1	1.2	1.6	2.7
PCP	0.4	0.3	0.3	0.4	0.4	0.4	0.5	0.7	0.7	0.8	0.9
Ecstasy	2.0	2.4	2.5	2.3	2.1	1.8	1.9	1.6	2.1	2.4	3.3
Cocaine (any form)	1.1	1.3	1.5	1.6	1.9	2.2	2.2	2.3	2.4	2.6	2.7
Crack Cocaine	0.1	0.3	0.2	0.2	0.3	0.4	0.5	0.4	0.5	0.6	0.7
Heroin	0.2	0.3	0.2	0.2	0.3	0.2	0.2	0.2	0.3	0.3	0.4
Psychotherapeutics (Rx-type, non-medical use)	10.0	10.1	10.6	11.4	11.2	11.7	12.5	11.9	13.5	13.5	13.7
Pain Reliever	8.3	8.6	9.2	9.7	9.5	9.7	10.4	9.9	11.4	11.2	11.2
OxyContin®	1.3	1.5	1.5	1.5	1.4	1.4	1.4	1.1	1.2	1.0	0.9
Stimulant	2.0	2.0	2.2	2.4	2.7	2.9	3.7	3.4	3.6	4.2	4.5
Methamphetamine	0.6	0.7	0.6	0.8	0.8	0.9	1.3	1.3	1.4	1.5	1.7
Sedative	0.7	0.6	0.7	0.9	0.8	0.8	0.9	0.9	1.0	1.0	1.0
Tranquilizer	2.8	2.8	3.0	2.8	2.9	3.0	2.9	3.0	3.2	3.5	3.4
Needle/Injection Drug Use	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2	0.3	0.3	0.3

\* "Binge" alcohol use in the National Survey on Drug Use and Health is defined as consuming 5 or more drinks on the same occasion on at least one day in the past 30 days.

\*\* "Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days.

\*\*\* Low precision, no estimate available

Some estimates from 2006-2010 differ slightly from those published in previous Status Reports due to recent SAMHSA updates.

*Data Source:*

U.S. Department of Health and Human Services, SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health.

<http://www.samhsa.gov/data/NSDUH/2012SummNatFindDetTables/DetTabs/NSDUH-DetTabsTOC2012.htm>

**NATIONAL SURVEY ON DRUG USE AND HEALTH  
U.S. AGES 18-25, 2002-2012**

**Estimated Past-Month Substance Use (%)**

	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
<b>Alcohol</b>	60.2	60.7	61.4	61.8	61.1	61.3	62.0	60.9	60.5	61.4	60.5
<b>Binge Alcohol Use *</b>	39.5	39.8	40.5	41.8	41.2	41.9	42.3	41.9	41.2	41.6	40.9
<b>Heavy Alcohol Use **</b>	12.7	12.1	13.5	13.8	14.6	14.8	15.6	15.3	15.1	15.1	14.9
<b>Any Tobacco</b>	38.1	39.5	40.9	41.6	41.4	41.9	44.0	44.3	44.6	44.8	45.3
<b>Cigarettes</b>	31.8	33.5	34.3	35.8	35.7	36.2	38.5	39.0	39.5	40.2	40.8
<b>Smokeless Tobacco</b>	5.5	5.4	6.4	6.1	5.3	5.2	5.2	5.1	4.9	4.7	4.8
<b>Any Illicit Drug</b>	21.3	21.4	21.6	21.4	19.7	19.8	19.8	20.1	19.4	20.3	20.2
<b>Marijuana</b>	18.7	19.0	18.5	18.2	16.6	16.5	16.3	16.6	16.1	17.0	17.3
<b>Inhalant</b>	0.4	0.4	0.4	0.4	0.3	0.4	0.4	0.5	0.4	0.4	0.5
<b>Hallucinogen</b>	1.7	1.6	2.0	1.8	1.7	1.5	1.7	1.5	1.5	1.7	1.9
<b>LSD</b>	0.3	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.3	0.2	0.1
<b>PCP</b>	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0
<b>Ecstasy</b>	1.0	0.9	1.2	1.1	0.9	0.7	1.0	0.8	0.7	0.7	1.1
<b>Cocaine (any form)</b>	1.1	1.4	1.5	1.4	1.6	1.7	2.2	2.6	2.1	2.2	2.0
<b>Crack Cocaine</b>	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.3	0.3	0.2	0.2
<b>Heroin</b>	0.4	0.3	0.3	0.2	0.2	0.1	0.2	0.2	0.1	0.1	0.1
<b>Psychotherapeutics (Rx-type, non-medical use)</b>	5.3	5.0	5.9	6.4	5.9	5.9	6.5	6.3	6.1	6.1	5.5
<b>Pain Reliever</b>	3.8	3.6	4.4	4.8	4.5	4.6	5.0	4.7	4.7	4.7	4.1
<b>OxyContin®</b>	0.4	0.5	0.7	0.5	0.4	0.5	0.4	0.4	0.4		
<b>Stimulant</b>	1.2	1.0	1.2	1.3	1.1	1.1	1.4	1.4	1.5	1.3	1.3
<b>Methamphetamine</b>	0.3	0.2	0.2	0.2	0.2	0.4	0.6	0.7	0.7	0.6	0.6
<b>Sedative</b>	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
<b>Tranquilizer</b>	1.6	1.6	1.7	1.9	1.7	1.7	2.0	1.9	1.8	1.7	1.6

**Estimated Lifetime Substance Use (%)**

	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
<b>Alcohol</b>	84.4	84.3	85.7	85.8	85.6	85.2	86.5	85.7	86.2	87.1	86.7
<b>Any Tobacco</b>	66.3	67.9	68.6	69.6	70.2	70.3	71.8	72.3	73.5	74.8	75.5
<b>Cigarettes</b>	59.5	61.0	62.1	63.7	64.2	64.7	66.6	67.3	68.7	70.2	71.2
<b>Smokeless Tobacco</b>	19.9	20.4	20.9	21.0	20.3	20.1	20.2	20.8	21.4	22.0	23.7
<b>Any Illicit Drug</b>	57.8	56.9	57.3	58.5	57.0	57.5	59.0	59.2	59.2	60.5	59.8
<b>Marijuana</b>	52.2	51.9	51.4	52.6	50.8	50.9	52.5	52.4	52.8	53.9	53.8
<b>Inhalant</b>	8.4	9.1	10.0	10.8	10.5	11.3	12.5	13.3	14.0	14.9	15.7
<b>Hallucinogen</b>	17.6	17.6	18.5	19.1	17.8	19.2	20.2	21.0	21.3	23.3	24.2
<b>LSD</b>	5.9	6.0	6.4	6.9	6.6	7.3	8.9	10.5	12.1	14.0	15.9
<b>PCP</b>	1.0	1.0	1.3	1.4	1.6	1.6	1.9	2.2	2.3	3.0	2.7
<b>Ecstasy</b>	12.9	12.3	12.4	12.5	12.2	12.8	13.4	13.7	13.8	14.8	15.1
<b>Cocaine (any form)</b>	12.3	12.4	13.4	14.9	14.5	15.0	15.7	15.1	15.2	15.0	15.4
<b>Crack Cocaine</b>	1.9	2.1	2.6	2.9	2.8	3.0	3.6	3.5	3.5	3.8	3.8
<b>Heroin</b>	1.9	1.7	1.8	1.7	1.4	1.5	1.6	1.5	1.6	1.6	1.6
<b>Psychotherapeutics (Rx-type, non-medical use)</b>	28.1	27.3	28.9	29.5	29.4	30.0	30.7	30.8	29.7	29.5	28.3
<b>Pain Reliever</b>	22.4	22.2	23.9	24.5	24.6	24.9	25.5	25.5	24.3	23.7	22.1
<b>OxyContin®</b>	5.8	6.1	6.2	6.2	5.3	5.2	5.1	5.0	4.3	3.6	2.6
<b>Stimulant</b>	9.8	9.2	10.4	10.7	10.6	10.9	12.0	12.3	12.1	12.2	12.2
<b>Methamphetamine</b>	3.1	3.4	4.0	4.5	4.7	5.6	6.4	6.7	7.0	6.9	7.4
<b>Sedative</b>	1.2	1.4	1.4	1.6	1.6	1.8	1.9	2.0	1.9	1.8	2.1
<b>Tranquilizer</b>	12.8	12.3	13.1	12.8	12.2	12.7	13.1	13.4	12.2	12.3	11.2
<b>Needle/Injection Drug Use</b>	1.4	1.2	1.1	1.3	0.9	1.3	1.2	1.4	1.3	1.3	1.2

\* "Binge" alcohol use in the National Survey on Drug Use and Health is defined as consuming 5 or more drinks on the same occasion on at least one day in the past 30 days.

\*\* "Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days.

Some estimates from 2006-2010 differ slightly from those published in previous Status Reports due to recent SAMHSA updates.

*Data Source:*

U.S. Department of Health and Human Services, SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health.

<http://www.samhsa.gov/data/NSDUH/2012SummNatFindDetTables/DetTabs/NSDUH-DetTabsTOC2012.htm>



**NATIONAL SURVEY ON DRUG USE AND HEALTH  
U.S. AGES 26 AND OLDER, 2002-2012**

**Estimated Past-Month Substance Use (%)**

	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	55.6	55.1	54.9	54.9	54.7	54.1	53.7	55.1	53.0	52.5	53.9
Binge Alcohol Use *	22.1	21.6	21.9	22.4	22.2	22.0	21.4	21.0	21.1	21.0	21.4
Heavy Alcohol Use **	6.1	5.7	6.1	6.2	6.3	6.1	6.0	5.6	6.1	5.9	5.9
Any Tobacco	27.0	26.3	27.2	27.3	28.4	28.6	29.4	29.0	28.5	29.3	29.9
Cigarettes	22.4	21.9	22.8	23.0	23.8	24.1	24.7	24.3	24.1	24.7	25.2
Smokeless Tobacco	3.3	3.0	3.1	3.1	3.3	3.0	3.1	3.0	2.7	3.2	3.2
Any Illicit Drug	7.0	6.3	6.6	6.3	5.9	5.8	6.1	5.8	5.5	5.6	5.8
Marijuana	5.3	4.8	4.8	4.6	4.2	3.9	4.2	4.1	4.1	4.0	4.0
Inhalant	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.1
Hallucinogen	0.2	0.1	0.2	0.2	0.1	0.2	0.1	0.2	0.1	0.1	0.2
LSD	0.0	0.0	***	0.0	***	0.0	0.0	0.0	0.0	0.0	0.0
PCP	0.0	***	0.0	0.0	***	0.0	0.0	0.0	0.0	***	0.0
Ecstasy	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
Cocaine (any form)	0.6	0.4	0.5	0.6	0.7	0.7	0.8	0.8	0.7	0.8	0.7
Crack Cocaine	0.2	0.1	0.2	0.2	0.2	0.3	0.3	0.3	0.2	0.3	0.3
Heroin	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.1
Psychotherapeutics (Rx-type, non-medical use)	2.1	1.9	2.2	2.1	1.9	2.2	2.2	1.9	1.8	2.0	2.0
Pain Reliever	1.5	1.4	1.5	1.6	1.4	1.6	1.5	1.3	1.2	1.3	1.3
OxyContin®	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1		
Stimulant	0.3	0.3	0.3	0.4	0.2	0.3	0.4	0.3	0.4	0.4	0.4
Methamphetamine	0.2	0.2	0.1	0.2	0.1	0.2	0.3	0.2	0.2	0.3	0.2
Sedative	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.1	0.2
Tranquilizer	0.7	0.6	0.7	0.7	0.6	0.6	0.5	0.6	0.5	0.6	0.6

**Estimated Lifetime Substance Use (%)**

	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
Alcohol	88.1	87.9	87.9	88.0	87.3	87.5	87.7	88.2	87.3	88.0	88.0
Any Tobacco	72.5	73.0	74.2	74.4	75.0	75.0	76.0	76.0	76.4	77.6	77.7
Cigarettes	67.9	68.6	70.0	70.1	70.7	70.9	71.7	71.9	72.3	73.6	73.7
Smokeless Tobacco	18.7	18.9	18.5	18.5	19.5	19.3	19.9	19.5	19.6	20.6	20.9
Any Illicit Drug	49.3	48.0	48.2	48.0	48.2	46.9	45.5	46.3	45.6	46.1	45.7
Marijuana	44.4	43.2	43.5	42.9	42.7	42.1	40.6	41.1	41.0	41.2	40.8
Inhalant	8.3	7.8	8.3	8.6	8.6	8.6	8.6	8.5	8.5	8.6	8.6
Hallucinogen	15.4	14.8	15.5	15.4	15.2	14.2	14.7	14.0	14.4	14.2	14.1
LSD	10.7	10.4	10.7	10.9	11.0	10.6	10.8	10.1	10.5	10.8	10.5
PCP	3.0	2.9	2.9	2.9	3.1	2.9	3.1	3.1	3.2	3.3	3.5
Ecstasy	5.6	4.9	5.7	4.9	4.4	4.1	3.9	3.6	3.4	3.1	2.6
Cocaine (any form)	16.5	16.3	16.6	16.2	16.5	16.1	15.7	15.2	15.6	16.3	15.9
Crack Cocaine	4.2	3.7	4.2	3.8	3.9	4.0	3.9	3.6	3.6	3.6	3.9
Heroin	1.9	1.8	1.8	1.6	1.7	1.7	1.7	1.6	1.4	1.7	1.7
Psychotherapeutics (Rx-type, non-medical use)	21.0	19.8	20.2	20.3	20.7	19.9	20.1	19.7	19.8	20.0	19.9
Pain Reliever	13.6	12.4	12.6	12.7	12.8	11.9	12.0	11.8	11.5	11.5	11.1
OxyContin®	2.1	1.7	1.9	1.7	1.4	1.2	1.1	0.9	0.8	0.8	0.5
Stimulant	8.8	8.4	9.1	9.2	8.9	9.1	9.4	8.7	9.6	10.0	10.4
Methamphetamine	5.5	5.3	5.9	5.8	5.7	5.8	6.3	5.5	6.5	6.9	7.1
Sedative	3.7	3.5	3.6	4.1	4.3	4.0	4.3	4.4	4.9	4.8	5.1
Tranquilizer	9.2	8.4	8.7	8.7	8.7	8.1	8.7	8.6	8.3	8.5	8.3
Needle/Injection Drug Use	1.8	1.6	1.6	1.7	2.0	1.9	1.8	1.7	1.6	1.8	2.0

\* "Binge" alcohol use in the National Survey on Drug Use and Health is defined as consuming 5 or more drinks on the same occasion on at least one day in the past 30 days.

\*\* "Heavy" alcohol use is defined as consuming 5 or more drinks on the same occasion on each of 5 or more days in the past 30 days.

\*\*\* Low precision, no estimate available

Some estimates from 2006-2010 differ slightly from those published in previous Status Reports due to recent SAMHSA updates.


*Data Source:*

U.S. Department of Health and Human Services, SAMHSA, Center for Behavioral Health Statistics and Quality, National Survey on Drug Use and Health.

<http://www.samhsa.gov/data/NSDUH/2012SummNatFindDetTables/DetTabs/NSDUH-DetTabsTOC2012.htm>


## ALCOHOL — PAST-MONTH USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

**Estimated Past-Month Alcohol Use (%): U.S. and Missouri Ages 12 and Older, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Alcohol Use (%): U.S. and Missouri Ages 12-17, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Alcohol Use (%): U.S. and Missouri Ages 18-25, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Estimated Past-Month Alcohol Use (%): U.S. and Missouri Ages 26 & Older, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## ALCOHOL — PAST-MONTH BINGE USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

**Estimated Past-Month Binge Drinking (%): U.S. and Missouri Ages 12 & Older, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Binge Drinking (%): U.S. and Missouri Ages 12-17, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Binge Drinking (%): U.S. and Missouri Ages 18-25, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Estimated Past-Month Binge Drinking (%): U.S. and Missouri Ages 26 & Older, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## ALCOHOL — PERCEIVED RISK OF BINGE USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

**Perceive Great Risk of Binge Drinking Once or Twice Weekly (%): U.S. and Missouri Ages 12 & Older, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Perceive Great Risk of Binge Drinking Once or Twice Weekly (%): U.S. and Missouri Ages 12-17, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Perceive Great Risk of Binge Drinking Once or Twice Weekly (%): U.S. and Missouri Ages 18-25, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Perceive Great Risk of Binge Drinking Once or Twice Weekly (%): U.S. and Missouri Ages 26 & Older, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## ALCOHOL USE, BINGE USE, AND PERCEIVED RISK: MISSOURI AGE GROUP COMPARISONS

**Estimated Past-Month Alcohol Use (%): Missouri Age Group Comparisons, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Binge Drinking (%): Missouri Age Group Comparisons, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Perception of Great Risk of Binge Drinking (%): Missouri Age Group Comparisons, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


# ALCOHOL — PAST-MONTH, BINGE, AND PERCEIVED RISK OF USE: MISSOURI AND DBH REGIONS

## Past-Month Alcohol Use (%): Missouri and DBH Regions




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

## Past-Month Binge Drinking (%): Missouri and DBH Regions



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


## Perceptions of Great Risk of Binge Drinking (%): Missouri and DBH Regions



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


## TOBACCO — PAST-MONTH CIGARETTE USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

**Estimated Past-Month Cigarette Use (%): U.S. and Missouri Ages 12 & Older, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Cigarette Use (%): U.S. and Missouri Ages 12-17, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Cigarette Use (%): U.S. and Missouri Ages 18-25, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Estimated Past-Month Cigarette Use (%): U.S. and Missouri Ages 26 & Older, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## TOBACCO — PERCEIVED RISK OF CIGARETTE USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

**Perceive Great Risk in Smoking 1+ Pack Cigarettes Daily (%): U.S. and Missouri Ages 12 & Older, 2003-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Perceive Great Risk in Smoking 1+ Pack Cigarettes Daily (%): U.S. and Missouri Ages 12-17, 2003-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Perceive Great Risk in Smoking 1+ Pack Cigarettes Daily (%): U.S. and Missouri Ages 18-25, 2003-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Perceive Great Risk Smoking One or More Packs of Cigarettes Daily (%): U.S. and Missouri Ages 26 & Older, 2003-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.




## TOBACCO USE AND PERCEIVED RISK: MISSOURI AGE GROUP COMPARISONS

**Estimated Past-Month Tobacco Use (%): Missouri Age Group Comparisons, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Cigarette Use (%): Missouri Age Group Comparisons, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Perceive Great Risk Smoking One or More Packs of Cigarettes Daily (%): Missouri Age Group Comparisons, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## TOBACCO AND CIGARETTES — PAST-MONTH AND PERCEIVED RISK OF USE: MISSOURI AND DBH REGIONS

**Estimated Past-Month Tobacco Use (%): Missouri and DBH Regions**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

**Estimated Past-Month Cigarette Use (%): Missouri and DBH Regions**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


**Perceive Great Risk in Smoking One or More Packs of Cigarettes Per Day (%): Missouri and DBH Regions**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


## PAST-MONTH ILLICIT DRUG USE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

**Estimated Past-Month Use of Any Illicit Drug (%): U.S. and Missouri Ages 12 & Older, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Use of Any Illicit Drug (%): U.S. and Missouri Ages 12-17, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Use of Any Illicit Drug (%): U.S. and Missouri Ages 18-25, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Estimated Past-Month Use of Any Illicit Drug (%): U.S. and Missouri Ages 26 & Older, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## PAST-MONTH ILLICIT DRUG USE EXCEPT MARIJUANA: U.S. AND MISSOURI COMPARISON BY AGE GROUP

**Estimated Past-Month Use of Illicit Drug Other Than Marijuana (%): U.S. and Missouri Ages 12 & Older, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Use of Illicit Drug Other Than Marijuana (%): U.S. and Missouri Ages 12-17, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Use of Illicit Drug Other Than Marijuana (%): U.S. and Missouri Ages 18-25, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Estimated Past-Month Use of Illicit Drug Other Than Marijuana (%): U.S. and Missouri Ages 26 & Older, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


# ILLICIT DRUGS AND ILLICIT DRUGS EXCEPT MARIJUANA — PAST-MONTH USE: MISSOURI AND DBH REGIONS

**Estimated Past-Month Illicit Drug Use (%): Missouri and DBH Regions**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


**Estimated Past-Month Use of Illicit Drugs Other Than Marijuana (%): Missouri and DBH Regions**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


## MARIJUANA — PAST-MONTH USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

**Estimated Past-Month Marijuana Use (%): U.S. and Missouri Ages 12 & Older, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Marijuana Use (%): U.S. and Missouri Ages 12-17, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Month Marijuana Use (%): U.S. and Missouri Ages 18-25, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Estimated Past-Month Marijuana Use (%): U.S. and Missouri Ages 26 & Older, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## MARIJUANA — PAST-YEAR USE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

**Estimated Past-Year Marijuana Use (%): U.S. and Missouri Ages 12 & Older, 2003-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Year Marijuana Use (%): U.S. and Missouri Ages 12-17, 2003-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Year Marijuana Use (%): U.S. and Missouri Ages 18-25, 2003-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Estimated Past-Year Marijuana Use (%): U.S. and Missouri Ages 26 & Older, 2003-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## MARIJUANA — PERCEIVED RISK OF USE: U.S. AND MISSOURI COMPARISONS BY AGE GROUP

**Perceive Great Risk in Smoking Marijuana Once a Month (%): U.S. and Missouri Ages 12 & Older, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Perceive Great Risk in Smoking Marijuana Once a Month (%): U.S. and Missouri Ages 12-17, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Perceive Great Risk in Smoking Marijuana Once a Month (%): U.S. and Missouri Ages 18-25, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Perceive Great Risk in Smoking Marijuana Once a Month (%): U.S. and Missouri Ages 26 & Older, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.




## PAST MONTH, FIRST USE, AND PERCEIVED RISK OF MARIJUANA USE: MISSOURI AGE GROUPS

**Estimated Past-Month Marijuana Use (%): Missouri Age Groups, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated First Use of Marijuana in Past Year (%): Missouri Age Groups, 2003-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Estimated Perception of Great Risk of Smoking Marijuana Once Per Month (%): Missouri Age Groups, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## MARIJUANA — PAST-MONTH, FIRST YEAR, AND PERCEIVED RISK OF USE: MISSOURI AND DBH REGIONS

**Estimated Past-Month Marijuana Use (%): Missouri and DBH Regions**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

**Estimated Average Annual Rate of First Use of Marijuana (%): Missouri and DBH Regions**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


**Estimated Perception of Great Risk of Smoking Marijuana Monthly (%): Missouri and DBH Regions**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


## MARIJUANA, COCAINE, AND PAIN RELIEVERS — PAST-YEAR USE: MISSOURI AND DBH REGIONS

### Estimated Past-Year Marijuana Use (%): Missouri and DBH Regions




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

### Estimated Past-Year Cocaine Use (%): Missouri and DBH Regions



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


### Estimated Past-Year Nonmedical Use of Pain Relievers (%): Missouri and DBH Regions



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


## COCAINE — PAST-YEAR USE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

**Estimated Past-Year Cocaine Use (%): U.S. and Missouri Ages 12 & Older, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Year Cocaine Use (%): U.S. and Missouri Ages 12-17, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Year Cocaine Use (%): U.S. and Missouri Ages 18-25, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Estimated Past-Year Cocaine Use (%): U.S. and Missouri Ages 26 & Older, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## PAIN RELIEVERS: PAST-YEAR NON-MEDICAL USE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

**Estimated Past-Year Use of Pain Relievers (%): U.S. and Missouri Ages 12 & Older, 2003-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Year Use of Pain Relievers (%): U.S. and Missouri Ages 12-17, 2003-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Year Use of Pain Relievers (%): U.S. and Missouri Ages 18-25, 2003-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Estimated Past-Year Use of Pain Relievers (%): U.S. and Missouri Ages 26 & Older, 2003-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## ALCOHOL AND ILLICIT DRUGS — PAST-YEAR DEPENDENCE OR ABUSE: U.S. AND MISSOURI AGE GROUPS

**Estimated Past-Year Alcohol or Illicit Drug Dependence or Abuse (%), U.S. and Missouri Ages 12 & Older, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Year Alcohol or Illicit Drug Dependence or Abuse (%): U.S. and Missouri Ages 12-17, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Year Alcohol or Illicit Drug Dependence or Abuse (%): U.S. and Missouri Ages 18-25, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Estimated Past-Year Alcohol or Illicit Drug Dependence or Abuse (%): U.S. and Missouri Ages 26 & Older, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## PAST-YEAR ALCOHOL OR ILLICIT DRUG DEPENDENCE OR ABUSE: MISSOURI AGE GROUPS

**Estimated Number with Past-Year Alcohol or Illicit Drug Dependence or Abuse: Missouri Ages 12 & Older, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Number with Past-Year Alcohol or Illicit Drug Dependence or Abuse: Missouri Ages 12-17, 2002-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Number with Past-Year Alcohol or Illicit Drug Dependence or Abuse: Missouri Ages 18-25, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


**Estimated Number with Past-Year Alcohol or Illicit Drug Dependence or Abuse: Missouri Ages 26 & Older, 2002-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


# ALCOHOL AND ILLICIT DRUGS — PAST-YEAR SUBSTANCE DEPENDENCE OR ABUSE: MISSOURI AND DBH REGIONS

**Estimated Past-Year Alcohol Dependence or Abuse (%): Missouri and DBH Regions**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

**Estimated Past-Year Illicit Drug Dependence or Abuse (%): Missouri and DBH Regions**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

**Estimated Past-Year Alcohol or Illicit Drug Dependence or Abuse (%): Missouri and DBH Regions**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.



## PAST-YEAR SUBSTANCE DEPENDENCE OR ABUSE: MISSOURI DBH REGIONS BY AGE GROUP

**Estimated Past-Year Substance Dependence or Abuse (%): Missouri and DBH Regions Ages 12-17, 2008-2010**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

Displayed percentages are derived from SAMHSA estimates for combined alcohol and illicit drug dependence/abuse.

Estimates are average annual rates based on combined years 2008-2010.

**Estimated Past-Year Substance Dependence or Abuse (%): Missouri and DBH Regions Ages 18-25, 2008-2010**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

Displayed percentages are derived from SAMHSA estimates for combined alcohol and illicit drug dependence/abuse.

Estimates are average annual rates based on combined years 2008-2010.

**Estimated Past-Year Substance Dependence or Abuse (%): Missouri and DBH Regions Ages 26 and Older, 2008-2010**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

Displayed percentages are derived from SAMHSA estimates for combined alcohol and illicit drug dependence/abuse.

Estimates are average annual rates based on combined years 2008-2010.


## PAST-YEAR UNMET NEED FOR SUBSTANCE ABUSE TREATMENT: MISSOURI AGE GROUPS

### Estimated Number Needing but Not Receiving Treatment for Alcohol and Illicit Drugs: Missouri Ages 12 & Older, 2003-2011




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

### Estimated Number Needing but Not Receiving Treatment for Alcohol and Illicit Drugs: Missouri Ages 12-17, 2003-2011




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

### Estimated Number Needing but Not Receiving Treatment for Alcohol and Illicit Drugs: Missouri Ages 18-25, 2003-2011



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


### Estimated Number Needing but Not Receiving Treatment for Alcohol and Illicit Drugs: Missouri Ages 26 & Older, 2003-2011



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.


## UNMET NEED FOR SUBSTANCE ABUSE TREATMENT IN PAST YEAR: MISSOURI AND DBH REGIONS

**Past-Year Percentage Needing but Not Receiving Treatment for Alcohol Use: Missouri and DBH Regions, 3-Year Spans**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.


**Past-Year Percentage Needing but Not Receiving Treatment for Illicit Drug Use: Missouri and DBH Regions, 3-Year Spans**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

## PAST-YEAR UNMET NEED FOR SUBSTANCE ABUSE TREATMENT: MISSOURI AND REGIONS BY AGE GROUP


**Past-Year Unmet Need for Substance Abuse Treatment (%): Missouri and DBH Regions Ages 12-17, 2008-2010**



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

Estimates are average annual rates based on combined years 2008-2010.


**Past-Year Unmet Need for Substance Abuse Treatment (%): Missouri and DBH Regions Ages 18-25, 2008-2010**



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

Estimates are average annual rates based on combined years 2008-2010.

**Past-Year Unmet Need for Substance Abuse Treatment (%): Missouri and DBH Regions Ages 26 & Older, 2008-2010**



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

Estimates are average annual rates based on combined years 2008-2010.

## ANY MENTAL ILLNESS IN PAST YEAR: U.S. AND MISSOURI COMPARISON BY AGE GROUP


**Estimated Past-Year Any Mental Illness: U.S. and Missouri Ages 18 & Older, 2009-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Note: Due to adult mental health questionnaire changes in 2008, comparisons to prior years are not provided.

**Estimated Past-Year Any Mental Illness: U.S. and Missouri Ages 18-25, 2009-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Note: Due to adult mental health questionnaire changes in 2008, comparisons to prior years are not provided.

**Estimated Past-Year Any Mental Illness: U.S. and Missouri Ages 26 and Older, 2009-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Note: Due to adult mental health questionnaire changes in 2008, comparisons to prior years are not provided.

## SERIOUS MENTAL ILLNESS IN PAST YEAR: U.S. AND MISSOURI COMPARISON BY AGE GROUP


**Estimated Past-Year Serious Mental Illness: U.S. and Missouri Ages 18 & Older, 2009-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Note: Due to adult mental health questionnaire changes in 2008, comparisons to prior years are not provided.


**Estimated Past-Year Serious Mental Illness: U.S. and Missouri Ages 18-25, 2009-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Note: Due to adult mental health questionnaire changes in 2008, comparisons to prior years are not provided.

**Estimated Past-Year Serious Mental Illness: U.S. and Missouri Ages 26 and Older, 2009-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

Note: Due to adult mental health questionnaire changes in 2008, comparisons to prior years are not provided.


## DEPRESSION — MAJOR PAST-YEAR EPISODE: U.S. AND MISSOURI COMPARISON BY AGE GROUP

### Estimated Past-Year Major Depressive Episode (MDE): U.S. and Missouri Ages 12-17, 2005-2011



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.


### Estimated Past-Year Major Depressive Episode (MDE): U.S. and Missouri Ages 18 and Older, 2005-2011



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).

Note: Due to adult mental health questionnaire changes in 2008, MDE data beginning 2007/2008 are not comparable to prior years.


### Estimated Past-Year Major Depressive Episode (MDE): U.S. and Missouri Ages 18-25, 2005-2011



Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).

Note: Due to adult mental health questionnaire changes in 2008, MDE data beginning 2007/2008 are not comparable to prior years.

### Estimated Past-Year Major Depressive Episode (MDE): U.S. and Missouri Ages 26 and Older, 2005-2011




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health (NSDUH).

Note: Due to adult mental health questionnaire changes in 2008, MDE data beginning 2007/2008 are not comparable to prior years.


## MAJOR DEPRESSIVE EPISODE IN PAST YEAR: MISSOURI AND DBH REGIONS

**Estimated Past-Year Major Depressive Episode (MDE): Ages 12-17, Missouri and DBH Regions**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

**Estimated Past-Year Major Depressive Episode (MDE): Ages 18-25, Missouri and DBH Regions**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

**Estimated Past-Year Major Depressive Episode (MDE): Ages 26 and Older, Missouri and DBH Regions**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.




## SERIOUS THOUGHTS OF SUICIDE IN PAST YEAR: U.S. AND MISSOURI COMPARISON BY AGE GROUP AND MISSOURI ESTIMATES FOR DBH REGIONS

**Estimated Past-Year Serious Thoughts of Suicide (%): U.S. and Missouri Ages 18 and Older, 2009-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Year Serious Thoughts of Suicide (%): U.S. and Missouri Ages 18-25, 2009-2011**




Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Year Serious Thoughts of Suicide (%): U.S. and Missouri Ages 26 and Older, 2009-2011**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 2-year averages.

**Estimated Past-Year Serious Thoughts of Suicide (%): Missouri and DBH Regions Ages 18 and Older, 2008-2010**



Data Source: U.S. Dept of Health and Human Services, SAMHSA. National Survey on Drug Use and Health. Estimates are 3-year averages.

# MISSOURI STUDENT SURVEY: PAST 30-DAY ALCOHOL, TOBACCO, AND OTHER DRUG USE

## Reported Past 30-Day Substance Use (%): Missouri Students in Grades 6-12

		Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Alcohol	2012	3.64	6.38	12.18	18.56	25.63	29.51	35.54
	2010	4.43	8.3	14.44	22.13	28.29	33.35	36.72
	2008	7.57	14.24	22.93	30.94	37.38	40.85	45.62
	2006	7.35	14.82	23.90	32.56	39.50	43.23	49.61
	2004	8.57	18.05	27.06	36.52	45.73	51.14	50.97
Alcohol: binge use in past 30 days	2012	1.04	2.61	6.05	10.20	16.13	19.69	24.18
	2010	1.60	3.50	7.10	12.37	17.34	22.45	24.59
Cigarettes	2012	2.57	4.36	8.23	11.38	15.13	20.06	21.84
	2010	4.00	5.92	10.94	14.80	18.68	22.95	24.99
	2008	3.02	6.65	9.68	14.03	18.97	22.56	24.34
	2006	3.77	7.28	11.82	14.85	19.87	21.63	28.04
	2004	5.27	10.45	15.22	18.30	22.72	30.80	28.30
Chewing Tobacco	2012	1.63	2.18	4.45	6.48	7.63	9.75	10.01
	2010	2.01	2.54	5.03	7.30	7.79	9.28	8.89
	2008	1.68	3.29	4.35	6.59	8.39	9.60	10.17
	2006	2.03	3.09	4.52	6.10	7.64	7.95	9.68
	2004	1.67	3.38	4.07	6.12	8.97	11.32	12.50
Marijuana	2012	1.00	2.32	5.97	9.55	13.05	15.51	21.35
	2010	0.99	2.29	5.50	10.25	15.64	18.31	19.52
	2008	0.83	3.11	5.54	8.97	12.90	14.86	16.56
	2006	0.83	2.72	5.05	9.32	13.57	15.53	17.50
	2004	0.95	3.34	7.23	10.53	13.06	13.03	14.60
Inhalant	2012	2.49	2.57	2.90	2.38	1.64	1.43	1.28
	2010	3.71	3.87	3.51	3.06	2.54	1.80	1.55
	2008	4.14	5.69	5.28	4.04	3.14	2.00	1.72
	2006	4.94	6.25	6.44	4.26	2.94	2.23	1.92
	2004	4.16	5.62	5.13	3.38	2.91	2.34	1.80
Pharmaceutical Drug: non-prescribed	2012	1.63	2.57	3.77	5.27	6.59	7.04	7.61
	2010	3.33	3.97	5.55	7.50	8.38	9.82	8.28
Over-the-Counter Drug: non-medical use	2012	1.31	2.18	3.50	4.08	5.08	4.68	3.81
	2010	2.14	3.07	4.39	5.97	6.19	6.05	5.27
Synthetic Drug	2012	1.49	1.67	2.41	3.31	3.95	4.26	3.52

Data Source: Missouri Institute of Mental Health. Missouri Student Survey.

Respondents participate voluntarily and do not comprise a scientifically selected sample.

2010 and 2012 data are weighted in accordance with population characteristics. 2004-2008 data are unweighted.

# MISSOURI STUDENT SURVEY: LIFETIME ALCOHOL, TOBACCO, AND OTHER DRUG USE

## Reported Lifetime Substance Use (%): Missouri Students in Grades 6-12

		Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Alcohol	2012	13.25	19.96	31.97	42.76	52.80	59.30	64.53
	2010	15.09	24.39	36.49	47.99	55.42	63.20	65.33
	2008	30.07	44.52	56.04	65.36	70.76	73.60	74.71
	2006	35.24	48.41	61.47	69.79	75.37	77.12	82.39
Cigarettes	2012	7.23	10.78	19.02	25.02	31.07	37.94	41.20
	2010	8.35	12.54	22.11	28.62	36.42	43.43	45.46
	2008	9.53	17.57	24.06	30.80	38.02	43.34	45.48
	2006	20.40	27.38	34.60	39.39	46.70	49.71	55.50
Chewing Tobacco	2012	3.72	4.12	9.03	11.79	14.24	17.78	18.04
	2010	3.79	4.89	9.98	12.73	15.11	17.70	17.60
	2008	5.43	9.29	11.86	15.08	18.72	20.39	22.88
	2006	7.15	9.71	13.69	15.40	17.80	19.45	22.24
Marijuana	2012	1.73	4.49	10.56	18.17	25.64	31.74	40.66
	2010	1.85	4.42	10.44	18.76	28.73	35.35	38.86
	2008	2.02	6.49	11.83	19.01	27.28	32.69	35.72
	2006	2.41	6.35	11.69	19.83	30.17	34.78	40.69
Inhalants	2012	5.02	4.69	5.78	5.69	5.11	5.13	4.28
	2010	5.67	6.57	6.92	6.79	6.50	6.23	6.09
	2008	8.09	10.55	10.95	9.71	9.21	7.04	6.28
	2006	9.76	12.18	13.55	11.00	9.55	7.36	7.36
Heroin	2012	0.56	0.56	1.04	0.84	1.09	1.25	1.83
	2010	0.26	0.50	0.50	0.64	0.85	0.90	1.08
Cocaine *	2012	0.62	0.80	1.65	1.49	2.60	3.33	3.76
	2010	0.47	0.80	0.99	1.45	2.27	3.65	4.16
	2008	0.70	1.41	1.64	1.95	2.67	3.33	4.41
	2006	0.93	1.73	1.99	2.58	3.59	4.16	5.84
Methamphetamine **	2012	0.93	0.73	1.23	1.18	1.39	1.95	2.00
	2010	0.42	0.78	0.71	0.84	1.11	1.35	1.22
	2008	0.49	1.28	1.79	2.95	4.23	4.42	4.64
	2006	0.70	1.45	2.04	3.33	4.82	5.36	7.02
Hallucinogen	2012	0.62	1.14	2.18	2.66	4.10	5.29	7.52
	2010	0.46	0.97	1.85	3.19	4.43	6.36	5.90
	2008	0.39	0.85	1.40	2.22	3.59	4.53	5.23
	2006	0.40	0.94	1.34	2.11	3.27	3.89	5.31
Club Drug	2012	0.76	0.70	1.68	2.03	3.22	3.99	5.23
	2010	0.42	0.66	1.37	2.28	3.05	4.79	5.25
	2008	0.43	0.81	1.48	2.38	3.78	4.46	5.45
	2006	0.56	0.99	1.92	2.49	3.59	4.45	5.25
Steroid: non-prescribed	2012	1.07	1.08	1.83	1.39	1.34	1.62	1.71
	2010	0.92	0.86	0.99	1.24	1.28	1.14	0.85
	2008	1.62	2.29	2.55	2.60	2.68	2.59	2.64
	2006	1.44	2.05	2.52	2.55	2.60	2.74	2.92
Pharmaceutical Drug: non-prescribed	2012	3.06	4.20	6.77	9.28	11.93	14.16	16.12
	2010	5.23	6.56	9.08	12.13	13.96	16.93	15.96
Over-the-Counter Drug: non-medical use	2012	2.23	3.30	5.53	6.51	8.39	8.73	9.35
	2010	3.36	4.63	6.65	8.91	9.88	10.89	9.32
Synthetic Drug	2012	2.37	2.68	4.55	6.77	9.17	11.31	12.97

Data Source: Missouri Institute of Mental Health. Missouri Student Survey.

Respondents participate voluntarily and do not comprise a scientifically selected sample.


2010 and 2012 data are weighted in accordance with population characteristics. 2006-2008 data are unweighted.

\* Item specified "crack or freebase form of cocaine" in 2006-2008 surveys and "any form of cocaine" in 2010-2012 surveys.

\*\* Item specified "speed, amphetamine, or methamphetamine" in 2002-2008 surveys and "methamphetamine" in 2010-2012 surveys.


## ALCOHOL USE IN LIFETIME AND PAST 30-DAYS: MISSOURI STUDENTS IN GRADES 6-12

**Lifetime Use of Alcohol (%): Missouri Students in Grades 6-12, 2004-2012**




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.

**Past 30-Day Use of Alcohol (%): Missouri Students in Grades 6-12, 2004-2012**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.


**Past 2-Week (2004-2008) and Past 30-Day (2010-2012) Binge Alcohol Use (%): Missouri Students in Grades 6-12**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.


## TOBACCO USE IN LIFETIME AND PAST 30-DAYS: MISSOURI STUDENTS IN GRADES 6-12

**Lifetime Use of Cigarettes (%): Missouri Students in Grades 6-12, 2004-2012**




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.

**Past 30-Day Use of Cigarettes (%): Missouri Students in Grades 6-12, 2004-2012**




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.

**Lifetime Use of Chewing Tobacco (%): Missouri Students in Grades 6-12, 2004-2012**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.


**Past 30-Day Use of Chewing Tobacco (%): Missouri Students in Grades 6-12, 2004-2012**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.


## MARIJUANA USE IN LIFETIME AND PAST 30-DAYS: MISSOURI STUDENTS IN GRADES 6-12

**Lifetime Use of Marijuana (%): Missouri Students in Grades 6-12, 2004-2012**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.


**Past 30-Day Use of Marijuana (%): Missouri Students in Grades 6-12, 2004-2012**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.


## COCAINE AND HEROIN USE: MISSOURI STUDENTS IN GRADES 6-12

**Lifetime Use of Cocaine (%): Missouri Students in Grades 6-12, 2004-2012**




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.

**Past 30-Day Use of Cocaine (%): Missouri Students in Grades 6-12, 2004-2008**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are unweighted.


**Lifetime Use of Heroin (%): Missouri Students in Grades 6-12, 2010-2012**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


## METHAMPHETAMINE USE IN LIFETIME AND PAST 30 DAYS: MISSOURI STUDENTS IN GRADES 6-12

**Lifetime Use of Speed, Amphetamine, or Methamphetamine (%): Missouri Students in Grades 6-12, 2004-2008**




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are unweighted.

**Lifetime Use of Methamphetamine (%): Missouri Students in Grades 6-12, 2010-2012**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

**Past 30-Day Use of Speed, Amphetamine or Methamphetamine (%): Missouri Students in Grades 6-12, 2004-2008**




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are unweighted.




## INHALANT USE IN LIFETIME AND PAST 30 DAYS: MISSOURI STUDENTS IN GRADES 6-12

**Lifetime Use of Inhalants (%): Missouri Students in Grades 6-12, 2004-2012**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.


**Past 30-Day Use of Inhalants (%): Missouri Students in Grades 6-12, 2004-2012**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.


## HALLUCINOGEN USE IN LIFETIME AND PAST 30 DAYS: MISSOURI STUDENTS IN GRADES 6-12

**Lifetime Use of Hallucinogens such as LSD, PCP, Mescaline, Peyote (%): Missouri Students in Grades 6-12, 2004-2012**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.


**Past 30-Day Use of LSD or other Psychedelics (%): Missouri Students in Grades 6-12, 2004-2008**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are unweighted.


## CLUB DRUG USE IN LIFETIME AND PAST 30-DAYS: MISSOURI STUDENTS IN GRADES 6-12

**Lifetime Use of Club Drugs such as Ecstasy, GHB, Rohypnol, Ketamine (%): Missouri Students in Grades 6-12, 2004-2012**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.


**Past 30-Day Use of Club Drugs such as Ecstasy, GHB, Rohypnol, Ketamine (%): Missouri Students in Grades 6-12, 2004-2008**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are unweighted.


## PHARMACEUTICAL DRUG USE IN LIFETIME AND PAST 30 DAYS: MISSOURI STUDENTS IN GRADES 6-12

### Lifetime Use of Non-Prescribed Pharmaceutical Drugs (%): Missouri Students in Grades 6-12, 2012




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

### Past 30-Day Use of Non-Prescribed Pharmaceutical Drugs (%): Missouri Students in Grades 6-12, 2012



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


### Lifetime Use of Non-Prescribed Steroids (%): Missouri Students in Grades 6-12, 2004-2012



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.


## OVER-THE-COUNTER AND SYNTHETIC DRUG USE: MISSOURI STUDENTS IN GRADES 6-12

### Lifetime Use of Over-the-Counter Medicines for Non-medical Reason (%): Missouri Students in Grades 6-12, 2012




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

### Past 30-Day Use of Over-the-Counter Meds for Non-medical Reason (%): Missouri Students in Grades 6-12, 2012




Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

### Lifetime Use of Synthetic Drugs such as K2, Bath Salts, Spice (%): Missouri Students in Grades 6-12, 2012



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.


### Past 30-Day Use of Synthetic Drugs such as K2, Bath Salts, Spice (%): Missouri Students in Grades 6-12, 2012



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. Data are weighted.

## LIFETIME INJECTION DRUG USE: MISSOURI STUDENTS IN GRADES 6-12

**Lifetime Injection Drug Use (%): Missouri Students in Grades 6-12, 2004-2008**



Data Source: Missouri Institute of Mental Health. 2004-2008 Missouri Student Survey respondents. Data are unweighted.

**YOUTH RISK BEHAVIOR SURVEILLANCE SYSTEM (YRBSS)  
TABLES FOR ALCOHOL, TOBACCO, AND PRESCRIPTION DRUG USE**

	2011		2009		2007		2005		2003		2001		1999		1997	
	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.
<b>Alcohol Use in Lifetime (%)</b>																
Overall Grades 9-12	---	70.8	70.5	72.5	73.5	75.0	72.1	74.3	77.8	74.9	80.1	78.2	79.4	81.0	78.3	79.1
Grade 9	---	61.7	62.0	63.4	67.8	65.5	64.5	66.5	73.6	65.0	76.4	73.1	73.6	73.4	69.3	72.0
Grade 10	---	69.2	68.3	71.1	74.1	74.7	70.6	74.4	75.9	75.7	78.8	76.3	79.2	83.2	82.1	77.4
Grade 11	---	75.3	76.8	77.8	77.7	79.4	75.7	76.3	81.0	78.6	78.6	80.4	84.6	80.8	77.0	81.9
Grade 12	---	79.0	77.5	79.7	75.9	82.8	79.2	81.7	81.9	83.0	87.7	85.1	80.8	88.3	86.1	84.0
<b>Alcohol Use in Past 30 Days (%)</b>																
Overall Grades 9-12	---	38.7	39.3	41.8	44.4	44.7	40.8	43.3	49.2	44.9	47.6	47.1	49.9	50.0	51.4	50.8
Grade 9	---	29.8	28.6	31.5	38.5	35.7	30.4	36.2	44.4	36.2	43.2	41.1	45.4	40.6	42.6	44.2
Grade 10	---	35.7	37.7	40.6	44.7	41.8	41.5	42.0	46.1	43.5	47.7	45.2	43.3	49.7	50.9	47.2
Grade 11	---	42.7	48.4	45.7	46.7	49.0	44.3	46.0	50.9	47.0	48.4	49.3	55.5	50.9	52.3	53.2
Grade 12	---	48.4	45.8	51.7	48.6	54.9	48.8	50.8	57.3	55.9	52.2	55.2	57.2	61.7	62.2	57.3
<b>Binge Drinking in Past 30 Days (%)</b>																
Overall Grades 9-12	---	21.9	25.3	24.2	29.1	26.0	24.9	25.5	30.5	28.3	34.1	29.9	32.0	31.5	37.9	33.4
Grade 9	---	14.0	15.2	15.3	22.3	17.0	13.6	19.0	25.3	19.8	28.0	24.5	23.5	21.1	28.4	25.7
Grade 10	---	18.4	24.0	22.3	26.8	23.7	26.3	24.6	27.6	27.4	33.0	28.2	28.2	32.2	35.5	29.9
Grade 11	---	25.2	32.1	28.3	33.0	29.9	29.0	27.6	32.0	31.8	36.5	32.2	40.8	34.0	39.1	37.5
Grade 12	---	31.5	32.7	33.5	35.3	36.5	32.4	32.8	38.9	37.2	40.0	36.7	38.7	41.6	51.3	39.3
<b>Alcohol Use Before Age 13 (%)</b>																
Overall Grades 9-12	---	20.5	20.4	21.1	20.9	23.8	24.2	25.6	25.4	27.8	30.0	29.1	33.5	32.2	33.6	31.1
Grade 9	---	26.6	23.9	28.1	30.5	30.9	34.1	33.9	38.2	36.4	38.7	39.7	40.2	40.4	42.4	41.9
Grade 10	---	21.1	22.9	22.2	20.5	24.4	22.5	26.2	26.4	28.5	31.2	28.8	38.0	35.6	32.6	32.0
Grade 11	---	17.6	18.2	17.9	17.8	19.6	23.8	20.5	20.3	23.0	26.5	23.4	30.6	26.2	29.1	29.9
Grade 12	---	15.1	15.3	14.2	11.8	18.0	14.4	19.3	14.0	20.3	21.3	21.2	21.4	24.3	27.3	22.8
<b>Cigarette Use in Lifetime (%)</b>																
Overall Grades 9-12	---	44.7	46.5	46.3	50.9	50.3	49.6	54.3	63.3	58.4	68.5	63.9	69.8	70.4	74.0	70.2
Grade 9	---	37.6	34.0	37.7	47.2	42.7	40.7	48.7	60.8	52.0	62.5	58.4	67.7	61.8	72.3	67.7
Grade 10	---	41.0	44.1	44.0	45.9	48.8	51.2	52.5	59.7	58.3	68.9	62.6	70.8	73.9	73.7	70.0
Grade 11	---	47.1	52.9	50.0	57.4	53.4	53.4	57.5	66.6	60.0	68.4	65.9	69.5	69.9	73.0	68.8
Grade 12	---	54.5	57.9	55.5	53.7	59.3	54.3	60.3	66.9	65.4	75.9	71.1	72.1	78.0	77.4	73.7
<b>Cigarette Use in Past 30 Days (%)</b>																
Overall Grades 9-12, U.S.	---	18.1	18.9	19.5	23.8	20.0	21.3	23.0	24.8	21.9	30.3	28.5	32.8	34.8	40.3	36.4
Grade 9, U.S.	---	13.0	9.4	13.5	22.2	14.3	14.1	19.7	25.6	17.4	27.0	23.9	27.1	27.6	34.9	33.4
Grade 10, U.S.	---	15.6	19.0	18.3	17.8	19.6	21.4	21.4	23.5	21.8	29.8	26.9	33.9	34.7	39.1	35.3
Grade 11, U.S.	---	19.3	22.8	22.3	30.6	21.6	24.3	24.3	28.2	23.6	29.6	29.8	38.1	36.0	40.1	36.6
Grade 12, U.S.	---	25.1	26.7	25.2	25.4	26.5	26.5	27.6	21.4	26.2	35.4	35.2	33.5	42.8	48.2	39.6
<b>Cigarette Use Before Age 13 (%)</b>																
Overall Grades 9-12, U.S.	---	10.3	9.9	10.7	13.4	14.2	14.8	16.0	20.2	18.3	25.7	22.1	25.2	24.7	27.4	24.8
Grade 9, U.S.	---	12.1	8.2	12.1	15.7	16.3	15.9	18.6	28.1	19.3	31.1	26.2	30.4	27.0	34.2	32.0
Grade 10, U.S.	---	10.1	13.3	11.2	12.6	14.3	14.2	16.0	21.9	20.1	26.5	22.9	27.2	28.5	24.3	27.5
Grade 11, U.S.	---	9.8	8.3	10.3	14.3	12.0	16.6	14.4	17.4	16.0	22.2	18.5	23.2	21.1	25.4	22.2
Grade 12, U.S.	---	8.2	9.7	8.6	10.1	13.3	12.3	13.9	11.3	16.5	21.1	19.0	17.8	20.7	23.3	18.6
<b>Prescription Drug Use without Rx in Lifetime (%)</b>																
Overall Grades 9-12, U.S.	---	20.7														
Grade 9, U.S.	---	16.5														
Grade 10, U.S.	---	18.2														
Grade 11, U.S.	---	23.3														
Grade 12, U.S.	---	25.6														


Values shown are weighted estimates based on sampling. Apparent differences in values may not be statistically significant.

--- 2011 Missouri estimates are not available due to insufficient response rate to weight data.

Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention.


## PAST 30-DAY ALCOHOL USE: U.S. AND MISSOURI STUDENTS IN GRADES 9-12, 1995-2009

**Past 30-Day Alcohol Use (%): U.S. and Missouri Students in Grade 9, 1995-2009**




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

**Past 30-Day Alcohol Use (%): U.S. and Missouri Students in Grade 10, 1995-2009**




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

**Past 30-Day Alcohol Use (%): U.S. and Missouri Students in Grade 11, 1995-2009**



Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

**Past 30-Day Alcohol Use (%): U.S. and Missouri Students in Grade 12, 1995-2009**




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey.

Data shown are weighted estimates. 2011 Missouri estimates are not available due to insufficient response rate to weight data.




## PAST 30-DAY BINGE ALCOHOL USE: U.S. AND MISSOURI STUDENTS IN GRADES 9-12, 1995-2009

**Past 30-Day Binge Alcohol Use (%): U.S. and Missouri Students in Grade 9, 1995-2009**




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

**Past 30-Day Binge Alcohol Use (%): U.S. and Missouri Students in Grade 10, 1995-2009**




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

**Past 30-Day Binge Alcohol Use (%): U.S. and Missouri Students in Grade 11, 1995-2009**



Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

**Past 30-Day Binge Alcohol Use (%): U.S. and Missouri Students in Grade 12, 1995-2009**




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey.

Data shown are weighted estimates. 2011 Missouri estimates are not available due to insufficient response rate to weight data.


## PAST 30-DAY, BINGE, AND EARLY ALCOHOL USE: MISSOURI GRADE 9-12 COMPARISONS, 1995-2009

**Past 30-Day Alcohol Use (%): Missouri Students in Grades 9-12, 1995-2009**




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

**Past 30-Day Binge Alcohol Use (%): Missouri Students in Grades 9-12, 1995-2009**



Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

**Alcohol Use Before Age 13 (%): Missouri Students in Grades 9-12, 1995-2009**




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

Data shown are weighted estimates. 2011 Missouri estimates are not available due to insufficient response rate to weight data.


## PAST 30-DAY CIGARETTE USE: U.S. AND MISSOURI STUDENTS IN GRADES 9-12, 1995-2009

**Past 30-Day Cigarette Use (%): U.S. and Missouri Students in Grade 9, 1995-2009**




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

**Past 30-Day Cigarette Use (%): U.S. and Missouri Students in Grade 10, 1995-2009**




Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

**Past 30-Day Cigarette Use (%): U.S. and Missouri Students in Grade 11, 1995-2009**



Data Source: U.S. Dept. of HHS, Centers for Disease Control and Prevention. Estimates from the Youth Risk Behavior Survey

**Past 30-Day Cigarette Use (%): U.S. and Missouri Students in Grade 12, 1995-2009**



Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey.

Data shown are weighted estimates. 2011 Missouri estimates are not available due to insufficient response rate to weight data.

**YOUTH RISK BEHAVIOR SURVEILLANCE SYSTEM (YRBSS)  
TABLES FOR ILLICIT DRUG USE**

	2011		2009		2007		2005		2003		2001		1999		1997	
	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.	MO	U.S.
<b>Marijuana Use in Past 30 Days (%)</b>																
Overall Grades 9-12	NA	23.1	20.6	20.8	19.0	19.7	18.1	20.2	21.8	22.4	24.4	23.9	25.6	26.7	28.2	26.2
Grade 9	NA	18.0	13.7	15.5	12.5	14.7	11.7	17.4	20.7	18.5	25.8	19.4	22.3	21.7	23.4	23.6
Grade 10	NA	21.6	17.6	21.1	16.7	19.3	22.2	20.2	18.0	22.0	21.9	24.8	24.5	27.8	26.2	25.0
Grade 11	NA	25.5	27.6	23.2	26.6	21.4	23.2	21.0	23.0	24.1	24.8	25.8	31.8	26.7	29.9	29.3
Grade 12	NA	28.0	25.0	24.6	21.2	25.1	15.5	22.8	25.4	25.8	24.6	26.9	24.5	31.5	34.9	26.6
<b>Marijuana Use Before Age 13 (%)</b>																
Overall Grades 9-12	NA	8.1	6.7	7.5	7.8	8.3	8.8	8.7	10.0	9.9	12.4	10.2	13.6	11.3	9.8	9.7
Grade 9	NA	9.7	6.3	9.1	8.9	9.8	11.4	11.2	13.1	11.7	15.2	11.6	17.0	12.7	14.3	14.9
Grade 10	NA	7.5	6.7	8.3	7.1	8.7	8.5	9.1	11.7	10.8	10.9	12.1	13.1	12.6	7.9	10.4
Grade 11	NA	7.6	7.1	6.5	8.9	7.2	9.5	7.1	7.1	8.1	12.9	8.5	14.8	9.5	7.8	8.3
Grade 12	NA	7.0	6.7	5.2	5.5	6.6	5.2	6.2	6.4	7.8	9.5	7.8	8.2	9.5	7.6	5.8
<b>Ecstasy Use in Lifetime (%)</b>																
Overall Grades 9-12	NA	8.2	5.7	6.7	6.9	5.8	6.1	6.3	6.7	11.1	NA	11.1				
Grade 9	NA	5.2	1.3	4.9	5.5	4.6	3.8	5.8	5.9	10.9	NA	7.5				
Grade 10	NA	7.7	6.2	5.2	5.1	5.3	5.2	6.0	4.5	9.0	NA	10.5				
Grade 11	NA	9.2	7.5	8.7	8.2	5.6	7.3	6.5	7.2	11.4	NA	13.7				
Grade 12	NA	11.3	8.4	8.0	8.2	7.6	8.5	6.7	9.7	12.8	NA	14.1				
<b>Inhalant Use in Lifetime (%)</b>																
Overall Grades 9-12	NA	11.4	10.2	11.7	12.7	13.3	12.2	12.4	10.5	12.1	12.7	14.7	12.8	14.6	17.4	16.0
Grade 9	NA	12.7	10.7	13.0	17.3	15.0	12.5	14.1	13.5	13.6	13.9	17.4	13.8	16.5	18.4	19.0
Grade 10	NA	11.8	11.1	12.5	11.0	14.6	13.1	13.2	11.2	11.1	14.2	14.0	13.8	16.0	19.9	16.5
Grade 11	NA	11.1	9.3	11.5	10.4	12.5	10.8	11.4	10.5	11.0	12.1	13.8	12.3	13.4	13.2	15.4
Grade 12	NA	9.3	9.1	9.1	10.1	10.2	11.3	10.1	6.2	11.8	9.6	12.5	9.8	11.3	16.6	13.4
<b>Cocaine Use in Lifetime (%)</b>																
Overall Grades 9-12	NA	6.8	5.0	6.4	6.6	7.2	7.4	7.6	6.6	8.7	8.6	9.4	7.7	9.5	9.3	8.2
Grade 9	NA	5.0	2.2	4.5	4.5	4.8	3.1	6.0	5.4	6.8	8.1	7.2	6.7	5.8	6.0	6.7
Grade 10	NA	6.5	4.7	5.6	4.6	7.2	7.2	7.2	7.1	8.5	5.0	8.6	6.0	9.9	7.3	7.5
Grade 11	NA	7.5	6.8	7.7	8.2	7.7	8.8	8.7	7.1	9.0	10.2	10.4	8.6	9.9	9.6	9.1
Grade 12	NA	8.5	6.8	7.9	9.4	9.5	11.1	8.9	7.0	10.5	11.4	12.1	9.3	13.7	14.5	9.2
<b>Methamphetamine Use in Lifetime (%)</b>																
Overall Grades 9-12	NA	3.8	3.7	4.1	3.7	4.4	6.4	6.2	6.2	7.6	10.4	9.8	8.2	9.1		
Grade 9	NA	3.2	1.9	3.3	2.9	3.6	2.9	5.7	5.1	6.7	9.7	8.1	5.7	6.3		
Grade 10	NA	3.7	3.3	3.7	2.3	4.1	4.9	5.9	8.0	7.5	7.5	9.7	8.2	9.3		
Grade 11	NA	4.1	4.9	5.2	4.6	5.4	8.4	6.7	6.6	8.0	9.7	9.2	8.4	10.1		
Grade 12	NA	4.1	4.3	4.1	4.7	4.5	9.7	6.4	5.0	8.0	14.8	12.8	10.8	11.5		
<b>Heroin Use in Lifetime (%)</b>																
Overall Grades 9-12	NA	2.9	2.8	2.5	2.3	2.3	2.7	2.4	1.7	3.3	2.7	3.1	2.1	2.4		
Grade 9	NA	2.9	0.9	2.1	2.0	2.6	2.1	2.8	3.4	3.5	2.5	3.2	1.8	2.0		
Grade 10	NA	2.8	2.5	2.2	1.8	1.8	2.0	2.5	1.2	2.9	1.5	3.3	2.4	1.8		
Grade 11	NA	2.8	3.6	3.2	2.5	1.8	3.0	1.8	0.9	3.0	2.5	2.8	1.5	2.6		
Grade 12	NA	2.7	4.2	2.5	2.1	2.6	3.2	2.0	1.0	2.9	3.7	3.0	1.9	3.3		
<b>Injection Drug Use in Lifetime (%)</b>																
Overall Grades 9-12	NA	2.3	2.4	2.1	2.5	2.0	2.3	2.1	1.3	3.2	1.6	2.3	2.0	1.8	2.8	2.1
Grade 9	NA	2.1	1.3	2.0	3.6	2.0	1.7	2.4	3.2	3.2	1.5	2.5	2.4	1.6	3.5	3.0
Grade 10	NA	2.3	2.6	2.0	1.8	1.4	1.4	2.3	0.2	3.2	1.2	2.6	1.6	1.2	1.5	2.5
Grade 11	NA	2.4	2.0	2.5	2.3	1.9	2.9	1.7	0.9	2.8	1.4	1.9	1.6	2.0	2.5	1.6
Grade 12	NA	2.2	3.6	1.8	1.7	2.4	2.7	1.7	0.5	3.0	1.8	2.1	1.7	2.3	3.0	1.5


Values shown are weighted estimates based on sampling. Apparent differences in values may not be statistically significant.

--- 2011 Missouri estimates are not available due to insufficient response rate to weight data.

Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention.


## PAST 30-DAY MARIJUANA USE: U.S. AND MISSOURI STUDENTS IN GRADES 9-12, 1995-2009

**Estimated Past 30-Day Marijuana Use (%): U.S. and Missouri Students in Grade 9, 1995-2009**




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey

**Estimated Past 30-Day Marijuana Use (%): U.S. and Missouri Students in Grade 10, 1995-2009**




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey

**Estimated Past 30-Day Marijuana Use (%): U.S. and Missouri Students in Grade 11, 1995-2009**



Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey

**Estimated Past 30-Day Marijuana Use (%): U.S. and Missouri Students in Grade 12, 1995-2009**




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey.

Data shown are weighted estimates. 2011 Missouri estimates are not available due to insufficient response rate to weight data.


## FIRST USE OF MARIJUANA BEFORE AGE 13: U.S. AND MISSOURI STUDENTS IN GRADES 9-12, 1995-2009

**Estimated First Use of Marijuana Before Age 13 (%): U.S. and Missouri Students in Grade 9, 1995-2009**




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey

**Estimated First Use of Marijuana Before Age 13 (%): U.S. and Missouri Students in Grade 10, 1995-2009**




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey

**Estimated First Use of Marijuana Before Age 13 (%): U.S. and Missouri Students in Grade 11, 1995-2009**



Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey

**Estimated First Use of Marijuana Before Age 13 (%): U.S. and Missouri Students in Grade 12, 1995-2009**




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey.

Data shown are weighted estimates. 2011 Missouri estimates are not available due to insufficient response rate to weight data.


## PAST YEAR, PAST 30-DAY, AND BINGE ALCOHOL USE AMONG MISSOURI COLLEGE STUDENTS

### Past-Year Alcohol Use (%): Students Completing the Missouri College Health Behavior Survey




Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.  
Missouri College Health Behavior Survey 2007-2013 respondents.

### Past 30-Day Alcohol Use (%): Students Completing the Missouri College Health Behavior Survey




Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.  
Missouri College Health Behavior Survey 2007-2013 respondents.

### Past 2-Week Binge Alcohol Use in One Sitting (%): Students Completing the Missouri College Health Behavior Survey



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.  
Missouri College Health Behavior Survey 2007-2013 respondents.


### Past 2-Week Binge Alcohol Use in 2-Hour Period (%): Students Completing the Missouri College Health Behavior Survey



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.  
Missouri College Health Behavior Survey 2007-2013 respondents.


## PAST-YEAR ILLICIT DRUG USE AMONG MISSOURI COLLEGE STUDENTS

### Past-Year Marijuana Use (%): Students Completing the Missouri College Health Behavior Survey, 2007-2013




Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.  
Missouri College Health Behavior Survey 2007-2012 respondents.

### Past-Year Cocaine Use (%): Students Completing the Missouri College Health Behavior Survey, 2007-2013




Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.  
Missouri College Health Behavior Survey 2007-2013 respondents. Item not included on 2012 survey.

### Past-Year Amphetamine Use (%): Students Completing the Missouri College Health Behavior Survey, 2007-2013




Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.  
Missouri College Health Behavior Survey 2007-2013 respondents. Item not included on 2012 survey.

### Past-Year Inhalant Use (%): Students Completing the Missouri College Health Behavior Survey, 2007-2013



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.  
Missouri College Health Behavior Survey 2007-2013 respondents. Item not included on 2012 survey.

### Past-Year Club Drug Use (%): Students Completing the Missouri College Health Behavior Survey, 2007-2013



Data Source: University of Missouri--Columbia. Partners in Prevention Statewide Coalition.  
Missouri College Health Behavior Survey 2007-2013 respondents. Item not included on 2012 survey.



# MISSOURI COLLEGE HEALTH BEHAVIOR SURVEY

## Reported Past-Year Substance Involvement among Missouri College Students

	2013	2012	2011	2010	2009	2008
<b>ALCOHOL AND DRUG USE (%)</b>						
Alcohol Use in Past Year	77.0	79.3	77.8	79.9	79.5	81.3
Alcohol Use in Past 30 Days	63.5	62.6	66.2	67.2	66.7	68.1
Binge Alcohol Use in One Sitting in Past 2 Weeks	27.2	27.9	32.8	33.8	35.7	31.2
Binge Alcohol Use in 2-Hour Period in Past 2 Weeks	25.6	26.3	31.2	31.7	33.5	29.3
Marijuana Use in Past Year	12.6	21.0	23.4	21.6	23.1	21.8
Cocaine Use in Past Year	2.2	---	2.4	2.3	2.9	3.4
Amphetamine Use in Past Year	1.9	---	3.3	2.4	2.2	2.1
Methamphetamine Use in Past Year	1.0	---	0.8	0.5	0.7	0.8
Inhalant Use in Past Year	1.1	---	1.2	0.9	0.7	0.8
Club Drug Use in Past Year	2.9	---	2.8	2.5	2.6	2.4
K2 (Synthetic Marijuana) Use in Past Year	1.9	3.2	---	---	---	---
Bath Salts Use in Past Year	1.1	1.0	---	---	---	---
Prescription Stimulant Use without Rx in Past Year	6.6	5.4	5.5	4.6	5.3	4.6
Prescription Pain Medication Use without Rx in Past Year	7.6	4.5	6.6	6.5	8.4	8.2
Prescription Sedative Use without Rx in Past Year	2.7	2.1	2.8	2.6	3.8	3.4
Prescription Sleep Medication Use without Rx in Past Year	2.0	1.0	1.8	2.0	2.5	2.2

### AMONG ALL STUDENTS, DRINKING RELATED RISKS AND CONSEQUENCES EXPERIENCED (%)

Hangover	50.8	48.6	51.4	52.4	53.0	55.1
Rode with Someone who Drove After Drinking	30.6	29.8	33.6	36.3	36.9	38.7
Blackout or Memory Loss	35.6	26.2	26.1	25.1	25.7	27.7
Driven After Consumption	25.2	25.5	27.3	30.0	30.5	31.9
Missed Class	16.9	16.5	18.3	20.4	21.5	24.3
Engaged in Risky Sexual Behavior	16.2	16.5	16.9	17.2	18.3	19.5
Forced or Coerced to Drink More than Desired	17.3	16.1	13.5	12.6	13.9	---
Hurt or Injured	11.5	11.4	11.6	11.6	11.6	12.5
Performed Poorly on Test or Assignment	10.4	10.0	11.0	12.2	12.5	14.2
Taken Advantage of Sexually	7.1	6.3	6.3	5.7	6.3	6.2
Trouble with Campus Administration	3.7	3.0	3.5	2.0	2.9	3.1
Took Advantage of Someone Sexually	2.6	2.4	2.2	2.0	2.3	---
Received Medical Attention	2.6	2.2	2.1	2.2	2.5	2.3
Arrested by Campus Police or Other Law Enforcement	2.3	1.9	1.8	2.3	2.3	2.0
Arrested for DUI or DWI	1.6	0.8	1.1	1.4	1.2	1.0

### AMONG PAST-YEAR DRINKERS, THOSE RESPONDING "ALWAYS" OR "USUALLY" TO USE OF THE FOLLOWING PROTECTIVE BEHAVIORS (%)

Know Where One's Drink Has Been At All Times	80.9	81.2	82.1	83.4	---	---
Eat Before and/or During Alcohol Consumption	76.6	77.5	75.5	76.4	77.2	76.6
Go Home with a Friend	65.3	65.0	65.1	65.5	---	---
Use a Designated Driver	64.3	64.8	66.3	69.9	70.7	70.7
Purposefully Limit the Amount of Money Spent on Alcohol	61.4	61.2	60.3	63.8	61.0	59.5
Avoid Trying to "Keep-up or "Out-drink" Others	60.1	58.4	59.7	59.1	---	---
Drink Slowly, Rather than Gulp or Chug	53.6	48.4	49.1	49.2	---	---
Determine Not to Exceed a Set Number of Drinks	40.6	40.9	43.0	45.0	44.4	43.7
Avoid Mixing Different Types of Alcohol	41.7	38.3	38.4	39.4	---	---
Drink Water While Drinking Alcohol	36.6	35.9	34.4	33.2	---	---
Avoid Drinking Games	31.5	33.5	32.5	37.2	34.8	36.4
Alternate Alcoholic and Non-alcoholic Drinks	31.4	30.4	30.4	30.1	29.2	28.0
Have a Friend Tell You When You Have Had Enough	28.3	29.1	29.0	32.6	34.8	36.4
Leave the Bar or Party at Predetermined Time	28.6	29.1	28.2	30.0	---	---
Stop Drinking at a Predetermined Time	27.7	26.4	26.1	26.1	---	---
Put Extra Ice in Drink	21.8	20.4	20.0	20.3	---	---

Data Source:

Partners in Prevention Statewide Coalition.

<http://pip.missouri.edu/>

Based on responses of 9599 students at 21 Missouri colleges in 2013, 9151 students at 21 colleges in 2012, 8905 students at 20 colleges in 2011, 6543 students at 13 colleges in 2010, 6257 students at 13 colleges in 2009, and 5050 students at 12 colleges in 2008.

# MISSOURI COLLEGE HEALTH BEHAVIOR SURVEY

## Reported Past-Year Mental Health Problems among Missouri College Students

	2013	2012	2011	2010	2009	2008
<b>LEVEL OF STRESS EXPERIENCED IN PAST TWO WEEKS (%)</b>						
None	1.9	1.9	1.7	2.0	2.1	---
Minimal	10.7	11.1	10.5	13.9	11.6	---
A Little	18.7	19.0	18.8	20.4	20.2	---
Manageable	47.5	47.7	47.2	44.6	45.4	---
Overwhelming	18.3	18.1	19.5	16.7	18.5	---
Unbearable	2.1	2.0	2.3	2.1	2.3	---
<b>AMONG ALL STUDENTS, MAIN SOURCES OF STRESS (%)</b>						
School / Academics	---	77.2	78.7	75.2	74.4	86.8
Financial Concerns	---	47.4	50.6	49.2	50.3	50.8
Future Plans	---	43.9	44.3	42.9	50.2	---
Time Management	---	43.1	47.1	43.6	52.8	49.0
Job	---	31.1	32.1	32.9	34.1	34.9
Dating / Relationship with Partner	---	26.2	28.8	31.8	36.0	34.0
Family	---	25.0	27.7	28.4	31.6	25.1
Physical Health	---	20.1	22.3	23.3	22.2	21.0
Outside Organizations / Responsibilities	---	17.7	17.7	15.5	18.1	---
Friends	---	16.1	17.6	18.5	22.3	17.1
Roommates	---	14.6	15.8	15.3	17.7	17.9
Mental Health Issues	---	7.2	7.4	8.1	8.9	---
Other Source of Stress	---	2.6	3.2	3.7	4.1	5.6
<b>AMONG ALL STUDENTS, MENTAL HEALTH PROBLEMS EXPERIENCED IN PAST YEAR (%)</b>						
Anxiety	39.4	34.4	34.9	32.7	35.8	35.2
Chronic Sleep Disorder	18.1	15.0	16.8	15.6	16.6	19.4
Suicidal Thoughts	13.6	13.6	13.4	13.1	---	---
Major Depression	17.6	12.5	12.5	12.1	12.9	35.2
Panic Attack	13.4	11.7	12.5	11.6	12.3	---
Eating Disorder	6.4	5.3	5.0	4.7	6.0	6.3
Self-injury	3.8	3.5	4.0	3.7	3.9	2.4
Abusive Relationship	3.1	3.0	3.2	2.8	3.1	---
Alcohol Abuse/dependency	3.2	2.8	2.8	3.1	4.3	3.0
Bipolar Disorder	2.3	2.1	2.3	2.3	2.7	---
Sexual Assault	1.4	1.1	1.2	0.9	1.1	1.2
Suicide Attempt	0.9	1.0	0.8	0.9	---	---
Other Problem	1.7	1.5	1.5	1.8	1.8	---
None of the Listed Problems	46.7	42.2	42.3	43.7	45.7	38.8
<b>AMONG STUDENTS EXPERIENCING PROBLEMS, THOSE WHO SOUGHT ASSISTANCE FOR THE FOLLOWING (%)</b>						
Major Depression	48.4	53.3	50.0	48.5	47.5	59.3
Panic Attack	44.4	43.1	41.1	38.3	39.6	---
Bipolar Disorder	49.2	42.0	51.5	48.7	44.7	---
Abusive Relationship	33.9	38.5	35.8	34.8	32.0	---
Anxiety	37.1	36.8	34.2	32.2	33.2	30.1
Chronic Sleep Disorder	31.2	32.6	31.1	29.7	29.8	24.7
Self-injury	38.1	30.9	32.8	28.5	31.0	40.7
Sexual Assault	27.9	28.2	26.6	32.2	22.1	35.5
Eating Disorder	26.7	27.2	23.1	30.2	23.1	27.2
Alcohol Abuse/dependency	18.4	22.6	16.6	21.2	19.0	28.0
Other Problem	45.6	48.6	45.4	46.2	45.5	---

Data Source:

Partners in Prevention Statewide Coalition.

<http://pip.missouri.edu/>

Based on responses of 9599 students at 21 Missouri colleges in 2013, 9151 students at 21 colleges in 2012, 8905 students at 20 colleges in 2011, 6543 students at 13 colleges in 2010, 6257 students at 13 colleges in 2009, and 5050 students at 12 colleges in 2008.

# MISSOURI COLLEGE HEALTH BEHAVIOR SURVEY

## Reported Gambling among Missouri College Students

	2013	2012	2011	2010	2009	2008
<b>INVOLVEMENT IN GAMBLING (%)</b>						
Yes	27.9	28.7	29.9	31.1	21.6	28.2
No	70.9	71.3	70.1	68.9	78.4	71.8

**AMONG STUDENTS WHO GAMBLE, THOSE RESPONDING "SOMETIMES", "OFTEN", OR "ALWAYS" TO THE FOLLOWING AS A RESULT OF GAMBLING (%)**

Lost Track of Time While Gambling	---	11.8	---	12.5	16.9	7.4
Spent Time Thinking About Past Gambling Experiences	---	10.2	---	10.2	14.1	---
Spent Time Planning Future Gambling Activities	---	8.9	---	8.5	14.5	---
Lost a Lot of Time	---	7.1	---	6.9	8.0	3.7
Attempted to Recoup Gambling Losses	---	6.9	---	7.6	9.6	---
Felt Need to Gamble Increased Amounts for Excitement	---	6.9	---	6.5	8.5	---
Sought Ways to Find Money to Gamble	---	5.7	---	2.5	7.4	---
Lied to Family or Friends to Hide Gambling Activity	---	5.2	---	5.0	<b>6.3</b>	---
Withdrew from Social Situations or Enjoyable Activities	---	5.1	---	4.8	7.1	---
Strained Relationships	---	5.0	---	4.6	5.8	---
Borrowed Money for Gambling Debts	---	4.9	---	4.5	5.9	---

**AMONG STUDENTS WHO GAMBLE, THOSE RESPONDING "SOMEWHAT", "QUITE A BIT", OR "TO A GREAT EXTENT" TO THE FOLLOWING DUE TO GAMBLING (%)**

Lost a Considerable Amount of Money	---	6.6	---	6.6	8.0	4.1
Gambled Money Intended for Something Else	---	4.8	---	5.2	7.4	3.8
Experienced Financial Hardship	---	4.6	---	5.4	6.4	2.9
Academic Problems	---	2.7	---	3.0	3.0	2.2
Legal Trouble	---	2.0	---	1.7	2.1	0.9

*Data Source:*

*University of Missouri--Columbia. Partners in Prevention Statewide Coalition.*

<http://pip.missouri.edu/>

*Based on responses of 9599 students at 21 Missouri colleges in 2013, 9151 students at 21 colleges in 2012, 8905 students at 20 colleges in 2011, 6543 students at 13 colleges in 2010, 6257 students at 13 colleges in 2009, and 5050 students at 12 colleges in 2008.*

**BEHAVIORAL RISK FACTOR SURVEILLANCE SYSTEM (BRFSS)  
TABLES FOR ALCOHOL, TOBACCO, AND MENTAL HEALTH: AGES 18 AND OLDER**

	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002
<b>Alcohol Use in Past 30 Days (%)</b>											
Missouri	48.5	52.5	47.7	50.1	51.9	51.9	50.7	51.8	51.8	53.5	53.6
U.S. (Median of the States)	55.3	57.1	54.6	54.3	54.4	54.8	55.4	56.2	57.1	59.4	58.1
<b>Binge Drinking * in Past 30 Days (%)</b>											
Missouri	17.3	19.2	15.6	17.2	15.3	16.2	16.5				
U.S. (Median of the States)	16.9	18.3	15.1	15.7	15.6	15.8	15.4				
* 5 or more drinks on one occasion for males											
* 4 or more drinks on one occasion for females											
<b>Heavy Drinking ** in Past 30 Days (%)</b>											
Missouri	6.3	7.3	5.5	4.1	5.3	4.6	6.2	5.0	6.0	5.5	6.1
U.S. (Median of the States)	6.1	6.6	5.0	5.1	5.1	5.2	4.9	4.9	4.9	5.8	5.9
** More than 2 drinks per day for males											
** More than 1 drink per day for females											
<b>Tobacco Smoking in Past 30 Days (%)</b>											
Missouri	23.9	25.0	21.1	23.1	24.9	24.5	23.2	23.4	24.1	27.2	26.5
U.S. (Median of the States)	19.6	21.2	17.3	17.9	18.3	19.8	20.1	20.6	20.9	22.0	23.2
<b>Former Smokers (%)</b>											
Missouri	23.9	25.0	26.1	24.7	25.0	23.4	26.8	24.2	24.2	24.3	25.5
U.S. (Median of the States)	25.2	25.1	25.1	25.5	25.2	24.6	24.7	24.8	24.1	25.2	24.7
<b>Limited in Any Activities Due to Physical, Mental, or Emotional Problems</b>											
Missouri	23.7	28.1	24.8	22.1	25.0	21.4		20.9		19.3	
U.S. (Median of the States)	20.1	24.3	21.2	18.9	20.6	18.9		18.6		18.3	
<b>Depressive Disorder Identified by Health or Mental Health Professional in Lifetime (%)</b>											
Missouri	20.1	20.1									
U.S. (Median of the States)	18.0	17.5									

Values shown are weighted estimates based on sampling. Apparent differences in values might not be statistically significant.

Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention: Behavioral Risk Factor Surveillance System.

**PREGNANCY RISK ASSESSMENT MONITORING SYSTEM (PRAMS)  
TABLES FOR ALCOHOL, TOBACCO, AND MENTAL HEALTH**

**Survey results of samples of Missouri women after having a live birth:**

	2010	2009	2007
<b>ALCOHOL</b>			
<b>Binge Alcohol Use (4 or More Drinks on One Occasion) During 3 Months Before Pregnancy (%)</b>	28.0	30.7	
<b>Any Alcohol Use During 3 Months Before Pregnancy (%)</b>	57.7	58.6	57.7
<b>Any Alcohol Use During Last 3 Months of Pregnancy (%)</b>	5.2	4.8	4.5
<b>Change in Drinking from 3 Months Before Pregnancy to Last 3 Months of Pregnancy (%)</b>			
Non-Drinkers	42.1	41.4	42.3
Drinkers	57.9	58.6	57.7
Drinkers Who Quit, Among Total Sample	52.7	53.8	53.2
Drinkers who Reduced Number of Drinks	3.8	2.1	2.7
Drinkers who Increased or Maintained Same Number of Drinks	1.2	2.6	1.8
Non-Drinkers Who Began or Resumed Drinking	0.2	0.0	0.0
<b>Drinkers who Quit During Pregnancy, Among Drinkers Only (%) *</b>	91.0	91.8	92.2
<b>TOBACCO</b>			
<b>Tobacco Smoking During Three Months Before Pregnancy (%)</b>	33.5	35.2	31.7
<b>Tobacco Smoking During Last Three Months of Pregnancy (%)</b>	16.7	18.9	18.4
<b>Change in Smoking from 3 Months Before Pregnancy to Last 3 Months of Pregnancy (%)</b>			
Non-Smokers	66.7	64.6	68.3
Smokers	33.3	35.4	31.7
Smokers Who Quit, Among Total Sample	16.6	16.4	13.4
Smokers Who Reduced Number of Cigarettes Per Day	11.1	11.1	12.2
Smokers Who Increased or Maintained Same Number of Cigarettes Per Day	5.7	7.7	6.1
Non-Smokers Who Began or Resumed Smoking	0.0	0.2	0.0
<b>Tobacco Smokers Who Quit During Pregnancy, Among Smokers Only (%) *</b>	49.7	46.6	42.1
<b>MENTAL HEALTH</b>			
<b>Anxiety During 3 Months Before Pregnancy (%)</b>	13.4	13.1	
<b>Depression During 3 Months Before Pregnancy (%)</b>	13.1	13.6	

*Data Source:*

U.S. Department of Health and Human Services, Centers for Disease Control and Prevention: Pregnancy Risk Assessment Monitoring System.  
Accessed from: <http://apps.nccd.cdc.gov/cPONDER/default.aspx>

\* Indicates calculated values

Blank data cells indicate data not collected or available.

## MONITORING THE FUTURE SURVEY: TABLES FOR GRADE 8

### Estimated Daily Substance Use in Past 30 Days (%): U.S. Students in Grade 8

	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	0.3	0.4	0.5	0.5	0.7	0.6	0.5	0.5	0.6	0.8	0.7	0.9
Been Drunk Daily	0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.3	0.2
Cigarettes	1.9	2.4	2.9	2.7	3.1	3.0	4.0	4.0	4.4	4.5	5.1	5.5
Smokeless Tobacco	0.5	0.8	0.9	0.8	0.8	0.8	0.7	0.7	1.0	0.8	0.8	1.2
Marijuana/Hashish	1.1	1.3	1.2	1.0	0.9	0.8	1.0	1.0	0.8	1.0	1.2	1.3

### Estimated Past-30 Day Substance Use (%): U.S. Students in Grade 8

	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	11	12.7	13.8	14.9	15.9	15.9	17.2	17.1	18.6	19.7	19.6	21.5
Been Drunk (past 30 days)	3.6	4.4	5.0	5.4	5.4	5.5	6.2	6.0	6.2	6.7	6.7	7.7
Binge Alcohol Use (past 2 weeks)*	5.1	6.4	7.2	7.8	8.1	8.3	8.7	8.4	9.4	9.8	10.3	11.0
Cigarettes	4.9	6.1	7.1	6.5	6.8	7.1	8.7	9.3	9.2	10.2	10.7	12.2
Smokeless Tobacco	2.8	3.5	4.1	3.7	3.5	3.2	3.7	3.3	4.1	4.1	3.3	4.0
Any Illicit Drug	7.7	8.5	9.5	8.1	7.6	7.4	8.1	8.5	8.4	9.7	10.4	11.7
Marijuana/Hashish	6.5	7.2	8.0	6.5	5.8	5.7	6.5	6.6	6.4	7.5	8.3	9.2
Inhalants	2.7	3.2	3.6	3.8	4.1	3.9	4.1	4.2	4.5	4.1	3.8	4.0
Hallucinogens	0.6	1.0	1.0	0.9	0.9	1.0	0.9	1.1	1.0	1.2	1.2	1.6
LSD	0.3	0.5	0.6	0.5	0.5	0.5	0.4	0.5	0.5	0.6	0.7	1.0
MDMA "Ecstasy"	0.5	0.6	1.1	0.6	0.8	0.6	0.7	0.6	0.8	0.7	1.4	1.8
Cocaine (all forms)	0.5	0.8	0.6	0.8	0.8	0.9	1.0	1.0	0.9	0.9	1.1	1.2
Crack Cocaine	0.3	0.5	0.4	0.5	0.5	0.6	0.6	0.6	0.6	0.7	0.8	0.8
Amphetamines	1.3	1.8	1.8	1.9	2.2	2.0	2.1	2.3	2.3	2.7	2.8	3.2
Methamphetamine	0.5	0.4	0.7	0.5	0.7	0.6	0.6	0.7	0.6	1.2	1.1	1.3
Heroin	0.2	0.4	0.4	0.4	0.4	0.4	0.3	0.5	0.5	0.4	0.5	0.6
Tranquilizers	0.8	1.0	1.2	1.2	1.2	1.1	1.3	1.3	1.2	1.4	1.2	1.2
Rohypnol	0.1	0.6	0.2	0.2	0.1	0.3	0.4	0.2	0.2	0.1	0.2	0.4
Steroids	0.3	0.4	0.3	0.4	0.5	0.4	0.5	0.5	0.5	0.7	0.8	0.7
Injection Drug Use	0.2	0.2	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.4

### Estimated Lifetime Substance Use (%): U.S. Students in Grade 8

	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	29.5	33.1	35.8	36.6	38.9	38.9	40.5	41.0	43.9	45.6	47.0	50.5
Ever Been Drunk	12.8	14.8	16.3	17.4	18.0	17.9	19.5	19.5	19.9	20.3	21.3	23.4
Cigarettes	15.5	18.4	20.0	20.1	20.5	22.1	24.6	25.9	27.9	28.4	31.4	36.6
Smokeless Tobacco	8.1	9.7	9.9	9.6	9.8	9.1	10.2	10.1	11.0	11.3	11.2	11.7
Any Illicit Drug	18.5	20.1	21.4	19.9	19.6	19.0	20.9	21.4	21.5	22.8	24.5	26.8
Marijuana/Hashish	15.2	16.4	17.3	15.7	14.6	14.2	15.7	16.5	16.3	17.5	19.2	20.4
Inhalants	11.8	13.1	14.5	14.9	15.7	15.6	16.1	17.1	17.3	15.8	15.2	17.1
Hallucinogens	2.8	3.3	3.4	3.0	3.3	3.1	3.4	3.8	3.5	4.0	4.1	5.2
LSD	1.3	1.7	1.8	1.7	1.9	1.6	1.6	1.9	1.8	2.1	2.5	3.4
MDMA "Ecstasy"	2.0	2.6	3.3	2.2	2.4	2.3	2.5	2.8	2.8	3.2	4.3	5.2
Cocaine (all forms)	1.9	2.2	2.6	2.6	3.0	3.1	3.4	3.7	3.4	3.6	3.6	4.3
Crack Cocaine	1.0	1.5	1.5	1.7	2.0	2.1	2.3	2.4	2.4	2.5	2.5	3.0
Amphetamines	4.5	5.2	5.7	6.0	6.8	6.5	7.3	7.4	7.5	8.4	8.7	10.2
Methamphetamine	1.3	1.3	1.8	1.6	2.3	1.8	2.7	3.1	2.5	3.9	3.5	4.4
Heroin	0.8	1.2	1.3	1.3	1.4	1.3	1.4	1.5	1.6	1.6	1.6	1.7
Tranquilizers	3.0	3.4	4.4	3.9	3.9	3.9	4.3	4.1	4.0	4.4	4.3	5.0
Rohypnol	1.0	2.0	0.9	0.7	0.7	1.0	1.0	1.1	1.0	1.0	0.8	1.1
Steroids	1.2	1.2	1.1	1.3	1.4	1.5	1.6	1.7	1.9	2.5	2.5	2.8
Injection Drug Use	0.6	0.8	0.9	0.9	0.9	0.9	1.0	1.0	1.1	1.0	1.0	1.2

\* Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

Data Source: Johnston, L.D., O'Malley, P.M., Bachman, J.G., & Schulenberg, J.E. (2013).  
*Monitoring the Future national survey results on drug use, 1975-2012: Volume 1, Secondary school students.*  
 Ann Arbor: Institute for Social Research, The University of Michigan.

## MONITORING THE FUTURE SURVEY: TABLES FOR GRADE 10

### Estimated Daily Substance Use in Past 30 Days (%): U.S. Students in Grade 10

	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	1.0	0.8	1.1	1.1	1.0	1.4	1.4	1.3	1.3	1.5	1.8	1.9
Been Drunk Daily	0.4	0.2	0.3	0.4	0.3	0.5	0.5	0.4	0.4	0.5	0.5	0.6
Cigarettes	5.0	5.5	6.6	6.3	5.9	7.2	7.6	7.5	8.3	8.9	10.1	12.2
Smokeless Tobacco	2.0	1.7	2.5	1.9	1.4	1.6	1.7	1.9	1.6	1.8	1.7	2.2
Marijuana/Hashish	3.5	3.6	3.3	2.8	2.7	2.8	2.8	3.1	3.2	3.6	3.9	4.5

### Estimated Past-30 Day Substance Use (%): U.S. Students in Grade 10

	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	27.6	27.2	28.9	30.4	28.8	33.4	33.8	33.2	35.2	35.4	35.4	39.0
Been Drunk (past 30 days)	14.5	13.7	14.7	15.5	14.4	18.1	18.8	17.6	18.5	18.2	18.3	21.9
Binge Alcohol Use (past 2 weeks)*	15.6	14.7	16.3	17.5	16.0	19.6	19.9	19.0	19.9	20.0	20.3	22.8
Cigarettes	10.8	11.8	13.6	13.1	12.3	14.0	14.5	14.9	16.0	16.7	17.7	21.3
Smokeless Tobacco	6.4	6.6	7.5	6.5	5.0	6.1	5.7	5.6	4.9	5.3	6.1	6.9
Any Illicit Drug	18.6	19.2	18.5	17.8	15.8	16.9	16.8	17.3	18.3	19.5	20.8	22.7
Marijuana/Hashish	17.0	17.6	16.7	15.9	13.8	14.2	14.2	15.2	15.9	17.0	17.8	19.8
Inhalants	1.4	1.7	2.0	2.2	2.1	2.5	2.3	2.2	2.4	2.2	2.4	2.4
Hallucinogens	1.2	1.4	1.6	1.4	1.3	1.7	1.5	1.5	1.6	1.5	1.6	2.1
LSD	0.5	0.7	0.7	0.5	0.7	0.7	0.7	0.6	0.6	0.6	0.7	1.5
MDMA "Ecstasy"	1.0	1.6	1.9	1.3	1.1	1.2	1.2	1.0	0.8	1.1	1.8	2.6
Cocaine (all forms)	0.8	0.7	0.9	0.9	1.2	1.3	1.5	1.5	1.7	1.3	1.6	1.3
Crack Cocaine	0.4	0.4	0.5	0.4	0.5	0.5	0.7	0.7	0.8	0.7	1.0	0.7
Heroin	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.5	0.3	0.5	0.3
Amphetamines	2.8	3.1	3.3	3.3	2.8	4.0	3.5	3.7	4.0	4.3	5.2	5.6
Methamphetamine	0.6	0.5	0.7	0.6	0.7	0.4	0.7	1.1	1.3	1.4	1.8	1.5
Tranquilizers	1.7	1.9	2.2	2.0	1.9	2.6	2.4	2.3	2.3	2.4	2.9	2.9
Rohypnol	0.2	0.3	0.3	0.3	0.2	0.2	0.2	0.2	0.3	0.2	0.4	0.2
Steroids	0.4	0.5	0.5	0.5	0.5	0.5	0.6	0.6	0.8	0.8	1.0	0.9
Injection Drug Use	0.2	0.2	0.3	0.3	0.3	0.3	0.2	0.3	0.3	0.3	0.3	0.4

### Estimated Lifetime Substance Use (%): U.S. Students in Grade 10

	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	54.0	56.0	58.2	59.1	58.3	61.7	61.5	63.2	64.2	66.0	66.9	70.1
Ever Been Drunk	34.6	35.9	36.9	38.6	37.2	41.2	41.4	42.1	42.3	42.4	44.0	48.2
Cigarettes	27.7	30.4	33.0	32.7	31.7	34.6	36.1	38.9	40.7	43.0	47.4	52.8
Smokeless Tobacco	15.4	15.6	16.8	15.2	12.2	15.1	15.0	14.5	13.8	14.6	16.9	19.5
Any Illicit Drug	36.8	37.7	37.0	36.0	34.1	35.6	36.1	38.2	39.8	41.4	44.6	45.6
Marijuana/Hashish	33.8	34.5	33.4	32.3	29.9	31.0	31.8	34.1	35.1	36.4	38.7	40.1
Inhalants	9.9	10.1	12.0	12.3	12.8	13.6	13.3	13.1	12.4	12.7	13.5	15.2
Hallucinogens	5.2	6.0	6.1	6.1	5.5	6.4	6.1	5.8	6.4	6.9	7.8	8.9
LSD	2.6	2.8	3.0	3.0	2.6	3.0	2.7	2.5	2.8	3.5	5.0	6.3
MDMA "Ecstasy"	5.0	6.6	6.4	5.5	4.3	5.2	4.5	4.0	4.3	5.4	6.6	8.0
Cocaine (all forms)	3.3	3.3	3.7	4.6	4.5	5.3	4.8	5.2	5.4	5.1	6.1	5.7
Crack Cocaine	1.4	1.6	1.8	2.1	2.0	2.3	2.2	2.5	2.6	2.7	3.6	3.1
Amphetamines	8.9	9.0	10.6	10.3	9.0	11.1	11.2	11.1	11.9	13.1	14.9	16.0
Methamphetamine	1.8	2.1	2.5	2.8	2.4	2.8	3.2	4.1	5.3	5.2	6.1	6.4
Heroin	1.1	1.2	1.3	1.5	1.2	1.5	1.4	1.5	1.5	1.5	1.8	1.7
Tranquilizers	6.3	6.8	7.3	7.0	6.8	7.4	7.2	7.1	7.3	7.8	8.8	9.2
Rohypnol	0.8	1.2	1.4	0.7	0.9	1.3	0.8	1.0	1.2	1.0	1.3	1.5
Steroids	1.3	1.4	1.6	1.3	1.4	1.8	1.8	2.0	2.4	3.0	3.5	3.5
Injection Drug Use	0.7	0.8	0.8	0.9	0.7	0.9	0.9	0.8	0.8	0.9	1.0	0.8

\* Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

Data Source: Johnston, L.D., O'Malley, P.M., Bachman, J.G., & Schulenberg, J.E. (2013). *Monitoring the Future national survey results on drug use, 1975-2012: Volume 1, Secondary school students*. Ann Arbor: Institute for Social Research, The University of Michigan.

# MONITORING THE FUTURE SURVEY: TABLES FOR GRADE 12

## Estimated Daily Substance Use in Past 30 Days (%): U.S. Students in Grade 12

	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	2.5	2.1	2.7	2.5	2.8	3.1	3.0	3.1	2.8	3.2	3.5	3.6
Been Drunk Daily	1.5	1.3	1.6	1.1	1.4	1.3	1.6	1.5	1.8	1.6	1.2	1.4
Cigarettes	9.3	10.3	10.7	11.2	11.4	12.3	12.2	13.6	15.6	15.8	16.9	19.0
Smokeless Tobacco	3.2	3.1	3.1	2.9	2.7	2.8	2.2	2.5	2.8	2.2	2.0	2.8
Marijuana/Hashish	6.5	6.6	6.1	5.2	5.4	5.1	5.0	5.0	5.6	6.0	6.0	5.8

## Estimated Past-30 Day Substance Use (%): U.S. Students in Grade 12

	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	41.5	40.0	41.2	43.5	43.1	44.4	45.3	47.0	48.0	47.5	48.6	49.8
Been Drunk (past 30 days)	28.1	25.0	26.8	27.4	27.6	28.7	30.0	30.2	32.5	30.9	30.3	32.7
Binge Alcohol Use (past 2 weeks)	23.7	21.6	23.2	25.2	24.6	25.9	25.4	27.1	29.2	27.9	28.6	29.7
Cigarettes	17.1	18.7	19.2	20.1	20.4	21.6	21.6	23.2	25.0	24.4	26.7	29.5
Smokeless Tobacco	7.9	8.3	8.5	8.4	6.5	6.6	6.1	7.6	6.7	6.7	6.5	7.8
Any Illicit Drug	25.2	25.2	23.8	23.3	22.3	21.9	21.5	23.1	23.4	24.1	25.4	25.7
Marijuana/Hashish	22.9	22.6	21.4	20.6	19.4	18.8	18.3	19.8	19.9	21.2	21.5	22.4
Inhalants	0.9	1.0	1.4	1.2	1.4	1.2	1.5	2.0	1.5	1.5	1.5	1.7
Hallucinogens	1.6	1.6	1.9	1.6	2.2	1.7	1.5	1.9	1.9	1.8	2.3	3.3
LSD	0.8	0.8	0.8	0.5	1.1	0.6	0.6	0.7	0.7	0.6	0.7	2.3
PCP	0.5	0.8	0.8	0.5	0.6	0.5	0.4	0.7	0.4	0.6	0.4	0.5
MDMA "Ecstasy"	0.9	2.3	1.4	1.8	1.8	1.6	1.3	1.0	1.2	1.3	2.4	2.8
Cocaine (all forms)	1.1	1.1	1.3	1.3	1.9	2.0	2.5	2.3	2.3	2.1	2.3	2.1
Crack Cocaine	0.6	0.5	0.7	0.6	0.8	0.9	0.9	1.0	1.0	0.9	1.2	1.1
Amphetamines	3.3	3.7	3.3	3.0	2.9	3.7	3.7	3.9	4.6	5.0	5.5	5.6
Methamphetamine	0.5	0.6	0.5	0.5	0.6	0.6	0.9	0.9	1.4	1.7	1.7	1.5
Crystal Methamphetamine "Ice"	0.4	0.6	0.6	0.5	0.6	0.6	0.7	0.9	0.8	0.8	1.2	1.1
Heroin	0.3	0.4	0.4	0.4	0.4	0.4	0.4	0.5	0.5	0.4	0.5	0.4
Other Narcotics	3.0	3.6	3.6	4.1	3.8	3.8	3.8	3.9	4.3	4.1	4.0	3.0
Barbiturates	2.0	1.8	2.2	2.5	2.8	2.7	3.0	3.3	2.9	2.9	3.2	2.8
Methaqualone	0.3	0.2	0.2	0.3	0.2	0.4	0.4	0.5	0.5	0.4	0.3	0.5
Tranquilizers	2.1	2.3	2.5	2.7	2.6	2.6	2.7	2.9	3.1	2.8	3.3	2.9
Steroids	0.9	0.7	1.1	1.0	1.0	1.0	1.1	0.9	1.6	1.3	1.4	1.3
Injection Drug Use	0.3	0.4	0.4	0.1	0.2	0.2	0.3	0.3	0.2	0.3	0.3	0.2

## Estimated Lifetime Substance Use (%): U.S. Students in Grade 12

	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	69.4	70.0	71.0	72.3	71.9	72.2	72.7	75.1	76.8	76.6	78.4	79.7
Ever Been Drunk	54.2	51.0	54.1	56.5	54.7	55.1	56.4	57.5	60.3	58.1	61.6	63.9
Cigarettes	39.5	40.0	42.2	43.6	44.7	46.2	47.1	50.0	52.8	53.7	57.2	61.0
Smokeless Tobacco	17.4	16.9	17.6	16.3	15.6	15.1	15.2	17.5	16.7	17.0	18.3	19.7
Any Illicit Drug	49.1	49.9	48.2	46.7	47.4	46.8	48.2	50.4	51.1	51.1	53.0	53.9
Marijuana/Hashish	45.2	45.5	43.8	42.0	42.6	41.8	42.3	44.8	45.7	46.1	47.8	49.0
Inhalants	7.9	8.1	9.0	9.5	9.9	10.5	11.1	11.4	10.9	11.2	11.7	13.0
Hallucinogens	7.5	8.3	8.6	7.4	8.7	8.4	8.3	8.8	9.7	10.6	12.0	14.7
LSD	3.8	4.0	4.0	3.1	4.0	3.4	3.3	3.5	4.6	5.9	8.4	10.9
PCP	1.6	2.3	1.8	1.7	1.8	2.1	2.2	2.4	1.6	2.5	3.1	3.5
MDMA "Ecstasy"	7.2	8.0	7.3	6.5	6.2	6.5	6.5	5.4	7.5	8.3	10.5	11.7
Cocaine (all forms)	4.9	5.2	5.5	6.0	7.2	7.8	8.5	8.0	8.1	7.7	7.8	8.2
Crack Cocaine	2.1	1.9	2.4	2.4	2.8	3.2	3.5	3.5	3.9	3.6	3.8	3.7
Amphetamines	12.0	12.2	11.1	9.9	10.5	11.4	12.4	13.1	15.0	14.4	16.8	16.2
Methamphetamine	1.7	2.1	2.3	2.4	2.8	3.0	4.4	4.5	6.2	6.2	6.7	6.9
Crystal Methamphetamine "Ice"	1.7	2.1	1.8	2.1	2.8	3.4	3.4	4.0	4.0	3.9	4.7	4.1
Heroin	1.1	1.4	1.6	1.2	1.3	1.5	1.4	1.5	1.5	1.5	1.7	1.8
Other Narcotics	12.2	13.0	13.0	13.2	13.2	13.1	13.4	12.8	13.5	13.2	13.5	9.9
Barbiturates	6.9	7.0	7.5	8.2	8.5	9.3	10.2	10.5	9.9	8.8	9.5	8.7
Methaqualone	0.8	0.6	0.4	0.7	0.8	1.0	1.2	1.3	1.3	1.0	1.5	1.1
Tranquilizers	8.5	8.7	8.5	9.3	8.9	9.5	10.3	9.9	10.6	10.2	11.4	10.3
Steroids	1.8	1.8	2.0	2.2	2.2	2.2	2.7	2.6	3.4	3.5	4.0	3.7
Injection Drug Use	0.7	0.9	1.1	0.6	0.7	0.7	0.8	0.9	0.7	0.7	0.8	0.7

\* Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

Data Source: Johnston, L.D., O'Malley, P.M., Bachman, J.G., & Schulenberg, J.E. (2013).  
*Monitoring the Future national survey results on drug use, 1975-2012: Volume 1, Secondary school students.*  
 Ann Arbor: Institute for Social Research, The University of Michigan.



## MONITORING THE FUTURE SURVEY: TABLES FOR COLLEGE STUDENTS

### Estimated Daily Substance Use in Past 30 Days (%): U.S. College Students

	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	3.9	3.8	3.6	4.3	4.0	4.3	4.8	4.6	3.7	4.3	5.0	4.7
Been Drunk Daily	0.4	1.3	0.3	0.7	0.5	0.7	0.6	0.5	0.8	1.1	0.8	0.5
Cigarettes	5.2	7.3	7.6	8.0	9.2	9.3	9.2	12.4	13.8	13.8	15.9	15.0
Marijuana/Hashish	4.8	4.7	4.4	4.9	3.9	3.5	4.3	4.0	4.5	4.7	4.1	4.5

### Estimated Past-30 Day Substance Use (%): U.S. College Students

	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	67.7	63.5	65.0	65.8	69.0	66.6	65.4	67.9	67.7	66.2	68.9	67.0
Been Drunk (past 30 days)	40.1	39.9	43.6	42.4	45.3	46.8	47.6	43.1	47.4	40.4	44.4	44.7
Binge Alcohol Use (past 2 weeks)*	37.4	36.1	37.0	36.9	40.0	41.1	40.2	40.1	41.7	38.5	40.1	40.9
Cigarettes	12.5	15.2	16.4	17.9	17.9	19.9	19.2	23.8	24.3	22.5	26.7	25.7
Any Illicit Drug	22.3	21.4	19.2	20.7	18.9	19.3	19.2	19.5	21.2	21.4	21.5	21.9
Marijuana/Hashish	20.5	19.4	17.5	18.5	17.0	16.8	16.7	17.1	18.9	19.3	19.7	20.2
Inhalants	0.2	0.3	0.5	0.1	0.4	0.1	0.4	0.3	0.4	0.4	0.7	0.4
Hallucinogens	1.1	1.2	1.4	1.0	1.7	1.3	0.9	1.2	1.3	1.8	1.2	1.8
LSD	0.4	0.5	0.7	0.3	0.8	0.3	0.3	0.1	0.2	0.2	0.2	1.0
MDMA "Ecstasy"	1.4	0.7	1.0	0.5	0.6	0.4	0.6	0.8	0.7	1.0	0.7	1.5
Cocaine (all forms)	1.1	1.2	1.0	1.3	1.2	1.7	1.8	1.8	2.4	1.9	1.6	1.9
Crack Cocaine	0.0	0.1	0.1	0.1	0.1	0.1	**	0.1	0.4	0.4	0.3	0.1
Amphetamines	4.6	4.5	4.1	3.4	2.8	3.1	2.5	2.9	3.2	3.1	3.0	3.3
Methamphetamine	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0.1	0.2	0.6	0.2	0.5
Crystal Methamphetamine "Ice"	0.3	0.0	0.2	0.0	0.0	0.1	**	0.2	0.1	0.3	0.0	0.1
Heroin	0.1	0.0	0.0	0.1	**	0.1	0.2	0.1	0.1	0.0	0.0	0.1
Other Narcotics	2.2	2.1	2.3	2.7	2.3	2.2	3.1	3.1	3.0	2.3	1.6	1.7
Barbiturates	0.8	0.8	0.6	1.2	1.4	1.4	1.3	1.3	1.5	1.7	1.7	1.5
Tranquilizers	1.1	1.6	1.3	2.2	1.6	1.8	2.1	2.2	2.7	2.8	3.0	1.5
Steroids	0.0	0.2	0.0	0.2	**	0.1	**	**	**	0.1	**	0.3
Injection Drug Use	0.2	0.0	0.0	0.1	0.0	**	0.1	0.1	0.1	0.1	**	**

### Estimated Lifetime Substance Use (%): U.S. College Students

	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	81.0	80.5	82.3	82.6	85.3	83.1	84.7	86.6	84.6	86.2	86.0	86.1
Ever Been Drunk	70.0	67.9	70.5	69.1	72.5	71.6	73.1	72.9	73.4	74.9	75.1	76.1
Any Illicit Drug	50.5	49.2	49.1	51.4	49.5	50.5	50.6	52.3	52.2	53.9	51.8	53.6
Marijuana/Hashish	49.1	46.6	46.8	47.5	46.8	47.5	46.9	49.1	49.1	50.7	49.5	51.0
Inhalants	5.7	3.7	5.5	6.9	4.9	6.3	7.4	7.1	8.5	9.7	7.7	9.6
Hallucinogens	7.6	7.4	7.8	8.0	8.5	9.1	10.6	11.0	12.0	14.5	13.6	14.8
LSD	3.1	3.7	4.0	3.3	4.3	3.3	3.5	3.7	5.6	8.7	8.6	12.2
MDMA "Ecstasy"	8.7	6.8	6.2	6.5	6.2	5.4	6.9	8.3	10.2	12.9	12.7	14.7
Cocaine (all forms)	5.2	5.5	6.6	8.1	7.2	8.5	7.7	8.8	9.5	9.2	8.2	8.6
Crack Cocaine	0.7	0.8	1.2	1.0	1.4	1.3	2.3	1.7	2.0	3.1	1.9	2.0
Amphetamines	14.4	13.4	12.1	11.8	9.1	11.2	10.7	12.3	12.7	12.3	11.9	12.4
Methamphetamine	0.3	0.6	1.1	1.0	1.9	1.9	2.9	4.1	5.2	5.8	5.0	5.3
Crystal Methamphetamine "Ice"	0.6	0.2	0.8	0.7	1.1	1.3	1.7	2.4	2.2	2.9	2.0	2.3
Heroin	0.5	0.6	0.7	0.8	0.7	0.5	0.7	0.5	0.9	1.0	1.0	1.2
Other Narcotics	10.3	12.4	12.2	14.0	12.4	14.1	14.6	14.4	13.8	14.2	12.2	11.0
Barbiturates	3.5	3.6	5.3	6.0	6.4	5.9	6.3	8.5	7.2	5.7	5.9	6.0
Tranquilizers	6.4	7.1	8.1	9.2	8.6	9.1	10.0	11.9	10.6	11.0	10.7	9.7
Steroids	0.4	1.1	0.7	1.3	1.6	0.6	1.9	1.0	1.6	1.2	1.2	1.5
Injection Drug Use	0.2	0.3	0.1	0.1	0.0	0.1	0.3	0.3	0.1	0.1	0.3	0.2

\* Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

\*\* Indicates value is less than 0.05 percent but greater than 0.0 percent.

Data Source: Johnston, L.D., O'Malley, P.M., Bachman, J.G., & Schulenberg, J.E. (2013).

*Monitoring the Future national survey results on drug use, 1975-2012: Volume 2, College students and adults ages 19-50.*

Ann Arbor: Institute for Social Research, The University of Michigan.

## MONITORING THE FUTURE SURVEY: TABLES FOR YOUNG ADULTS AGES 19-28

### Estimated Daily Substance Use in Past 30 Days (%): U.S. Young Adults Ages 19-28

	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	5.5	5.2	4.6	5.3	5.3	5.6	5.4	5.2	4.5	5.1	4.7	4.4
Been Drunk Daily	0.4	0.7	0.7	1.0	0.5	0.6	0.6	0.5	0.7	0.8	0.6	0.4
Cigarettes	12.8	13.8	14.8	15.0	16.7	17.3	18.6	19.6	20.8	20.3	21.2	21.2
Marijuana/Hashish	5.6	6.1	5.3	5.4	5.1	5.0	5.0	4.9	5.0	5.3	4.5	5.0

### Estimated Past-30 Day Substance Use (%): U.S. Young Adults Ages 19-28

	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	69.5	68.8	68.4	69.4	68.9	69.5	68.7	68.6	68.4	67.0	68.3	67.0
Been Drunk (past 30 days)	39.1	39.5	39.4	40.5	40.7	41.4	42.1	39.0	39.0	37.8	37.1	36.8
Binge Alcohol Use (past 2 weeks)*	35.5	36.5	35.9	36.7	37.9	37.8	37.6	37.0	37.1	35.8	35.9	35.9
Cigarettes	19.7	21.3	22.4	23.3	24.6	26.2	27.0	28.6	29.2	28.4	29.2	30.2
Any Illicit Drug	19.9	20.6	18.9	19.8	19.3	18.9	18.5	18.6	19.1	19.9	18.9	18.8
Marijuana/Hashish	17.7	18.3	16.1	17.0	16.0	16.0	15.7	15.8	16.5	17.3	16.9	16.7
Inhalants	0.3	0.1	0.1	0.2	0.4	0.2	0.3	0.2	0.3	0.3	0.5	0.4
Hallucinogens	0.6	0.9	1.0	0.8	0.9	0.9	0.7	0.8	0.9	1.2	0.9	1.2
LSD	0.3	0.3	0.4	0.2	0.4	0.2	0.2	0.1	0.1	0.2	0.3	0.7
PCP	0.0	0.1	0.0	**	0.1	**	**	0.0	0.1	0.1	0.1	0.0
MDMA "Ecstasy"	1.0	0.7	0.8	0.6	0.6	0.5	0.7	0.6	0.6	0.8	1.3	1.8
Cocaine (all forms)	1.3	1.5	1.4	1.8	1.9	2.1	2.3	2.2	2.2	2.4	2.2	2.2
Crack Cocaine	0.1	0.2	0.1	0.2	0.4	0.3	0.3	0.3	0.3	0.3	0.3	0.4
Amphetamines	3.2	3.0	2.9	2.5	2.2	2.3	2.2	2.1	2.4	2.5	2.5	2.4
Methamphetamine	0.4	0.3	0.2	0.3	0.3	0.6	0.5	0.7	0.6	0.7	1.0	1.0
Crystal Methamphetamine "Ice"	0.3	0.2	0.2	0.2	0.3	0.3	0.3	0.6	0.4	0.4	0.5	0.4
Heroin	0.2	0.2	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	**	0.3
Other Narcotics	2.7	2.9	3.4	3.2	3.6	3.4	3.2	3.5	3.0	2.9	2.9	1.7
Barbiturates	1.1	1.1	1.1	1.2	1.9	1.6	1.5	1.7	1.8	1.5	1.5	1.7
Tranquilizers	1.9	2.3	2.2	2.8	2.7	2.8	2.3	2.6	2.7	2.4	2.8	2.1
Steroids	0.1	0.2	0.5	0.3	0.2	0.4	0.1	0.1	0.1	0.1	0.1	0.1
Injection Drug Use	0.2	0.2	0.1	0.1	**	**	0.1	0.1	0.1	**	**	0.2

### Estimated Lifetime Substance Use (%): U.S. Young Adults Ages 19-28

	2012	2011	2010	2009	2008	2007	2006	2005	2004	2003	2002	2001
Alcohol	86.5	87.4	87.5	87.9	88.4	87.9	88.9	89.1	89.4	89.3	90.2	89.9
Ever Been Drunk	78.9	78.9	79.0	78.2	80.1	80.1	80.9	79.9	80.1	80.9	81.2	81.1
Any Illicit Drug	58.9	59.1	58.4	59.3	59.3	59.8	59.7	60.4	60.5	60.2	59.0	58.1
Marijuana/Hashish	56.5	56.3	55.9	56.0	55.9	56.7	56.7	57.0	57.4	57.2	56.8	55.7
Inhalants	7.2	7.2	7.9	8.9	9.5	9.1	10.9	10.3	11.6	12.2	12.4	12.8
Hallucinogens	12.2	13.0	13.9	14.2	14.8	16.0	17.2	17.6	19.3	19.7	19.6	18.3
LSD	6.2	6.1	7.2	7.3	8.1	9.6	10.1	11.2	13.4	14.6	15.1	16.0
PCP	1.1	1.7	1.6	1.6	2.2	2.1	2.4	2.0	2.7	3.0	2.5	3.1
MDMA "Ecstasy"	11.4	11.3	12.3	11.5	13.1	13.1	14.4	14.9	16.0	15.3	14.6	13.0
Cocaine (all forms)	11.9	12.5	13.6	13.9	14.8	14.7	15.2	14.3	15.2	14.7	13.5	13.1
Crack Cocaine	2.7	2.9	3.6	3.3	4.3	3.9	4.4	4.1	4.2	4.7	4.3	4.7
Amphetamines	17.4	16.5	16.1	14.9	14.6	15.3	15.6	14.6	15.9	15.2	14.8	15.0
Methamphetamine	3.5	3.2	4.3	4.7	6.3	6.7	7.3	8.3	9.0	8.9	9.1	9.0
Crystal Methamphetamine "Ice"	2.6	3.1	2.8	3.4	3.6	3.7	4.7	4.4	4.7	4.7	4.1	4.0
Heroin	1.6	1.7	1.8	1.6	1.9	1.6	1.9	1.7	1.9	1.9	1.8	2.0
Other Narcotics	17.6	18.2	19.0	18.5	19.5	18.8	18.7	17.8	17.6	16.8	13.9	11.5
Barbiturates	7.2	7.9	8.6	9.5	10.6	9.8	9.5	10.0	9.7	8.7	8.0	7.8
Tranquilizers	13.3	13.8	14.3	13.8	15.8	14.5	15.0	14.5	14.9	13.8	13.4	11.9
Steroids	1.7	1.3	1.7	1.8	1.8	1.7	1.8	1.8	1.9	1.8	1.6	1.4
Injection Drug Use	0.5	0.7	0.8	0.5	0.5	0.5	0.6	0.6	0.4	0.5	0.4	0.6

\* Binge alcohol use in the Monitoring the Future Survey is defined as consuming 5 or more drinks on the same occasion on at least one day in the past two weeks.

\*\* Indicates value is less than 0.05 percent but greater than 0.0 percent.


Data Source: Johnston, L.D., O'Malley, P.M., Bachman, J.G., & Schulenberg, J.E. (2013).

*Monitoring the Future national survey results on drug use, 1975-2012: Volume 2, College students and adults ages 19-50.*

Ann Arbor: Institute for Social Research, The University of Michigan.


## ALCOHOL — PAST-MONTH USE: MISSOURI AGE GROUP & GRADE LEVEL 3-SURVEY COMPARISON

**Estimated Past-Month Alcohol Use (%): Missouri Age Group Comparisons, 2-Year Averages, 2002-2011**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

**Estimated Past 30-Day Alcohol Use (%): Missouri Students in Grades 9-12, 1995-2009**



Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey


**Reported Past 30-Day Alcohol Use (%): Missouri Students in Grades 6-12, 2004-2012**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.


## CIGARETTE — PAST-MONTH USE: MISSOURI AGE GROUP & GRADE LEVEL 3-SURVEY COMPARISON

**Estimated Past-Month Cigarette Use (%): Missouri Age Group Comparisons, 2-Year Averages, 2002-2011**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

**Estimated Past 30-Day Cigarette Use (%): Missouri Students in Grades 9-12, 1995-2009**



Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey


**Reported Past 30-Day Cigarette Use (%): Missouri Students in Grades 6-12, 2004-2012**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.


## MARIJUANA — PAST-MONTH USE: MISSOURI AGE GROUP & GRADE LEVEL 3-SURVEY COMPARISON

**Estimated Past-Month Marijuana Use (%): Missouri Age Group Comparisons, 2-Year Averages, 2002-2011**




Data Source: U.S. Department of Health and Human Services, SAMHSA. National Survey on Drug Use and Health.

**Estimated Past 30-Day Marijuana Use (%): Missouri Students in Grades 9-12, 1995-2009**



Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. Youth Risk Behavior Survey


**Reported Past 30-Day Marijuana Use (%): Missouri Students in Grades 6-12, 2004-2012**



Data Source: Missouri Institute of Mental Health. Missouri Student Survey. 2004-2008 data are unweighted; 2010 and 2012 data are weighted.

# ECONOMIC COSTS OF MENTAL ILLNESS AND SUBSTANCE ABUSE IN THE UNITED STATES AND MISSOURI

## Estimated Annual Economic Cost of Serious Mental Illness in the United States and Missouri



Data Source: U.S. Department of Health and Human Services, National Institute of Mental Health. "Annual Total Direct and Indirect Costs of Serious Mental Illness, 2002". Missouri estimates are derived from the nationwide estimates based on U.S. and Missouri data from the 2010-2011 National Survey on Drug Use and Health.

## Estimated Annual Economic Cost of Alcohol Abuse in the United States and Missouri




Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. "Economic Costs of Excessive Alcohol Consumption in the U.S., 2006." *American Journal of Preventive Medicine* 41(5):516-524. November 2011. Missouri estimates are derived from the nationwide estimates based on U.S. and Missouri data from the 2010-2011 National Survey on Drug Use and Health.

## Estimated Annual Economic Cost of Drug Abuse in the United States and Missouri



Data Source: U.S. Department of Justice, National Drug Intelligence Center. *The Economic Impact of Illicit Drug Use on American Society*. April 2011. Missouri cost estimates are derived from the nationwide estimates based on U.S. and Missouri data from the 2010-2011 National Survey on Drug Use and Health.


## Estimated Annual Economic Cost of Cigarette Smoking in the United States and Missouri



Data Source: U.S. Department of Health and Human Services, Centers for Disease Control and Prevention. *Mortality and Morbidity Weekly Report* 57 (45):1226-1228, November 14, 2008. Missouri cost estimates are derived from the nationwide estimates based on U.S. and Missouri data from the 2010-2011 National Survey on Drug Use and Health.


## MISSOURI BIRTHS AND FETAL EXPOSURE TO SUBSTANCE ABUSE

### Missouri Resident Births, 2000-2011




Data Source: Missouri Department of Health and Senior Services.

### Missouri Resident Births for which Mother Reported Drinking Alcohol During Pregnancy, 2000-2009




Data Source: Missouri Department of Health and Senior Services.

### Missouri Resident Newborns Reported as Affected by Mother's Illicit Drug Use, 2000-2011



Data Source: Missouri Department of Health and Senior Services.


### Missouri Resident Births for which Mother Reported Smoking During Pregnancy, 2000-2011



Data Source: Missouri Department of Health and Senior Services.


## MISSOURI HOSPITAL AND EMERGENCY DEPARTMENT EPISODES

### Hospitalizations and Emergency Department Episodes for All Causes: Missouri Residents, 2000-2010




Data Source: Missouri Department of Health and Senior Services.

### Alcohol Cirrhosis Hospitalizations and Emergency Department Episodes: Missouri Residents, 2001-2011




Data Source: Missouri Department of Health and Senior Services.

### Alcohol Non-Cirrhosis Hospitalizations and Emergency Department Episodes: Missouri Residents, 2001-2011



Data Source: Missouri Department of Health and Senior Services.

### Drug Related Hospitalizations and Emergency Department Episodes: Missouri Residents, 2001-2011




Data Source: Missouri Department of Health and Senior Services.




## MISSOURI DISEASES ASSOCIATED WITH SUBSTANCE ABUSE

### Newly Diagnosed HIV Disease Cases Related to All Types of Exposure: Missouri Residents, 2000-2011



Data Source: Missouri Department of Health and Senior Services, Bureau of HIV, STD, and Hepatitis.


### Newly Diagnosed HIV Disease Cases Involving Injection Drug Use Risk Factor: Missouri Residents, 2000-2011



Data Source: Missouri Department of Health and Senior Services, Bureau of HIV, STD, and Hepatitis.


\* MSM denotes HIV risk factor for men who have sex with men.

### Newly Diagnosed Hepatitis B Cases: Missouri Residents, 2000-2011




Data Source: Missouri Department of Health and Senior Services, Bureau of HIV, STD, and Hepatitis.

### Newly Diagnosed Hepatitis C Cases: Missouri Residents, 2000-2011



Data Source: Missouri Department of Health and Senior Services, Bureau of Health Informatics.


### Newly Diagnosed Tuberculosis Cases: Missouri Residents, 2000-2011



Data Source: Missouri Department of Health and Senior Services, Bureau of Health Informatics.


## MISSOURI ALCOHOL, DRUG, AND SMOKING INDUCED DEATHS

### Alcohol Induced Deaths, 2000-2011




Data Source: Missouri Department of Health and Senior Services, Bureau of Health Informatics. All years updated using revised methodology.

### Drug Induced Deaths, 2000-2011



Data Source: Missouri Department of Health and Senior Services, Bureau of Health Informatics. All years updated using revised methodology.


### Smoking Induced Deaths, 2000-2011



Data Source: Missouri Department of Health and Senior Services, Bureau of Health Informatics. All years updated using revised methodology.

## ALCOHOL INVOLVED TRAFFIC CRASHES


### Traffic Crashes in Missouri, All Causes, 2000-2011



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center.


[http://www.mshp.dps.missouri.gov/MSHPWeb/SAC/data\\_and\\_statistics\\_crashes\\_severity.html](http://www.mshp.dps.missouri.gov/MSHPWeb/SAC/data_and_statistics_crashes_severity.html) and Annual Tabulation.

### Alcohol Involved Traffic Crashes, 2003-2011




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.

### Traffic Crashes Caused by Alcohol Impaired Driver or Pedestrian, by Crash Severity, 2000-2011



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.


### Traffic Crash Fatalities and Injuries Caused by Alcohol Impaired Driver or Pedestrian, 2000-2011



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Annual Tabulation.

## DRUG INVOLVED TRAFFIC CRASHES


### Traffic Crashes in Missouri, All Causes, 2000-2011



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center.


[http://www.mshp.dps.missouri.gov/MSHPWeb/SAC/data\\_and\\_statistics\\_crashes\\_severity.html](http://www.mshp.dps.missouri.gov/MSHPWeb/SAC/data_and_statistics_crashes_severity.html)

### Drug Involved Traffic Crashes, 2004-2011




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center.

### Traffic Crashes Caused by Drug Impaired Driver or Pedestrian, by Crash Severity, 2000-2011



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center.


### Traffic Crash Fatalities and Injuries Caused by Drug Impaired Driver or Pedestrian, 2000-2011



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center.


## MISSOURI ALCOHOL AND DRUG ARRESTS

### Arrests for Impaired Driving: Missouri DWI Tracking System, 2000-2011




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. DWI Tracking System.

### Arrests for Impaired Boating, 2001-2011




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Uniform Crime Reports.

### Arrests for Liquor Law Offenses, 2001-2011




Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Uniform Crime Reports.

### Arrests for Drug Offenses, 2001-2011



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Statistical Analysis Center. Uniform Crime Reports.


### Methamphetamine Lab and Equipment Confiscations, 2001-2012



Data Source: Missouri Department of Public Safety, Missouri State Highway Patrol, Division of Drug and Crime Control, EPIC System.


## MISSOURI JUVENILE COURT ENCOUNTERS

### Total Out-of-Home Placements of Children, and Percentage Due to Parental Substance Abuse, 2000-2011




Data Source: Missouri Department of Social Services. Annual special data tabulations. Based on child's most recent removal reason within year.

### Out-of-Home Placements of Children Due to Parental Substance Abuse, 2000-2011




Data Source: Missouri Department of Social Services. Annual special data tabulations. Based on child's most recent removal reason within year.

### Juvenile Court Referrals for Law Violations and Status Offenses, 2000-2011



Data Source: Missouri Department of Social Services. Annual special data tabulations.


### Juvenile Court Referrals for Alcohol and Drug Violations, 2000-2011



Data Source: Missouri Department of Social Services. Annual special data tabulations.


## MISSOURI CRIMINAL JUSTICE SERVICES FOR ALCOHOL AND DRUG OFFENSES

### Missouri Drug Court and Mental Health Court Growth by Type, Fiscal Years 2000-2012




Data Source: Missouri Office of State Courts Administrator.

### Missouri Drug Court and Mental Health Court Participants, Fiscal Years 2006-2012




Data Source: Missouri Office of State Courts Administrator.

### Probation and Parole Admissions for Driving while Intoxicated and Drug Convictions, Fiscal Years 2001-2012



Data Source: Missouri Department of Corrections. Annual special data tabulations.


### State Prison Admissions for Driving while Intoxicated and Drug Convictions, Fiscal Years 2001-2012



Data Source: Missouri Department of Corrections. Annual special data tabulations.


## MISSOURI ALCOHOL CONSUMPTION

### Per Capita Consumption of Ethanol in All Beverage Alcohol in the United States and Missouri, Ages 14 and Older, 1970-2010




Data Source: U.S. Department of HHS, NIAAA. Surveillance Report #95: Apparent Per Capita Alcohol Consumption, 1977-2010.

### Per Capita Consumption of Ethanol in Beer in the United States and Missouri, Ages 14 and Older, 1970-2010




Data Source: U.S. Department of HHS, NIAAA. Surveillance Report #95: Apparent Per Capita Alcohol Consumption, 1977-2010.

### Per Capita Consumption of Ethanol in Wine in the United States and Missouri, Ages 14 and Older, 1970-2010



Data Source: U.S. Department of HHS, NIAAA. Surveillance Report #95: Apparent Per Capita Alcohol Consumption, 1977-2010.

### Per Capita Consumption of Ethanol in Distilled Spirits in the United States and Missouri, Ages 14 and Older, 1970-2010




Data Source: U.S. Department of HHS, NIAAA. Surveillance Report #95: Apparent Per Capita Alcohol Consumption, 1977-2010.

Note: Some figures are revised.




## MISSOURI LIQUOR LICENSES

### Retail Liquor Licenses for On-Premises By-the-Drink Sales, 2000-2012




Data Source: Missouri Department of Public Safety, Division of Alcohol and Tobacco Control

### Retail Liquor Licenses for Off-Premises Carry-out Sales, 2000-2012




## MISSOURI TOBACCO CONSUMPTION

**Trend in Tobacco Tax Revenue (in Millions), Fiscal Years 2001-2012**



Data Source: Missouri Department of Revenue. Annual revenue reports.

**Apparent Packs of Cigarettes (in Millions) Sold in Missouri Based on Cigarette Tax Revenues: Fiscal Years 2001-2012**




Data Source: Missouri Department of Revenue. Annual revenue reports.

Total cigarette sales estimates are based on the cigarette tax portion of tobacco tax receipts.

Breakouts for Jackson County and St. Louis County are based on supplemental county cigarette tax receipts.

## MISSOURI UNEMPLOYMENT

Unemployment in the United States and Missouri: Annual Averages, 1990-2012



Data Sources: Missouri Dept of Economic Development, Missouri Economic Research and Information Center.

Local Area Unemployment Statistics: <http://www.missourieconomy.org/indicators/laus/default.aspx>.

U.S. Dept of Labor, Bureau of Labor Statistics. Labor Force Statistics from the Current Population Survey.

Table: Employment status of the civilian noninstitutional population, 1941 to date.

# MISSOURI

## DIVISION OF BEHAVIORAL HEALTH SUBSTANCE ABUSE AND COMPULSIVE GAMBLING PROGRAM ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment program and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
<i>Detoxification</i>	5,819	6,420	6,466
<i>CSTAR Adolescent</i>	2,346	2,421	2,491
<i>CSTAR Women and Children</i>	3,693	4,015	4,280
<i>CSTAR General Adult</i>	13,369	11,521	6,398
<i>CSTAR Opioid</i>	626	709	495
<i>Primary Recovery Treatment</i>	8,886	12,545	21,178
<i>Clinical SATOP (CIP, YCIP, SROP)</i>	5,449	4,422	4,767
<i>Other Substance Abuse Treatment</i>	1,237	1,240	1,296

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
<i>Offender Management Unit</i>	25,871	24,511	30,109
<i>- Adolescent Diversion Education Program</i>	769	760	1,362
<i>- Offender Education Program</i>	10,132	9,840	11,851
<i>- Weekend Intervention Program</i>	5,608	5,589	7,261
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
<i>Co-Dependency</i>	1,400	1,412	1,436
<i>Compulsive Gambling</i>	151	178	218
<i>Recovery Supports</i>	5,195	3,502	8,298
<i>Early Intervention</i>	1,371	1,080	561

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosure of identifying information.

NUMBER ADMITTED	FY2012	FY2011	FY2010
<i>Total Individuals</i>	36,565	37,193	39,874
AGE			
<i>Under 18</i>	2,435	2,509	2,569
<i>18 to 24</i>	6,485	6,939	7,796
<i>25 to 29</i>	6,295	6,545	7,141
<i>30 to 34</i>	5,736	5,509	5,421
<i>35 to 39</i>	3,972	4,074	4,478
<i>40 to 44</i>	3,627	3,692	4,101
<i>45 to 54</i>	6,166	6,211	6,660
<i>55 and Over</i>	1,849	1,712	1,708

GENDER			
<i>Male</i>	24,748	25,397	28,064
<i>Female</i>	11,814	11,793	11,809

RACE / ETHNICITY			
<i>Caucasian</i>	27,948	27,876	29,727
<i>African American</i>	7,131	7,855	8,613
<i>Native American / Alaskan</i>	83	103	113
<i>Asian / Pacific Islander</i>	101	69	86
<i>Hispanic</i>	769	760	730
<i>Other Race / Two or More Races</i>	801	788	868

EDUCATION			
<i>Less than High School Diploma</i>	12,657	13,648	14,556
<i>High School Graduate or G.E.D.</i>	16,109	16,185	17,854
<i>Associate Degree or Some College</i>	7,397	6,657	6,654
<i>Bachelor or Advanced Degree</i>	401	701	810

EMPLOYMENT			
<i>Employed</i>	9,906	9,627	10,587
<i>Unemployed</i>	14,271	15,758	16,780
<i>Not in Labor Force</i>	12,388	11,806	12,506

HOUSING / LIVING ARRANGEMENT			
<i>Independent Living</i>	28,630	29,026	31,405
<i>Dependent Living</i>	4,531	5,020	5,511
<i>Homeless</i>	2,225	2,248	2,051

MARITAL / FAMILY STATUS			
<i>Never Married</i>	20,681	21,380	23,012
<i>Married / Cohabiting</i>	8,090	8,099	8,443
<i>Previously Married</i>	7,794	7,712	8,407

PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
<i>Alcohol</i>	14,361	14,640	16,436
<i>Marijuana / Hashish</i>	8,823	9,465	10,688
<i>Cocaine (total)</i>	2,274	2,570	3,036
<i>- Crack</i>	1,539	1,934	2,292
<i>Stimulant (total)</i>	4,653	4,150	3,875
<i>- Methamphetamine</i>	4,460	3,963	3,729
<i>Heroin</i>	3,195	3,098	2,846
<i>Analgesic except Heroin</i>	2,269	2,331	2,185
<i>- Non-Prescription Methadone</i>	38	35	43
<i>PCP, LSD, other Hallucinogen</i>	344	335	296
<i>Tranquilizer</i>	371	394	361
<i>Inhalant</i>	47	45	49
<i>Sedative</i>	33	52	49
<i>Other Medication or Illicit Drug</i>	195	111	53
<i>Average Age at First Use of Drug</i>	17.9	17.7	17.4

INJECTION DRUG USE			
<i>Any Injection Use at Admission</i>	4,756	4,255	4,008
<i>- Daily Injection Use</i>	1,460	1,409	1,258
<i>- Weekly Injection Use</i>	1,144	1,089	1,009
<i>- Less than Weekly Injection Use</i>	2,152	1,757	1,739

LIFETIME DUI / DWI ARRESTS			
<i>0</i>	20,709	21,963	22,923
<i>1 or 2</i>	10,220	9,823	10,720
<i>3 or More</i>	5,636	5,405	6,231

TREATMENT REFERRAL SOURCE			
<i>Self / Family / Friend</i>	10,984	10,931	10,875
<i>School</i>	109	115	97
<i>Mental Health Provider</i>	523	601	688
<i>Health Care Provider</i>	1,327	1,319	1,290
<i>Court / Criminal Justice</i>	19,857	20,980	23,694
<i>Other Referral Source</i>	3,492	3,238	3,211

TREATMENT ACCOMMODATION			
<i>Pregnant when Admitted to any Episode</i>	633	613	615
<i>Military Veteran</i>	1,701	1,678	1,781
<i>Special Education Services Needed</i>	2,987	2,865	2,898
<i>Co-Occurring Psychological Problem</i>	12,056	11,670	12,478
<i>Co-Occurring Developmental Problem</i>	1,332	1,255	1,435

**DIVISION OF BEHAVIORAL HEALTH  
SUBSTANCE ABUSE TREATMENT ADMISSIONS, FISCAL YEAR 2012: MALES**

<b>ALL RACES</b>		<b>All Ages</b>	<b>Under 15</b>	<b>15-17</b>	<b>18-24</b>	<b>25-29</b>	<b>30-34</b>	<b>35-39</b>	<b>40-44</b>	<b>45-54</b>	<b>Over 54</b>
<b>TOTAL ADMISSIONS</b>		27,393	789	1,385	4,688	4,265	3,986	2,933	2,678	5,008	1,661
<i>Substance Abuse Treatment</i>											
Alcohol		11,011	18	115	1,263	1,493	1,523	1,267	1,392	2,854	1,086
Cocaine/Crack		1,383	*	11	52	98	119	146	243	566	146
Heroin		1,896	0	10	394	416	436	241	136	168	95
Marijuana		6,419	302	1,122	1,852	1,131	746	439	310	435	82
Methamphetamine		2,453	0	19	383	418	523	414	289	352	55
All Other Drugs		1,781	23	101	416	419	328	183	103	166	42
<i>Non-Substance Abuse Treatment</i>											
Recovery Supports		1,875	0	0	321	286	298	229	186	428	127
Co-dependent Services		533	444	7	*	*	6	13	15	27	15
Compulsive Gambling		42	0	0	*	*	7	*	*	12	13
<b>CAUCASIAN</b>		<b>All Ages</b>	<b>Under 15</b>	<b>15-17</b>	<b>18-24</b>	<b>25-29</b>	<b>30-34</b>	<b>35-39</b>	<b>40-44</b>	<b>45-54</b>	<b>Over 54</b>
<b>TOTAL ADMISSIONS</b>		19,867	457	1,018	3,636	3,254	2,868	2,120	1,965	3,453	1,096
<i>Substance Abuse Treatment</i>											
Alcohol		9,081	17	103	1,118	1,281	1,264	1,056	1,149	2,266	827
Cocaine/Crack		423	0	7	31	62	45	58	74	117	29
Heroin		1,077	0	10	328	308	214	92	59	58	8
Marijuana		4,208	207	790	1,254	717	441	270	202	277	50
Methamphetamine		2,360	0	18	369	403	495	397	281	343	54
All Other Drugs		1,461	21	89	372	345	253	130	74	139	38
<i>Non-Substance Abuse Treatment</i>											
Recovery Supports		941	0	0	160	134	146	105	112	218	66
Co-dependent Services		281	212	*	*	*	*	11	11	25	13
Compulsive Gambling		35	0	0	*	*	6	*	*	10	11
<b>AFRICAN AMERICAN</b>		<b>All Ages</b>	<b>Under 15</b>	<b>15-17</b>	<b>18-24</b>	<b>25-29</b>	<b>30-34</b>	<b>35-39</b>	<b>40-44</b>	<b>45-54</b>	<b>Over 54</b>
<b>TOTAL ADMISSIONS</b>		6,357	267	255	827	812	961	688	622	1,404	521
<i>Substance Abuse Treatment</i>											
Alcohol		1,458	0	5	80	135	182	147	184	497	228
Cocaine/Crack		916	*	*	18	31	65	83	165	437	113
Heroin		760	0	0	46	98	214	139	74	104	85
Marijuana		1,864	71	237	496	356	281	148	101	145	29
Methamphetamine		31	0	0	*	*	13	8	*	*	0
All Other Drugs		257	*	5	33	54	64	48	26	22	*
<i>Non-Substance Abuse Treatment</i>											
Recovery Supports		855	0	0	147	137	140	113	65	195	58
Co-dependent Services		212	194	5	*	0	*	*	*	*	*
Compulsive Gambling		*	0	0	*	0	0	0	0	*	*
<b>OTHER RACES</b>		<b>All Ages</b>	<b>Under 15</b>	<b>15-17</b>	<b>18-24</b>	<b>25-29</b>	<b>30-34</b>	<b>35-39</b>	<b>40-44</b>	<b>45-54</b>	<b>Over 54</b>
<b>TOTAL ADMISSIONS</b>		1,169	65	112	225	199	157	125	91	151	44
<i>Substance Abuse Treatment</i>											
Alcohol		472	*	7	65	77	77	64	59	91	31
Cocaine/Crack		44	*	*	*	5	9	5	*	12	*
Heroin		59	0	0	20	10	8	10	*	6	*
Marijuana		347	24	95	102	58	24	21	7	13	*
Methamphetamine		62	0	*	10	14	15	9	*	8	*
All Other Drugs		63	*	7	11	20	11	5	*	5	0
<i>Non-Substance Abuse Treatment</i>											
Recovery Supports		79	0	0	14	15	12	11	9	15	*
Co-dependent Services		40	38	*	0	0	0	0	*	0	0
Compulsive Gambling		*	0	0	0	0	*	0	*	*	0

Each client is counted only once -- in either a Substance Abuse Treatment or Non-Substance Abuse Treatment category.

The "Other Races" category includes Hispanic, Native American, Alaskan, Asian, Pacific Islander, all other, and multi-racial.

\* An asterisk in a data cell indicates the count was fewer than 5 and was suppressed to avoid disclosure of identifying information.

**DIVISION OF BEHAVIORAL HEALTH**  
**SUBSTANCE ABUSE TREATMENT ADMISSIONS, FISCAL YEAR 2012: FEMALES**

<b>ALL RACES</b>		<b>All Ages</b>	<b>Under 15</b>	<b>15-17</b>	<b>18-24</b>	<b>25-29</b>	<b>30-34</b>	<b>35-39</b>	<b>40-44</b>	<b>45-54</b>	<b>Over 54</b>
<b>TOTAL ADMISSIONS</b>		13,097	592	565	2,242	2,444	2,229	1,435	1,280	1,865	445
<i>Substance Abuse Treatment</i>											
Alcohol		3,503	21	72	415	500	536	425	493	840	201
Cocaine/Crack		903	*	5	68	91	106	135	184	271	41
Heroin		1,333	*	14	337	361	282	119	65	110	44
Marijuana		2,426	125	361	618	479	349	179	125	161	29
Methamphetamine		2,023	*	35	406	507	452	260	191	154	17
All Other Drugs		1,700	19	60	305	405	374	204	131	165	37
<i>Non-Substance Abuse Treatment</i>											
Recovery Supports		532	0	0	90	97	104	60	62	98	21
Co-dependent Services		615	423	18	*	*	21	51	26	46	23
Compulsive Gambling		62	0	0	0	0	5	*	*	20	32

<b>CAUCASIAN</b>		<b>All Ages</b>	<b>Under 15</b>	<b>15-17</b>	<b>18-24</b>	<b>25-29</b>	<b>30-34</b>	<b>35-39</b>	<b>40-44</b>	<b>45-54</b>	<b>Over 54</b>
<b>TOTAL ADMISSIONS</b>		10,270	367	461	1,858	2,016	1,803	1,135	987	1,324	319
<i>Substance Abuse Treatment</i>											
Alcohol		2,929	19	68	358	438	454	364	412	655	161
Cocaine/Crack		353	*	*	33	55	43	58	69	83	6
Heroin		919	*	14	297	264	193	66	29	46	9
Marijuana		1,808	113	285	443	343	255	123	102	118	26
Methamphetamine		1,933	*	32	385	482	433	250	188	145	17
All Other Drugs		1,542	16	54	279	365	336	183	120	152	37
<i>Non-Substance Abuse Treatment</i>											
Recovery Supports		357	0	0	61	65	68	41	41	65	16
Co-dependent Services		375	215	*	*	*	19	48	23	40	20
Compulsive Gambling		54	0	0	0	0	*	*	*	20	27

<b>AFRICAN AMERICAN</b>		<b>All Ages</b>	<b>Under 15</b>	<b>15-17</b>	<b>18-24</b>	<b>25-29</b>	<b>30-34</b>	<b>35-39</b>	<b>40-44</b>	<b>45-54</b>	<b>Over 54</b>
<b>TOTAL ADMISSIONS</b>		2,257	173	61	272	333	340	235	261	467	115
<i>Substance Abuse Treatment</i>											
Alcohol		434	0	*	40	42	57	41	68	151	32
Cocaine/Crack		502	0	*	28	26	54	69	110	180	34
Heroin		364	0	0	28	83	81	47	33	58	34
Marijuana		471	*	43	128	117	78	43	21	36	*
Methamphetamine		17	0	0	*	6	6	0	0	*	0
All Other Drugs		111	*	*	16	32	30	16	8	7	0
<i>Non-Substance Abuse Treatment</i>											
Recovery Supports		155	0	0	27	27	30	18	19	29	5
Co-dependent Services		195	170	13	*	0	*	*	*	5	*
Compulsive Gambling		8	0	0	0	0	*	0	0	0	5


  

<b>OTHER RACES</b>		<b>All Ages</b>	<b>Under 15</b>	<b>15-17</b>	<b>18-24</b>	<b>25-29</b>	<b>30-34</b>	<b>35-39</b>	<b>40-44</b>	<b>45-54</b>	<b>Over 54</b>
<b>TOTAL ADMISSIONS</b>		570	52	43	112	95	86	65	32	74	11
<i>Substance Abuse Treatment</i>											
Alcohol		140	*	*	17	20	25	20	13	34	8
Cocaine/Crack		48	0	0	7	10	9	8	5	8	*
Heroin		50	0	0	12	14	8	6	*	6	*
Marijuana		147	10	33	47	19	16	13	*	7	0
Methamphetamine		73	0	*	17	19	13	10	*	8	0
All Other Drugs		47	*	5	10	8	8	5	*	6	0
<i>Non-Substance Abuse Treatment</i>											
Recovery Supports		20	0	0	*	5	6	*	*	*	0
Co-dependent Services		45	38	*	0	0	*	*	*	*	*
Compulsive Gambling		0	0	0	0	0	0	0	0	0	0

Each client is counted only once -- in either a Substance Abuse Treatment or Non-Substance Abuse Treatment category.

The "Other Races" category includes Hispanic, Native American, Alaskan, Asian, Pacific Islander, all other, and multi-racial.

\* An asterisk in a data cell indicates the count was fewer than 5 and was suppressed to avoid disclosure of identifying information.


<sup>1</sup> Individuals are counted only once based on their primary drug of abuse at first admission.<sup>2</sup> Individuals with more than one admission may have more than one referral source.<sup>3</sup> Individuals are counted once in each category of program they were admitted to during the fiscal year.


<sup>1</sup> Individuals are counted only once based on their primary drug of abuse at first admission.

<sup>2</sup> Individuals with more than one admission may have more than one referral source.

<sup>3</sup> Individuals are counted once in each category of program they were admitted to during the fiscal year.






<sup>1</sup> Individuals are counted only once based on their primary drug of abuse at first admission.

<sup>2</sup> Individuals with more than one admission may have more than one referral source.


<sup>3</sup> Individuals are counted once in each category of program they were admitted to during the fiscal year.




<sup>1</sup> Individuals are counted only once based on their primary drug of abuse at first admission.

<sup>2</sup> Individuals with more than one admission may have more than one referral source.


<sup>3</sup> Individuals are counted once in each category of program they were admitted to during the fiscal year.

<sup>1</sup> Individuals are counted only once based on their primary drug of abuse at first admission.<sup>2</sup> Individuals with more than one admission may have more than one referral source.<sup>3</sup> Individuals are counted once in each category of program they were admitted to during the fiscal year.

<sup>1</sup> Individuals are counted only once based on their primary drug of abuse at first admission.<sup>2</sup> Individuals with more than one admission may have more than one referral source.<sup>3</sup> Individuals are counted once in each category of program they were admitted to during the fiscal year.


## AGE PROFILES OF ADA INTERVENTION AND TREATMENT PROGRAM ADMISSIONS

### Age Profile of Individuals Assigned to Substance Abuse Traffic Offender Program (SATOP), Fiscal Year 2012




Data Source: Missouri Department of Mental Health, Division of Behavioral Health, Research & Statistics Unit, CIMOR system.

### Age Profile of Admissions to Educational and Clinical SATOP, Fiscal Year 2012




Data Source: Missouri Department of Mental Health, Division of Behavioral Health, Research & Statistics Unit, CIMOR system.

### Age Profile of Admissions to Non-SATOP Treatment and Clinical SATOP Treatment, Fiscal Year 2012



Data Source: Missouri Department of Mental Health, Division of Behavioral Health, Research & Statistics Unit, CIMOR system.

# MISSOURI



<b>DBH REGION</b>	All Regions
<b>DBH SERVICE AREAS</b>	
Substance Abuse	All Service Areas
Adult Psychiatric	All Service Areas
<b>FIPS COUNTY CODE</b>	Not Applicable
<b>POPULATION</b>	
Census 2010	5,988,927
2012 Pop. Estimate	6,021,988

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	76,069	76,718	78,848
Mother Reported Smoking while Pregnant	13,803	14,335	13,232

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	499	566	510
IDU and MSM <sup>1</sup>	12	12	12
IDU without MSM <sup>1</sup>	17	19	9

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	55,597	55,047	54,064
Suicides	921	850	857
Self-inflicted Injuries	8,298	8,186	7,608
Homicides	416	438	440
Assault Injuries	23,728	23,740	24,103
Alcohol Induced Deaths	366	396	372
Drug Induced Deaths	994	1,019	901
Smoking Attributable Deaths	9,668	9,686	9,655

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	43,132		
Alcohol Primary Diagnosis <sup>2</sup>	3,233		
Drug Primary Diagnosis <sup>2</sup>	3,402		
Alcohol Related Diagnosis	16,972	19,329	13,894
Drug Related Diagnosis	19,989	21,502	14,916
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	23,925		
Alcohol Primary Diagnosis <sup>2</sup>	4,436		
Drug Primary Diagnosis <sup>2</sup>	2,970		
Alcohol Related Diagnosis	21,819	18,852	22,426
Drug Related Diagnosis	20,302	16,256	17,999
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	51,946		
Alcohol Primary Diagnosis <sup>2</sup>	14,936		
Drug Primary Diagnosis <sup>2</sup>	10,560		
Alcohol Related Diagnosis	31,130	29,721	26,319
Drug Related Diagnosis	31,160	25,976	18,606

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	5,707	6,176	6,832
Fatal Crashes	179	197	221
Injury Crashes	2,393	2,550	2,916
Property Damage Crashes	3,135	3,429	3,695
Crash Fatalities	197	207	226
Crash Injuries	3,532	3,725	3,426
Drug Involved Crashes--Total	1,176	1,173	1,207
Fatal Crashes	45	53	48
Injury Crashes	529	516	537
Property Damage Crashes	602	604	622
Crash Fatalities	49	55	48
Crash Injuries	589	773	612

## EMPLOYMENT

	2012	2011	2010
Labor Force	2,993,108	3,046,303	3,014,318
Employed	2,785,710	2,785,796	2,725,531
Unemployed	207,398	260,507	288,787
Unemployment Rate	6.9%	8.6%	9.6%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	266,883	273,777	279,628
Drop-outs	8,474	8,821	9,174
Drop-out Rate	3.2%	3.2%	3.3%
School Suspensions:			
Alcohol Incidents	469	478	428
Drug Incidents	2,783	2,950	2,554
Tobacco Incidents	120	101	116

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	33,649	35,059	35,543
Liquor Law Arrests	10,846	11,498	13,726
Drug Arrests	35,203	36,008	36,923
Methamphetamine Lab Incidents	2,096	1,960	1,774
Violent Offenses	21,334	27,359	29,456
Property Offenses	179,021	207,463	204,011
Domestic Violence Reports	37,382	41,655	36,943

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	29,324	29,028	32,192
Violent Offenses	7,504	8,572	9,356
Alcohol Offenses	1,122	1,248	1,361
Drug Offenses	2,321	2,273	2,523
Status Offenses--Total	13,875	14,946	14,479
Truancy	3,968	4,284	3,708
Beyond Parental Control	2,581	2,652	2,769
Habitually Absent from Home	2,662	2,962	3,047
Injurious Behavior	4,112	4,522	4,356
Abuse/Neglect/Custody--Total	15,374	15,038	14,486
Abuse	3,513	3,322	3,226
Neglect	9,908	9,718	9,572
Custody Disputes	1,953	1,998	1,688

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	6,145	6,236	5,620
Parental Alcohol Use Related	255	242	219
Parental Drug Use Related	1,972	1,853	1,418
Parental Alcohol and Drug Use	198	236	186
Child Removed for Other Reason	3,720	3,905	3,797

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	5,763	5,495	5,216
Probation/Parole Admissions--Total	36,965	35,571	36,332
Probation/Parole Admissions--Drug	11,593	11,144	11,624
Probation/Parole Admissions--DWI	2,645	2,316	2,069
Prison Admissions--Total	17,973	17,639	17,679
Prison Admissions--Drug	5,557	5,508	5,389
Prison Admissions--DWI	1,201	1,176	1,190

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	7,400	7,372	7,293
Alcohol Package Carry-out Licenses	5,134	5,036	4,880

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# MISSOURI

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	5,819	6,420	6,466
CSTAR Adolescent	2,346	2,421	2,491
CSTAR Women and Children	3,693	4,015	4,280
CSTAR General Adult	13,369	11,521	6,398
CSTAR Opioid	626	709	495
Primary Recovery Treatment	8,886	12,545	21,178
Clinical SATOP (CIP, YCIP, SROP)	5,449	4,422	4,767
Other Substance Abuse Treatment	1,237	1,240	1,296

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	25,871	24,511	30,109
- Adolescent Diversion Education Program	769	760	1,362
- Offender Education Program	10,132	9,840	11,851
- Weekend Intervention Program	5,608	5,589	7,261
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	1,400	1,412	1,436
Compulsive Gambling	151	178	218
Recovery Supports	5,195	3,502	8,298
Early Intervention	1,371	1,080	561

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	36,565	37,193	39,874
<b>AGE</b>			
Under 18	2,435	2,509	2,569
18 to 24	6,485	6,939	7,796
25 to 29	6,295	6,545	7,141
30 to 34	5,736	5,509	5,421
35 to 39	3,972	4,074	4,478
40 to 44	3,627	3,692	4,101
45 to 54	6,166	6,211	6,660
55 and Over	1,849	1,712	1,708

<b>GENDER</b>			
Male	24,748	25,397	28,064
Female	11,814	11,793	11,809

<b>RACE / ETHNICITY</b>			
Caucasian	27,948	27,876	29,727
African American	7,131	7,855	8,613
Native American / Alaskan	83	103	113
Asian / Pacific Islander	101	69	86
Hispanic	769	760	730
Other Race / Two or More Races	801	788	868

<b>EDUCATION</b>			
Less than High School Diploma	12,657	13,648	14,556
High School Graduate or G.E.D.	16,109	16,185	17,854
Associate Degree or Some College	7,397	6,657	6,654
Bachelor or Advanced Degree	401	701	810

<b>EMPLOYMENT</b>			
Employed	9,906	9,627	10,587
Unemployed	14,271	15,758	16,780
Not in Labor Force	12,388	11,806	12,506

<b>HOUSING / LIVING ARRANGEMENT</b>			
Independent Living	28,630	29,026	31,405
Dependent Living	4,531	5,020	5,511
Homeless	2,225	2,248	2,051

<b>MARITAL / FAMILY STATUS</b>			
Never Married	20,681	21,380	23,012
Married / Cohabiting	8,090	8,099	8,443
Previously Married	7,794	7,712	8,407

<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Alcohol	14,361	14,640	16,436
Marijuana / Hashish	8,823	9,465	10,688
Cocaine (total)	2,274	2,570	3,036
- Crack	1,539	1,934	2,292
Stimulant (total)	4,653	4,150	3,875
- Methamphetamine	4,460	3,963	3,729
Heroin	3,195	3,098	2,846
Analgesic except Heroin	2,269	2,331	2,185
- Non-Prescription Methadone	38	35	43
PCP, LSD, other Hallucinogen	344	335	296
Tranquilizer	371	394	361
Inhalant	47	45	49
Sedative	33	52	49
Other Medication or Illicit Drug	195	111	53
Average Age at First Use of Drug	17.9	17.7	17.4

<b>INJECTION DRUG USE</b>			
Any Injection Use at Admission	4,756	4,255	4,008
- Daily Injection Use	1,460	1,409	1,258
- Weekly Injection Use	1,144	1,089	1,009
- Less than Weekly Injection Use	2,152	1,757	1,739


<b>LIFETIME DUI / DWI ARRESTS</b>			
0	20,709	21,963	22,923
1 or 2	10,220	9,823	10,720
3 or More	5,636	5,405	6,231

<b>TREATMENT REFERRAL SOURCE</b>			
Self / Family / Friend	10,984	10,931	10,875
School	109	115	97
Mental Health Provider	523	601	688
Health Care Provider	1,327	1,319	1,290
Court / Criminal Justice	19,857	20,980	23,694
Other Referral Source	3,492	3,238	3,211

<b>TREATMENT ACCOMMODATION</b>			
Pregnant when Admitted to any Episode	633	613	615
Military Veteran	1,701	1,678	1,781
Special Education Services Needed	2,987	2,865	2,898
Co-Occurring Psychological Problem	12,056	11,670	12,478
Co-Occurring Developmental Problem	1,332	1,255	1,435

# MISSOURI

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** All Regions  
**PSYCHIATRIC SERVICE AREA** All Service Areas  
**CENSUS 2010** 5,988,927  
**2012 POPULATION ESTIMATE** 6,021,988

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	2,987	2,843	2,687
Anxiety Disorder	19,960	17,600	15,618
Dementia	209	205	289
Developmental Disorder	959	925	859
Impulse Control Disorder	11,333	10,127	8,988
Mood Disorder	42,599	38,560	35,583
Personality Disorder	6,892	6,926	7,192
Psychotic Disorder	14,509	13,731	13,113
Sexual Disorder	162	162	176
Other Diagnosis	4,764	4,584	4,646
Diagnosis Unknown	9,681	8,069	15,942

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	78,180	70,208	73,738	Less than High School Diploma	11,345	7,011	4,670
<b>AGE</b>				High School Grad or G.E.D.	10,250	9,392	5,736
Under 6	762	759	931	Associate Degree or Some College	4,015	3,617	2,300
6 to 9	4,144	3,592	3,549	Bachelor or Advanced Degree	1,284	1,005	556
10 to 13	5,612	4,897	4,944	Education Level Unknown	51,286	49,193	60,476
14 to 17	6,167	5,654	5,780	<b>EMPLOYMENT</b>			
18 to 24	7,165	6,333	7,294	Employed	3,573	2,690	1,892
25 to 29	6,446	5,782	6,511	Unemployed	20,574	17,895	10,997
30 to 34	7,075	6,141	6,239	Not in Labor Force	7,235	595	450
35 to 39	6,336	5,824	6,421	Employment Status Unknown	46,798	49,038	60,399
40 to 44	7,033	6,351	6,818	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	8,382	7,902	8,513	Independent Living	23,341	17,285	10,493
50 to 54	8,147	7,350	7,304	Dependent Living	8,844	8,334	2,922
55 to 59	5,665	5,004	4,771	Homeless	900	577	482
60 and Over	5,246	4,619	4,638	Other	554	652	609
Age Unknown	0	10	25	Housing Unknown	44,541	43,370	59,232
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	37,121	33,637	35,753	Self / Family / Friend	38,514	33,684	35,915
Female	41,059	36,571	37,959	School	1,314	1,024	1,106
Gender Unknown	0	10	26	Mental Health Provider	7,095	7,509	7,992
<b>RACE / ETHNICITY</b>				Health Care Provider	9,832	7,167	6,287
Caucasian	56,699	51,406	53,079	Court / Criminal Justice	4,496	4,126	5,260
African American	16,837	14,675	16,489	Other	16,379	15,908	15,177
Native American / Alaskan	209	195	206	Referral Source Unknown	550	800	2,001
Asian / Pacific Islander	196	179	196	<b>TYPE OF COMMITMENT</b>			
Hispanic	1,704	1,269	1,300	Voluntary	75,808	67,554	69,105
Other Race	2,533	2,476	2,423	Civil	670	719	1,477
Race/Ethnicity Unknown	*	18	45	Criminal	985	993	1,032
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	198	187	172
Hearing Impaired	1,998	1,732	1,706	Commitment Type Unknown	519	765	1,952
Past or Current Military Service	1,781	1,712	1,900				



# MISSOURI

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	38.2	42.9	Alcohol	70.5	74.7
Cigarettes	22.7	26.6	Cigarettes	81.5	80.7
Chewing Tobacco	10.5	11.4	Marijuana	72.1	72.2
Marijuana	16.5	17.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.1	92.7
Inhalants	5.3	6.5	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	8.6	11.1	Were very sad	18.5	19.7
Over-the-counter medications for non-medical use	6.0	7.7	Were grouchy, irritable, or in a bad mood	24.1	25.3
Methamphetamine	1.2	0.9	Felt hopeless about the future	10.9	12.3
Cocaine	1.7	1.6	Felt like not eating or eating more than usual	17.0	18.7
Heroin	0.9	0.6	Slept a lot more or a lot less than usual	20.1	26.0
Hallucinogens	2.8	3.0	Had difficulty concentrating on school work	23.0	24.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.1	2.2	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.4	1.1	Seriously considered attempting suicide	11.9	11.6
Synthetic drugs (K2, bath salts, Spice, etc)	6.4		Made plan about how they would attempt suicide	8.7	8.3
<b>Average age of students' first use of:</b>			Attempted suicide	5.5	5.5
Alcohol	12.72	12.54	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.9	2.1
Cigarettes	12.48	12.29	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.62	13.53	Were threatened/injured with weapon at school	6.4	9.5
Inhalants	11.81	11.95	Were in a physical fight	20.6	24.0
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.4	4.1
Alcohol	16.9	19.8	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	9.7	11.4	Were victims of mean rumors or lies spread at school	47.3	52.9
Cigarettes	10.6	13.7	Had embarrassing or hurtful pictures/text of them posted on internet	13.1	12.9
Chewing Tobacco	5.6	6.1	Had embarrassing or hurtful pictures/text of them sent by cell phone	15.5	14.0
Marijuana	8.6	9.4	Were made fun of by others	60.4	67.6
Inhalants	2.3	3.0	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	4.6	6.7	Spread mean rumors or lies about other kids at school	27.3	32.9
Over-the-counter medications for non-medical use	3.5	4.8	Posted on internet embarrassing or hurtful pictures/text of someone	9.0	11.2
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	10.4	13.2
Alcohol	51.5	57.6	Made fun of other people	61.9	72.3
Cigarettes	41.9	46.7	<b>Percent of students who agree that:</b>		
Marijuana	36.5	38.3	Teachers notice and comment on student's good work	69.2	71.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.6	17.8	School provides feedback to parents on positive student performance	39.3	41.5
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	56.0	56.1
Alcohol	29.9	33.1	Rules are enforced fairly	63.6	65.0
Cigarettes	12.9	14.7	Students of all races/ethnicities are treated equally	75.6	76.9
Marijuana	13.4	14.2	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	82.6	83.5
Alcohol	61.9	59.3	Parents involve student in making family decisions	69.2	70.1
Cigarettes	81.4	78.7	It is important to be honest with parents regardless of consequences	85.1	82.5
Marijuana	80.8	80.3	Student could ask parent for help with a personal problem	76.3	76.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.2	94.5	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	79.8	78.6	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	91.5	90.2	Percentages are estimates based on weighted data.		
Marijuana	93.4	93.3	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.9	97.4	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	56.2	58.6			
Cigarettes	51.7	56.0			
Marijuana	37.3	37.4			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.0	19.2			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# ADAIR COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	14
Adult Psychiatric	14
<b>FIPS COUNTY CODE</b>	001
<b>POPULATION</b>	
Census 2010	25,607
2012 Pop. Estimate	25,581

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	266	261	297
Mother Reported Smoking while Pregnant	53	55	58

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	1	1	1
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	209	200	190
Suicides	3	2	2
Self-inflicted Injuries	36	31	44
Homicides	0	1	0
Assault Injuries	36	36	36
Alcohol Induced Deaths	1	0	1
Drug Induced Deaths	6	2	3
Smoking Attributable Deaths	34	36	32

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	121		
Alcohol Primary Diagnosis <sup>2</sup>	24		
Drug Primary Diagnosis <sup>2</sup>	3		
Alcohol Related Diagnosis	102	78	42
Drug Related Diagnosis	50	43	33
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	37		
Alcohol Primary Diagnosis <sup>2</sup>	2		
Drug Primary Diagnosis <sup>2</sup>	3		
Alcohol Related Diagnosis	11	41	61
Drug Related Diagnosis	19	24	23
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	139		
Alcohol Primary Diagnosis <sup>2</sup>	76		
Drug Primary Diagnosis <sup>2</sup>	20		
Alcohol Related Diagnosis	113	103	97
Drug Related Diagnosis	38	43	42

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	16	29	24
Fatal Crashes	0	1	1
Injury Crashes	9	10	7
Property Damage Crashes	7	18	16
Crash Fatalities	0	1	1
Crash Injuries	13	18	9
Drug Involved Crashes--Total	5	1	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	5	1	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

## EMPLOYMENT

	2012	2011	2010
Labor Force	11,870	12,610	12,914
Employed	11,131	11,665	11,969
Unemployed	739	945	945
Unemployment Rate	6.2%	7.5%	7.3%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	934	958	978
Drop-outs	24	15	23
Drop-out Rate	2.6%	1.6%	2.4%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	1	1	0
Tobacco Incidents	0	3	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	108	147	137
Liquor Law Arrests	178	148	160
Drug Arrests	141	112	131
Methamphetamine Lab Incidents	19	13	24
Violent Offenses	138	115	65
Property Offenses	802	738	724
Domestic Violence Reports	352	332	275

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	147	65	109
Violent Offenses	22	21	39
Alcohol Offenses	20	10	6
Drug Offenses	8	4	13
Status Offenses--Total	175	257	317
Truancy	60	48	57
Beyond Parental Control	27	61	53
Habitually Absent from Home	6	7	6
Injurious Behavior	82	137	198
Abuse/Neglect/Custody--Total	101	84	93
Abuse	16	13	4
Neglect	85	70	88
Custody Disputes	0	1	1

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	40	28	23
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	15	5	9
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	24	23	14

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	36	45	49
Probation/Parole Admissions--Total	150	136	148
Probation/Parole Admissions--Drug	64	51	46
Probation/Parole Admissions--DWI	8	4	11
Prison Admissions--Total	75	68	47
Prison Admissions--Drug	27	23	16
Prison Admissions--DWI	5	0	3

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	33	33	31
Alcohol Package Carry-out Licenses	22	22	23

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# ADAIR COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	12	5	14
CSTAR Adolescent	19	25	20
CSTAR Women and Children	7	6	9
CSTAR General Adult	186	177	170
CSTAR Opioid	0	0	0
Primary Recovery Treatment	25	16	46
Clinical SATOP (CIP, YCIP, SROP)	23	16	20
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	160	155	154
- Adolescent Diversion Education Program	82	60	64
- Offender Education Program	25	26	30
- Weekend Intervention Program	19	30	15
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	0	0	17
Early Intervention	28	27	20

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	248	207	229	Alcohol	104	76	116
AGE				Marijuana / Hashish	89	74	66
Under 18	16	25	20	Cocaine (total)	*	*	5
18 to 24	76	60	69	- Crack	*	*	*
25 to 29	40	35	30	Stimulant (total)	33	28	23
30 to 34	35	30	22	- Methamphetamine	33	26	22
35 to 39	24	16	29	Heroin	*	*	0
40 to 44	16	11	24	Analgesic except Heroin	11	17	13
45 to 54	32	18	22	- Non-Prescription Methadone	0	0	0
55 and Over	9	12	13	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	*	*
Male	178	141	158	Inhalant	*	*	*
Female	70	66	71	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	230	188	215	Average Age at First Use of Drug	16.1	16.9	16.6
African American	10	8	8	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	25	10	15
Asian / Pacific Islander	*	0	0	- Daily Injection Use	*	*	*
Hispanic	6	7	6	- Weekly Injection Use	5	*	7
Other Race / Two or More Races	*	6	*	- Less than Weekly Injection Use	17	*	7
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	86	90	68	0	138	131	127
High School Graduate or G.E.D.	119	87	100	1 or 2	86	58	61
Associate Degree or Some College	38	29	58	3 or More	24	18	41
Bachelor or Advanced Degree	5	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	31	48	45
Employed	72	60	79	School	0	0	0
Unemployed	46	46	69	Mental Health Provider	*	0	*
Not in Labor Force	130	101	81	Health Care Provider	7	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	153	123	152
Independent Living	213	170	195	Other Referral Source	38	32	26
Dependent Living	24	32	28	TREATMENT ACCOMMODATION			
Homeless	6	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	10	*	11
Never Married	138	119	126	Special Education Services Needed	20	24	24
Married / Cohabiting	57	42	41	Co-Occurring Psychological Problem	131	60	106
Previously Married	53	46	60	Co-Occurring Developmental Problem	5	7	6

# ADAIR COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 14  
**CENSUS 2010** 25,607  
**2012 POPULATION ESTIMATE** 25,581

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	10	14	13
Anxiety Disorder	88	93	76
Dementia	*	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	57	60	46
Mood Disorder	209	218	176
Personality Disorder	10	10	6
Psychotic Disorder	80	79	71
Sexual Disorder	0	0	0
Other Diagnosis	26	24	18
Diagnosis Unknown	41	50	96

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	437	449	425	Less than High School Diploma	104	83	54
<b>AGE</b>				High School Grad or G.E.D.	128	136	121
Under 6	*	*	0	Associate Degree or Some College	30	30	27
6 to 9	22	18	10	Bachelor or Advanced Degree	8	8	7
10 to 13	31	40	21	Education Level Unknown	167	192	216
14 to 17	41	42	39	<b>EMPLOYMENT</b>			
18 to 24	45	46	50	Employed	53	46	39
25 to 29	43	38	34	Unemployed	190	209	168
30 to 34	33	31	37	Not in Labor Force	50	*	*
35 to 39	43	42	47	Employment Status Unknown	144	191	216
40 to 44	39	47	41	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	48	48	53	Independent Living	231	208	169
50 to 54	39	45	48	Dependent Living	79	102	38
55 to 59	29	23	21	Homeless	0	5	*
60 and Over	23	27	24	Other	*	*	*
Age Unknown	0	0	0	Housing Unknown	125	130	214
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	225	227	225	Self / Family / Friend	148	132	146
Female	212	222	200	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	31	36	37
<b>RACE / ETHNICITY</b>				Health Care Provider	33	24	22
Caucasian	402	420	401	Court / Criminal Justice	19	13	14
African American	14	11	12	Other	198	236	192
Native American / Alaskan	0	0	0	Referral Source Unknown	7	8	14
Asian / Pacific Islander	0	0	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	8	8	7	Voluntary	425	435	403
Other Race	13	10	*	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	5	6	7	Commitment Type Unknown	7	8	14
Past or Current Military Service	16	16	13				

# ADAIR COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012


	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	48.1	45.5	Alcohol	75.4	78.9
Cigarettes	44.0	26.2	Cigarettes	73.6	81.1
Chewing Tobacco	12.7	13.0	Marijuana	65.4	67.0
Marijuana	21.8	12.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.8	92.5
Inhalants	6.3	9.1			
Prescription medications not prescribed for student	6.1	10.3	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	1.1	9.0	Were very sad	19.6	29.1
Methamphetamine	5.6	1.7	Were grouchy, irritable, or in a bad mood	30.0	35.6
Cocaine	5.4	2.1	Felt hopeless about the future	7.9	18.0
Heroin	5.2	0.4	Felt like not eating or eating more than usual	19.0	26.0
Hallucinogens	5.6	4.2	Slept a lot more or a lot less than usual	14.0	32.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	5.2	2.8	Had difficulty concentrating on school work	19.3	27.4
Steroids not prescribed for student	5.5	1.8			
Synthetic drugs (K2, bath salts, Spice, etc)	9.7		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	17.6	9.3
Alcohol	12.42	12.40	Made plan about how they would attempt suicide	11.4	6.8
Cigarettes	12.42	12.08	Attempted suicide	11.0	4.5
Marijuana	13.93	13.06	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	5.6	2.6
Inhalants	13.33	12.44			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	22.8	19.3	Were threatened/injured with weapon at school	11.8	8.2
Binge Alcohol (5 or more drinks on one occasion)	10.4	14.3	Were in a physical fight	21.9	22.6
Cigarettes	21.1	18.1	Were in a fight and had to be treated by a doctor or nurse	6.0	3.7
Chewing Tobacco	7.1	5.9			
Marijuana	9.5	5.3	<b>Percent of students in past 3 months who:</b>		
Inhalants	6.1	3.2	Were victims of mean rumors or lies spread at school	49.3	49.8
Prescription medications not prescribed for student	0.6	4.5	Had embarrassing or hurtful pictures/text of them posted on internet	13.5	13.2
Over-the-counter medications for non-medical use	0.9	4.6	Had embarrassing or hurtful pictures/text of them sent by cell phone	24.9	11.4
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	72.4	65.5
Alcohol	57.8	53.2			
Cigarettes	57.2	41.8	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	47.6	26.4	Spread mean rumors or lies about other kids at school	31.9	30.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.9	14.1	Posted on internet embarrassing or hurtful pictures/text of someone	2.4	11.4
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	12.5	17.1
Alcohol	39.1	35.4	Made fun of other people	49.3	76.5
Cigarettes	31.5	14.9			
Marijuana	20.9	10.6	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	70.9	69.1
Alcohol	52.9	57.9	School provides feedback to parents on positive student performance	46.9	32.5
Cigarettes	61.2	77.9	Teachers praise student for hard work	55.3	49.4
Marijuana	68.0	84.2	Rules are enforced fairly	49.4	65.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	88.8	92.7	Students of all races/ethnicities are treated equally	82.6	82.2
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	77.8	78.9	<b>Percent of students who agree that:</b>		
Cigarettes	92.9	88.4	Parents notice and comment on student's good work	80.1	80.1
Marijuana	93.8	96.3	Parents involve student in making family decisions	64.5	68.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.7	97.3	It is important to be honest with parents regardless of consequences	71.9	81.6
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	70.7	77.2
Alcohol	55.8	60.6			
Cigarettes	48.8	51.0			
Marijuana	34.5	29.3			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.1	17.6			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# ANDREW COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	1
Adult Psychiatric	1
<b>FIPS COUNTY CODE</b>	003
<b>POPULATION</b>	
Census 2010	17,291
2012 Pop. Estimate	17,417

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	10,675	10,633	9,931
Employed	10,137	9,968	9,149
Unemployed	538	665	782
Unemployment Rate	5.0%	6.3%	7.9%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	825	839	845
Drop-outs	30	22	25
Drop-out Rate	3.6%	2.6%	3.0%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	1	1	0
Tobacco Incidents	1	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	180	189	188
Mother Reported Smoking while Pregnant	31	32	25

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	159	141	164
Suicides	1	2	6
Self-inflicted Injuries	14	9	12
Homicides	0	0	0
Assault Injuries	27	23	30
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	1	0	1
Smoking Attributable Deaths	29	28	32

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	80		
Alcohol Primary Diagnosis <sup>2</sup>	3		
Drug Primary Diagnosis <sup>2</sup>	2		
Alcohol Related Diagnosis	12	24	11
Drug Related Diagnosis	26	18	23
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	32		
Alcohol Primary Diagnosis <sup>2</sup>	15		
Drug Primary Diagnosis <sup>2</sup>	10		
Alcohol Related Diagnosis	44	20	28
Drug Related Diagnosis	31	21	24
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	102		
Alcohol Primary Diagnosis <sup>2</sup>	12		
Drug Primary Diagnosis <sup>2</sup>	8		
Alcohol Related Diagnosis	31	26	21
Drug Related Diagnosis	27	19	20

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	18	14	23
Fatal Crashes	2	2	0
Injury Crashes	9	6	15
Property Damage Crashes	7	6	8
Crash Fatalities	3	2	0
Crash Injuries	18	8	22
Drug Involved Crashes--Total	1	5	1
Fatal Crashes	0	0	0
Injury Crashes	1	3	1
Property Damage Crashes	0	2	0
Crash Fatalities	0	0	0
Crash Injuries	1	3	2

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	116	89	81
Liquor Law Arrests	30	26	34
Drug Arrests	68	72	77
Methamphetamine Lab Incidents	1	1	2
Violent Offenses	11	10	15
Property Offenses	151	170	215
Domestic Violence Reports	83	88	69

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	49	75	71
Violent Offenses	11	15	18
Alcohol Offenses	2	0	4
Drug Offenses	1	5	4
Status Offenses--Total	59	57	36
Truancy	35	40	23
Beyond Parental Control	17	9	9
Habitually Absent from Home	4	5	3
Injurious Behavior	2	2	1
Abuse/Neglect/Custody--Total	0	3	0
Abuse	0	3	0
Neglect	0	0	0
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	0	0	0
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	0	0	0

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	65	56	66
Probation/Parole Admissions--Drug	12	22	9
Probation/Parole Admissions--DWI	7	4	2
Prison Admissions--Total	42	39	20
Prison Admissions--Drug	10	10	7
Prison Admissions--DWI	7	6	1

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	12	12	11
Alcohol Package Carry-out Licenses	17	17	19

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# ANDREW COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	6	7	11
CSTAR Adolescent	7	7	6
CSTAR Women and Children	0	0	*
CSTAR General Adult	23	8	*
CSTAR Opioid	0	0	*
Primary Recovery Treatment	24	22	27
Clinical SATOP (CIP, YCIP, SROP)	11	6	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	61	57	61
- Adolescent Diversion Education Program	5	*	0
- Offender Education Program	19	41	30
- Weekend Intervention Program	18	9	18
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	*	0	0
Recovery Supports	0	0	6
Early Intervention	*	13	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	59	45	52	Alcohol	25	21	14
AGE				Marijuana / Hashish	15	11	18
Under 18	7	10	9	Cocaine (total)	*	*	*
18 to 24	10	9	7	- Crack	*	0	*
25 to 29	10	6	12	Stimulant (total)	8	5	7
30 to 34	8	7	*	- Methamphetamine	8	5	6
35 to 39	6	*	5	Heroin	0	*	*
40 to 44	5	6	6	Analgesic except Heroin	8	6	8
45 to 54	9	*	8	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	46	39	37	Inhalant	0	0	0
Female	13	6	15	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	57	43	48	Average Age at First Use of Drug	19.4	17.0	18.1
African American	*	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	5	6	5
Asian / Pacific Islander	*	0	0	- Daily Injection Use	*	*	*
Hispanic	0	*	*	- Weekly Injection Use	0	*	*
Other Race / Two or More Races	0	0	*	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	19	20	18	0	26	26	37
High School Graduate or G.E.D.	27	18	22	1 or 2	21	12	11
Associate Degree or Some College	13	7	12	3 or More	12	7	*
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	11	11	12
Employed	25	12	14	School	0	0	0
Unemployed	19	17	17	Mental Health Provider	0	0	*
Not in Labor Force	15	16	21	Health Care Provider	5	*	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	40	30	31
Independent Living	49	31	40	Other Referral Source	*	*	*
Dependent Living	9	12	9	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	5	0	5
Never Married	34	29	34	Special Education Services Needed	*	0	*
Married / Cohabiting	12	7	9	Co-Occurring Psychological Problem	7	11	9
Previously Married	13	9	9	Co-Occurring Developmental Problem	0	0	*

# ANDREW COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 1  
**CENSUS 2010** 17,291  
**2012 POPULATION ESTIMATE** 17,417

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	6	11	5
Anxiety Disorder	26	25	18
Dementia	0	0	0
Developmental Disorder	*	0	0
Impulse Control Disorder	25	33	22
Mood Disorder	44	51	52
Personality Disorder	0	0	0
Psychotic Disorder	9	10	8
Sexual Disorder	0	0	0
Other Diagnosis	13	17	13
Diagnosis Unknown	9	11	8

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	90	111	95	Less than High School Diploma	17	*	0
<b>AGE</b>				High School Grad or G.E.D.	13	*	0
Under 6	6	6	*	Associate Degree or Some College	*	*	0
6 to 9	18	22	16	Bachelor or Advanced Degree	*	0	0
10 to 13	15	23	22	Education Level Unknown	52	101	95
14 to 17	10	15	9	<b>EMPLOYMENT</b>			
18 to 24	*	5	*	Employed	*	0	0
25 to 29	5	*	*	Unemployed	26	10	0
30 to 34	*	6	*	Not in Labor Force	10	0	0
35 to 39	6	*	5	Employment Status Unknown	52	101	95
40 to 44	*	6	6	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	8	9	9	Independent Living	30	10	0
50 to 54	5	*	5	Dependent Living	17	15	*
55 to 59	*	5	5	Homeless	0	0	0
60 and Over	5	*	*	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	43	85	94
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	47	61	56	Self / Family / Friend	30	40	31
Female	43	50	39	School	*	5	*
Gender Unknown	0	0	0	Mental Health Provider	17	18	16
<b>RACE / ETHNICITY</b>				Health Care Provider	24	26	23
Caucasian	82	105	91	Court / Criminal Justice	*	*	*
African American	0	*	0	Other	13	17	21
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	89	110	94
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	5	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				




# ANDREW COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	36.2	39.5	Alcohol	69.7	81.3
Cigarettes	21.7	25.3	Cigarettes	84.0	76.5
Chewing Tobacco	12.7	13.1	Marijuana	73.2	68.6
Marijuana	13.7	10.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.9	92.1
Inhalants	5.3	7.9	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	5.3	7.7	Were very sad	14.7	20.9
Over-the-counter medications for non-medical use	6.7	5.5	Were grouchy, irritable, or in a bad mood	22.7	33.1
Methamphetamine	1.7	0.3	Felt hopeless about the future	11.0	15.7
Cocaine	2.3	1.0	Felt like not eating or eating more than usual	15.1	20.8
Heroin	1.7	0.0	Slept a lot more or a lot less than usual	17.8	28.6
Hallucinogens	2.7	2.6	Had difficulty concentrating on school work	20.3	28.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.0	2.6	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.3	0.5	Seriously considered attempting suicide	11.4	8.8
Synthetic drugs (K2, bath salts, Spice, etc)	5.3		Made plan about how they would attempt suicide	7.0	6.0
<b>Average age of students' first use of:</b>			Attempted suicide	5.7	3.3
Alcohol	12.81	12.08	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.7	1.3
Cigarettes	12.43	11.69	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.71	13.60	Were threatened/injured with weapon at school	4.3	10.7
Inhalants	11.71	12.83	Were in a physical fight	16.7	24.9
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.0	3.8
Alcohol	16.7	18.1	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	13.6	9.3	Were victims of mean rumors or lies spread at school	49.5	60.1
Cigarettes	11.7	13.6	Had embarrassing or hurtful pictures/text of them posted on internet	17.1	14.6
Chewing Tobacco	6.7	9.0	Had embarrassing or hurtful pictures/text of them sent by cell phone	19.9	18.2
Marijuana	7.7	6.4	Were made fun of by others	63.0	72.2
Inhalants	2.7	4.6	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	3.0	6.4	Spread mean rumors or lies about other kids at school	33.3	41.9
Over-the-counter medications for non-medical use	4.3	3.9	Posted on internet embarrassing or hurtful pictures/text of someone	12.0	14.5
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	17.1	1.3
Alcohol	51.0	59.3	Made fun of other people	65.3	77.6
Cigarettes	42.6	47.5	<b>Percent of students who agree that:</b>		
Marijuana	33.6	29.8	Teachers notice and comment on student's good work	68.2	68.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.2	19.7	School provides feedback to parents on positive student performance	36.8	42.3
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	57.2	60.9
Alcohol	30.5	31.2	Rules are enforced fairly	64.7	71.7
Cigarettes	14.0	13.3	Students of all races/ethnicities are treated equally	81.1	78.7
Marijuana	12.4	10.0	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	83.9	82.9
Alcohol	66.2	63.9	Parents involve student in making family decisions	68.6	70.9
Cigarettes	80.9	81.3	It is important to be honest with parents regardless of consequences	86.6	84.1
Marijuana	83.4	88.8	Student could ask parent for help with a personal problem	75.2	78.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.3	96.2	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	87.3	76.2	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	94.3	92.8	Percentages are estimates based on weighted data.		
Marijuana	95.5	94.8	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.3	97.1	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	53.0	61.0			
Cigarettes	46.0	56.7			
Marijuana	29.7	28.7			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.2	16.1			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# ATCHISON COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	1
Adult Psychiatric	1
<b>FIPS COUNTY CODE</b>	005
<b>POPULATION</b>	
Census 2010	5,685
2012 Pop. Estimate	5,517

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	3,000	3,161	3,123
Employed	2,826	2,930	2,865
Unemployed	174	231	258
Unemployment Rate	5.8%	7.3%	8.3%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	268	297	308
Drop-outs	6	4	4
Drop-out Rate	2.2%	1.3%	1.3%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	55	63	64
Mother Reported Smoking while Pregnant	11	17	20

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	88	93	85
Suicides	1	3	0
Self-inflicted Injuries	9	6	3
Homicides	0	1	0
Assault Injuries	8	15	9
Alcohol Induced Deaths	2	1	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	17	18	14

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	41		
Alcohol Primary Diagnosis <sup>2</sup>	2		
Drug Primary Diagnosis <sup>2</sup>	0		
Alcohol Related Diagnosis	10	7	8
Drug Related Diagnosis	11	12	8
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	14		
Alcohol Primary Diagnosis <sup>2</sup>	1		
Drug Primary Diagnosis <sup>2</sup>	0		
Alcohol Related Diagnosis	9	3	3
Drug Related Diagnosis	5	0	2
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	44		
Alcohol Primary Diagnosis <sup>2</sup>	3		
Drug Primary Diagnosis <sup>2</sup>	3		
Alcohol Related Diagnosis	10	13	5
Drug Related Diagnosis	7	4	6

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	6	7	9
Fatal Crashes	1	0	0
Injury Crashes	3	2	5
Property Damage Crashes	2	5	4
Crash Fatalities	1	0	0
Crash Injuries	3	2	6
Drug Involved Crashes--Total	1	1	1
Fatal Crashes	0	0	0
Injury Crashes	0	1	0
Property Damage Crashes	1	0	1
Crash Fatalities	0	0	0
Crash Injuries	0	1	0

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	51	54	56
Liquor Law Arrests	35	15	23
Drug Arrests	72	61	69
Methamphetamine Lab Incidents	0	0	0
Violent Offenses	2	11	1
Property Offenses	29	49	50
Domestic Violence Reports	12	33	25

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	18	15	16
Violent Offenses	6	3	4
Alcohol Offenses	2	1	6
Drug Offenses	2	0	1
Status Offenses--Total	27	36	38
Truancy	4	0	2
Beyond Parental Control	11	18	29
Habitually Absent from Home	1	0	0
Injurious Behavior	11	18	7
Abuse/Neglect/Custody--Total	51	21	14
Abuse	2	12	7
Neglect	49	9	7
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	18	9	2
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	5	2	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	13	7	2

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	2	4	3
Probation/Parole Admissions--Total	47	31	34
Probation/Parole Admissions--Drug	27	13	10
Probation/Parole Admissions--DWI	2	2	3
Prison Admissions--Total	14	22	20
Prison Admissions--Drug	2	8	7
Prison Admissions--DWI	3	1	1

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	7	8	7
Alcohol Package Carry-out Licenses	11	9	8

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# ATCHISON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	5	0	6
CSTAR Adolescent	*	*	*
CSTAR Women and Children	0	0	*
CSTAR General Adult	*	*	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	14	12	16
Clinical SATOP (CIP, YCIP, SROP)	6	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	35	30	46
- Adolescent Diversion Education Program	12	6	14
- Offender Education Program	13	12	17
- Weekend Intervention Program	*	*	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	*
Early Intervention	7	6	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	25	18	23	Alcohol	10	*	8
AGE				Marijuana / Hashish	7	*	11
Under 18	0	*	*	Cocaine (total)	*	0	0
18 to 24	*	*	*	- Crack	0	0	0
25 to 29	*	*	6	Stimulant (total)	6	9	*
30 to 34	*	*	*	- Methamphetamine	6	9	*
35 to 39	*	*	*	Heroin	0	*	0
40 to 44	8	*	*	Analgesic except Heroin	0	0	*
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	0	0	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	0	0	*
Male	18	11	16	Inhalant	0	0	0
Female	7	7	7	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	25	16	23	Average Age at First Use of Drug	17.6	17.2	15.0
African American	0	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	0
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	0
Hispanic	0	0	0	- Weekly Injection Use	0	0	0
Other Race / Two or More Races	0	*	0	- Less than Weekly Injection Use	0	*	0
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	5	6	9	0	12	12	16
High School Graduate or G.E.D.	15	6	13	1 or 2	8	*	*
Associate Degree or Some College	*	5	*	3 or More	5	*	*
Bachelor or Advanced Degree	*	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	*	*
Employed	12	10	9	School	0	0	0
Unemployed	9	6	7	Mental Health Provider	0	*	0
Not in Labor Force	*	*	7	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	18	15	14
Independent Living	24	16	17	Other Referral Source	*	0	*
Dependent Living	*	*	6	TREATMENT ACCOMMODATION			
Homeless	0	0	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	11	10	15	Special Education Services Needed	*	*	*
Married / Cohabiting	6	*	5	Co-Occurring Psychological Problem	8	7	6
Previously Married	8	*	*	Co-Occurring Developmental Problem	0	0	*

# ATCHISON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 1  
**CENSUS 2010** 5,685  
**2012 POPULATION ESTIMATE** 5,517

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	0	0	0
Anxiety Disorder	6	*	*
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	8	9	*
Mood Disorder	13	12	8
Personality Disorder	0	0	0
Psychotic Disorder	*	*	*
Sexual Disorder	0	0	0
Other Diagnosis	6	5	*
Diagnosis Unknown	*	*	5

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	28	24	18	Less than High School Diploma	*	*	0
<b>AGE</b>				High School Grad or G.E.D.	8	*	*
Under 6	*	0	0	Associate Degree or Some College	*	0	0
6 to 9	*	*	*	Bachelor or Advanced Degree	*	0	0
10 to 13	5	5	*	Education Level Unknown	14	17	17
14 to 17	*	*	0	<b>EMPLOYMENT</b>			
18 to 24	*	*	*	Employed	*	*	0
25 to 29	*	*	*	Unemployed	11	*	*
30 to 34	0	0	0	Not in Labor Force	0	0	0
35 to 39	*	*	*	Employment Status Unknown	14	17	17
40 to 44	*	*	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	*	*	0	Independent Living	14	7	*
50 to 54	0	*	0	Dependent Living	*	*	0
55 to 59	*	*	*	Homeless	0	0	0
60 and Over	5	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	11	14	17
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	13	11	8	Self / Family / Friend	5	5	*
Female	15	13	10	School	6	5	*
Gender Unknown	0	0	0	Mental Health Provider	5	*	*
<b>RACE / ETHNICITY</b>				Health Care Provider	7	7	7
Caucasian	24	20	16	Court / Criminal Justice	*	*	*
African American	*	*	*	Other	*	*	*
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	28	24	17
Other Race	*	*	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	0	0				

# ATCHISON COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	36.7	35.1	Alcohol	79.5	93.4
Cigarettes	20.3	4.0	Cigarettes	83.5	93.4
Chewing Tobacco	10.1	40.9	Marijuana	78.5	88.1
Marijuana	8.9	2.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4	98.0
Inhalants	3.8	1.3	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	5.1	2.0	Were very sad	21.3	10.7
Over-the-counter medications for non-medical use	2.5	1.3	Were grouchy, irritable, or in a bad mood	35.4	15.2
Methamphetamine	1.3	0.0	Felt hopeless about the future	10.3	6.0
Cocaine	0.0	0.0	Felt like not eating or eating more than usual	16.9	6.6
Heroin	0.0	0.0	Slept a lot more or a lot less than usual	16.5	15.4
Hallucinogens	0.0	0.0	Had difficulty concentrating on school work	14.1	15.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.6	0.0	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.3	0.0	Seriously considered attempting suicide	13.9	1.3
Synthetic drugs (K2, bath salts, Spice, etc)	3.8		Made plan about how they would attempt suicide	11.4	1.3
<b>Average age of students' first use of:</b>			Attempted suicide	6.3	0.0
Alcohol	13.58	12.95	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.3	0.0
Cigarettes	12.59	11.69	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.03		Were threatened/injured with weapon at school	3.8	3.9
Inhalants			Were in a physical fight	24.1	11.9
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.8	1.3
Alcohol	13.8	2.0	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	6.3	0.0	Were victims of mean rumors or lies spread at school	58.2	55.6
Cigarettes	11.4	1.3	Had embarrassing or hurtful pictures/text of them posted on internet	17.7	5.3
Chewing Tobacco	7.6	1.8	Had embarrassing or hurtful pictures/text of them sent by cell phone	16.5	8.6
Marijuana	2.5	2.0	Were made fun of by others	64.6	65.6
Inhalants	1.3	1.3	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	5.1	1.3	Spread mean rumors or lies about other kids at school	27.8	40.4
Over-the-counter medications for non-medical use	2.5	1.3	Posted on internet embarrassing or hurtful pictures/text of someone	2.5	4.6
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	8.9	15.9
Alcohol	51.3	18.5	Made fun of other people	63.3	85.4
Cigarettes	43.0	10.6	<b>Percent of students who agree that:</b>		
Marijuana	16.7	3.4	Teachers notice and comment on student's good work	75.9	62.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.9	0.0	School provides feedback to parents on positive student performance	45.5	30.4
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	65.8	64.5
Alcohol	19.0	5.3	Rules are enforced fairly	57.0	70.5
Cigarettes	10.1	1.3	Students of all races/ethnicities are treated equally	83.8	71.3
Marijuana	8.9	0.0	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	85.9	65.6
Alcohol	70.9	94.7	Parents involve student in making family decisions	69.2	61.5
Cigarettes	86.1	96.7	It is important to be honest with parents regardless of consequences	92.4	98.0
Marijuana	87.3	98.7	Student could ask parent for help with a personal problem	81.0	63.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	100.0	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	78.5	98.0	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	86.3	96.7	Percentages are estimates based on weighted data.		
Marijuana	92.3	98.7	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	100.0	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	54.4	47.7			
Cigarettes	49.4	42.4			
Marijuana	23.1	30.5			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.9	29.3			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# AUDRAIN COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	15
Adult Psychiatric	15
<b>FIPS COUNTY CODE</b>	007
<b>POPULATION</b>	
Census 2010	25,529
2012 Pop. Estimate	25,621

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	11,893	11,958	11,797
Employed	11,139	11,006	10,732
Unemployed	754	952	1,065
Unemployment Rate	6.3%	8.0%	9.0%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	1,057	1,091	1,107
Drop-outs	37	42	25
Drop-out Rate	3.5%	3.8%	2.3%
School Suspensions:			
Alcohol Incidents	1	0	7
Drug Incidents	6	4	10
Tobacco Incidents	0	1	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	360	371	368
Mother Reported Smoking while Pregnant	116	121	114

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	2	0	0
IDU and MSM <sup>1</sup>	*	0	0
IDU without MSM <sup>1</sup>	*	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	268	301	300
Suicides	4	3	3
Self-inflicted Injuries	36	26	26
Homicides	1	0	1
Assault Injuries	71	84	93
Alcohol Induced Deaths	0	1	2
Drug Induced Deaths	0	5	3
Smoking Attributable Deaths	41	61	59

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	128		
Alcohol Primary Diagnosis <sup>2</sup>	3		
Drug Primary Diagnosis <sup>2</sup>	6		
Alcohol Related Diagnosis	32	45	46
Drug Related Diagnosis	41	45	36
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	82		
Alcohol Primary Diagnosis <sup>2</sup>	13		
Drug Primary Diagnosis <sup>2</sup>	11		
Alcohol Related Diagnosis	39	46	47
Drug Related Diagnosis	60	48	31
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	223		
Alcohol Primary Diagnosis <sup>2</sup>	35		
Drug Primary Diagnosis <sup>2</sup>	24		
Alcohol Related Diagnosis	74	90	87
Drug Related Diagnosis	70	50	36

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	18	16	23
Fatal Crashes	0	2	1
Injury Crashes	12	6	10
Property Damage Crashes	6	8	12
Crash Fatalities	0	2	1
Crash Injuries	14	11	15
Drug Involved Crashes--Total	6	5	6
Fatal Crashes	0	1	1
Injury Crashes	2	2	2
Property Damage Crashes	4	2	3
Crash Fatalities	0	1	1
Crash Injuries	2	12	2

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	90	135	148
Liquor Law Arrests	16	41	29
Drug Arrests	79	147	131
Methamphetamine Lab Incidents	4	7	12
Violent Offenses	37	59	32
Property Offenses	489	420	458
Domestic Violence Reports	306	303	364

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	131	128	138
Violent Offenses	30	30	34
Alcohol Offenses	14	13	4
Drug Offenses	9	6	8
Status Offenses--Total	118	142	117
Truancy	21	34	20
Beyond Parental Control	12	15	13
Habitually Absent from Home	4	19	11
Injurious Behavior	50	52	38
Abuse/Neglect/Custody--Total	25	40	54
Abuse	11	28	30
Neglect	14	11	21
Custody Disputes	0	1	3

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	7	27	25
Parental Alcohol Use Related	1	9	2
Parental Drug Use Related	0	4	5
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	6	14	18

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	25	17	19
Probation/Parole Admissions--Total	256	199	214
Probation/Parole Admissions--Drug	60	46	54
Probation/Parole Admissions--DWI	19	20	17
Prison Admissions--Total	112	97	101
Prison Admissions--Drug	32	31	28
Prison Admissions--DWI	9	12	7

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	24	26	25
Alcohol Package Carry-out Licenses	27	28	24

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# AUDRAIN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	16	40	34
CSTAR Adolescent	27	27	21
CSTAR Women and Children	11	17	24
CSTAR General Adult	25	27	13
CSTAR Opioid	0	*	*
Primary Recovery Treatment	170	153	158
Clinical SATOP (CIP, YCIP, SROP)	20	21	24
Other Substance Abuse Treatment	*	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	109	99	154
- Adolescent Diversion Education Program	8	8	18
- Offender Education Program	37	32	54
- Weekend Intervention Program	25	21	37
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	9	14	7
Compulsive Gambling	*	0	0
Recovery Supports	*	0	5
Early Intervention	17	19	10

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	230	239	240	Alcohol	82	103	106
AGE				Marijuana / Hashish	93	78	83
Under 18	24	30	24	Cocaine (total)	20	24	22
18 to 24	47	40	37	- Crack	*	11	13
25 to 29	36	37	33	Stimulant (total)	9	15	9
30 to 34	33	36	32	- Methamphetamine	7	15	9
35 to 39	20	28	29	Heroin	9	*	7
40 to 44	21	20	21	Analgesic except Heroin	12	7	7
45 to 54	42	36	54	- Non-Prescription Methadone	0	0	0
55 and Over	7	12	10	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	0	*	*
Male	171	169	181	Inhalant	0	0	*
Female	59	70	59	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	179	194	186	Average Age at First Use of Drug	16.7	17.0	17.3
African American	42	41	43	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	16	12	11
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	8	*	9	- Less than Weekly Injection Use	12	8	6
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	95	90	104	0	131	122	123
High School Graduate or G.E.D.	102	114	103	1 or 2	56	79	77
Associate Degree or Some College	32	31	29	3 or More	43	38	40
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	20	46	42
Employed	76	71	72	School	0	0	0
Unemployed	91	106	96	Mental Health Provider	*	6	0
Not in Labor Force	63	62	72	Health Care Provider	*	10	9
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	196	166	181
Independent Living	190	184	196	Other Referral Source	9	11	8
Dependent Living	33	44	37	TREATMENT ACCOMMODATION			
Homeless	*	5	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	13	5	9
Never Married	129	141	130	Special Education Services Needed	33	20	34
Married / Cohabiting	46	50	58	Co-Occurring Psychological Problem	79	63	82
Previously Married	55	48	52	Co-Occurring Developmental Problem	*	5	8

# AUDRAIN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 15  
**CENSUS 2010** 25,529  
**2012 POPULATION ESTIMATE** 25,621

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	43	29	28
Anxiety Disorder	75	59	56
Dementia	*	*	*
Developmental Disorder	0	0	0
Impulse Control Disorder	158	152	160
Mood Disorder	405	379	456
Personality Disorder	7	11	12
Psychotic Disorder	69	72	74
Sexual Disorder	0	*	*
Other Diagnosis	10	12	10
Diagnosis Unknown	67	46	62

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	765	676	774	Less than High School Diploma	112	57	40
<b>AGE</b>				High School Grad or G.E.D.	94	74	50
Under 6	16	12	13	Associate Degree or Some College	31	33	16
6 to 9	60	58	57	Bachelor or Advanced Degree	*	5	6
10 to 13	72	63	69	Education Level Unknown	524	507	662
14 to 17	91	77	71	<b>EMPLOYMENT</b>			
18 to 24	85	82	89	Employed	40	34	25
25 to 29	56	45	70	Unemployed	168	132	85
30 to 34	65	56	58	Not in Labor Force	84	*	*
35 to 39	58	46	64	Employment Status Unknown	473	507	662
40 to 44	54	48	69	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	66	59	81	Independent Living	202	144	79
50 to 54	59	54	61	Dependent Living	103	89	46
55 to 59	43	35	33	Homeless	*	*	*
60 and Over	40	41	39	Other	5	*	0
Age Unknown	0	0	0	Housing Unknown	452	440	647
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	332	286	325	Self / Family / Friend	537	508	638
Female	433	390	449	School	13	10	8
Gender Unknown	0	0	0	Mental Health Provider	38	29	20
<b>RACE / ETHNICITY</b>				Health Care Provider	54	29	17
Caucasian	667	591	691	Court / Criminal Justice	16	12	11
African American	54	57	55	Other	106	83	73
Native American / Alaskan	*	*	*	Referral Source Unknown	*	5	7
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	7	6	5	Voluntary	763	669	761
Other Race	33	20	20	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	*	0
Hearing Impaired	22	20	20	Commitment Type Unknown	*	5	7
Past or Current Military Service	7	12	14				



# AUDRAIN COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	40.2	42.2	Alcohol	64.9	77.0
Cigarettes	25.1	27.0	Cigarettes	74.8	78.2
Chewing Tobacco	8.3	11.5	Marijuana	70.6	72.0
Marijuana	12.9	15.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	90.2	92.3
Inhalants	5.5	8.5			
Prescription medications not prescribed for student	7.6	15.0	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	4.5	7.3	Were very sad	21.4	28.2
Methamphetamine	1.0	0.6	Were grouchy, irritable, or in a bad mood	25.7	31.2
Cocaine	2.4	1.8	Felt hopeless about the future	9.7	17.5
Heroin	0.5	0.2	Felt like not eating or eating more than usual	20.5	23.8
Hallucinogens	2.9	2.2	Slept a lot more or a lot less than usual	18.5	32.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.2	1.4	Had difficulty concentrating on school work	25.4	31.6
Steroids not prescribed for student	1.9	1.0			
Synthetic drugs (K2, bath salts, Spice, etc)	6.0		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	11.2	12.1
Alcohol	13.00	11.97	Made plan about how they would attempt suicide	9.1	6.8
Cigarettes	12.68	11.56	Attempted suicide	5.7	6.1
Marijuana	14.26	12.93	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.7	2.4
Inhalants	12.77	11.72			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	18.9	20.5	Were threatened/injured with weapon at school	6.7	7.5
Binge Alcohol (5 or more drinks on one occasion)	11.7	15.0	Were in a physical fight	17.0	23.5
Cigarettes	12.6	14.7	Were in a fight and had to be treated by a doctor or nurse	3.3	2.0
Chewing Tobacco	6.2	5.0			
Marijuana	6.0	6.1	<b>Percent of students in past 3 months who:</b>		
Inhalants	1.9	5.9	Were victims of mean rumors or lies spread at school	48.9	57.6
Prescription medications not prescribed for student	1.7	7.9	Had embarrassing or hurtful pictures/text of them posted on internet	13.9	13.6
Over-the-counter medications for non-medical use	2.4	5.7	Had embarrassing or hurtful pictures/text of them sent by cell phone	18.2	15.0
			Were made fun of by others	63.2	67.0
<b>Percent whose friends used in past 12 months:</b>			<b>Percent of students who, in the past 3 months:</b>		
Alcohol	51.3	53.4	Spread mean rumors or lies about other kids at school	30.6	34.1
Cigarettes	40.3	44.5	Posted on internet embarrassing or hurtful pictures/text of someone	11.9	13.7
Marijuana	28.5	35.2	Sent by cell phone embarrassing or hurtful pictures/text of someone	14.3	15.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.4	14.5	Made fun of other people	62.2	70.6
<b>Percent who would likely use, if offered by a best friend:</b>			<b>Percent of students who agree that:</b>		
Alcohol	34.0	31.2	Teachers notice and comment on student's good work	65.9	71.8
Cigarettes	13.4	15.4	School provides feedback to parents on positive student performance	36.5	36.2
Marijuana	7.2	9.1	Teachers praise student for hard work	54.1	58.2
			Rules are enforced fairly	56.6	61.3
<b>Percent who say it would be wrong to use:</b>			Students of all races/ethnicities are treated equally	73.7	73.9
Alcohol	62.5	62.0			
Cigarettes	79.5	80.3	<b>Percent of students who agree that:</b>		
Marijuana	84.1	85.3	Parents notice and comment on student's good work	80.5	84.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.7	95.9	Parents involve student in making family decisions	65.8	69.6
			It is important to be honest with parents regardless of consequences	82.7	83.0
<b>Percent whose parents would disapprove if they use:</b>			Student could ask parent for help with a personal problem	73.5	76.1
Alcohol	76.8	83.3			
Cigarettes	91.1	93.7			
Marijuana	95.2	95.3			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4	98.4			
<b>Percent who say it would be easy to obtain:</b>					
Alcohol	53.5	47.5			
Cigarettes	50.0	49.9			
Marijuana	33.5	34.5			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.6	20.7			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# BARRY COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	9
Adult Psychiatric	8A
<b>FIPS COUNTY CODE</b>	009
<b>POPULATION</b>	
Census 2010	35,597
2012 Pop. Estimate	35,546

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	16,275	16,833	16,752
Employed	15,247	15,477	15,302
Unemployed	1,028	1,356	1,450
Unemployment Rate	6.3%	8.1%	8.7%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	1,928	1,989	2,031
Drop-outs	45	41	44
Drop-out Rate	2.3%	2.1%	2.2%
School Suspensions:			
Alcohol Incidents	1	0	6
Drug Incidents	44	25	18
Tobacco Incidents	2	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	426	423	493
Mother Reported Smoking while Pregnant	113	129	123

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	2	1	1
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	389	395	348
Suicides	6	10	5
Self-inflicted Injuries	54	45	72
Homicides	0	0	1
Assault Injuries	83	88	91
Alcohol Induced Deaths	3	1	1
Drug Induced Deaths	5	7	3
Smoking Attributable Deaths	75	78	59

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	200		
Alcohol Primary Diagnosis <sup>2</sup>	13		
Drug Primary Diagnosis <sup>2</sup>	13		
Alcohol Related Diagnosis	94	105	69
Drug Related Diagnosis	111	124	111
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	96		
Alcohol Primary Diagnosis <sup>2</sup>	30		
Drug Primary Diagnosis <sup>2</sup>	14		
Alcohol Related Diagnosis	96	65	82
Drug Related Diagnosis	72	66	88
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	294		
Alcohol Primary Diagnosis <sup>2</sup>	57		
Drug Primary Diagnosis <sup>2</sup>	62		
Alcohol Related Diagnosis	191	160	135
Drug Related Diagnosis	256	220	217

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	68	71	76
Fatal Crashes	4	3	4
Injury Crashes	34	27	36
Property Damage Crashes	30	41	36
Crash Fatalities	4	3	4
Crash Injuries	48	45	45
Drug Involved Crashes--Total	14	16	21
Fatal Crashes	0	0	0
Injury Crashes	4	8	7
Property Damage Crashes	10	8	14
Crash Fatalities	0	0	0
Crash Injuries	8	9	8

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	316	212	232
Liquor Law Arrests	45	56	57
Drug Arrests	176	172	193
Methamphetamine Lab Incidents	42	45	33
Violent Offenses	101	111	141
Property Offenses	1,132	1,059	946
Domestic Violence Reports	354	356	340

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	135	146	134
Violent Offenses	43	36	26
Alcohol Offenses	4	5	9
Drug Offenses	14	15	18
Status Offenses--Total	55	59	52
Truancy	15	5	6
Beyond Parental Control	13	15	13
Habitually Absent from Home	13	25	17
Injurious Behavior	12	14	15
Abuse/Neglect/Custody--Total	78	116	98
Abuse	14	16	13
Neglect	18	38	46
Custody Disputes	46	62	39

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	42	66	52
Parental Alcohol Use Related	3	7	0
Parental Drug Use Related	19	15	14
Parental Alcohol and Drug Use	2	4	1
Child Removed for Other Reason	18	40	37

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	43	28	20
Probation/Parole Admissions--Total	286	233	244
Probation/Parole Admissions--Drug	78	72	70
Probation/Parole Admissions--DWI	18	13	15
Prison Admissions--Total	140	118	121
Prison Admissions--Drug	42	39	43
Prison Admissions--DWI	8	4	3

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	27	31	29
Alcohol Package Carry-out Licenses	51	51	50

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# BARRY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	34	32	33
CSTAR Adolescent	7	11	5
CSTAR Women and Children	9	12	13
CSTAR General Adult	75	89	41
CSTAR Opioid	0	0	0
Primary Recovery Treatment	27	34	132
Clinical SATOP (CIP, YCIP, SROP)	12	8	16
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	111	97	112
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	40	44	58
- Weekend Intervention Program	19	15	13
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	10	6	*
Compulsive Gambling	0	0	0
Recovery Supports	5	0	13
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	144	171	222	Alcohol	55	63	98
AGE				Marijuana / Hashish	32	36	51
Under 18	7	12	5	Cocaine (total)	0	*	*
18 to 24	33	30	61	- Crack	0	0	*
25 to 29	25	34	52	Stimulant (total)	32	41	45
30 to 34	15	24	19	- Methamphetamine	32	41	43
35 to 39	15	25	24	Heroin	0	*	0
40 to 44	14	15	22	Analgesic except Heroin	19	18	21
45 to 54	27	23	28	- Non-Prescription Methadone	0	0	*
55 and Over	8	8	11	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	*	5	5
Male	98	108	146	Inhalant	0	0	0
Female	46	63	76	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	136	165	210	Average Age at First Use of Drug	16.5	17.3	16.6
African American	0	*	0	INJECTION DRUG USE			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	20	24	33
Asian / Pacific Islander	0	0	*	- Daily Injection Use	5	7	9
Hispanic	6	7	10	- Weekly Injection Use	6	7	8
Other Race / Two or More Races	*	0	*	- Less than Weekly Injection Use	9	10	16
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	55	71	85	0	76	90	121
High School Graduate or G.E.D.	67	73	103	1 or 2	39	49	58
Associate Degree or Some College	22	25	32	3 or More	29	32	43
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	42	65	80
Employed	55	30	77	School	0	0	0
Unemployed	48	88	103	Mental Health Provider	*	*	*
Not in Labor Force	41	53	42	Health Care Provider	7	8	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	45	87	119
Independent Living	133	147	203	Other Referral Source	49	10	12
Dependent Living	7	16	16	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	7	*	14
Never Married	66	75	100	Special Education Services Needed	7	15	14
Married / Cohabiting	38	51	65	Co-Occurring Psychological Problem	49	48	42
Previously Married	40	45	57	Co-Occurring Developmental Problem	*	*	*

# BARRY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8A  
**CENSUS 2010** 35,597  
**2012 POPULATION ESTIMATE** 35,546

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	33	41	35
Anxiety Disorder	171	187	131
Dementia	*	0	*
Developmental Disorder	11	12	9
Impulse Control Disorder	92	96	81
Mood Disorder	233	297	228
Personality Disorder	45	67	46
Psychotic Disorder	66	60	57
Sexual Disorder	*	*	*
Other Diagnosis	51	40	27
Diagnosis Unknown	158	94	249

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	549	564	631	Less than High School Diploma	57	33	18
<b>AGE</b>				High School Grad or G.E.D.	31	37	19
Under 6	8	10	11	Associate Degree or Some College	14	15	7
6 to 9	40	37	35	Bachelor or Advanced Degree	*	*	0
10 to 13	47	53	52	Education Level Unknown	444	476	587
14 to 17	51	43	44	<b>EMPLOYMENT</b>			
18 to 24	40	47	61	Employed	7	5	*
25 to 29	48	48	62	Unemployed	75	82	39
30 to 34	56	52	59	Not in Labor Force	50	*	*
35 to 39	45	54	60	Employment Status Unknown	417	474	587
40 to 44	57	58	53	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	45	52	73	Independent Living	101	80	37
50 to 54	47	56	58	Dependent Living	51	57	13
55 to 59	33	27	32	Homeless	*	0	*
60 and Over	32	27	31	Other	*	*	0
Age Unknown	0	0	0	Housing Unknown	394	425	580
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	246	246	268	Self / Family / Friend	261	298	383
Female	303	318	363	School	7	10	6
Gender Unknown	0	0	0	Mental Health Provider	40	57	47
<b>RACE / ETHNICITY</b>				Health Care Provider	73	97	95
Caucasian	527	540	605	Court / Criminal Justice	16	27	28
African American	5	*	*	Other	149	68	56
Native American / Alaskan	*	*	*	Referral Source Unknown	*	7	16
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	8	11	14	Voluntary	540	545	610
Other Race	7	8	5	Civil	*	7	5
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	0
Hearing Impaired	35	44	46	Commitment Type Unknown	*	7	16
Past or Current Military Service	6	8	8				

# BARRY COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	36.0	46.0	Alcohol	74.5	76.1
Cigarettes	26.8	29.5	Cigarettes	82.5	79.9
Chewing Tobacco	18.6	21.2	Marijuana	78.5	76.4
Marijuana	14.4	16.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.7	94.4
Inhalants	7.3	8.2	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	7.6	11.4	Were very sad	16.4	24.8
Over-the-counter medications for non-medical use	4.8	9.8	Were grouchy, irritable, or in a bad mood	21.6	30.1
Methamphetamine	1.5	1.0	Felt hopeless about the future	10.2	16.3
Cocaine	1.3	1.7	Felt like not eating or eating more than usual	15.2	20.3
Heroin	1.0	0.4	Slept a lot more or a lot less than usual	18.7	32.1
Hallucinogens	3.2	2.5	Had difficulty concentrating on school work	20.1	28.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.9	1.8	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.1	1.2	Seriously considered attempting suicide	11.2	11.2
Synthetic drugs (K2, bath salts, Spice, etc)	7.3		Made plan about how they would attempt suicide	7.0	8.8
<b>Average age of students' first use of:</b>			Attempted suicide	4.5	5.8
Alcohol	12.49	12.63	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.9	1.7
Cigarettes	12.36	12.22	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.17	13.60	Were threatened/injured with weapon at school	5.8	9.1
Inhalants	12.08	12.61	Were in a physical fight	17.2	25.1
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	2.5	3.0
Alcohol	13.3	19.4	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	8.3	12.0	Were victims of mean rumors or lies spread at school	48.3	56.7
Cigarettes	10.7	15.8	Had embarrassing or hurtful pictures/text of them posted on internet	11.3	11.7
Chewing Tobacco	10.0	11.6	Had embarrassing or hurtful pictures/text of them sent by cell phone	14.5	14.0
Marijuana	5.9	6.9	Were made fun of by others	60.3	68.5
Inhalants	2.5	2.8	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	4.0	6.3	Spread mean rumors or lies about other kids at school	23.2	37.9
Over-the-counter medications for non-medical use	2.5	5.2	Posted on internet embarrassing or hurtful pictures/text of someone	5.7	12.4
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	7.8	8.0
Alcohol	49.3	58.6	Made fun of other people	55.9	74.0
Cigarettes	41.9	48.4	<b>Percent of students who agree that:</b>		
Marijuana	29.6	35.1	Teachers notice and comment on student's good work	66.7	65.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.6	14.9	School provides feedback to parents on positive student performance	37.3	39.9
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	50.1	50.4
Alcohol	24.9	32.5	Rules are enforced fairly	64.7	59.6
Cigarettes	13.4	16.9	Students of all races/ethnicities are treated equally	77.6	76.8
Marijuana	9.4	12.1	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	85.7	83.9
Alcohol	69.2	61.7	Parents involve student in making family decisions	72.5	67.5
Cigarettes	83.0	76.9	It is important to be honest with parents regardless of consequences	89.2	86.9
Marijuana	85.9	83.0	Student could ask parent for help with a personal problem	79.0	77.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.3	96.0	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	82.9	80.2	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	91.3	89.0	Percentages are estimates based on weighted data.		
Marijuana	95.5	94.8	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.6	98.0	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	51.1	55.3			
Cigarettes	52.6	58.7			
Marijuana	30.0	37.7			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.3	18.7			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# BARTON COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	9
Adult Psychiatric	9
<b>FIPS COUNTY CODE</b>	011
<b>POPULATION</b>	
Census 2010	12,402
2012 Pop. Estimate	12,337

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	4,903	5,034	5,116
Employed	4,490	4,535	4,536
Unemployed	413	499	580
Unemployment Rate	8.4%	9.9%	11.3%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	640	601	612
Drop-outs	6	11	17
Drop-out Rate	0.9%	1.8%	2.8%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	1	3	0
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	143	137	141
Mother Reported Smoking while Pregnant	27	27	24

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	127	132	136
Suicides	3	0	1
Self-inflicted Injuries	15	16	17
Homicides	0	0	1
Assault Injuries	33	26	30
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	5	0	2
Smoking Attributable Deaths	20	20	19

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	89		
Alcohol Primary Diagnosis <sup>2</sup>	6		
Drug Primary Diagnosis <sup>2</sup>	10		
Alcohol Related Diagnosis	45	40	22
Drug Related Diagnosis	53	53	25
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	20		
Alcohol Primary Diagnosis <sup>2</sup>	1		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	18	18	38
Drug Related Diagnosis	10	10	45
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	79		
Alcohol Primary Diagnosis <sup>2</sup>	12		
Drug Primary Diagnosis <sup>2</sup>	24		
Alcohol Related Diagnosis	56	61	67
Drug Related Diagnosis	55	50	42

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	10	9	11
Fatal Crashes	1	0	0
Injury Crashes	4	3	7
Property Damage Crashes	5	6	4
Crash Fatalities	1	0	0
Crash Injuries	4	5	7
Drug Involved Crashes--Total	1	1	3
Fatal Crashes	0	0	0
Injury Crashes	0	0	2
Property Damage Crashes	1	1	1
Crash Fatalities	0	0	0
Crash Injuries	0	0	5

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	49	58	73
Liquor Law Arrests	50	40	35
Drug Arrests	33	25	24
Methamphetamine Lab Incidents	0	0	2
Violent Offenses	20	20	24
Property Offenses	245	202	197
Domestic Violence Reports	138	123	105

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	138	86	116
Violent Offenses	52	40	47
Alcohol Offenses	16	2	3
Drug Offenses	6	6	2
Status Offenses--Total	45	32	42
Truancy	20	19	13
Beyond Parental Control	11	6	15
Habitually Absent from Home	5	5	5
Injurious Behavior	9	2	9
Abuse/Neglect/Custody--Total	147	101	124
Abuse	20	17	20
Neglect	126	81	104
Custody Disputes	1	3	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	18	12	15
Parental Alcohol Use Related	0	2	0
Parental Drug Use Related	2	2	3
Parental Alcohol and Drug Use	1	0	0
Child Removed for Other Reason	15	8	12

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	19	21	19
Probation/Parole Admissions--Total	81	97	93
Probation/Parole Admissions--Drug	26	30	25
Probation/Parole Admissions--DWI	5	4	1
Prison Admissions--Total	36	41	48
Prison Admissions--Drug	8	14	10
Prison Admissions--DWI	3	2	1

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	6	5	5
Alcohol Package Carry-out Licenses	16	16	15

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# BARTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	7	5	12
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	52	35	14
CSTAR Opioid	0	0	0
Primary Recovery Treatment	8	26	77
Clinical SATOP (CIP, YCIP, SROP)	10	6	10
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	41	37	40
- Adolescent Diversion Education Program	0	0	6
- Offender Education Program	18	17	17
- Weekend Intervention Program	8	5	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	0	0
Recovery Supports	21	16	*
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	89	84	103	Alcohol	41	37	53
AGE				Marijuana / Hashish	11	18	24
Under 18	*	*	*	Cocaine (total)	*	*	0
18 to 24	14	17	23	- Crack	0	*	0
25 to 29	21	10	19	Stimulant (total)	22	14	16
30 to 34	19	14	15	- Methamphetamine	21	14	16
35 to 39	8	13	7	Heroin	0	0	0
40 to 44	6	10	17	Analgesic except Heroin	13	11	10
45 to 54	16	14	17	- Non-Prescription Methadone	0	0	0
55 and Over	*	5	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	0
Male	67	61	80	Inhalant	0	0	0
Female	22	23	23	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	88	80	98	Average Age at First Use of Drug	18.2	17.5	17.2
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	16	10	15
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	0	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	0	*	- Less than Weekly Injection Use	14	5	10
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	25	25	28	0	44	41	59
High School Graduate or G.E.D.	46	48	63	1 or 2	28	21	26
Associate Degree or Some College	18	11	12	3 or More	17	22	18
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	25	13	24
Employed	33	27	36	School	0	0	0
Unemployed	22	30	43	Mental Health Provider	*	0	0
Not in Labor Force	34	27	24	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	54	62	64
Independent Living	78	80	94	Other Referral Source	8	5	12
Dependent Living	*	*	5	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran	5	5	6
Never Married	32	34	41	Special Education Services Needed	15	9	8
Married / Cohabiting	31	22	32	Co-Occurring Psychological Problem	37	36	26
Previously Married	26	28	30	Co-Occurring Developmental Problem	*	*	*

# BARTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 9  
**CENSUS 2010** 12,402  
**2012 POPULATION ESTIMATE** 12,337

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	10	6	7
Anxiety Disorder	31	32	22
Dementia	*	*	*
Developmental Disorder	*	0	*
Impulse Control Disorder	14	19	15
Mood Disorder	46	42	38
Personality Disorder	21	24	20
Psychotic Disorder	10	9	8
Sexual Disorder	0	0	0
Other Diagnosis	7	8	5
Diagnosis Unknown	5	5	19

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	75	77	81	Less than High School Diploma	9	10	*
<b>AGE</b>				High School Grad or G.E.D.	7	*	*
Under 6	0	*	0	Associate Degree or Some College	*	*	*
6 to 9	*	8	*	Bachelor or Advanced Degree	0	0	0
10 to 13	6	5	9	Education Level Unknown	55	59	75
14 to 17	*	*	*	<b>EMPLOYMENT</b>			
18 to 24	6	11	6	Employed	*	*	*
25 to 29	*	7	8	Unemployed	16	16	*
30 to 34	6	6	8	Not in Labor Force	*	0	*
35 to 39	10	7	9	Employment Status Unknown	51	59	75
40 to 44	6	*	7	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	15	10	8	Independent Living	16	15	5
50 to 54	7	5	5	Dependent Living	8	5	0
55 to 59	5	5	6	Homeless	0	0	*
60 and Over	5	*	9	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	51	56	75
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	27	34	34	Self / Family / Friend	42	48	51
Female	48	43	47	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
<b>RACE / ETHNICITY</b>				Health Care Provider	13	11	8
Caucasian	71	75	77	Court / Criminal Justice	11	6	8
African American	0	0	0	Other	7	6	7
Native American / Alaskan	0	0	*	Referral Source Unknown	0	*	*
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	0	*	Voluntary	62	66	69
Other Race	*	*	*	Civil	12	8	7
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	0	*	Commitment Type Unknown	0	*	*
Past or Current Military Service	*	*	*				




# BARTON COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	27.5	35.8	Alcohol	75.9	87.1
Cigarettes	18.9	29.2	Cigarettes	79.2	85.7
Chewing Tobacco	11.5	11.6	Marijuana	86.0	82.0
Marijuana	7.3	8.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.4	96.5
Inhalants	4.1	5.5	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	10.1	9.7	Were very sad	20.2	27.7
Over-the-counter medications for non-medical use	5.5	6.6	Were grouchy, irritable, or in a bad mood	19.9	37.5
Methamphetamine	1.8	0.3	Felt hopeless about the future	8.7	17.8
Cocaine	0.9	0.3	Felt like not eating or eating more than usual	17.5	24.2
Heroin	1.9	0.3	Slept a lot more or a lot less than usual	19.0	31.8
Hallucinogens	1.4	2.1	Had difficulty concentrating on school work	18.8	31.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	1.0	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	3.3	0.7	Seriously considered attempting suicide	9.6	13.7
Synthetic drugs (K2, bath salts, Spice, etc)	3.7		Made plan about how they would attempt suicide	8.3	10.0
<b>Average age of students' first use of:</b>			Attempted suicide	4.6	6.2
Alcohol	11.80	12.62	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.4	1.5
Cigarettes	11.95	12.52	<b>Percent of students in past 12 months who:</b>		
Marijuana	12.30	13.51	Were threatened/injured with weapon at school	6.9	7.9
Inhalants	11.75	12.03	Were in a physical fight	19.9	21.0
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.2	3.4
Alcohol	11.0	12.7	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	4.1	6.8	Were victims of mean rumors or lies spread at school	55.0	57.2
Cigarettes	10.1	14.4	Had embarrassing or hurtful pictures/text of them posted on internet	13.8	13.9
Chewing Tobacco	6.0	6.7	Had embarrassing or hurtful pictures/text of them sent by cell phone	19.8	13.3
Marijuana	2.8	3.1	Were made fun of by others	64.2	71.7
Inhalants	2.8	3.5	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	5.5	4.5	Spread mean rumors or lies about other kids at school	35.3	33.7
Over-the-counter medications for non-medical use	3.2	3.5	Posted on internet embarrassing or hurtful pictures/text of someone	7.4	9.0
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	11.5	12.9
Alcohol	41.3	46.0	Made fun of other people	64.2	72.5
Cigarettes	36.7	48.5	<b>Percent of students who agree that:</b>		
Marijuana	17.1	26.4	Teachers notice and comment on student's good work	73.9	62.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.3	15.6	School provides feedback to parents on positive student performance	34.1	34.4
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	58.7	53.4
Alcohol	22.0	19.7	Rules are enforced fairly	69.1	56.4
Cigarettes	10.6	16.1	Students of all races/ethnicities are treated equally	81.1	85.5
Marijuana	5.6	7.3	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	84.3	82.5
Alcohol	72.9	72.7	Parents involve student in making family decisions	71.1	69.9
Cigarettes	85.3	80.5	It is important to be honest with parents regardless of consequences	89.8	84.7
Marijuana	90.2	87.8	Student could ask parent for help with a personal problem	77.1	73.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.4	94.8	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	83.6	86.8	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	91.7	93.0	Percentages are estimates based on weighted data.		
Marijuana	95.8	97.2	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.2	98.6	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	48.4	51.0			
Cigarettes	44.5	53.3			
Marijuana	17.7	32.6			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.0	18.9			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# BATES COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	8
Adult Psychiatric	8B
<b>FIPS COUNTY CODE</b>	013
<b>POPULATION</b>	
Census 2010	17,049
2012 Pop. Estimate	16,709

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	7,744	7,974	7,504
Employed	7,107	7,142	6,626
Unemployed	637	832	878
Unemployment Rate	8.2%	10.4%	11.7%

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	198	199	195
Mother Reported Smoking while Pregnant	57	57	45

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	1	1	1
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	214	196	187
Suicides	3	0	4
Self-inflicted Injuries	19	25	24
Homicides	2	2	0
Assault Injuries	55	46	56
Alcohol Induced Deaths	0	0	2
Drug Induced Deaths	6	4	4
Smoking Attributable Deaths	43	42	28

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	126		
Alcohol Primary Diagnosis <sup>2</sup>	5		
Drug Primary Diagnosis <sup>2</sup>	11		
Alcohol Related Diagnosis	54	50	46
Drug Related Diagnosis	70	56	48
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	19		
Alcohol Primary Diagnosis <sup>2</sup>	7		
Drug Primary Diagnosis <sup>2</sup>	7		
Alcohol Related Diagnosis	35	38	40
Drug Related Diagnosis	31	26	27
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	144		
Alcohol Primary Diagnosis <sup>2</sup>	22		
Drug Primary Diagnosis <sup>2</sup>	23		
Alcohol Related Diagnosis	64	85	66
Drug Related Diagnosis	64	75	55

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	14	30	17
Fatal Crashes	1	2	1
Injury Crashes	7	12	8
Property Damage Crashes	6	16	8
Crash Fatalities	1	2	2
Crash Injuries	10	19	10
Drug Involved Crashes--Total	5	7	3
Fatal Crashes	0	0	1
Injury Crashes	4	4	0
Property Damage Crashes	1	3	2
Crash Fatalities	0	0	2
Crash Injuries	4	5	0

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	773	834	860
Drop-outs	16	18	16
Drop-out Rate	2.1%	2.2%	1.9%
School Suspensions:			
Alcohol Incidents	1	3	2
Drug Incidents	4	1	4
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	91	131	109
Liquor Law Arrests	30	53	50
Drug Arrests	167	141	82
Methamphetamine Lab Incidents	1	2	3
Violent Offenses	65	38	58
Property Offenses	452	413	376
Domestic Violence Reports	127	94	36

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	88	90	77
Violent Offenses	21	27	20
Alcohol Offenses	7	11	7
Drug Offenses	3	8	2
Status Offenses--Total	131	93	90
Truancy	16	17	16
Beyond Parental Control	26	16	15
Habitually Absent from Home	17	6	6
Injurious Behavior	64	42	48
Abuse/Neglect/Custody--Total	101	105	111
Abuse	47	39	17
Neglect	51	65	87
Custody Disputes	3	1	7

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	13	18	27
Parental Alcohol Use Related	0	0	4
Parental Drug Use Related	7	3	8
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	6	15	15

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	12	8	4
Probation/Parole Admissions--Total	132	128	110
Probation/Parole Admissions--Drug	51	47	19
Probation/Parole Admissions--DWI	12	7	15
Prison Admissions--Total	59	53	35
Prison Admissions--Drug	19	14	7
Prison Admissions--DWI	2	4	1

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	16	15	16
Alcohol Package Carry-out Licenses	21	18	18

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# BATES COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	5	11	18
CSTAR Adolescent	5	*	6
CSTAR Women and Children	*	0	*
CSTAR General Adult	115	100	65
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	36	82
Clinical SATOP (CIP, YCIP, SROP)	13	10	11
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	80	41	84
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	27	10	37
- Weekend Intervention Program	14	*	19
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	7	8
Compulsive Gambling	0	0	*
Recovery Supports	*	6	20
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	136	139	134	Alcohol	48	63	51
AGE				Marijuana / Hashish	36	28	46
Under 18	*	*	7	Cocaine (total)	0	0	0
18 to 24	28	29	35	- Crack	0	0	0
25 to 29	23	24	30	Stimulant (total)	36	34	24
30 to 34	24	16	16	- Methamphetamine	32	33	24
35 to 39	17	18	12	Heroin	*	*	*
40 to 44	9	5	18	Analgesic except Heroin	12	9	7
45 to 54	24	35	13	- Non-Prescription Methadone	0	0	0
55 and Over	7	8	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	5
Male	94	91	101	Inhalant	0	0	0
Female	42	48	33	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	133	137	130	Average Age at First Use of Drug	17.7	16.2	16.1
African American	*	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	17	17	12
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	0	0	*	- Weekly Injection Use	*	5	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	12	10	7
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	45	56	61	0	55	60	68
High School Graduate or G.E.D.	70	63	61	1 or 2	42	41	37
Associate Degree or Some College	21	19	12	3 or More	39	38	29
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	64	50	43
Employed	42	40	43	School	0	0	0
Unemployed	35	55	54	Mental Health Provider	5	7	*
Not in Labor Force	59	44	37	Health Care Provider	5	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	30	65	76
Independent Living	115	127	119	Other Referral Source	32	13	14
Dependent Living	5	8	12	TREATMENT ACCOMMODATION			
Homeless	5	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	8	8
Never Married	56	56	70	Special Education Services Needed	10	11	19
Married / Cohabiting	46	49	44	Co-Occurring Psychological Problem	31	41	43
Previously Married	34	34	20	Co-Occurring Developmental Problem	11	13	12

# BATES COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8B  
**CENSUS 2010** 17,049  
**2012 POPULATION ESTIMATE** 16,709

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	*	5
Anxiety Disorder	64	70	74
Dementia	*	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	49	52	54
Mood Disorder	130	134	148
Personality Disorder	9	9	12
Psychotic Disorder	20	18	23
Sexual Disorder	0	0	0
Other Diagnosis	28	19	17
Diagnosis Unknown	9	10	23

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	186	186	214	Less than High School Diploma	31	20	*
<b>AGE</b>				High School Grad or G.E.D.	19	23	*
Under 6	*	*	*	Associate Degree or Some College	*	*	*
6 to 9	9	7	12	Bachelor or Advanced Degree	*	*	0
10 to 13	23	29	31	Education Level Unknown	130	141	211
14 to 17	20	27	29	<b>EMPLOYMENT</b>			
18 to 24	15	14	19	Employed	10	6	*
25 to 29	16	12	14	Unemployed	36	39	*
30 to 34	15	17	19	Not in Labor Force	27	0	0
35 to 39	14	14	12	Employment Status Unknown	113	141	211
40 to 44	17	12	17	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	19	20	23	Independent Living	55	43	*
50 to 54	17	17	17	Dependent Living	23	40	7
55 to 59	10	8	10	Homeless	0	*	*
60 and Over	9	8	10	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	108	102	204
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	79	90	102	Self / Family / Friend	134	136	163
Female	107	96	112	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	8	10	13
<b>RACE / ETHNICITY</b>				Health Care Provider	23	16	13
Caucasian	179	179	205	Court / Criminal Justice	*	*	*
African American	*	*	*	Other	18	17	17
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	185	183	206
Other Race	*	*	*	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	5	*	6				

# BATES COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	41.2	43.7	Alcohol	69.8	79.1
Cigarettes	27.3	29.0	Cigarettes	78.0	81.0
Chewing Tobacco	12.7	17.0	Marijuana	76.1	68.5
Marijuana	11.2	13.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	89.1	94.8
Inhalants	3.9	5.1	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	9.3	12.2	Were very sad	24.6	22.4
Over-the-counter medications for non-medical use	2.3	6.7	Were grouchy, irritable, or in a bad mood	24.3	26.6
Methamphetamine	0.4	1.4	Felt hopeless about the future	12.1	15.4
Cocaine	1.2	1.4	Felt like not eating or eating more than usual	21.6	23.3
Heroin	0.4	0.8	Slept a lot more or a lot less than usual	21.6	29.5
Hallucinogens	2.4	4.9	Had difficulty concentrating on school work	25.1	26.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.6	2.5	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	0.8	0.8	Seriously considered attempting suicide	14.4	10.2
Synthetic drugs (K2, bath salts, Spice, etc)	6.2		Made plan about how they would attempt suicide	10.5	8.3
<b>Average age of students' first use of:</b>			Attempted suicide	4.7	4.6
Alcohol	13.36	12.11	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	3.9	1.7
Cigarettes	12.06	12.30	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.41	13.05	Were threatened/injured with weapon at school	5.0	10.5
Inhalants	10.85	12.31	Were in a physical fight	15.1	24.0
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.5	3.5
Alcohol	18.1	19.4	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	11.6	12.9	Were victims of mean rumors or lies spread at school	47.9	60.9
Cigarettes	13.1	15.3	Had embarrassing or hurtful pictures/text of them posted on internet	13.6	16.4
Chewing Tobacco	5.8	9.2	Had embarrassing or hurtful pictures/text of them sent by cell phone	15.4	18.4
Marijuana	4.6	6.5	Were made fun of by others	63.6	74.5
Inhalants	0.8	2.4	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	3.5	7.9	Spread mean rumors or lies about other kids at school	18.1	34.6
Over-the-counter medications for non-medical use	1.2	4.3	Posted on internet embarrassing or hurtful pictures/text of someone	8.1	8.9
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	8.5	15.2
Alcohol	46.2	55.4	Made fun of other people	62.3	71.2
Cigarettes	42.5	48.8	<b>Percent of students who agree that:</b>		
Marijuana	21.4	33.0	Teachers notice and comment on student's good work	77.7	68.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.9	17.1	School provides feedback to parents on positive student performance	35.1	38.2
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	52.1	46.6
Alcohol	32.0	36.2	Rules are enforced fairly	52.5	61.6
Cigarettes	19.0	16.4	Students of all races/ethnicities are treated equally	86.4	80.1
Marijuana	6.6	12.5	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	79.1	78.6
Alcohol	57.8	55.3	Parents involve student in making family decisions	61.9	61.8
Cigarettes	80.1	77.3	It is important to be honest with parents regardless of consequences	88.8	83.6
Marijuana	88.3	83.2	Student could ask parent for help with a personal problem	74.8	74.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.3	95.4	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	63.3	72.9	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	81.4	89.5	Percentages are estimates based on weighted data.		
Marijuana	97.6	93.2	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.2	97.6	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	56.7	60.5			
Cigarettes	59.0	55.7			
Marijuana	29.8	30.5			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.4	18.6			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# BENTON COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	8
Adult Psychiatric	8B
<b>FIPS COUNTY CODE</b>	015
<b>POPULATION</b>	
Census 2010	19,056
2012 Pop. Estimate	18,962

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	7,890	7,953	8,075
Employed	7,254	7,154	7,221
Unemployed	636	799	854
Unemployment Rate	8.1%	10.0%	10.6%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	765	810	809
Drop-outs	27	17	21
Drop-out Rate	3.5%	2.1%	2.6%
School Suspensions:			
Alcohol Incidents	4	1	3
Drug Incidents	11	13	3
Tobacco Incidents	0	0	1

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	167	191	154
Mother Reported Smoking while Pregnant	57	57	40

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	1
IDU and MSM <sup>1</sup>	0	0	*
IDU without MSM <sup>1</sup>	0	0	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	253	272	260
Suicides	4	7	3
Self-inflicted Injuries	28	26	33
Homicides	0	0	3
Assault Injuries	41	58	44
Alcohol Induced Deaths	3	1	1
Drug Induced Deaths	4	3	1
Smoking Attributable Deaths	49	51	57

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	156		
Alcohol Primary Diagnosis <sup>2</sup>	13		
Drug Primary Diagnosis <sup>2</sup>	13		
Alcohol Related Diagnosis	129	79	69
Drug Related Diagnosis	92	87	50
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	31		
Alcohol Primary Diagnosis <sup>2</sup>	16		
Drug Primary Diagnosis <sup>2</sup>	8		
Alcohol Related Diagnosis	54	87	77
Drug Related Diagnosis	49	49	47
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	139		
Alcohol Primary Diagnosis <sup>2</sup>	21		
Drug Primary Diagnosis <sup>2</sup>	26		
Alcohol Related Diagnosis	79	111	66
Drug Related Diagnosis	104	120	52

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	26	25	26
Fatal Crashes	1	1	0
Injury Crashes	12	12	11
Property Damage Crashes	13	12	15
Crash Fatalities	1	1	0
Crash Injuries	18	13	16
Drug Involved Crashes--Total	8	1	4
Fatal Crashes	1	0	0
Injury Crashes	3	1	3
Property Damage Crashes	4	0	1
Crash Fatalities	1	0	0
Crash Injuries	5	3	6

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	128	124	170
Liquor Law Arrests	9	10	15
Drug Arrests	95	90	104
Methamphetamine Lab Incidents	0	5	2
Violent Offenses	48	44	90
Property Offenses	409	420	335
Domestic Violence Reports	120	106	109

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	74	61	116
Violent Offenses	15	20	50
Alcohol Offenses	5	1	5
Drug Offenses	9	4	8
Status Offenses--Total	92	57	65
Truancy	60	17	13
Beyond Parental Control	17	22	26
Habitually Absent from Home	6	10	15
Injurious Behavior	8	8	11
Abuse/Neglect/Custody--Total	87	29	62
Abuse	36	13	8
Neglect	51	16	52
Custody Disputes	0	0	2

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	6	2	7
Parental Alcohol Use Related	0	0	3
Parental Drug Use Related	2	1	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	4	1	4

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	5	9	12
Probation/Parole Admissions--Total	98	97	99
Probation/Parole Admissions--Drug	26	17	28
Probation/Parole Admissions--DWI	9	7	11
Prison Admissions--Total	61	56	45
Prison Admissions--Drug	18	13	10
Prison Admissions--DWI	4	2	3

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	40	38	42
Alcohol Package Carry-out Licenses	34	31	30

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# BENTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	5	13	19
CSTAR Adolescent	13	10	15
CSTAR Women and Children	7	*	*
CSTAR General Adult	129	94	134
CSTAR Opioid	0	0	0
Primary Recovery Treatment	12	37	40
Clinical SATOP (CIP, YCIP, SROP)	23	14	10
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	65	57	82
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	18	19	34
- Weekend Intervention Program	16	9	27
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	7
Compulsive Gambling	0	0	*
Recovery Supports	6	9	14
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	184	155	193	Alcohol	81	75	89
AGE				Marijuana / Hashish	48	38	53
Under 18	15	10	15	Cocaine (total)	*	*	5
18 to 24	30	29	31	- Crack	*	0	0
25 to 29	24	27	24	Stimulant (total)	33	26	31
30 to 34	30	17	32	- Methamphetamine	30	24	31
35 to 39	15	20	20	Heroin	*	0	*
40 to 44	20	16	27	Analgesic except Heroin	18	12	13
45 to 54	34	29	35	- Non-Prescription Methadone	*	0	0
55 and Over	16	7	9	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	122	113	137	Inhalant	0	0	0
Female	62	42	56	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	183	150	191	Average Age at First Use of Drug	18.2	17.0	17.2
African American	0	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	27	21	19
Asian / Pacific Islander	0	0	0	- Daily Injection Use	9	*	*
Hispanic	0	*	*	- Weekly Injection Use	5	*	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	13	16	13
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	70	48	75	0	95	76	101
High School Graduate or G.E.D.	84	71	86	1 or 2	47	50	55
Associate Degree or Some College	29	35	29	3 or More	42	29	37
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	88	39	69
Employed	35	47	31	School	0	0	0
Unemployed	60	63	108	Mental Health Provider	*	0	*
Not in Labor Force	89	45	54	Health Care Provider	9	6	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	67	103	112
Independent Living	148	138	172	Other Referral Source	18	6	*
Dependent Living	18	15	17	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	12	9	*
Never Married	84	71	90	Special Education Services Needed	7	13	9
Married / Cohabiting	47	46	53	Co-Occurring Psychological Problem	39	60	86
Previously Married	53	38	50	Co-Occurring Developmental Problem	*	*	*

# BENTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8B  
**CENSUS 2010** 19,056  
**2012 POPULATION ESTIMATE** 18,962

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	16	14	7
Anxiety Disorder	153	157	158
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	42	40	39
Mood Disorder	214	225	212
Personality Disorder	13	13	21
Psychotic Disorder	37	38	37
Sexual Disorder	0	0	0
Other Diagnosis	35	21	21
Diagnosis Unknown	27	24	33

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	358	349	331	Less than High School Diploma	65	52	41
<b>AGE</b>				High School Grad or G.E.D.	79	54	36
Under 6	*	*	*	Associate Degree or Some College	17	18	14
6 to 9	18	16	16	Bachelor or Advanced Degree	0	*	*
10 to 13	39	30	29	Education Level Unknown	197	224	236
14 to 17	36	32	29	<b>EMPLOYMENT</b>			
18 to 24	34	42	32	Employed	8	8	12
25 to 29	23	19	17	Unemployed	138	113	83
30 to 34	16	20	30	Not in Labor Force	21	*	*
35 to 39	25	27	28	Employment Status Unknown	191	224	235
40 to 44	28	25	31	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	42	43	38	Independent Living	140	113	78
50 to 54	39	42	39	Dependent Living	46	50	23
55 to 59	35	26	20	Homeless	*	*	0
60 and Over	20	24	21	Other	*	*	0
Age Unknown	0	0	0	Housing Unknown	168	183	230
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	166	163	150	Self / Family / Friend	260	256	236
Female	192	186	181	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	19	19	18
<b>RACE / ETHNICITY</b>				Health Care Provider	35	27	16
Caucasian	350	335	321	Court / Criminal Justice	*	*	7
African American	*	*	*	Other	35	38	46
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	5
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	8	5	Voluntary	349	341	319
Other Race	*	5	*	Civil	*	*	5
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	5
Past or Current Military Service	9	9	8				




# BENTON COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	44.3	54.0	Alcohol	70.8	75.9
Cigarettes	31.1	34.2	Cigarettes	77.9	78.3
Chewing Tobacco	16.4	16.5	Marijuana	73.8	69.0
Marijuana	17.1	15.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.1	92.3
Inhalants	7.0	9.7	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	10.2	16.7	Were very sad	20.5	24.3
Over-the-counter medications for non-medical use	3.3	9.9	Were grouchy, irritable, or in a bad mood	24.9	29.3
Methamphetamine	1.2	1.8	Felt hopeless about the future	8.7	11.5
Cocaine	1.3	1.8	Felt like not eating or eating more than usual	18.9	19.0
Heroin	1.2	0.6	Slept a lot more or a lot less than usual	26.2	31.0
Hallucinogens	4.1	3.2	Had difficulty concentrating on school work	25.9	27.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	4.1	4.1	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.6	0.9	Seriously considered attempting suicide	13.2	15.7
Synthetic drugs (K2, bath salts, Spice, etc)	5.7		Made plan about how they would attempt suicide	7.0	11.7
<b>Average age of students' first use of:</b>			Attempted suicide	2.0	7.0
Alcohol	12.71	12.24	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.3	4.2
Cigarettes	12.35	11.76	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.43	12.10	Were threatened/injured with weapon at school	6.5	12.3
Inhalants	12.65	12.52	Were in a physical fight	19.6	26.3
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	1.2	3.5
Alcohol	19.4	23.1	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	12.2	12.6	Were victims of mean rumors or lies spread at school	52.5	59.2
Cigarettes	16.3	17.8	Had embarrassing or hurtful pictures/text of them posted on internet	18.4	12.7
Chewing Tobacco	9.0	7.1	Had embarrassing or hurtful pictures/text of them sent by cell phone	17.2	15.6
Marijuana	8.6	8.7	Were made fun of by others	62.3	73.2
Inhalants	2.0	4.4	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	5.3	7.7	Spread mean rumors or lies about other kids at school	30.9	33.1
Over-the-counter medications for non-medical use	1.2	6.6	Posted on internet embarrassing or hurtful pictures/text of someone	10.7	11.4
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	13.5	9.8
Alcohol	59.4	61.2	Made fun of other people	68.8	74.3
Cigarettes	52.0	51.3	<b>Percent of students who agree that:</b>		
Marijuana	32.2	31.7	Teachers notice and comment on student's good work	74.9	73.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.3	18.0	School provides feedback to parents on positive student performance	45.3	41.9
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	53.3	57.1
Alcohol	38.3	42.8	Rules are enforced fairly	72.7	58.2
Cigarettes	17.7	19.6	Students of all races/ethnicities are treated equally	81.9	77.1
Marijuana	10.4	14.0	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	79.3	82.6
Alcohol	61.3	51.5	Parents involve student in making family decisions	66.9	68.2
Cigarettes	82.2	74.1	It is important to be honest with parents regardless of consequences	86.0	80.1
Marijuana	84.0	79.7	Student could ask parent for help with a personal problem	74.9	73.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.1	92.4	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	74.0	71.6	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	88.7	89.2	Percentages are estimates based on weighted data.		
Marijuana	95.3	95.5	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.7	98.8	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	61.3	64.0			
Cigarettes	52.1	65.8			
Marijuana	36.4	41.1			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.5	26.7			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# BOLLINGER COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	21
Adult Psychiatric	21
<b>FIPS COUNTY CODE</b>	017
<b>POPULATION</b>	
Census 2010	12,363
2012 Pop. Estimate	12,382

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	5,473	5,651	5,495
Employed	5,092	5,151	4,953
Unemployed	381	500	542
Unemployment Rate	7.0%	8.8%	9.9%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	592	589	598
Drop-outs	7	7	16
Drop-out Rate	1.2%	1.2%	2.7%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	9	6
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	146	141	136
Mother Reported Smoking while Pregnant	47	45	32

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	120	154	131
Suicides	1	2	1
Self-inflicted Injuries	7	11	10
Homicides	0	0	0
Assault Injuries	19	14	17
Alcohol Induced Deaths	0	2	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	29	32	28

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	106		
Alcohol Primary Diagnosis <sup>2</sup>	0		
Drug Primary Diagnosis <sup>2</sup>	6		
Alcohol Related Diagnosis	40	30	12
Drug Related Diagnosis	36	20	13
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	5		
Alcohol Primary Diagnosis <sup>2</sup>	1		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	32	26	33
Drug Related Diagnosis	9	9	13
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	81		
Alcohol Primary Diagnosis <sup>2</sup>	6		
Drug Primary Diagnosis <sup>2</sup>	8		
Alcohol Related Diagnosis	28	34	21
Drug Related Diagnosis	31	37	18

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	18	16	15
Fatal Crashes	0	0	0
Injury Crashes	10	5	6
Property Damage Crashes	8	11	9
Crash Fatalities	0	0	0
Crash Injuries	11	6	7
Drug Involved Crashes--Total	4	4	2
Fatal Crashes	0	0	0
Injury Crashes	0	2	0
Property Damage Crashes	4	2	2
Crash Fatalities	0	0	0
Crash Injuries	0	2	0

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	57	46	52
Liquor Law Arrests	19	16	26
Drug Arrests	48	41	36
Methamphetamine Lab Incidents	1	4	5
Violent Offenses	38	15	12
Property Offenses	150	111	73
Domestic Violence Reports	27	15	15

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	54	79	149
Violent Offenses	9	10	11
Alcohol Offenses	5	5	4
Drug Offenses	5	5	7
Status Offenses--Total	22	32	37
Truancy	2	4	4
Beyond Parental Control	0	5	7
Habitually Absent from Home	3	9	7
Injurious Behavior	16	14	19
Abuse/Neglect/Custody--Total	35	50	54
Abuse	3	8	11
Neglect	1	0	1
Custody Disputes	31	42	42

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	21	21	21
Parental Alcohol Use Related	0	2	1
Parental Drug Use Related	9	8	8
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	12	11	12

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	64	53	52
Probation/Parole Admissions--Drug	19	16	19
Probation/Parole Admissions--DWI	7	10	7
Prison Admissions--Total	19	25	23
Prison Admissions--Drug	6	6	5
Prison Admissions--DWI	2	3	5

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	10	9	8
Alcohol Package Carry-out Licenses	12	12	9

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# BOLLINGER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	6	*	9
CSTAR Adolescent	7	10	5
CSTAR Women and Children	8	10	11
CSTAR General Adult	51	27	12
CSTAR Opioid	0	0	0
Primary Recovery Treatment	49	60	74
Clinical SATOP (CIP, YCIP, SROP)	10	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	71	51	46
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	34	27	23
- Weekend Intervention Program	19	14	18
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	0
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	119	103	92	Alcohol	48	39	26
AGE				Marijuana / Hashish	28	36	39
Under 18	7	12	5	Cocaine (total)	*	*	*
18 to 24	26	22	22	- Crack	*	*	*
25 to 29	18	17	19	Stimulant (total)	26	15	13
30 to 34	24	16	21	- Methamphetamine	24	15	13
35 to 39	13	9	14	Heroin	*	*	*
40 to 44	6	10	8	Analgesic except Heroin	9	6	6
45 to 54	19	13	*	- Non-Prescription Methadone	0	0	0
55 and Over	6	*	0	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	5	*	*
Male	78	67	60	Inhalant	0	0	0
Female	41	36	32	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	115	100	87	Average Age at First Use of Drug	16.4	16.4	16.3
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	20	*	6
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	*
Hispanic	*	*	0	- Weekly Injection Use	*	0	*
Other Race / Two or More Races	*	0	*	- Less than Weekly Injection Use	18	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	53	56	44	0	58	57	51
High School Graduate or G.E.D.	51	32	43	1 or 2	34	26	26
Associate Degree or Some College	15	14	*	3 or More	27	20	15
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	27	16	14
Employed	27	28	19	School	0	0	*
Unemployed	42	37	45	Mental Health Provider	*	0	0
Not in Labor Force	50	38	28	Health Care Provider	6	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	78	70	63
Independent Living	103	81	81	Other Referral Source	7	15	14
Dependent Living	14	22	10	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	*	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	6	*
Never Married	55	49	48	Special Education Services Needed	11	10	7
Married / Cohabiting	30	35	25	Co-Occurring Psychological Problem	39	26	26
Previously Married	34	19	19	Co-Occurring Developmental Problem	8	9	5

# BOLLINGER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 21  
**CENSUS 2010** 12,363  
**2012 POPULATION ESTIMATE** 12,382

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	45	12	7
Anxiety Disorder	44	30	14
Dementia	0	0	0
Developmental Disorder	0	*	0
Impulse Control Disorder	61	21	29
Mood Disorder	277	147	79
Personality Disorder	7	9	9
Psychotic Disorder	77	57	60
Sexual Disorder	0	*	0
Other Diagnosis	11	10	11
Diagnosis Unknown	74	16	48

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	548	259	216	Less than High School Diploma	73	62	38
<b>AGE</b>				High School Grad or G.E.D.	42	33	34
Under 6	*	*	*	Associate Degree or Some College	12	14	5
6 to 9	20	10	10	Bachelor or Advanced Degree	*	*	*
10 to 13	43	9	19	Education Level Unknown	417	148	138
14 to 17	46	15	10	<b>EMPLOYMENT</b>			
18 to 24	60	24	32	Employed	21	20	13
25 to 29	44	19	15	Unemployed	101	88	62
30 to 34	48	27	23	Not in Labor Force	24	*	*
35 to 39	50	31	14	Employment Status Unknown	402	147	138
40 to 44	47	25	22	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	60	38	25	Independent Living	59	48	23
50 to 54	50	32	26	Dependent Living	89	72	56
55 to 59	37	16	11	Homeless	*	*	0
60 and Over	40	11	8	Other	*	0	0
Age Unknown	0	0	0	Housing Unknown	398	138	137
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	233	112	107	Self / Family / Friend	382	143	115
Female	315	147	109	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	33	25	25
<b>RACE / ETHNICITY</b>				Health Care Provider	64	34	27
Caucasian	472	220	190	Court / Criminal Justice	13	14	18
African American	11	6	8	Other	53	40	27
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	46	24	10	Voluntary	543	253	205
Other Race	18	8	7	Civil	*	*	7
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	21	13	9	Commitment Type Unknown	*	*	*
Past or Current Military Service	12	9	12				

# BOLLINGER COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	37.6	49.0	Alcohol	70.0	78.9
Cigarettes	31.5	35.1	Cigarettes	76.9	76.5
Chewing Tobacco	18.2	25.6	Marijuana	79.6	72.3
Marijuana	10.5	12.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.6	89.7
Inhalants	5.0	9.6	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	9.4	15.7	Were very sad	17.7	11.0
Over-the-counter medications for non-medical use	4.4	8.9	Were grouchy, irritable, or in a bad mood	22.2	23.4
Methamphetamine	1.7	0.8	Felt hopeless about the future	6.7	6.3
Cocaine	1.1	0.8	Felt like not eating or eating more than usual	17.8	15.3
Heroin	0.6	0.8	Slept a lot more or a lot less than usual	18.3	23.9
Hallucinogens	1.7	2.4	Had difficulty concentrating on school work	23.2	15.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	2.8	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.7	0.4	Seriously considered attempting suicide	10.4	13.0
Synthetic drugs (K2, bath salts, Spice, etc)	4.4		Made plan about how they would attempt suicide	7.2	9.8
<b>Average age of students' first use of:</b>			Attempted suicide	4.4	7.0
Alcohol	12.11	11.82	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.6	2.8
Cigarettes	12.28	11.33	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.36	12.95	Were threatened/injured with weapon at school	3.9	10.3
Inhalants	12.86	11.52	Were in a physical fight	16.1	26.0
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	1.6	6.3
Alcohol	14.4	24.1	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	8.8	15.7	Were victims of mean rumors or lies spread at school	48.9	57.9
Cigarettes	14.3	14.9	Had embarrassing or hurtful pictures/text of them posted on internet	12.8	15.7
Chewing Tobacco	12.2	12.7	Had embarrassing or hurtful pictures/text of them sent by cell phone	13.9	15.6
Marijuana	3.9	4.4	Were made fun of by others	59.8	70.5
Inhalants	2.2	5.2	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	5.5	9.3	Spread mean rumors or lies about other kids at school	24.9	31.0
Over-the-counter medications for non-medical use	1.7	4.5	Posted on internet embarrassing or hurtful pictures/text of someone	5.5	10.7
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	6.1	12.1
Alcohol	45.3	64.2	Made fun of other people	60.2	70.5
Cigarettes	39.2	52.4	<b>Percent of students who agree that:</b>		
Marijuana	20.6	28.2	Teachers notice and comment on student's good work	72.4	70.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.1	16.7	School provides feedback to parents on positive student performance	43.0	47.0
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	62.4	57.7
Alcohol	26.7	40.3	Rules are enforced fairly	67.4	64.2
Cigarettes	15.5	18.6	Students of all races/ethnicities are treated equally	79.4	74.3
Marijuana	9.4	9.2	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	84.0	80.7
Alcohol	66.5	56.0	Parents involve student in making family decisions	68.5	68.3
Cigarettes	77.7	74.2	It is important to be honest with parents regardless of consequences	84.9	81.8
Marijuana	86.7	83.2	Student could ask parent for help with a personal problem	77.2	73.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.8	92.8	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	83.2	75.7	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	89.9	88.7	Percentages are estimates based on weighted data.		
Marijuana	93.8	95.5	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.3	97.6	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	47.2	57.5			
Cigarettes	48.1	61.3			
Marijuana	22.8	33.7			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.6	19.8			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# BOONE COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	12
Adult Psychiatric	12
<b>FIPS COUNTY CODE</b>	019
<b>POPULATION</b>	
Census 2010	162,642
2012 Pop. Estimate	168,535

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	92,286	91,745	89,078
Employed	88,027	86,411	83,396
Unemployed	4,259	5,334	5,682
Unemployment Rate	4.6%	5.8%	6.4%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	6,653	6,781	6,822
Drop-outs	231	188	214
Drop-out Rate	3.5%	2.8%	3.1%
School Suspensions:			
Alcohol Incidents	0	2	9
Drug Incidents	36	57	37
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	2,112	2,003	2,143
Mother Reported Smoking while Pregnant	291	303	300

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	7	12	11
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	980	962	949
Suicides	23	14	14
Self-inflicted Injuries	130	126	159
Homicides	4	3	8
Assault Injuries	463	499	486
Alcohol Induced Deaths	9	8	7
Drug Induced Deaths	24	24	23
Smoking Attributable Deaths	146	163	168

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	410		
Alcohol Primary Diagnosis <sup>2</sup>	64		
Drug Primary Diagnosis <sup>2</sup>	37		
Alcohol Related Diagnosis	315	361	298
Drug Related Diagnosis	253	278	245
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	762		
Alcohol Primary Diagnosis <sup>2</sup>	230		
Drug Primary Diagnosis <sup>2</sup>	131		
Alcohol Related Diagnosis	573	532	394
Drug Related Diagnosis	538	445	287
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,083		
Alcohol Primary Diagnosis <sup>2</sup>	289		
Drug Primary Diagnosis <sup>2</sup>	162		
Alcohol Related Diagnosis	601	641	526
Drug Related Diagnosis	494	465	259

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	143	190	192
Fatal Crashes	6	6	4
Injury Crashes	52	70	74
Property Damage Crashes	85	114	114
Crash Fatalities	8	6	4
Crash Injuries	85	104	77
Drug Involved Crashes--Total	24	32	28
Fatal Crashes	2	0	1
Injury Crashes	13	17	11
Property Damage Crashes	9	15	16
Crash Fatalities	3	0	1
Crash Injuries	15	27	13

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	1,137	1,639	1,207
Liquor Law Arrests	895	898	1,035
Drug Arrests	1,179	1,135	1,115
Methamphetamine Lab Incidents	7	15	29
Violent Offenses	718	673	658
Property Offenses	5,710	5,084	5,163
Domestic Violence Reports	1,722	1,539	1,310

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	1,001	1,200	1,163
Violent Offenses	299	368	311
Alcohol Offenses	15	27	26
Drug Offenses	87	86	69
Status Offenses--Total	823	950	1,091
Truancy	95	106	90
Beyond Parental Control	300	274	338
Habitually Absent from Home	96	148	145
Injurious Behavior	331	410	448
Abuse/Neglect/Custody--Total	289	206	204
Abuse	47	44	24
Neglect	196	142	142
Custody Disputes	46	20	38

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	126	33	64
Parental Alcohol Use Related	9	0	8
Parental Drug Use Related	19	9	13
Parental Alcohol and Drug Use	4	1	8
Child Removed for Other Reason	94	23	35

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	302	361	295
Probation/Parole Admissions--Total	1,193	1,157	1,150
Probation/Parole Admissions--Drug	275	267	274
Probation/Parole Admissions--DWI	102	91	66
Prison Admissions--Total	520	580	580
Prison Admissions--Drug	132	168	155
Prison Admissions--DWI	53	42	59

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	233	235	231
Alcohol Package Carry-out Licenses	117	110	112

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# BOONE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	148	161	193
CSTAR Adolescent	58	54	51
CSTAR Women and Children	197	213	235
CSTAR General Adult	310	215	80
CSTAR Opioid	0	0	*
Primary Recovery Treatment	366	653	930
Clinical SATOP (CIP, YCIP, SROP)	189	177	185
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	942	1,102	1,180
- Adolescent Diversion Education Program	60	52	53
- Offender Education Program	387	489	491
- Weekend Intervention Program	186	230	288
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	60	74	84
Compulsive Gambling	*	*	0
Recovery Supports	7	8	30
Early Intervention	*	12	9

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	1,007	1,240	1,439	Alcohol	477	588	704
AGE				Marijuana / Hashish	264	368	416
Under 18	58	47	50	Cocaine (total)	112	145	163
18 to 24	190	260	301	- Crack	65	90	96
25 to 29	181	238	268	Stimulant (total)	52	35	42
30 to 34	168	190	195	- Methamphetamine	41	30	37
35 to 39	101	116	173	Heroin	39	27	25
40 to 44	77	123	152	Analgesic except Heroin	41	57	64
45 to 54	173	212	248	- Non-Prescription Methadone	0	0	0
55 and Over	59	54	52	PCP, LSD, other Hallucinogen	8	8	15
GENDER				Tranquilizer	*	5	5
Male	647	841	1,013	Inhalant	*	*	*
Female	360	399	426	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	9	*	*
Caucasian	683	802	971	Average Age at First Use of Drug	17.3	17.0	16.8
African American	265	362	403	INJECTION DRUG USE			
Native American / Alaskan	*	6	5	Any Injection Use at Admission	73	60	68
Asian / Pacific Islander	7	5	*	- Daily Injection Use	24	14	11
Hispanic	23	27	28	- Weekly Injection Use	30	14	19
Other Race / Two or More Races	38	48	41	- Less than Weekly Injection Use	19	32	38
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	292	367	405	0	518	705	753
High School Graduate or G.E.D.	405	505	628	1 or 2	359	372	454
Associate Degree or Some College	287	315	331	3 or More	130	163	232
Bachelor or Advanced Degree	23	53	75	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	370	483	452
Employed	318	459	570	School	*	*	*
Unemployed	362	393	467	Mental Health Provider	22	9	23
Not in Labor Force	327	388	402	Health Care Provider	28	33	41
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	526	636	847
Independent Living	818	1,038	1,223	Other Referral Source	60	76	74
Dependent Living	97	108	137	TREATMENT ACCOMMODATION			
Homeless	73	71	64	Pregnant when Admitted to any Episode	15	15	21
MARITAL / FAMILY STATUS				Military Veteran	42	37	70
Never Married	617	748	856	Special Education Services Needed	111	99	152
Married / Cohabiting	191	262	274	Co-Occurring Psychological Problem	370	389	522
Previously Married	199	230	309	Co-Occurring Developmental Problem	58	92	115

# BOONE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 12  
**CENSUS 2010** 162,642  
**2012 POPULATION ESTIMATE** 168,535

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	63	45	24
Anxiety Disorder	542	458	333
Dementia	*	6	6
Developmental Disorder	10	10	14
Impulse Control Disorder	164	165	120
Mood Disorder	904	744	573
Personality Disorder	115	111	108
Psychotic Disorder	312	254	241
Sexual Disorder	*	*	*
Other Diagnosis	77	68	41
Diagnosis Unknown	164	119	197

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	1,798	1,435	1,189	Less than High School Diploma	315	166	86
<b>AGE</b>				High School Grad or G.E.D.	325	262	148
Under 6	11	10	6	Associate Degree or Some College	208	147	87
6 to 9	70	66	64	Bachelor or Advanced Degree	66	61	26
10 to 13	126	126	111	Education Level Unknown	884	799	842
14 to 17	125	123	110	<b>EMPLOYMENT</b>			
18 to 24	225	166	116	Employed	174	106	50
25 to 29	178	130	88	Unemployed	700	522	298
30 to 34	167	110	88	Not in Labor Force	218	24	17
35 to 39	139	117	107	Employment Status Unknown	706	783	824
40 to 44	189	149	106	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	180	131	134	Independent Living	870	554	305
50 to 54	167	137	106	Dependent Living	228	237	127
55 to 59	116	98	87	Homeless	35	20	8
60 and Over	105	72	66	Other	28	33	15
Age Unknown	0	0	0	Housing Unknown	637	591	734
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	850	662	558	Self / Family / Friend	670	619	642
Female	948	773	631	School	5	*	5
Gender Unknown	0	0	0	Mental Health Provider	137	126	142
<b>RACE / ETHNICITY</b>				Health Care Provider	576	338	97
Caucasian	1,218	993	834	Court / Criminal Justice	167	129	96
African American	448	337	271	Other	237	214	189
Native American / Alaskan	6	5	5	Referral Source Unknown	6	5	18
Asian / Pacific Islander	9	12	9	<b>TYPE OF COMMITMENT</b>			
Hispanic	27	20	18	Voluntary	1,767	1,407	1,138
Other Race	90	68	52	Civil	7	10	18
Race/Ethnicity Unknown	0	0	0	Criminal	15	11	13
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	59	46	45	Commitment Type Unknown	7	6	19
Past or Current Military Service	38	31	31				



# BOONE COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	46.9	47.7	Alcohol	68.2	70.1
Cigarettes	26.5	28.7	Cigarettes	79.9	80.2
Chewing Tobacco	16.5	11.2	Marijuana	74.4	70.9
Marijuana	19.2	22.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.0	93.2
Inhalants	5.0	7.1			
Prescription medications not prescribed for student	10.2	12.7	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	5.9	8.5	Were very sad	15.1	23.4
Methamphetamine	0.7	0.6	Were grouchy, irritable, or in a bad mood	21.1	34.0
Cocaine	2.1	2.4	Felt hopeless about the future	12.0	15.0
Heroin	0.4	0.7	Felt like not eating or eating more than usual	15.9	23.1
Hallucinogens	1.6	4.2	Slept a lot more or a lot less than usual	19.8	32.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.9	3.3	Had difficulty concentrating on school work	22.2	29.2
Steroids not prescribed for student	1.8	0.5			
Synthetic drugs (K2, bath salts, Spice, etc)	6.8		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	9.1	13.4
Alcohol	12.86	12.86	Made plan about how they would attempt suicide	7.6	8.9
Cigarettes	12.67	12.49	Attempted suicide	4.6	5.2
Marijuana	13.91	13.59	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.3	1.9
Inhalants	12.52	12.58			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	21.3	21.4	Were threatened/injured with weapon at school	6.2	8.7
Binge Alcohol (5 or more drinks on one occasion)	11.6	11.2	Were in a physical fight	17.7	17.9
Cigarettes	10.6	13.0	Were in a fight and had to be treated by a doctor or nurse	3.1	2.2
Chewing Tobacco	9.0	5.8			
Marijuana	7.0	11.2	<b>Percent of students in past 3 months who:</b>		
Inhalants	1.3	2.4	Were victims of mean rumors or lies spread at school	42.4	52.4
Prescription medications not prescribed for student	3.7	7.0	Had embarrassing or hurtful pictures/text of them posted on internet	11.7	11.8
Over-the-counter medications for non-medical use	2.8	5.0	Had embarrassing or hurtful pictures/text of them sent by cell phone	14.6	13.1
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	62.9	68.5
Alcohol	61.2	66.1			
Cigarettes	49.8	50.5	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	40.5	46.8	Spread mean rumors or lies about other kids at school	20.9	30.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.8	22.8	Posted on internet embarrassing or hurtful pictures/text of someone	9.4	10.1
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.7	14.7
Alcohol	37.4	35.8	Made fun of other people	64.9	75.9
Cigarettes	16.3	14.7			
Marijuana	11.3	17.0	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	70.1	69.9
Alcohol	56.3	53.3	School provides feedback to parents on positive student performance	43.5	42.3
Cigarettes	78.6	77.3	Teachers praise student for hard work	58.7	57.0
Marijuana	83.9	76.0	Rules are enforced fairly	67.4	67.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	94.1	Students of all races/ethnicities are treated equally	78.7	70.3
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	76.5	76.1	<b>Percent of students who agree that:</b>		
Cigarettes	89.4	89.9	Parents notice and comment on student's good work	82.9	83.8
Marijuana	94.8	91.8	Parents involve student in making family decisions	70.1	70.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.5	97.7	It is important to be honest with parents regardless of consequences	86.7	82.0
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	78.5	76.3
Alcohol	60.5	65.5			
Cigarettes	56.9	62.1			
Marijuana	36.4	44.1			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.4	22.2			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# BUCHANAN COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	1
Adult Psychiatric	1
<b>FIPS COUNTY CODE</b>	021
<b>POPULATION</b>	
Census 2010	89,201
2012 Pop. Estimate	89,706

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	51,416	51,007	48,490
Employed	48,525	47,208	44,261
Unemployed	2,891	3,799	4,229
Unemployment Rate	5.6%	7.4%	8.7%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	3,691	3,988	4,022
Drop-outs	88	71	61
Drop-out Rate	2.4%	1.8%	1.5%
School Suspensions:			
Alcohol Incidents	2	6	4
Drug Incidents	48	17	19
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	1,215	1,244	1,355
Mother Reported Smoking while Pregnant	300	294	306

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	6	5	8
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	982	932	897
Suicides	14	17	9
Self-inflicted Injuries	171	158	122
Homicides	5	8	4
Assault Injuries	547	525	490
Alcohol Induced Deaths	7	9	3
Drug Induced Deaths	10	6	12
Smoking Attributable Deaths	172	174	173

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	941		
Alcohol Primary Diagnosis <sup>2</sup>	75		
Drug Primary Diagnosis <sup>2</sup>	65		
Alcohol Related Diagnosis	251	426	192
Drug Related Diagnosis	321	415	201
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	603		
Alcohol Primary Diagnosis <sup>2</sup>	166		
Drug Primary Diagnosis <sup>2</sup>	91		
Alcohol Related Diagnosis	543	424	475
Drug Related Diagnosis	486	313	347
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,310		
Alcohol Primary Diagnosis <sup>2</sup>	291		
Drug Primary Diagnosis <sup>2</sup>	147		
Alcohol Related Diagnosis	609	665	506
Drug Related Diagnosis	447	417	257

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	90	120	140
Fatal Crashes	2	1	3
Injury Crashes	35	51	52
Property Damage Crashes	53	68	85
Crash Fatalities	2	1	3
Crash Injuries	51	74	53
Drug Involved Crashes--Total	24	17	20
Fatal Crashes	1	0	0
Injury Crashes	13	10	10
Property Damage Crashes	10	7	10
Crash Fatalities	1	0	0
Crash Injuries	13	13	11

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	505	506	588
Liquor Law Arrests	239	264	224
Drug Arrests	619	735	802
Methamphetamine Lab Incidents	6	5	6
Violent Offenses	309	339	458
Property Offenses	4,455	3,998	4,165
Domestic Violence Reports	829	830	878

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	628	636	551
Violent Offenses	155	153	122
Alcohol Offenses	8	5	20
Drug Offenses	29	38	46
Status Offenses--Total	328	322	272
Truancy	125	107	67
Beyond Parental Control	68	59	83
Habitually Absent from Home	120	134	107
Injurious Behavior	8	8	9
Abuse/Neglect/Custody--Total	48	60	67
Abuse	13	11	6
Neglect	35	47	59
Custody Disputes	0	2	2

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	33	35	39
Parental Alcohol Use Related	4	1	2
Parental Drug Use Related	2	10	7
Parental Alcohol and Drug Use	0	1	1
Child Removed for Other Reason	27	23	29

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	244	206	191
Probation/Parole Admissions--Total	1,078	984	997
Probation/Parole Admissions--Drug	384	369	344
Probation/Parole Admissions--DWI	98	74	85
Prison Admissions--Total	570	609	647
Prison Admissions--Drug	230	249	266
Prison Admissions--DWI	37	52	44

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	118	120	121
Alcohol Package Carry-out Licenses	82	79	78

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# BUCHANAN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	196	204	220
CSTAR Adolescent	92	92	119
CSTAR Women and Children	7	*	7
CSTAR General Adult	313	103	59
CSTAR Opioid	0	0	*
Primary Recovery Treatment	289	334	467
Clinical SATOP (CIP, YCIP, SROP)	79	34	21
Other Substance Abuse Treatment	*	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	398	319	407
- Adolescent Diversion Education Program	10	6	11
- Offender Education Program	166	153	202
- Weekend Intervention Program	84	64	115
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	11	5	*
Compulsive Gambling	5	*	*
Recovery Supports	7	*	74
Early Intervention	163	99	15

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	770	669	770	Alcohol	294	268	281
AGE				Marijuana / Hashish	235	196	272
Under 18	89	93	117	Cocaine (total)	48	47	45
18 to 24	120	130	139	- Crack	40	31	30
25 to 29	131	105	120	Stimulant (total)	107	73	79
30 to 34	98	63	84	- Methamphetamine	107	71	78
35 to 39	80	77	89	Heroin	*	5	*
40 to 44	71	62	66	Analgesic except Heroin	73	70	71
45 to 54	143	112	125	- Non-Prescription Methadone	0	0	*
55 and Over	38	27	30	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	*	6	10
Male	556	469	548	Inhalant	*	0	*
Female	214	200	222	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	653	547	642	Average Age at First Use of Drug	17.3	17.2	17.3
African American	81	87	89	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	83	77	58
Asian / Pacific Islander	*	*	*	- Daily Injection Use	24	34	20
Hispanic	25	21	23	- Weekly Injection Use	19	13	9
Other Race / Two or More Races	19	16	18	- Less than Weekly Injection Use	40	30	29
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	255	242	286	0	466	441	508
High School Graduate or G.E.D.	374	310	365	1 or 2	191	143	158
Associate Degree or Some College	131	99	105	3 or More	113	85	104
Bachelor or Advanced Degree	10	18	14	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	190	200	202
Employed	200	194	186	School	*	*	*
Unemployed	365	302	312	Mental Health Provider	21	*	*
Not in Labor Force	205	173	271	Health Care Provider	57	36	44
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	447	396	475
Independent Living	540	446	515	Other Referral Source	47	30	37
Dependent Living	160	152	192	TREATMENT ACCOMMODATION			
Homeless	63	61	60	Pregnant when Admitted to any Episode	5	*	6
MARITAL / FAMILY STATUS				Military Veteran	33	34	47
Never Married	461	421	465	Special Education Services Needed	12	15	22
Married / Cohabiting	136	96	124	Co-Occurring Psychological Problem	112	139	151
Previously Married	173	152	180	Co-Occurring Developmental Problem	8	12	7

# BUCHANAN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 1  
**CENSUS 2010** 89,201  
**2012 POPULATION ESTIMATE** 89,706

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	86	118	71
Anxiety Disorder	376	280	286
Dementia	8	9	12
Developmental Disorder	19	11	7
Impulse Control Disorder	418	392	366
Mood Disorder	880	831	841
Personality Disorder	84	87	99
Psychotic Disorder	417	389	395
Sexual Disorder	*	*	*
Other Diagnosis	261	236	223
Diagnosis Unknown	218	286	204

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	1,900	1,948	1,864	Less than High School Diploma	344	106	8
<b>AGE</b>				High School Grad or G.E.D.	437	148	7
Under 6	61	64	88	Associate Degree or Some College	155	67	5
6 to 9	195	205	204	Bachelor or Advanced Degree	31	11	0
10 to 13	201	219	181	Education Level Unknown	933	1,616	1,844
14 to 17	194	215	176	<b>EMPLOYMENT</b>			
18 to 24	128	133	121	Employed	112	40	*
25 to 29	109	110	120	Unemployed	752	283	18
30 to 34	108	109	104	Not in Labor Force	114	10	*
35 to 39	128	132	143	Employment Status Unknown	922	1,615	1,844
40 to 44	139	144	143	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	194	178	178	Independent Living	689	256	11
50 to 54	196	198	178	Dependent Living	405	263	22
55 to 59	111	110	111	Homeless	25	*	0
60 and Over	136	131	117	Other	13	6	*
Age Unknown	0	0	0	Housing Unknown	768	1,421	1,829
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,057	1,087	1,041	Self / Family / Friend	584	596	531
Female	843	861	823	School	118	119	112
Gender Unknown	0	0	0	Mental Health Provider	463	480	461
<b>RACE / ETHNICITY</b>				Health Care Provider	294	304	267
Caucasian	1,542	1,610	1,552	Court / Criminal Justice	160	129	132
African American	201	200	176	Other	263	298	332
Native American / Alaskan	12	16	9	Referral Source Unknown	18	22	29
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	59	43	40	Voluntary	1,768	1,802	1,716
Other Race	84	77	84	Civil	14	15	9
Race/Ethnicity Unknown	0	0	*	Criminal	100	107	109
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	*	*
Hearing Impaired	107	107	98	Commitment Type Unknown	18	22	28
Past or Current Military Service	70	69	66				

# BUCHANAN COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	31.9	39.8	Alcohol	74.6	79.1
Cigarettes	21.5	27.2	Cigarettes	81.6	81.9
Chewing Tobacco	10.1	12.7	Marijuana	73.8	76.1
Marijuana	14.2	13.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.7	94.2
Inhalants	5.8	6.8	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	7.0	9.6	Were very sad	18.1	24.7
Over-the-counter medications for non-medical use	4.7	7.6	Were grouchy, irritable, or in a bad mood	24.4	36.1
Methamphetamine	0.3	1.0	Felt hopeless about the future	10.6	11.9
Cocaine	1.2	1.5	Felt like not eating or eating more than usual	15.8	24.0
Heroin	0.2	0.8	Slept a lot more or a lot less than usual	19.5	36.3
Hallucinogens	1.7	2.4	Had difficulty concentrating on school work	21.7	27.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.6	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	0.8	1.3	Seriously considered attempting suicide	10.5	10.8
Synthetic drugs (K2, bath salts, Spice, etc)	6.6		Made plan about how they would attempt suicide	7.5	7.5
<b>Average age of students' first use of:</b>			Attempted suicide	5.0	6.3
Alcohol	12.58	12.47	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.3	2.4
Cigarettes	12.27	11.82	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.45	13.38	Were threatened/injured with weapon at school	6.7	9.3
Inhalants	11.89	12.80	Were in a physical fight	20.8	23.8
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	2.2	3.7
Alcohol	12.4	18.2	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	7.9	10.5	Were victims of mean rumors or lies spread at school	46.2	53.6
Cigarettes	10.6	15.5	Had embarrassing or hurtful pictures/text of them posted on internet	13.1	14.5
Chewing Tobacco	5.2	7.2	Had embarrassing or hurtful pictures/text of them sent by cell phone	13.6	15.5
Marijuana	7.2	6.9	Were made fun of by others	56.3	64.6
Inhalants	1.9	3.3	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	3.8	5.5	Spread mean rumors or lies about other kids at school	26.1	33.9
Over-the-counter medications for non-medical use	2.8	4.7	Posted on internet embarrassing or hurtful pictures/text of someone	8.4	12.5
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.7	10.8
Alcohol	47.8	59.5	Made fun of other people	55.6	66.8
Cigarettes	40.2	49.6	<b>Percent of students who agree that:</b>		
Marijuana	35.0	36.1	Teachers notice and comment on student's good work	74.9	78.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.1	18.4	School provides feedback to parents on positive student performance	39.2	47.6
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	60.4	63.5
Alcohol	22.9	31.3	Rules are enforced fairly	70.6	71.8
Cigarettes	11.0	16.5	Students of all races/ethnicities are treated equally	83.3	84.1
Marijuana	12.1	10.0	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	82.9	83.8
Alcohol	70.9	63.4	Parents involve student in making family decisions	70.6	72.1
Cigarettes	84.3	78.4	It is important to be honest with parents regardless of consequences	84.8	81.5
Marijuana	83.9	85.1	Student could ask parent for help with a personal problem	80.0	77.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.3	94.8	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	86.5	82.0	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	94.0	92.1	Percentages are estimates based on weighted data.		
Marijuana	94.3	95.1	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.2	97.5	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	45.6	53.3			
Cigarettes	44.5	54.2			
Marijuana	31.4	32.3			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.0	16.8			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# BUTLER COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	19
Adult Psychiatric	19
<b>FIPS COUNTY CODE</b>	023
<b>POPULATION</b>	
Census 2010	42,794
2012 Pop. Estimate	43,053

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	20,614	20,719	20,762
Employed	19,102	19,018	19,039
Unemployed	1,512	1,701	1,723
Unemployment Rate	7.3%	8.2%	8.3%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	1,778	1,818	1,747
Drop-outs	89	117	74
Drop-out Rate	5.0%	6.4%	4.2%
School Suspensions:			
Alcohol Incidents	7	13	2
Drug Incidents	16	27	41
Tobacco Incidents	0	2	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	569	531	564
Mother Reported Smoking while Pregnant	190	185	172

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	1	1	1
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	560	546	535
Suicides	6	12	5
Self-inflicted Injuries	123	137	118
Homicides	3	0	0
Assault Injuries	205	301	278
Alcohol Induced Deaths	0	4	5
Drug Induced Deaths	18	9	13
Smoking Attributable Deaths	112	102	97

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	517		
Alcohol Primary Diagnosis <sup>2</sup>	26		
Drug Primary Diagnosis <sup>2</sup>	37		
Alcohol Related Diagnosis	199	149	90
Drug Related Diagnosis	229	179	113
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	150		
Alcohol Primary Diagnosis <sup>2</sup>	13		
Drug Primary Diagnosis <sup>2</sup>	16		
Alcohol Related Diagnosis	103	147	234
Drug Related Diagnosis	78	156	264
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	734		
Alcohol Primary Diagnosis <sup>2</sup>	85		
Drug Primary Diagnosis <sup>2</sup>	80		
Alcohol Related Diagnosis	185	214	152
Drug Related Diagnosis	168	161	141

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	52	66	67
Fatal Crashes	1	1	3
Injury Crashes	15	32	34
Property Damage Crashes	36	33	30
Crash Fatalities	1	1	3
Crash Injuries	21	39	39
Drug Involved Crashes--Total	17	24	23
Fatal Crashes	1	1	0
Injury Crashes	9	9	16
Property Damage Crashes	7	14	7
Crash Fatalities	2	1	0
Crash Injuries	11	12	17

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	263	305	274
Liquor Law Arrests	41	44	57
Drug Arrests	342	263	358
Methamphetamine Lab Incidents	37	24	39
Violent Offenses	185	210	187
Property Offenses	2,149	1,893	1,723
Domestic Violence Reports	275	366	388

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	271	400	299
Violent Offenses	112	151	120
Alcohol Offenses	2	16	5
Drug Offenses	13	27	40
Status Offenses--Total	129	134	119
Truancy	34	37	13
Beyond Parental Control	37	47	43
Habitually Absent from Home	52	49	58
Injurious Behavior	6	1	2
Abuse/Neglect/Custody--Total	101	95	93
Abuse	15	31	47
Neglect	86	64	44
Custody Disputes	0	0	2

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	55	39	56
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	22	13	14
Parental Alcohol and Drug Use	0	5	3
Child Removed for Other Reason	33	21	39

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	67	51	36
Probation/Parole Admissions--Total	390	401	374
Probation/Parole Admissions--Drug	131	139	145
Probation/Parole Admissions--DWI	8	20	11
Prison Admissions--Total	200	219	184
Prison Admissions--Drug	64	86	70
Prison Admissions--DWI	4	6	2

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	57	61	63
Alcohol Package Carry-out Licenses	46	48	47

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# BUTLER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	88	92	90
CSTAR Adolescent	29	20	22
CSTAR Women and Children	21	20	30
CSTAR General Adult	194	151	149
CSTAR Opioid	0	*	*
Primary Recovery Treatment	259	286	324
Clinical SATOP (CIP, YCIP, SROP)	58	56	36
Other Substance Abuse Treatment	*	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	173	155	179
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	45	31	58
- Weekend Intervention Program	33	32	52
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	5	*
Compulsive Gambling	0	*	*
Recovery Supports	170	74	15
Early Intervention	*	6	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	619	567	507	Alcohol	168	198	189
AGE				Marijuana / Hashish	186	165	142
Under 18	33	20	22	Cocaine (total)	28	20	34
18 to 24	113	117	99	- Crack	25	18	31
25 to 29	116	115	94	Stimulant (total)	126	88	75
30 to 34	96	78	64	- Methamphetamine	122	88	75
35 to 39	94	67	64	Heroin	25	16	8
40 to 44	58	53	57	Analgesic except Heroin	74	68	53
45 to 54	82	87	79	- Non-Prescription Methadone	0	*	0
55 and Over	27	30	28	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	9	12	*
Male	406	376	340	Inhalant	*	0	0
Female	213	191	167	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	516	480	427	Average Age at First Use of Drug	17.5	17.8	17.1
African American	87	77	68	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	78	61	53
Asian / Pacific Islander	*	0	0	- Daily Injection Use	9	14	17
Hispanic	8	7	5	- Weekly Injection Use	13	14	10
Other Race / Two or More Races	10	6	9	- Less than Weekly Injection Use	56	33	26
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	270	237	223	0	411	351	284
High School Graduate or G.E.D.	270	262	235	1 or 2	154	155	160
Associate Degree or Some College	77	66	46	3 or More	54	61	63
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	130	146	115
Employed	134	144	105	School	*	*	0
Unemployed	304	271	169	Mental Health Provider	7	8	18
Not in Labor Force	181	152	233	Health Care Provider	33	24	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	395	344	304
Independent Living	494	473	414	Other Referral Source	52	44	63
Dependent Living	96	65	70	TREATMENT ACCOMMODATION			
Homeless	26	24	22	Pregnant when Admitted to any Episode	9	5	10
MARITAL / FAMILY STATUS				Military Veteran	23	27	40
Never Married	258	245	219	Special Education Services Needed	102	82	86
Married / Cohabiting	207	160	136	Co-Occurring Psychological Problem	300	267	192
Previously Married	154	162	152	Co-Occurring Developmental Problem	64	56	63

# BUTLER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 19  
**CENSUS 2010** 42,794  
**2012 POPULATION ESTIMATE** 43,053

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	16	13	37
Anxiety Disorder	157	144	238
Dementia	0	0	*
Developmental Disorder	*	6	6
Impulse Control Disorder	70	69	96
Mood Disorder	377	336	539
Personality Disorder	61	56	73
Psychotic Disorder	116	104	112
Sexual Disorder	*	*	0
Other Diagnosis	26	28	48
Diagnosis Unknown	83	40	107

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	627	515	857	Less than High School Diploma	120	68	69
<b>AGE</b>				High School Grad or G.E.D.	118	77	65
Under 6	*	*	*	Associate Degree or Some College	24	16	11
6 to 9	31	12	28	Bachelor or Advanced Degree	*	*	*
10 to 13	40	37	66	Education Level Unknown	364	353	711
14 to 17	42	35	46	<b>EMPLOYMENT</b>			
18 to 24	34	35	74	Employed	26	25	13
25 to 29	56	45	92	Unemployed	207	137	130
30 to 34	59	46	71	Not in Labor Force	52	0	*
35 to 39	52	39	77	Employment Status Unknown	342	353	711
40 to 44	56	42	88	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	85	78	115	Independent Living	200	119	103
50 to 54	74	59	82	Dependent Living	118	87	42
55 to 59	45	39	61	Homeless	*	*	0
60 and Over	49	46	56	Other	*	*	*
Age Unknown	0	0	0	Housing Unknown	305	303	710
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	287	235	380	Self / Family / Friend	213	183	438
Female	340	280	477	School	19	12	17
Gender Unknown	0	0	0	Mental Health Provider	92	93	108
<b>RACE / ETHNICITY</b>				Health Care Provider	102	80	77
Caucasian	572	465	787	Court / Criminal Justice	89	61	70
African American	45	42	56	Other	111	84	121
Native American / Alaskan	*	0	0	Referral Source Unknown	*	*	26
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	5	6	Voluntary	600	502	814
Other Race	5	*	8	Civil	*	*	10
Race/Ethnicity Unknown	0	0	0	Criminal	23	9	8
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	0
Hearing Impaired	34	24	30	Commitment Type Unknown	0	*	25
Past or Current Military Service	16	14	24				



# BUTLER COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	39.6	42.7	Alcohol	74.1	74.9
Cigarettes	28.7	32.5	Cigarettes	81.8	81.3
Chewing Tobacco	14.0	15.2	Marijuana	73.9	73.4
Marijuana	18.7	18.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.8	93.0
Inhalants	5.1	8.1			
Prescription medications not prescribed for student	13.3	17.5	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	6.1	9.6	Were very sad	19.9	21.6
Methamphetamine	1.9	2.0	Were grouchy, irritable, or in a bad mood	27.1	24.0
Cocaine	2.5	2.4	Felt hopeless about the future	11.9	16.2
Heroin	2.1	0.4	Felt like not eating or eating more than usual	18.4	20.2
Hallucinogens	3.0	4.2	Slept a lot more or a lot less than usual	22.3	27.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.4	3.1	Had difficulty concentrating on school work	26.6	27.4
Steroids not prescribed for student	1.8	2.0			
Synthetic drugs (K2, bath salts, Spice, etc)	6.6		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	15.9	13.8
Alcohol	13.04	12.33	Made plan about how they would attempt suicide	10.7	9.8
Cigarettes	12.58	11.98	Attempted suicide	6.7	6.6
Marijuana	14.00	13.51	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.4	2.3
Inhalants	12.36	12.69			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	18.3	21.1	Were threatened/injured with weapon at school	8.9	11.0
Binge Alcohol (5 or more drinks on one occasion)	13.0	13.2	Were in a physical fight	21.5	26.5
Cigarettes	14.6	17.2	Were in a fight and had to be treated by a doctor or nurse	2.9	5.4
Chewing Tobacco	7.9	9.3			
Marijuana	9.6	12.4	<b>Percent of students in past 3 months who:</b>		
Inhalants	1.3	3.9	Were victims of mean rumors or lies spread at school	49.8	55.9
Prescription medications not prescribed for student	7.2	9.4	Had embarrassing or hurtful pictures/text of them posted on internet	12.9	10.8
Over-the-counter medications for non-medical use	3.7	6.2	Had embarrassing or hurtful pictures/text of them sent by cell phone	15.2	14.3
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	55.9	68.9
Alcohol	54.0	55.6			
Cigarettes	47.1	46.7	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	38.6	38.3	Spread mean rumors or lies about other kids at school	24.0	31.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.5	20.9	Posted on internet embarrassing or hurtful pictures/text of someone	6.0	8.0
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.4	13.8
Alcohol	30.6	32.8	Made fun of other people	55.7	72.5
Cigarettes	16.7	16.6			
Marijuana	13.0	14.8	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	65.0	65.6
Alcohol	61.6	59.2	School provides feedback to parents on positive student performance	31.7	36.1
Cigarettes	78.2	78.2	Teachers praise student for hard work	50.7	49.0
Marijuana	80.7	80.6	Rules are enforced fairly	58.1	58.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.1	93.5	Students of all races/ethnicities are treated equally	67.3	69.5
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	79.1	78.6	<b>Percent of students who agree that:</b>		
Cigarettes	89.2	88.9	Parents notice and comment on student's good work	82.7	82.7
Marijuana	93.9	92.8	Parents involve student in making family decisions	67.3	67.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.4	97.3	It is important to be honest with parents regardless of consequences	88.7	84.2
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	78.5	77.1
Alcohol	53.8	54.4			
Cigarettes	53.7	56.5			
Marijuana	40.8	39.3			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	24.0	22.7			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# CALDWELL COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	13
Adult Psychiatric	13
<b>FIPS COUNTY CODE</b>	025
<b>POPULATION</b>	
Census 2010	9,424
2012 Pop. Estimate	9,145

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	90	93	116
Mother Reported Smoking while Pregnant	28	26	33

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	0	1
IDU and MSM <sup>1</sup>	0	0	*
IDU without MSM <sup>1</sup>	0	0	*

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	92	108	94
Suicides	1	3	3
Self-inflicted Injuries	8	11	22
Homicides	0	1	0
Assault Injuries	18	27	33
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	3	4	3
Smoking Attributable Deaths	19	15	22

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	53		
Alcohol Primary Diagnosis <sup>2</sup>	1		
Drug Primary Diagnosis <sup>2</sup>	2		
Alcohol Related Diagnosis	15	35	26
Drug Related Diagnosis	20	27	36
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	18		
Alcohol Primary Diagnosis <sup>2</sup>	2		
Drug Primary Diagnosis <sup>2</sup>	4		
Alcohol Related Diagnosis	30	17	18
Drug Related Diagnosis	19	7	17
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	46		
Alcohol Primary Diagnosis <sup>2</sup>	5		
Drug Primary Diagnosis <sup>2</sup>	6		
Alcohol Related Diagnosis	14	26	22
Drug Related Diagnosis	21	20	27

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	5	7	9
Fatal Crashes	1	0	0
Injury Crashes	3	3	8
Property Damage Crashes	1	4	1
Crash Fatalities	1	0	0
Crash Injuries	3	5	11
Drug Involved Crashes--Total	0	0	2
Fatal Crashes	0	0	0
Injury Crashes	0	0	1
Property Damage Crashes	0	0	1
Crash Fatalities	0	0	0
Crash Injuries	0	0	2

## EMPLOYMENT

	2012	2011	2010
Labor Force	4,287	4,420	4,101
Employed	3,970	4,026	3,692
Unemployed	317	394	409
Unemployment Rate	7.4%	8.9%	10.0%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	455	488	506
Drop-outs	5	8	2
Drop-out Rate	1.1%	1.6%	0.4%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	5	2	2
Tobacco Incidents	0	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	53	56	40
Liquor Law Arrests	11	10	6
Drug Arrests	37	23	40
Methamphetamine Lab Incidents	0	0	0
Violent Offenses	26	35	20
Property Offenses	103	144	142
Domestic Violence Reports	60	56	49

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	17	27	43
Violent Offenses	4	7	14
Alcohol Offenses	0	3	2
Drug Offenses	4	2	1
Status Offenses--Total	20	39	31
Truancy	11	17	9
Beyond Parental Control	5	7	10
Habitually Absent from Home	0	7	2
Injurious Behavior	3	8	8
Abuse/Neglect/Custody--Total	4	11	6
Abuse	0	8	0
Neglect	1	3	6
Custody Disputes	3	0	0

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	6	3	4
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	2
Parental Alcohol and Drug Use	2	0	0
Child Removed for Other Reason	4	3	2

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	79	60	60
Probation/Parole Admissions--Drug	27	24	20
Probation/Parole Admissions--DWI	9	5	9
Prison Admissions--Total	45	62	41
Prison Admissions--Drug	16	22	13
Prison Admissions--DWI	6	8	5

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	4	4	6
Alcohol Package Carry-out Licenses	12	11	9

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# CALDWELL COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	*	5	10
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	0
CSTAR General Adult	20	32	14
CSTAR Opioid	0	0	0
Primary Recovery Treatment	5	7	32
Clinical SATOP (CIP, YCIP, SROP)	6	*	6
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	33	35	35
- Adolescent Diversion Education Program	*	*	0
- Offender Education Program	16	16	10
- Weekend Intervention Program	8	7	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	*	*
Recovery Supports	0	*	11
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	37	44	49	Alcohol	17	24	30
AGE				Marijuana / Hashish	11	11	10
Under 18	*	*	*	Cocaine (total)	*	*	0
18 to 24	6	6	9	- Crack	*	*	0
25 to 29	8	11	9	Stimulant (total)	*	6	6
30 to 34	5	10	9	- Methamphetamine	*	6	6
35 to 39	*	6	7	Heroin	*	0	0
40 to 44	6	6	6	Analgesic except Heroin	*	*	*
45 to 54	*	*	6	- Non-Prescription Methadone	*	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	*
Male	23	35	39	Inhalant	*	0	0
Female	14	9	10	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	36	43	48	Average Age at First Use of Drug	18.0	16.4	17.0
African American	0	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	0	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	*	0	0	- Weekly Injection Use	0	0	*
Other Race / Two or More Races	0	0	*	- Less than Weekly Injection Use	*	0	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	9	12	13	0	19	28	21
High School Graduate or G.E.D.	27	26	28	1 or 2	10	10	11
Associate Degree or Some College	*	6	7	3 or More	8	6	17
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	10	11	13
Employed	15	13	17	School	0	0	0
Unemployed	17	24	26	Mental Health Provider	*	0	0
Not in Labor Force	5	7	6	Health Care Provider	0	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	22	27	24
Independent Living	30	41	46	Other Referral Source	*	*	12
Dependent Living	6	*	*	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	5	*
Never Married	20	24	23	Special Education Services Needed	*	*	*
Married / Cohabiting	9	9	14	Co-Occurring Psychological Problem	12	8	8
Previously Married	8	11	12	Co-Occurring Developmental Problem	*	*	*

# CALDWELL COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 13  
**CENSUS 2010** 9,424  
**2012 POPULATION ESTIMATE** 9,145

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	5	8
Anxiety Disorder	52	52	54
Dementia	*	*	0
Developmental Disorder	*	0	*
Impulse Control Disorder	17	18	21
Mood Disorder	71	80	81
Personality Disorder	9	11	14
Psychotic Disorder	14	14	15
Sexual Disorder	0	0	0
Other Diagnosis	11	8	7
Diagnosis Unknown	9	9	17

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	103	108	133	Less than High School Diploma	17	15	9
<b>AGE</b>				High School Grad or G.E.D.	16	13	14
Under 6	*	0	0	Associate Degree or Some College	*	*	0
6 to 9	5	5	8	Bachelor or Advanced Degree	0	*	0
10 to 13	8	13	16	Education Level Unknown	68	74	110
14 to 17	10	*	14	<b>EMPLOYMENT</b>			
18 to 24	7	6	11	Employed	7	6	5
25 to 29	11	12	7	Unemployed	26	27	18
30 to 34	7	16	19	Not in Labor Force	11	*	0
35 to 39	9	8	9	Employment Status Unknown	59	74	110
40 to 44	14	13	19	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	12	11	12	Independent Living	37	32	18
50 to 54	7	8	5	Dependent Living	12	11	*
55 to 59	5	5	5	Homeless	0	0	*
60 and Over	7	7	8	Other	*	0	*
Age Unknown	0	0	0	Housing Unknown	53	65	108
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	41	43	53	Self / Family / Friend	45	40	55
Female	62	65	80	School	*	0	*
Gender Unknown	0	0	0	Mental Health Provider	15	20	25
<b>RACE / ETHNICITY</b>				Health Care Provider	20	25	28
Caucasian	98	106	130	Court / Criminal Justice	11	14	10
African American	*	0	0	Other	10	9	14
Native American / Alaskan	*	*	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	102	108	133
Other Race	*	*	*	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

# CALDWELL COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	38.8	49.5	Alcohol	68.8	80.9
Cigarettes	25.6	32.3	Cigarettes	78.6	75.3
Chewing Tobacco	16.9	17.0	Marijuana	77.5	68.1
Marijuana	8.8	10.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.0	92.2
Inhalants	3.1	3.7			
Prescription medications not prescribed for student	6.9	11.0	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	3.8	4.7	Were very sad	17.6	8.3
Methamphetamine	0.7	0.0	Were grouchy, irritable, or in a bad mood	23.8	12.5
Cocaine	1.3	1.4	Felt hopeless about the future	10.1	5.1
Heroin	1.9	0.5	Felt like not eating or eating more than usual	15.0	9.9
Hallucinogens	1.3	1.8	Slept a lot more or a lot less than usual	20.8	18.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.6	1.4	Had difficulty concentrating on school work	22.6	16.6
Steroids not prescribed for student	0.6	1.8			
Synthetic drugs (K2, bath salts, Spice, etc)	3.8		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	13.8	12.8
Alcohol	12.93	13.29	Made plan about how they would attempt suicide	7.0	11.0
Cigarettes	13.07	12.31	Attempted suicide	5.0	4.1
Marijuana	13.48	14.50	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.6	2.3
Inhalants	10.74	11.64			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	16.3	19.4	Were threatened/injured with weapon at school	6.9	7.3
Binge Alcohol (5 or more drinks on one occasion)	11.9	11.5	Were in a physical fight	21.4	22.0
Cigarettes	8.8	15.6	Were in a fight and had to be treated by a doctor or nurse	3.1	6.0
Chewing Tobacco	10.6	5.0			
Marijuana	3.1	4.2	<b>Percent of students in past 3 months who:</b>		
Inhalants	0.6	2.3	Were victims of mean rumors or lies spread at school	61.6	59.6
Prescription medications not prescribed for student	3.8	6.9	Had embarrassing or hurtful pictures/text of them posted on internet	16.3	13.8
Over-the-counter medications for non-medical use	2.5	2.8	Had embarrassing or hurtful pictures/text of them sent by cell phone	20.8	16.1
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	68.4	72.5
Alcohol	50.0	66.8			
Cigarettes	37.5	42.2	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	21.9	30.1	Spread mean rumors or lies about other kids at school	28.1	40.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.4	12.1	Posted on internet embarrassing or hurtful pictures/text of someone	9.4	10.1
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	11.3	12.7
Alcohol	27.5	40.3	Made fun of other people	67.9	78.4
Cigarettes	10.1	11.0			
Marijuana	5.7	6.0	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	73.1	72.5
Alcohol	63.8	54.4	School provides feedback to parents on positive student performance	48.8	42.2
Cigarettes	84.3	77.1	Teachers praise student for hard work	60.6	56.9
Marijuana	89.3	88.4	Rules are enforced fairly	65.0	68.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	95.4	Students of all races/ethnicities are treated equally	82.3	91.7
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	79.1	72.4	<b>Percent of students who agree that:</b>		
Cigarettes	91.2	87.9	Parents notice and comment on student's good work	80.0	76.5
Marijuana	95.6	92.6	Parents involve student in making family decisions	70.0	64.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	97.2	It is important to be honest with parents regardless of consequences	88.1	86.8
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	75.8	74.5
Alcohol	57.2	68.1			
Cigarettes	53.1	66.8			
Marijuana	32.7	32.9			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.2	17.6			


### Notes:

Blank data cell indicates estimate not available for survey item or geographic area. Survey is not conducted in every school district nor reported for every county. Percentages are estimates based on weighted data. Estimates are not provided for geographic areas with low numbers of respondents. Some year-to-year differences in percentages are not statistically significant. Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# CALLAWAY COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	11
Adult Psychiatric	15
<b>FIPS COUNTY CODE</b>	027
<b>POPULATION</b>	
Census 2010	44,332
2012 Pop. Estimate	44,305

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	22,124	22,875	22,742
Employed	20,774	21,155	20,910
Unemployed	1,350	1,720	1,832
Unemployment Rate	6.1%	7.5%	8.1%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	1,521	1,620	1,738
Drop-outs	50	51	68
Drop-out Rate	3.3%	3.1%	3.9%
School Suspensions:			
Alcohol Incidents	0	2	2
Drug Incidents	4	3	12
Tobacco Incidents	3	6	2

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	500	507	486
Mother Reported Smoking while Pregnant	139	140	111

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	1	3	1
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	365	365	351
Suicides	10	8	3
Self-inflicted Injuries	95	104	100
Homicides	4	3	1
Assault Injuries	251	276	342
Alcohol Induced Deaths	4	3	5
Drug Induced Deaths	5	9	6
Smoking Attributable Deaths	75	66	70

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	147		
Alcohol Primary Diagnosis <sup>2</sup>	7		
Drug Primary Diagnosis <sup>2</sup>	10		
Alcohol Related Diagnosis	57	86	95
Drug Related Diagnosis	88	82	75
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	230		
Alcohol Primary Diagnosis <sup>2</sup>	35		
Drug Primary Diagnosis <sup>2</sup>	34		
Alcohol Related Diagnosis	142	94	121
Drug Related Diagnosis	155	108	71
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	430		
Alcohol Primary Diagnosis <sup>2</sup>	90		
Drug Primary Diagnosis <sup>2</sup>	75		
Alcohol Related Diagnosis	183	139	150
Drug Related Diagnosis	176	126	86

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	61	40	56
Fatal Crashes	2	3	5
Injury Crashes	32	23	21
Property Damage Crashes	27	14	30
Crash Fatalities	2	3	6
Crash Injuries	39	34	27
Drug Involved Crashes--Total	10	10	6
Fatal Crashes	1	0	1
Injury Crashes	5	5	2
Property Damage Crashes	4	5	3
Crash Fatalities	1	0	2
Crash Injuries	3	6	1

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	311	318	345
Liquor Law Arrests	86	69	89
Drug Arrests	230	263	123
Methamphetamine Lab Incidents	4	4	12
Violent Offenses	112	131	115
Property Offenses	1,379	1,365	1,240
Domestic Violence Reports	444	413	427

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	285	211	205
Violent Offenses	47	51	44
Alcohol Offenses	8	9	18
Drug Offenses	24	23	25
Status Offenses--Total	178	171	175
Truancy	50	40	30
Beyond Parental Control	45	53	44
Habitually Absent from Home	7	10	11
Injurious Behavior	75	68	89
Abuse/Neglect/Custody--Total	94	67	86
Abuse	18	11	18
Neglect	68	44	60
Custody Disputes	8	12	8

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	35	29	28
Parental Alcohol Use Related	0	2	1
Parental Drug Use Related	20	11	9
Parental Alcohol and Drug Use	3	0	1
Child Removed for Other Reason	12	16	17

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	38	29	28
Probation/Parole Admissions--Total	289	232	227
Probation/Parole Admissions--Drug	87	58	64
Probation/Parole Admissions--DWI	31	33	39
Prison Admissions--Total	127	131	125
Prison Admissions--Drug	36	37	40
Prison Admissions--DWI	21	13	20

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	42	40	41
Alcohol Package Carry-out Licenses	46	45	42

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# CALLAWAY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	28	44	44
CSTAR Adolescent	19	19	22
CSTAR Women and Children	22	33	28
CSTAR General Adult	73	80	18
CSTAR Opioid	0	*	0
Primary Recovery Treatment	182	195	252
Clinical SATOP (CIP, YCIP, SROP)	43	39	44
Other Substance Abuse Treatment	0	*	0


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	231	212	262
- Adolescent Diversion Education Program	13	18	24
- Offender Education Program	81	67	96
- Weekend Intervention Program	49	44	57
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	8	14	7
Compulsive Gambling	*	0	*
Recovery Supports	*	*	*
Early Intervention	13	11	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	311	358	359	Alcohol	134	167	169
<b>AGE</b>				Marijuana / Hashish	96	98	108
Under 18	21	19	21	Cocaine (total)	30	28	33
18 to 24	47	82	79	- Crack	20	15	20
25 to 29	58	73	60	Stimulant (total)	23	17	22
30 to 34	33	45	42	- Methamphetamine	21	16	20
35 to 39	35	35	39	Heroin	12	19	8
40 to 44	35	27	33	Analgesic except Heroin	11	17	16
45 to 54	66	62	65	- Non-Prescription Methadone	0	0	0
55 and Over	16	15	20	PCP, LSD, other Hallucinogen	*	6	*
<b>GENDER</b>				Tranquilizer	*	*	0
Male	239	268	270	Inhalant	0	*	*
Female	72	90	89	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	*	*
Caucasian	263	289	292	Average Age at First Use of Drug	17.1	16.7	16.7
African American	42	51	54	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	24	17	24
Asian / Pacific Islander	0	0	0	- Daily Injection Use	7	5	7
Hispanic	*	8	*	- Weekly Injection Use	*	6	*
Other Race / Two or More Races	6	12	10	- Less than Weekly Injection Use	15	6	13
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	109	118	123	0	157	187	180
High School Graduate or G.E.D.	141	185	175	1 or 2	95	119	110
Associate Degree or Some College	58	51	54	3 or More	59	52	69
Bachelor or Advanced Degree	*	*	7	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	57	77	70
Employed	134	140	145	School	0	0	0
Unemployed	103	139	129	Mental Health Provider	0	*	10
Not in Labor Force	74	79	85	Health Care Provider	8	6	14
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	229	242	247
Independent Living	256	300	292	Other Referral Source	17	30	18
Dependent Living	39	41	49	<b>TREATMENT ACCOMMODATION</b>			
Homeless	*	8	7	Pregnant when Admitted to any Episode	*	7	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	19	15	17
Never Married	175	202	199	Special Education Services Needed	36	37	44
Married / Cohabiting	69	79	62	Co-Occurring Psychological Problem	84	94	136
Previously Married	67	77	98	Co-Occurring Developmental Problem	*	*	8

# CALLAWAY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 15  
**CENSUS 2010** 44,332  
**2012 POPULATION ESTIMATE** 44,305

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	21	19	13
Anxiety Disorder	97	90	88
Dementia	*	*	*
Developmental Disorder	5	*	*
Impulse Control Disorder	108	108	110
Mood Disorder	402	393	409
Personality Disorder	33	33	30
Psychotic Disorder	98	100	98
Sexual Disorder	5	*	*
Other Diagnosis	18	12	23
Diagnosis Unknown	82	49	80

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	744	681	735	Less than High School Diploma	110	86	47
<b>AGE</b>				High School Grad or G.E.D.	90	93	54
Under 6	5	7	10	Associate Degree or Some College	17	20	9
6 to 9	31	34	33	Bachelor or Advanced Degree	6	6	0
10 to 13	57	43	39	Education Level Unknown	521	476	625
14 to 17	59	43	49	<b>EMPLOYMENT</b>			
18 to 24	72	71	83	Employed	59	50	35
25 to 29	64	69	74	Unemployed	144	148	69
30 to 34	82	72	75	Not in Labor Force	64	8	6
35 to 39	62	64	66	Employment Status Unknown	477	475	625
40 to 44	68	59	65	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	74	61	77	Independent Living	169	138	55
50 to 54	68	68	72	Dependent Living	106	95	62
55 to 59	48	39	41	Homeless	*	*	0
60 and Over	54	51	51	Other	*	*	*
Age Unknown	0	0	0	Housing Unknown	464	442	614
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	361	329	369	Self / Family / Friend	459	467	550
Female	383	352	366	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	86	72	59
<b>RACE / ETHNICITY</b>				Health Care Provider	70	42	21
Caucasian	680	616	665	Court / Criminal Justice	34	20	16
African American	40	44	51	Other	93	79	80
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	6
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	5	*	*	Voluntary	712	654	703
Other Race	16	13	12	Civil	*	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	25	21	23
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	32	25	20	Commitment Type Unknown	0	0	6
Past or Current Military Service	24	24	20				



# CALLAWAY COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	43.6	49.6	Alcohol	64.7	80.2
Cigarettes	27.2	29.2	Cigarettes	79.8	79.6
Chewing Tobacco	16.0	19.5	Marijuana	66.9	70.6
Marijuana	19.2	15.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.0	94.8
Inhalants	5.1	6.7			
Prescription medications not prescribed for student	10.3	12.7	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	6.2	8.7	Were very sad	17.8	18.9
Methamphetamine	1.6	1.3	Were grouchy, irritable, or in a bad mood	23.6	21.5
Cocaine	1.9	1.7	Felt hopeless about the future	9.9	16.6
Heroin	1.1	0.8	Felt like not eating or eating more than usual	19.2	17.9
Hallucinogens	3.5	2.9	Slept a lot more or a lot less than usual	18.6	27.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.4	1.8	Had difficulty concentrating on school work	19.4	23.9
Steroids not prescribed for student	1.3	1.5			
Synthetic drugs (K2, bath salts, Spice, etc)	6.4		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	14.8	13.2
Alcohol	12.76	12.76	Made plan about how they would attempt suicide	10.9	7.9
Cigarettes	12.77	12.46	Attempted suicide	6.2	4.8
Marijuana	13.87	13.94	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.8	2.1
Inhalants	12.22	12.27			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	20.4	24.4	Were threatened/injured with weapon at school	5.7	11.1
Binge Alcohol (5 or more drinks on one occasion)	11.9	13.3	Were in a physical fight	20.0	22.1
Cigarettes	14.1	13.3	Were in a fight and had to be treated by a doctor or nurse	3.5	3.4
Chewing Tobacco	9.1	8.4			
Marijuana	10.2	6.5	<b>Percent of students in past 3 months who:</b>		
Inhalants	3.2	2.8	Were victims of mean rumors or lies spread at school	44.9	56.5
Prescription medications not prescribed for student	6.0	7.2	Had embarrassing or hurtful pictures/text of them posted on internet	10.6	13.6
Over-the-counter medications for non-medical use	4.7	5.0	Had embarrassing or hurtful pictures/text of them sent by cell phone	13.8	12.8
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	57.2	71.7
Alcohol	56.5	60.4			
Cigarettes	44.5	48.4	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	38.2	32.6	Spread mean rumors or lies about other kids at school	23.3	34.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.3	15.9	Posted on internet embarrassing or hurtful pictures/text of someone	6.4	8.3
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	8.6	10.7
Alcohol	34.5	38.6	Made fun of other people	60.6	77.9
Cigarettes	16.4	18.1			
Marijuana	15.5	11.5	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	71.0	79.4
Alcohol	53.2	53.9	School provides feedback to parents on positive student performance	48.2	52.4
Cigarettes	77.0	77.8	Teachers praise student for hard work	55.7	59.7
Marijuana	77.0	83.8	Rules are enforced fairly	63.5	70.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.6	95.5	Students of all races/ethnicities are treated equally	73.1	77.8
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	73.0	75.2	<b>Percent of students who agree that:</b>		
Cigarettes	87.6	91.7	Parents notice and comment on student's good work	82.0	86.7
Marijuana	92.0	95.5	Parents involve student in making family decisions	66.7	66.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.7	99.3	It is important to be honest with parents regardless of consequences	84.1	84.0
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	73.4	74.6
Alcohol	58.5	60.6			
Cigarettes	54.1	56.2			
Marijuana	37.8	29.9			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.8	15.2			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# CAMDEN COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	11
Adult Psychiatric	11
<b>FIPS COUNTY CODE</b>	029
<b>POPULATION</b>	
Census 2010	44,002
2012 Pop. Estimate	43,845

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	413	441	397
Mother Reported Smoking while Pregnant	104	106	93

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	1	0	1
IDU and MSM <sup>1</sup>	*	0	*
IDU without MSM <sup>1</sup>	*	0	*

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	441	434	435
Suicides	4	9	8
Self-inflicted Injuries	38	27	27
Homicides	0	3	1
Assault Injuries	108	101	109
Alcohol Induced Deaths	3	4	2
Drug Induced Deaths	7	8	10
Smoking Attributable Deaths	84	77	88

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	127		
Alcohol Primary Diagnosis <sup>2</sup>	5		
Drug Primary Diagnosis <sup>2</sup>	2		
Alcohol Related Diagnosis	58	97	82
Drug Related Diagnosis	50	86	43
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	110		
Alcohol Primary Diagnosis <sup>2</sup>	65		
Drug Primary Diagnosis <sup>2</sup>	30		
Alcohol Related Diagnosis	240	163	188
Drug Related Diagnosis	137	81	103
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	260		
Alcohol Primary Diagnosis <sup>2</sup>	57		
Drug Primary Diagnosis <sup>2</sup>	43		
Alcohol Related Diagnosis	104	109	120
Drug Related Diagnosis	102	151	113

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	43	43	53
Fatal Crashes	3	3	2
Injury Crashes	24	20	22
Property Damage Crashes	16	20	29
Crash Fatalities	3	3	2
Crash Injuries	32	26	27
Drug Involved Crashes--Total	8	4	5
Fatal Crashes	0	0	0
Injury Crashes	5	2	2
Property Damage Crashes	3	2	3
Crash Fatalities	0	0	0
Crash Injuries	4	4	3

## EMPLOYMENT

	2012	2011	2010
Labor Force	19,600	19,976	20,212
Employed	17,823	17,831	18,004
Unemployed	1,777	2,145	2,208
Unemployment Rate	9.1%	10.7%	10.9%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	1,630	1,632	1,684
Drop-outs	32	58	47
Drop-out Rate	2.0%	3.6%	2.8%
School Suspensions:			
Alcohol Incidents	32	13	8
Drug Incidents	43	43	40
Tobacco Incidents	6	1	7

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	373	411	560
Liquor Law Arrests	86	110	126
Drug Arrests	233	213	215
Methamphetamine Lab Incidents	5	2	0
Violent Offenses	81	82	61
Property Offenses	969	982	774
Domestic Violence Reports	221	182	186

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	179	113	161
Violent Offenses	53	37	49
Alcohol Offenses	15	8	12
Drug Offenses	21	5	20
Status Offenses--Total	84	81	69
Truancy	21	20	7
Beyond Parental Control	14	16	14
Habitually Absent from Home	18	11	17
Injurious Behavior	25	29	23
Abuse/Neglect/Custody--Total	99	122	99
Abuse	25	23	29
Neglect	74	99	68
Custody Disputes	0	0	2

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	29	39	28
Parental Alcohol Use Related	1	1	0
Parental Drug Use Related	1	2	6
Parental Alcohol and Drug Use	0	2	0
Child Removed for Other Reason	27	34	22

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	306	338	339
Probation/Parole Admissions--Drug	95	84	79
Probation/Parole Admissions--DWI	32	36	39
Prison Admissions--Total	196	175	191
Prison Admissions--Drug	61	47	47
Prison Admissions--DWI	18	14	28

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	145	154	156
Alcohol Package Carry-out Licenses	79	90	86

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# CAMDEN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	16	15	23
CSTAR Adolescent	25	21	25
CSTAR Women and Children	19	25	18
CSTAR General Adult	167	143	72
CSTAR Opioid	0	0	*
Primary Recovery Treatment	67	72	208
Clinical SATOP (CIP, YCIP, SROP)	39	35	18
Other Substance Abuse Treatment	*	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	206	235	319
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	86	119	128
- Weekend Intervention Program	41	57	94
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	12	8	20
Compulsive Gambling	*	0	0
Recovery Supports	*	6	25
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	300	248	296	Alcohol	133	116	132
AGE				Marijuana / Hashish	71	58	79
Under 18	24	19	22	Cocaine (total)	*	*	6
18 to 24	52	53	62	- Crack	*	*	*
25 to 29	52	42	55	Stimulant (total)	55	42	48
30 to 34	43	36	36	- Methamphetamine	51	40	45
35 to 39	32	33	30	Heroin	13	6	7
40 to 44	34	23	32	Analgesic except Heroin	24	17	22
45 to 54	48	36	47	- Non-Prescription Methadone	0	0	0
55 and Over	15	6	12	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	0	7	*
Male	215	182	222	Inhalant	0	0	0
Female	85	66	74	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	292	244	285	Average Age at First Use of Drug	17.3	16.1	16.7
African American	*	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	46	28	31
Asian / Pacific Islander	0	0	*	- Daily Injection Use	11	6	7
Hispanic	*	*	*	- Weekly Injection Use	*	9	5
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	31	13	19
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	98	90	110	0	110	117	150
High School Graduate or G.E.D.	125	100	128	1 or 2	98	89	103
Associate Degree or Some College	76	55	53	3 or More	92	42	43
Bachelor or Advanced Degree	*	*	5	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	62	55	56
Employed	103	80	89	School	*	*	*
Unemployed	97	103	123	Mental Health Provider	*	*	5
Not in Labor Force	100	65	84	Health Care Provider	*	7	9
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	197	163	207
Independent Living	241	207	242	Other Referral Source	32	18	17
Dependent Living	33	32	40	TREATMENT ACCOMMODATION			
Homeless	12	5	8	Pregnant when Admitted to any Episode	6	*	*
MARITAL / FAMILY STATUS				Military Veteran	12	10	10
Never Married	158	125	149	Special Education Services Needed	21	15	13
Married / Cohabiting	63	71	79	Co-Occurring Psychological Problem	78	87	107
Previously Married	79	52	68	Co-Occurring Developmental Problem	12	9	14

# CAMDEN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 11  
**CENSUS 2010** 44,002  
**2012 POPULATION ESTIMATE** 43,845

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	10	7	7
Anxiety Disorder	163	147	130
Dementia	*	*	*
Developmental Disorder	*	*	5
Impulse Control Disorder	26	25	39
Mood Disorder	199	192	188
Personality Disorder	16	21	23
Psychotic Disorder	34	28	27
Sexual Disorder	0	0	*
Other Diagnosis	16	14	20
Diagnosis Unknown	21	18	27

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	308	277	272	Less than High School Diploma	71	45	32
<b>AGE</b>				High School Grad or G.E.D.	64	59	36
Under 6	*	*	*	Associate Degree or Some College	25	26	16
6 to 9	21	18	12	Bachelor or Advanced Degree	*	*	0
10 to 13	28	23	28	Education Level Unknown	146	146	188
14 to 17	37	33	38	<b>EMPLOYMENT</b>			
18 to 24	25	24	27	Employed	21	21	14
25 to 29	22	25	29	Unemployed	118	105	67
30 to 34	21	19	17	Not in Labor Force	41	5	*
35 to 39	26	26	24	Employment Status Unknown	128	146	188
40 to 44	30	31	29	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	29	26	25	Independent Living	150	120	79
50 to 54	28	20	14	Dependent Living	56	59	12
55 to 59	18	11	10	Homeless	*	*	*
60 and Over	20	19	17	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	100	93	179
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	131	129	125	Self / Family / Friend	188	167	161
Female	177	148	147	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	17	18	22
<b>RACE / ETHNICITY</b>				Health Care Provider	35	21	16
Caucasian	297	264	260	Court / Criminal Justice	31	27	30
African American	*	*	*	Other	36	42	40
Native American / Alaskan	0	*	*	Referral Source Unknown	0	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	307	274	269
Other Race	5	*	6	Civil	*	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	9	8	9	Commitment Type Unknown	0	*	*
Past or Current Military Service	8	11	13				

# CAMDEN COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012


	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	40.0	46.3	Alcohol	70.0	75.5
Cigarettes	26.6	32.4	Cigarettes	81.3	82.3
Chewing Tobacco	12.9	15.4	Marijuana	70.7	70.6
Marijuana	17.5	22.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.6	94.0
Inhalants	5.4	10.7			
Prescription medications not prescribed for student	9.1	14.3	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	6.4	9.6	Were very sad	20.4	18.4
Methamphetamine	1.2	2.9	Were grouchy, irritable, or in a bad mood	24.9	21.6
Cocaine	1.5	3.3	Felt hopeless about the future	11.1	15.0
Heroin	0.5	1.2	Felt like not eating or eating more than usual	18.7	17.3
Hallucinogens	3.4	6.3	Slept a lot more or a lot less than usual	20.2	26.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.2	4.3	Had difficulty concentrating on school work	22.3	26.2
Steroids not prescribed for student	1.5	2.5			
Synthetic drugs (K2, bath salts, Spice, etc)	9.7		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	11.3	12.7
Alcohol	12.43	11.92	Made plan about how they would attempt suicide	8.6	8.7
Cigarettes	12.09	11.59	Attempted suicide	5.4	5.6
Marijuana	13.42	13.01	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.2	1.7
Inhalants	12.24	11.96			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	17.7	22.3	Were threatened/injured with weapon at school	7.6	8.9
Binge Alcohol (5 or more drinks on one occasion)	11.4	14.1	Were in a physical fight	19.4	23.7
Cigarettes	12.6	17.6	Were in a fight and had to be treated by a doctor or nurse	3.1	3.1
Chewing Tobacco	6.7	8.3			
Marijuana	8.6	11.5	<b>Percent of students in past 3 months who:</b>		
Inhalants	2.5	5.8	Were victims of mean rumors or lies spread at school	50.9	53.5
Prescription medications not prescribed for student	4.4	10.5	Had embarrassing or hurtful pictures/text of them posted on internet	14.0	13.5
Over-the-counter medications for non-medical use	3.5	6.8	Had embarrassing or hurtful pictures/text of them sent by cell phone	15.3	16.0
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	60.1	67.4
Alcohol	50.3	59.7			
Cigarettes	43.6	51.2	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	36.3	39.4	Spread mean rumors or lies about other kids at school	24.6	33.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.4	23.5	Posted on internet embarrassing or hurtful pictures/text of someone	7.6	8.5
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.3	12.9
Alcohol	29.6	38.0	Made fun of other people	57.7	73.0
Cigarettes	14.8	20.2			
Marijuana	14.0	19.2	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	69.1	72.8
Alcohol	63.1	55.3	School provides feedback to parents on positive student performance	37.2	44.3
Cigarettes	80.1	75.1	Teachers praise student for hard work	53.5	55.9
Marijuana	79.5	76.2	Rules are enforced fairly	61.6	62.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.4	93.0	Students of all races/ethnicities are treated equally	73.7	76.2
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	80.4	78.7	<b>Percent of students who agree that:</b>		
Cigarettes	88.5	89.8	Parents notice and comment on student's good work	83.2	86.1
Marijuana	91.8	93.9	Parents involve student in making family decisions	69.5	71.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.3	97.7	It is important to be honest with parents regardless of consequences	88.3	83.6
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	78.0	77.4
Alcohol	53.0	56.2			
Cigarettes	51.9	57.7			
Marijuana	34.8	38.0			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.9	16.6			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# CAPE GIRARDEAU COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	21
Adult Psychiatric	21
<b>FIPS COUNTY CODE</b>	031
<b>POPULATION</b>	
Census 2010	75,674
2012 Pop. Estimate	76,950

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	897	922	942
Mother Reported Smoking while Pregnant	159	219	187

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	7	1	0
IDU and MSM <sup>1</sup>	*	*	0
IDU without MSM <sup>1</sup>	*	*	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	750	731	654
Suicides	12	11	9
Self-inflicted Injuries	100	90	82
Homicides	2	3	1
Assault Injuries	291	263	220
Alcohol Induced Deaths	0	2	2
Drug Induced Deaths	11	13	7
Smoking Attributable Deaths	129	122	115

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	783		
Alcohol Primary Diagnosis <sup>2</sup>	59		
Drug Primary Diagnosis <sup>2</sup>	37		
Alcohol Related Diagnosis	303	229	83
Drug Related Diagnosis	345	269	104
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	58		
Alcohol Primary Diagnosis <sup>2</sup>	20		
Drug Primary Diagnosis <sup>2</sup>	9		
Alcohol Related Diagnosis	117	112	236
Drug Related Diagnosis	89	107	172
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	801		
Alcohol Primary Diagnosis <sup>2</sup>	147		
Drug Primary Diagnosis <sup>2</sup>	106		
Alcohol Related Diagnosis	350	325	221
Drug Related Diagnosis	309	261	186

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	51	56	72
Fatal Crashes	0	2	2
Injury Crashes	21	27	29
Property Damage Crashes	30	27	41
Crash Fatalities	0	2	2
Crash Injuries	23	37	29
Drug Involved Crashes--Total	17	21	21
Fatal Crashes	0	1	0
Injury Crashes	8	14	8
Property Damage Crashes	9	6	13
Crash Fatalities	0	1	0
Crash Injuries	7	18	8

## EMPLOYMENT

	2012	2011	2010
Labor Force	38,444	38,877	38,367
Employed	36,172	36,118	35,432
Unemployed	2,272	2,759	2,935
Unemployment Rate	5.9%	7.1%	7.6%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	2,892	2,944	3,007
Drop-outs	102	88	104
Drop-out Rate	3.5%	3.0%	3.5%
School Suspensions:			
Alcohol Incidents	6	1	2
Drug Incidents	37	23	15
Tobacco Incidents	1	0	1

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	553	560	617
Liquor Law Arrests	204	169	200
Drug Arrests	341	365	383
Methamphetamine Lab Incidents	40	66	52
Violent Offenses	293	392	340
Property Offenses	3,243	3,168	2,832
Domestic Violence Reports	468	478	423

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	457	624	849
Violent Offenses	75	73	114
Alcohol Offenses	15	17	23
Drug Offenses	29	22	24
Status Offenses--Total	146	161	217
Truancy	23	55	108
Beyond Parental Control	48	38	27
Habitually Absent from Home	49	44	66
Injurious Behavior	26	24	16
Abuse/Neglect/Custody--Total	106	127	143
Abuse	44	45	52
Neglect	17	8	49
Custody Disputes	45	74	42

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	81	77	75
Parental Alcohol Use Related	3	4	2
Parental Drug Use Related	33	33	28
Parental Alcohol and Drug Use	5	10	1
Child Removed for Other Reason	40	30	44

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	115	89	115
Probation/Parole Admissions--Total	423	448	456
Probation/Parole Admissions--Drug	172	200	183
Probation/Parole Admissions--DWI	35	48	42
Prison Admissions--Total	246	232	230
Prison Admissions--Drug	96	85	86
Prison Admissions--DWI	25	20	18

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	118	115	111
Alcohol Package Carry-out Licenses	64	60	56

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# CAPE GIRARDEAU COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	91	80	68
CSTAR Adolescent	70	57	60
CSTAR Women and Children	99	114	109
CSTAR General Adult	162	53	37
CSTAR Opioid	0	0	*
Primary Recovery Treatment	223	296	357
Clinical SATOP (CIP, YCIP, SROP)	42	28	42
Other Substance Abuse Treatment	*	0	*


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	417	369	503
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	225	215	272
- Weekend Intervention Program	102	104	127
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	15	7	13
Compulsive Gambling	*	0	0
Recovery Supports	165	101	38
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	625	589	556	Alcohol	237	203	227
<b>AGE</b>				Marijuana / Hashish	191	209	204
Under 18	72	58	61	Cocaine (total)	55	53	34
18 to 24	117	118	118	- Crack	34	34	27
25 to 29	115	122	108	Stimulant (total)	62	51	35
30 to 34	90	102	70	- Methamphetamine	55	50	34
35 to 39	59	56	58	Heroin	12	12	9
40 to 44	69	51	62	Analgesic except Heroin	49	42	35
45 to 54	76	66	65	- Non-Prescription Methadone	0	0	*
55 and Over	27	16	14	PCP, LSD, other Hallucinogen	5	*	*
<b>GENDER</b>				Tranquilizer	9	15	9
Male	434	392	368	Inhalant	0	0	0
Female	191	197	188	Sedative	*	0	*
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	*	*
Caucasian	475	428	417	Average Age at First Use of Drug	17.3	17.7	17.1
African American	112	128	107	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	64	55	28
Asian / Pacific Islander	0	0	0	- Daily Injection Use	15	9	7
Hispanic	20	17	13	- Weekly Injection Use	13	12	5
Other Race / Two or More Races	20	17	18	- Less than Weekly Injection Use	36	34	16
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	202	216	206	0	347	354	300
High School Graduate or G.E.D.	277	263	245	1 or 2	180	171	167
Associate Degree or Some College	136	98	94	3 or More	98	64	89
Bachelor or Advanced Degree	10	12	11	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	173	131	128
Employed	172	178	183	School	0	0	*
Unemployed	224	213	194	Mental Health Provider	8	*	*
Not in Labor Force	229	198	179	Health Care Provider	34	22	12
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	332	376	366
Independent Living	445	402	400	Other Referral Source	61	56	45
Dependent Living	149	165	143	<b>TREATMENT ACCOMMODATION</b>			
Homeless	21	16	9	Pregnant when Admitted to any Episode	11	*	12
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	40	20	23
Never Married	360	330	337	Special Education Services Needed	44	62	36
Married / Cohabiting	145	147	115	Co-Occurring Psychological Problem	206	186	144
Previously Married	120	112	104	Co-Occurring Developmental Problem	16	25	*

# CAPE GIRARDEAU COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 21  
**CENSUS 2010** 75,674  
**2012 POPULATION ESTIMATE** 76,950

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	271	172	36
Anxiety Disorder	289	189	100
Dementia	*	*	*
Developmental Disorder	5	*	*
Impulse Control Disorder	282	95	126
Mood Disorder	1,247	762	458
Personality Disorder	35	41	43
Psychotic Disorder	243	204	165
Sexual Disorder	0	0	0
Other Diagnosis	38	33	25
Diagnosis Unknown	390	83	255

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	2,494	1,311	1,047	Less than High School Diploma	135	99	102
<b>AGE</b>				High School Grad or G.E.D.	118	163	117
Under 6	*	*	11	Associate Degree or Some College	32	40	35
6 to 9	110	38	60	Bachelor or Advanced Degree	25	28	23
10 to 13	136	29	71	Education Level Unknown	2,184	981	770
14 to 17	151	42	73	<b>EMPLOYMENT</b>			
18 to 24	302	157	112	Employed	28	30	37
25 to 29	258	156	119	Unemployed	252	293	233
30 to 34	287	167	103	Not in Labor Force	85	9	8
35 to 39	231	138	85	Employment Status Unknown	2,129	979	769
40 to 44	225	142	100	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	204	128	104	Independent Living	247	225	198
50 to 54	218	123	87	Dependent Living	156	150	76
55 to 59	178	98	68	Homeless	*	*	*
60 and Over	191	90	54	Other	7	*	*
Age Unknown	0	0	0	Housing Unknown	2,081	931	769
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,041	600	510	Self / Family / Friend	1,746	839	666
Female	1,453	711	536	School	19	5	5
Gender Unknown	0	0	*	Mental Health Provider	182	113	94
<b>RACE / ETHNICITY</b>				Health Care Provider	231	121	78
Caucasian	1,978	1,055	787	Court / Criminal Justice	76	69	57
African American	235	132	141	Other	230	153	120
Native American / Alaskan	*	0	0	Referral Source Unknown	10	11	27
Asian / Pacific Islander	6	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	205	80	72	Voluntary	2,465	1,274	988
Other Race	69	41	45	Civil	7	13	18
Race/Ethnicity Unknown	0	0	0	Criminal	11	14	16
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	0	0
Hearing Impaired	99	57	50	Commitment Type Unknown	10	10	25
Past or Current Military Service	57	37	25				



# CAPE GIRARDEAU COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	39.2	44.9	Alcohol	72.4	75.6
Cigarettes	24.2	27.6	Cigarettes	81.8	80.9
Chewing Tobacco	11.3	13.4	Marijuana	77.5	74.8
Marijuana	12.2	18.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.2	94.9
Inhalants	3.8	6.6			
Prescription medications not prescribed for student	6.6	11.2	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	5.7	7.5	Were very sad	17.5	20.3
Methamphetamine	1.4	0.8	Were grouchy, irritable, or in a bad mood	22.6	22.1
Cocaine	1.3	0.8	Felt hopeless about the future	11.9	14.1
Heroin	0.6	0.7	Felt like not eating or eating more than usual	16.3	20.2
Hallucinogens	3.0	3.8	Slept a lot more or a lot less than usual	20.0	29.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.6	2.1	Had difficulty concentrating on school work	22.4	25.1
Steroids not prescribed for student	1.5	1.1			
Synthetic drugs (K2, bath salts, Spice, etc)	6.4		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	9.9	12.1
Alcohol	12.71	13.03	Made plan about how they would attempt suicide	7.7	8.5
Cigarettes	12.95	12.53	Attempted suicide	4.8	5.0
Marijuana	13.75	13.71	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.1	1.8
Inhalants	12.25	12.60			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	15.0	20.3	Were threatened/injured with weapon at school	4.9	9.3
Binge Alcohol (5 or more drinks on one occasion)	8.0	11.9	Were in a physical fight	19.5	19.0
Cigarettes	12.2	14.3	Were in a fight and had to be treated by a doctor or nurse	2.9	3.7
Chewing Tobacco	5.6	7.5			
Marijuana	4.8	10.2	<b>Percent of students in past 3 months who:</b>		
Inhalants	1.3	2.5	Were victims of mean rumors or lies spread at school	49.2	50.8
Prescription medications not prescribed for student	2.7	4.9	Had embarrassing or hurtful pictures/text of them posted on internet	11.4	14.7
Over-the-counter medications for non-medical use	3.1	5.2	Had embarrassing or hurtful pictures/text of them sent by cell phone	16.9	15.1
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	62.2	68.2
Alcohol	52.1	62.0			
Cigarettes	42.7	49.9	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	32.8	41.8	Spread mean rumors or lies about other kids at school	32.2	38.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.5	19.2	Posted on internet embarrassing or hurtful pictures/text of someone	7.3	11.9
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.8	12.1
Alcohol	26.3	32.4	Made fun of other people	61.3	73.7
Cigarettes	14.2	15.7			
Marijuana	8.6	15.1	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	73.0	72.0
Alcohol	62.1	61.1	School provides feedback to parents on positive student performance	39.2	39.5
Cigarettes	82.0	78.3	Teachers praise student for hard work	58.4	56.3
Marijuana	86.6	80.1	Rules are enforced fairly	70.2	68.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.8	95.1	Students of all races/ethnicities are treated equally	75.2	76.1
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	78.8	77.8	<b>Percent of students who agree that:</b>		
Cigarettes	92.1	89.7	Parents notice and comment on student's good work	83.1	83.9
Marijuana	94.6	94.1	Parents involve student in making family decisions	70.0	69.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.9	97.9	It is important to be honest with parents regardless of consequences	85.2	85.6
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	76.2	79.4
Alcohol	57.6	61.1			
Cigarettes	53.8	58.5			
Marijuana	35.7	39.3			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.5	19.4			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# CARROLL COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	12
Adult Psychiatric	12
<b>FIPS COUNTY CODE</b>	033
<b>POPULATION</b>	
Census 2010	9,295
2012 Pop. Estimate	9,086

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	4,678	4,879	4,852
Employed	4,303	4,386	4,315
Unemployed	375	493	537
Unemployment Rate	8.0%	10.1%	11.1%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	486	512	540
Drop-outs	12	4	3
Drop-out Rate	2.5%	0.8%	0.6%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	5	2
Tobacco Incidents	0	0	2

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	119	109	109
Mother Reported Smoking while Pregnant	30	29	20

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	116	114	135
Suicides	3	0	0
Self-inflicted Injuries	2	4	9
Homicides	2	1	0
Assault Injuries	21	18	18
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	2	3	0
Smoking Attributable Deaths	22	22	22

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	53		
Alcohol Primary Diagnosis <sup>2</sup>	1		
Drug Primary Diagnosis <sup>2</sup>	0		
Alcohol Related Diagnosis	15	21	15
Drug Related Diagnosis	22	29	17
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	11		
Alcohol Primary Diagnosis <sup>2</sup>	5		
Drug Primary Diagnosis <sup>2</sup>	4		
Alcohol Related Diagnosis	20	15	8
Drug Related Diagnosis	14	15	12
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	65		
Alcohol Primary Diagnosis <sup>2</sup>	14		
Drug Primary Diagnosis <sup>2</sup>	12		
Alcohol Related Diagnosis	33	23	13
Drug Related Diagnosis	21	19	13

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	8	16	11
Fatal Crashes	2	0	0
Injury Crashes	3	5	3
Property Damage Crashes	3	11	8
Crash Fatalities	2	0	0
Crash Injuries	5	5	8
Drug Involved Crashes--Total	1	2	1
Fatal Crashes	1	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	2	1
Crash Fatalities	1	0	0
Crash Injuries	0	0	0

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	20	41	24
Liquor Law Arrests	5	0	3
Drug Arrests	21	19	17
Methamphetamine Lab Incidents	0	0	0
Violent Offenses	8	11	6
Property Offenses	89	95	117
Domestic Violence Reports	41	32	29

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	45	50	53
Violent Offenses	11	12	9
Alcohol Offenses	3	0	3
Drug Offenses	5	5	2
Status Offenses--Total	55	49	43
Truancy	18	23	7
Beyond Parental Control	11	3	10
Habitually Absent from Home	9	6	7
Injurious Behavior	17	17	19
Abuse/Neglect/Custody--Total	4	10	17
Abuse	3	9	10
Neglect	1	1	7
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	0	0	5
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	1
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	0	0	4

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	52	48	66
Probation/Parole Admissions--Drug	16	11	14
Probation/Parole Admissions--DWI	3	1	4
Prison Admissions--Total	25	29	31
Prison Admissions--Drug	4	5	10
Prison Admissions--DWI	2	3	0

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	13	11	10
Alcohol Package Carry-out Licenses	12	12	14

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# CARROLL COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	*	9	*
CSTAR Adolescent	*	*	0
CSTAR Women and Children	*	0	*
CSTAR General Adult	19	20	10
CSTAR Opioid	0	0	0
Primary Recovery Treatment	27	31	26
Clinical SATOP (CIP, YCIP, SROP)	6	5	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	30	29	44
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	8	13	17
- Weekend Intervention Program	*	8	12
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	0
Compulsive Gambling	*	0	0
Recovery Supports	5	*	6
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	60	55	35	Alcohol	32	20	13
AGE				Marijuana / Hashish	8	15	10
Under 18	*	*	*	Cocaine (total)	*	*	*
18 to 24	11	12	10	- Crack	*	0	*
25 to 29	11	8	7	Stimulant (total)	15	12	7
30 to 34	9	8	6	- Methamphetamine	15	11	7
35 to 39	9	9	5	Heroin	0	0	0
40 to 44	8	*	*	Analgesic except Heroin	*	*	*
45 to 54	6	10	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	0	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	*
Male	43	40	24	Inhalant	0	0	0
Female	17	15	11	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	58	51	32	Average Age at First Use of Drug	17.3	17.2	17.6
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	9	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	*	0	0	- Weekly Injection Use	*	*	0
Other Race / Two or More Races	0	*	0	- Less than Weekly Injection Use	6	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	23	15	14	0	27	35	23
High School Graduate or G.E.D.	29	32	15	1 or 2	22	13	8
Associate Degree or Some College	7	6	5	3 or More	11	7	*
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	13	20	*
Employed	14	13	14	School	0	*	0
Unemployed	26	28	16	Mental Health Provider	0	0	*
Not in Labor Force	20	14	5	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	38	30	28
Independent Living	56	46	31	Other Referral Source	7	*	*
Dependent Living	*	6	*	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	*	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	26	31	20	Special Education Services Needed	6	*	0
Married / Cohabiting	14	11	10	Co-Occurring Psychological Problem	19	16	12
Previously Married	20	13	5	Co-Occurring Developmental Problem	*	*	0

# CARROLL COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 12  
**CENSUS 2010** 9,295  
**2012 POPULATION ESTIMATE** 9,086

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	*	0
Anxiety Disorder	61	47	39
Dementia	*	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	12	13	6
Mood Disorder	103	99	84
Personality Disorder	24	19	18
Psychotic Disorder	9	9	12
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	9	13	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	135	138	110	Less than High School Diploma	30	16	9
<b>AGE</b>				High School Grad or G.E.D.	35	41	16
Under 6	0	0	0	Associate Degree or Some College	10	8	15
6 to 9	*	*	*	Bachelor or Advanced Degree	*	*	*
10 to 13	8	14	10	Education Level Unknown	56	71	69
14 to 17	16	19	12	<b>EMPLOYMENT</b>			
18 to 24	7	11	7	Employed	13	12	5
25 to 29	10	8	10	Unemployed	63	54	34
30 to 34	9	10	7	Not in Labor Force	20	*	*
35 to 39	14	12	11	Employment Status Unknown	39	71	69
40 to 44	11	10	12	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	15	16	10	Independent Living	84	65	41
50 to 54	13	13	13	Dependent Living	14	18	7
55 to 59	15	11	9	Homeless	*	0	0
60 and Over	14	10	8	Other	*	*	0
Age Unknown	0	0	0	Housing Unknown	34	53	62
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	55	59	42	Self / Family / Friend	88	98	77
Female	80	79	68	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	11	9	9
<b>RACE / ETHNICITY</b>				Health Care Provider	21	15	9
Caucasian	123	121	100	Court / Criminal Justice	*	7	7
African American	8	10	*	Other	8	6	5
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	6	5	Voluntary	133	134	103
Other Race	0	*	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

# CARROLL COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012


	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	49.0	49.3	Alcohol	56.2	76.9
Cigarettes	31.2	30.8	Cigarettes	72.1	76.4
Chewing Tobacco	16.9	21.8	Marijuana	74.5	65.6
Marijuana	7.7	12.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	89.5	91.1
Inhalants	3.2	6.5			
Prescription medications not prescribed for student	5.2	9.8	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	2.6	6.5	Were very sad	17.5	23.5
Methamphetamine	0.7	0.9	Were grouchy, irritable, or in a bad mood	24.7	25.1
Cocaine	0.0	0.9	Felt hopeless about the future	9.7	14.8
Heroin	0.6	0.0	Felt like not eating or eating more than usual	15.6	19.7
Hallucinogens	1.9	1.4	Slept a lot more or a lot less than usual	20.1	29.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	0.9	Had difficulty concentrating on school work	22.7	24.1
Steroids not prescribed for student	0.6	1.9			
Synthetic drugs (K2, bath salts, Spice, etc)	3.2		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	11.7	10.1
Alcohol	12.15	11.98	Made plan about how they would attempt suicide	7.8	8.3
Cigarettes	11.89	11.85	Attempted suicide	7.1	4.7
Marijuana	13.58	13.48	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.7	1.9
Inhalants	11.42	11.79			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	24.0	29.1	Were threatened/injured with weapon at school	7.1	7.4
Binge Alcohol (5 or more drinks on one occasion)	16.2	18.3	Were in a physical fight	26.0	24.0
Cigarettes	14.9	15.4	Were in a fight and had to be treated by a doctor or nurse	3.2	1.9
Chewing Tobacco	10.4	12.0			
Marijuana	5.2	6.0	<b>Percent of students in past 3 months who:</b>		
Inhalants	0.6	2.3	Were victims of mean rumors or lies spread at school	56.6	54.6
Prescription medications not prescribed for student	1.9	6.0	Had embarrassing or hurtful pictures/text of them posted on internet	14.2	10.3
Over-the-counter medications for non-medical use	1.3	4.2	Had embarrassing or hurtful pictures/text of them sent by cell phone	20.0	14.4
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	68.8	67.3
Alcohol	61.7	69.0			
Cigarettes	46.8	54.4	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	26.6	27.3	Spread mean rumors or lies about other kids at school	31.2	34.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.4	11.7	Posted on internet embarrassing or hurtful pictures/text of someone	10.4	12.0
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.7	17.2
Alcohol	45.5	42.1	Made fun of other people	71.4	70.8
Cigarettes	18.2	16.7			
Marijuana	6.5	7.4	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	70.6	75.0
Alcohol	47.1	51.9	School provides feedback to parents on positive student performance	36.4	44.9
Cigarettes	76.6	76.7	Teachers praise student for hard work	48.7	61.1
Marijuana	89.0	87.9	Rules are enforced fairly	57.1	58.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7	95.8	Students of all races/ethnicities are treated equally	81.2	73.1
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	69.9	71.8	<b>Percent of students who agree that:</b>		
Cigarettes	89.5	88.4	Parents notice and comment on student's good work	78.6	81.1
Marijuana	96.7	94.4	Parents involve student in making family decisions	66.9	67.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.3	95.8	It is important to be honest with parents regardless of consequences	86.4	84.3
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	76.0	80.1
Alcohol	61.7	62.0			
Cigarettes	48.1	53.5			
Marijuana	28.8	24.9			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.0	12.6			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# CARTER COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	19
Adult Psychiatric	19
<b>FIPS COUNTY CODE</b>	035
<b>POPULATION</b>	
Census 2010	6,265
2012 Pop. Estimate	6,262

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	2,908	3,172	3,100
Employed	2,674	2,876	2,811
Unemployed	234	296	289
Unemployment Rate	8.0%	9.3%	9.3%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	371	368	368
Drop-outs	1	3	14
Drop-out Rate	0.3%	0.8%	3.8%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	1	2	4
Tobacco Incidents	0	1	5

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	64	70	84
Mother Reported Smoking while Pregnant	22	21	20

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	92	72	101
Suicides	1	2	0
Self-inflicted Injuries	13	14	14
Homicides	0	0	2
Assault Injuries	15	18	26
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	2	1	1
Smoking Attributable Deaths	23	18	29

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	57		
Alcohol Primary Diagnosis <sup>2</sup>	4		
Drug Primary Diagnosis <sup>2</sup>	5		
Alcohol Related Diagnosis	24	27	10
Drug Related Diagnosis	29	19	5
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	6		
Alcohol Primary Diagnosis <sup>2</sup>	2		
Drug Primary Diagnosis <sup>2</sup>	2		
Alcohol Related Diagnosis	10	16	28
Drug Related Diagnosis	4	7	24
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	72		
Alcohol Primary Diagnosis <sup>2</sup>	8		
Drug Primary Diagnosis <sup>2</sup>	10		
Alcohol Related Diagnosis	16	17	17
Drug Related Diagnosis	26	13	8

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	12	10	9
Fatal Crashes	1	0	1
Injury Crashes	8	4	4
Property Damage Crashes	3	6	4
Crash Fatalities	1	0	1
Crash Injuries	20	4	7
Drug Involved Crashes--Total	0	0	1
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	0	1
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	45	34	35
Liquor Law Arrests	9	52	53
Drug Arrests	50	80	66
Methamphetamine Lab Incidents	5	3	2
Violent Offenses	7	9	5
Property Offenses	86	50	48
Domestic Violence Reports	17	20	47

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	16	24	6
Violent Offenses	9	6	2
Alcohol Offenses	0	6	1
Drug Offenses	2	0	0
Status Offenses--Total	24	19	18
Truancy	1	4	1
Beyond Parental Control	7	5	4
Habitually Absent from Home	2	3	0
Injurious Behavior	12	4	12
Abuse/Neglect/Custody--Total	3	5	0
Abuse	0	3	0
Neglect	1	1	0
Custody Disputes	2	1	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	0	3	0
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	3	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	0	0	0

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	25	19	32
Probation/Parole Admissions--Drug	5	6	12
Probation/Parole Admissions--DWI	0	1	0
Prison Admissions--Total	8	12	22
Prison Admissions--Drug	3	2	6
Prison Admissions--DWI	0	0	1

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	8	7	10
Alcohol Package Carry-out Licenses	13	12	8

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# CARTER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	*	*	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	15	8	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	26	40	42
Clinical SATOP (CIP, YCIP, SROP)	*	5	*
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	15	16	23
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	*	6	12
- Weekend Intervention Program	8	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	0	*	0


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	49	54	59	Alcohol	16	20	26
AGE				Marijuana / Hashish	15	16	20
Under 18	*	*	*	Cocaine (total)	*	0	*
18 to 24	11	8	12	- Crack	*	0	*
25 to 29	8	11	11	Stimulant (total)	12	12	6
30 to 34	7	12	9	- Methamphetamine	12	12	6
35 to 39	10	7	6	Heroin	0	*	0
40 to 44	*	7	9	Analgesic except Heroin	*	*	*
45 to 54	7	*	8	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	*	0
Male	32	39	41	Inhalant	0	*	0
Female	17	15	18	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	47	53	58	Average Age at First Use of Drug	16.9	15.9	17.1
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	5	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	0
Hispanic	*	0	*	- Weekly Injection Use	0	*	0
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	27	26	33	0	30	28	33
High School Graduate or G.E.D.	17	22	20	1 or 2	12	17	16
Associate Degree or Some College	5	5	6	3 or More	7	9	10
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	5	11	8
Employed	14	22	24	School	0	0	0
Unemployed	22	18	14	Mental Health Provider	*	*	0
Not in Labor Force	13	14	21	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	36	37	45
Independent Living	46	52	55	Other Referral Source	*	*	5
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	0	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	7	*
Never Married	23	18	21	Special Education Services Needed	10	5	*
Married / Cohabiting	18	19	21	Co-Occurring Psychological Problem	19	24	26
Previously Married	8	17	17	Co-Occurring Developmental Problem	5	*	*



# CARTER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 19  
**CENSUS 2010** 6,265  
**2012 POPULATION ESTIMATE** 6,262

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2012	FY2011	FY2010
Adjustment Disorder	0	*	*
Anxiety Disorder	17	20	21
Dementia	*	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	*	*	7
Mood Disorder	29	35	43
Personality Disorder	*	*	6
Psychotic Disorder	9	11	10
Sexual Disorder	0	0	0
Other Diagnosis	0	*	6
Diagnosis Unknown	7	*	10

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2012	FY2011	FY2010	EDUCATION	FY2012	FY2011	FY2010
Total Individuals	47	51	69	Less than High School Diploma	11	7	5
<b>AGE</b>				High School Grad or G.E.D.	7	5	7
Under 6	0	0	0	Associate Degree or Some College	*	*	*
6 to 9	0	0	0	Bachelor or Advanced Degree	0	0	0
10 to 13	6	*	*	Education Level Unknown	26	36	56
14 to 17	*	6	6	<b>EMPLOYMENT</b>			
18 to 24	*	5	6	Employed	*	*	*
25 to 29	*	0	*	Unemployed	19	14	11
30 to 34	*	*	*	Not in Labor Force	*	0	0
35 to 39	*	5	7	Employment Status Unknown	24	36	56
40 to 44	6	8	7	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	5	*	11	Independent Living	22	14	13
50 to 54	6	8	11	Dependent Living	6	5	0
55 to 59	*	*	*	Homeless	0	*	0
60 and Over	7	7	8	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	19	31	56
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	21	21	29	Self / Family / Friend	23	25	36
Female	26	30	40	School	0	*	*
Gender Unknown	0	0	0	Mental Health Provider	8	11	12
<b>RACE / ETHNICITY</b>				Health Care Provider	11	9	9
Caucasian	45	49	66	Court / Criminal Justice	*	*	*
African American	*	*	*	Other	*	*	8
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	46	50	66
Other Race	0	0	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	0	Commitment Type Unknown	0	0	*
Past or Current Military Service	*	*	*				


# CARTER COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	44.7	55.1	Alcohol	62.1	67.2
Cigarettes	32.0	46.0	Cigarettes	69.9	72.1
Chewing Tobacco	17.5	23.8	Marijuana	65.7	76.7
Marijuana	18.4	29.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	84.5	92.2
Inhalants	2.9	11.0	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	12.6	15.7	Were very sad	20.4	18.9
Over-the-counter medications for non-medical use	6.8	18.3	Were grouchy, irritable, or in a bad mood	23.5	22.5
Methamphetamine	2.9	4.7	Felt hopeless about the future	7.8	9.3
Cocaine	2.0	4.0	Felt like not eating or eating more than usual	11.8	17.8
Heroin	1.0	2.4	Slept a lot more or a lot less than usual	16.8	24.0
Hallucinogens	5.8	8.0	Had difficulty concentrating on school work	31.1	26.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.9	3.1	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	2.9	2.4	Seriously considered attempting suicide	18.8	15.6
Synthetic drugs (K2, bath salts, Spice, etc)	4.9		Made plan about how they would attempt suicide	18.6	7.8
<b>Average age of students' first use of:</b>			Attempted suicide	11.5	4.7
Alcohol	11.97	12.27	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	6.9	2.4
Cigarettes	11.58	11.36	<b>Percent of students in past 12 months who:</b>		
Marijuana	12.88	12.83	Were threatened/injured with weapon at school	3.9	11.6
Inhalants		12.61	Were in a physical fight	19.4	27.9
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	4.9	7.0
Alcohol	18.8	23.6	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	14.6	17.1	Were victims of mean rumors or lies spread at school	38.8	58.1
Cigarettes	23.1	25.4	Had embarrassing or hurtful pictures/text of them posted on internet	12.6	12.4
Chewing Tobacco	12.6	14.3	Had embarrassing or hurtful pictures/text of them sent by cell phone	13.9	18.6
Marijuana	8.7	15.0	Were made fun of by others	58.4	61.2
Inhalants	1.9	3.9	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	7.8	8.7	Spread mean rumors or lies about other kids at school	17.5	28.7
Over-the-counter medications for non-medical use	5.8	11.0	Posted on internet embarrassing or hurtful pictures/text of someone	10.7	10.9
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.7	13.7
Alcohol	55.3	72.1	Made fun of other people	56.3	72.1
Cigarettes	52.4	68.2	<b>Percent of students who agree that:</b>		
Marijuana	27.2	53.5	Teachers notice and comment on student's good work	58.3	60.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.8	34.1	School provides feedback to parents on positive student performance	36.9	31.3
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	45.6	46.5
Alcohol	34.0	40.8	Rules are enforced fairly	54.4	52.7
Cigarettes	23.8	23.6	Students of all races/ethnicities are treated equally	68.0	72.4
Marijuana	17.3	23.2	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	77.5	78.0
Alcohol	55.3	53.1	Parents involve student in making family decisions	61.6	55.9
Cigarettes	71.8	70.1	It is important to be honest with parents regardless of consequences	77.7	82.0
Marijuana	76.7	73.2	Student could ask parent for help with a personal problem	70.4	69.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.1	91.3	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	76.2	77.0	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	87.9	84.4	Percentages are estimates based on weighted data.		
Marijuana	94.0	91.2	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.0	95.3	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	53.9	76.7			
Cigarettes	54.9	80.6			
Marijuana	37.6	55.9			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.9	31.5			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# CASS COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	7
Adult Psychiatric	7
<b>FIPS COUNTY CODE</b>	037
<b>POPULATION</b>	
Census 2010	99,478
2012 Pop. Estimate	100,376

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	50,413	51,242	49,507
Employed	46,992	46,833	44,512
Unemployed	3,421	4,409	4,995
Unemployment Rate	6.8%	8.6%	10.1%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	5,478	5,527	5,560
Drop-outs	123	95	119
Drop-out Rate	2.2%	1.7%	2.1%
School Suspensions:			
Alcohol Incidents	8	9	12
Drug Incidents	84	84	75
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	1,197	1,265	1,290
Mother Reported Smoking while Pregnant	253	248	191

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	2	5	5
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	817	875	810
Suicides	10	18	12
Self-inflicted Injuries	176	129	136
Homicides	5	4	1
Assault Injuries	319	296	272
Alcohol Induced Deaths	9	7	5
Drug Induced Deaths	15	13	11
Smoking Attributable Deaths	139	145	154

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	869		
Alcohol Primary Diagnosis <sup>2</sup>	57		
Drug Primary Diagnosis <sup>2</sup>	29		
Alcohol Related Diagnosis	265	327	164
Drug Related Diagnosis	280	264	197
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	96		
Alcohol Primary Diagnosis <sup>2</sup>	36		
Drug Primary Diagnosis <sup>2</sup>	21		
Alcohol Related Diagnosis	170	181	194
Drug Related Diagnosis	144	110	158
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	669		
Alcohol Primary Diagnosis <sup>2</sup>	170		
Drug Primary Diagnosis <sup>2</sup>	112		
Alcohol Related Diagnosis	342	343	350
Drug Related Diagnosis	331	294	225

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	72	64	83
Fatal Crashes	1	1	1
Injury Crashes	27	31	36
Property Damage Crashes	44	32	46
Crash Fatalities	1	2	1
Crash Injuries	39	46	45
Drug Involved Crashes--Total	21	22	19
Fatal Crashes	0	1	0
Injury Crashes	4	13	6
Property Damage Crashes	17	8	13
Crash Fatalities	0	2	0
Crash Injuries	4	18	4

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	593	601	671
Liquor Law Arrests	144	117	195
Drug Arrests	361	360	403
Methamphetamine Lab Incidents	1	0	0
Violent Offenses	153	154	141
Property Offenses	2,179	1,981	2,059
Domestic Violence Reports	949	1,001	858

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	441	561	516
Violent Offenses	84	138	131
Alcohol Offenses	16	23	8
Drug Offenses	30	53	48
Status Offenses--Total	218	299	298
Truancy	24	44	45
Beyond Parental Control	59	76	65
Habitually Absent from Home	62	74	74
Injurious Behavior	72	105	114
Abuse/Neglect/Custody--Total	174	190	158
Abuse	7	15	17
Neglect	45	65	86
Custody Disputes	122	110	55

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	124	125	62
Parental Alcohol Use Related	7	9	4
Parental Drug Use Related	28	30	8
Parental Alcohol and Drug Use	8	15	0
Child Removed for Other Reason	81	71	50

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	60	40	35
Probation/Parole Admissions--Total	441	377	380
Probation/Parole Admissions--Drug	115	85	112
Probation/Parole Admissions--DWI	38	44	30
Prison Admissions--Total	236	212	207
Prison Admissions--Drug	47	61	45
Prison Admissions--DWI	28	22	21

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	76	77	73
Alcohol Package Carry-out Licenses	81	83	82

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# CASS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	26	46	55
CSTAR Adolescent	71	41	22
CSTAR Women and Children	14	7	23
CSTAR General Adult	313	308	179
CSTAR Opioid	0	0	*
Primary Recovery Treatment	9	45	248
Clinical SATOP (CIP, YCIP, SROP)	115	85	85
Other Substance Abuse Treatment	*	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	441	393	480
- Adolescent Diversion Education Program	*	6	5
- Offender Education Program	162	142	175
- Weekend Intervention Program	97	73	136
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	27	17	31
Compulsive Gambling	0	*	0
Recovery Supports	53	57	77
Early Intervention	18	12	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	571	522	489	Alcohol	253	239	245
AGE				Marijuana / Hashish	166	138	121
Under 18	74	42	24	Cocaine (total)	11	13	9
18 to 24	110	110	99	- Crack	*	7	5
25 to 29	103	91	86	Stimulant (total)	100	85	87
30 to 34	83	69	67	- Methamphetamine	94	82	83
35 to 39	53	58	57	Heroin	6	*	*
40 to 44	51	50	49	Analgesic except Heroin	23	29	16
45 to 54	73	79	85	- Non-Prescription Methadone	*	0	0
55 and Over	24	23	22	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	7	5	8
Male	382	339	354	Inhalant	0	*	0
Female	189	183	135	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	6	*
Caucasian	535	492	447	Average Age at First Use of Drug	16.4	16.6	16.8
African American	14	14	14	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	30	34	37
Asian / Pacific Islander	*	*	*	- Daily Injection Use	5	0	*
Hispanic	17	12	14	- Weekly Injection Use	13	15	6
Other Race / Two or More Races	11	6	16	- Less than Weekly Injection Use	12	19	28
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	190	175	162	0	280	276	198
High School Graduate or G.E.D.	232	226	232	1 or 2	175	136	152
Associate Degree or Some College	138	117	85	3 or More	116	110	139
Bachelor or Advanced Degree	11	*	10	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	316	205	172
Employed	196	181	167	School	*	*	*
Unemployed	113	165	187	Mental Health Provider	13	13	10
Not in Labor Force	262	176	135	Health Care Provider	16	17	16
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	160	233	252
Independent Living	458	434	383	Other Referral Source	64	52	37
Dependent Living	79	56	72	TREATMENT ACCOMMODATION			
Homeless	13	15	12	Pregnant when Admitted to any Episode	5	8	6
MARITAL / FAMILY STATUS				Military Veteran	31	31	24
Never Married	314	281	251	Special Education Services Needed	33	29	23
Married / Cohabiting	144	136	120	Co-Occurring Psychological Problem	130	172	179
Previously Married	113	105	118	Co-Occurring Developmental Problem	17	20	19

# CASS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 7  
**CENSUS 2010** 99,478  
**2012 POPULATION ESTIMATE** 100,376

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	49	62	56
Anxiety Disorder	206	187	152
Dementia	0	*	*
Developmental Disorder	*	7	6
Impulse Control Disorder	144	140	130
Mood Disorder	366	378	311
Personality Disorder	14	12	14
Psychotic Disorder	84	87	83
Sexual Disorder	0	0	*
Other Diagnosis	57	60	51
Diagnosis Unknown	62	49	175

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	709	704	744	Less than High School Diploma	70	34	15
<b>AGE</b>				High School Grad or G.E.D.	61	84	19
Under 6	16	9	15	Associate Degree or Some College	9	16	5
6 to 9	72	70	67	Bachelor or Advanced Degree	7	5	*
10 to 13	96	88	95	Education Level Unknown	562	565	704
14 to 17	97	107	108	<b>EMPLOYMENT</b>			
18 to 24	63	64	78	Employed	19	16	8
25 to 29	55	52	73	Unemployed	103	123	32
30 to 34	47	54	55	Not in Labor Force	45	0	0
35 to 39	52	62	65	Employment Status Unknown	542	565	704
40 to 44	53	39	47	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	63	53	48	Independent Living	112	127	38
50 to 54	45	59	52	Dependent Living	103	124	28
55 to 59	31	28	27	Homeless	*	*	*
60 and Over	19	19	14	Other	5	*	*
Age Unknown	0	0	0	Housing Unknown	487	448	676
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	333	330	370	Self / Family / Friend	500	501	576
Female	376	374	374	School	5	*	*
Gender Unknown	0	0	0	Mental Health Provider	17	13	17
<b>RACE / ETHNICITY</b>				Health Care Provider	69	49	33
Caucasian	642	629	667	Court / Criminal Justice	18	19	23
African American	27	33	30	Other	98	118	86
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	8
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	11	11	16	Voluntary	700	698	733
Other Race	23	28	27	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	5	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	0
Hearing Impaired	16	16	15	Commitment Type Unknown	*	*	8
Past or Current Military Service	24	23	21				



# CASS COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	34.9	43.9	Alcohol	66.5	75.0
Cigarettes	19.3	26.5	Cigarettes	79.7	80.6
Chewing Tobacco	11.3	12.0	Marijuana	78.4	70.5
Marijuana	8.2	15.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.1	93.5
Inhalants	5.3	7.0			
Prescription medications not prescribed for student	7.6	11.9	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	6.8	8.9	Were very sad	16.8	19.1
Methamphetamine	1.8	1.2	Were grouchy, irritable, or in a bad mood	18.8	25.6
Cocaine	2.1	2.0	Felt hopeless about the future	7.6	13.4
Heroin	1.0	0.5	Felt like not eating or eating more than usual	16.0	19.4
Hallucinogens	2.4	2.7	Slept a lot more or a lot less than usual	19.4	27.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.2	2.4	Had difficulty concentrating on school work	22.2	26.6
Steroids not prescribed for student	1.4	1.2			
Synthetic drugs (K2, bath salts, Spice, etc)	5.5		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	10.7	11.4
Alcohol	12.50	12.80	Made plan about how they would attempt suicide	8.7	7.4
Cigarettes	12.50	12.89	Attempted suicide	4.7	5.0
Marijuana	13.40	13.80	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.1	1.7
Inhalants	11.39	11.78			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	11.6	19.4	Were threatened/injured with weapon at school	7.2	9.0
Binge Alcohol (5 or more drinks on one occasion)	6.9	11.5	Were in a physical fight	22.2	22.6
Cigarettes	6.9	14.0	Were in a fight and had to be treated by a doctor or nurse	1.9	2.8
Chewing Tobacco	5.5	7.2			
Marijuana	3.2	8.1	<b>Percent of students in past 3 months who:</b>		
Inhalants	2.3	3.3	Were victims of mean rumors or lies spread at school	50.8	54.2
Prescription medications not prescribed for student	4.1	6.6	Had embarrassing or hurtful pictures/text of them posted on internet	12.2	14.3
Over-the-counter medications for non-medical use	3.6	5.3	Had embarrassing or hurtful pictures/text of them sent by cell phone	17.3	16.1
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	63.3	67.7
Alcohol	41.7	60.0			
Cigarettes	32.1	49.1	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	20.1	37.3	Spread mean rumors or lies about other kids at school	22.4	36.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.8	17.8	Posted on internet embarrassing or hurtful pictures/text of someone	7.4	10.4
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	10.9	12.7
Alcohol	28.7	35.2	Made fun of other people	58.9	74.4
Cigarettes	11.1	15.8			
Marijuana	6.7	12.1	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	67.1	65.7
Alcohol	61.8	56.4	School provides feedback to parents on positive student performance	35.8	35.9
Cigarettes	83.3	77.4	Teachers praise student for hard work	52.3	51.3
Marijuana	88.5	81.8	Rules are enforced fairly	59.8	60.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.7	94.5	Students of all races/ethnicities are treated equally	83.8	74.2
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	77.9	75.8	<b>Percent of students who agree that:</b>		
Cigarettes	92.0	89.5	Parents notice and comment on student's good work	81.9	83.1
Marijuana	95.5	93.9	Parents involve student in making family decisions	69.6	69.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.5	97.9	It is important to be honest with parents regardless of consequences	85.9	81.9
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	75.9	75.6
Alcohol	51.0	61.5			
Cigarettes	44.7	57.4			
Marijuana	25.3	34.6			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.2	17.4			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# CEDAR COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	8
Adult Psychiatric	8B
<b>FIPS COUNTY CODE</b>	039
<b>POPULATION</b>	
Census 2010	13,982
2012 Pop. Estimate	13,799

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	148	163	153
Mother Reported Smoking while Pregnant	36	48	40

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	0	1
IDU and MSM <sup>1</sup>	0	0	*
IDU without MSM <sup>1</sup>	0	0	*

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	167	210	188
Suicides	4	3	5
Self-inflicted Injuries	23	31	21
Homicides	0	1	0
Assault Injuries	53	42	36
Alcohol Induced Deaths	1	1	0
Drug Induced Deaths	6	1	1
Smoking Attributable Deaths	30	44	35

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	105		
Alcohol Primary Diagnosis <sup>2</sup>	4		
Drug Primary Diagnosis <sup>2</sup>	5		
Alcohol Related Diagnosis	34	53	50
Drug Related Diagnosis	39	54	37
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	43		
Alcohol Primary Diagnosis <sup>2</sup>	4		
Drug Primary Diagnosis <sup>2</sup>	5		
Alcohol Related Diagnosis	30	24	28
Drug Related Diagnosis	37	31	23
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	182		
Alcohol Primary Diagnosis <sup>2</sup>	30		
Drug Primary Diagnosis <sup>2</sup>	39		
Alcohol Related Diagnosis	78	75	55
Drug Related Diagnosis	107	58	71

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	5	10	17
Fatal Crashes	0	2	0
Injury Crashes	2	4	11
Property Damage Crashes	3	4	6
Crash Fatalities	0	2	0
Crash Injuries	3	8	12
Drug Involved Crashes--Total	1	4	2
Fatal Crashes	0	1	1
Injury Crashes	0	2	0
Property Damage Crashes	1	1	1
Crash Fatalities	0	1	1
Crash Injuries	0	2	2

## EMPLOYMENT

	2012	2011	2010
Labor Force	6,096	6,476	6,585
Employed	5,675	5,952	6,016
Unemployed	421	524	569
Unemployment Rate	6.9%	8.1%	8.6%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	684	700	676
Drop-outs	13	11	12
Drop-out Rate	1.9%	1.6%	1.8%
School Suspensions:			
Alcohol Incidents	1	0	1
Drug Incidents	6	2	2
Tobacco Incidents	0	1	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	42	47	29
Liquor Law Arrests	11	19	18
Drug Arrests	19	17	12
Methamphetamine Lab Incidents	9	61	29
Violent Offenses	40	35	32
Property Offenses	352	333	261
Domestic Violence Reports	53	70	45

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	117	97	76
Violent Offenses	30	23	22
Alcohol Offenses	9	8	4
Drug Offenses	3	0	1
Status Offenses--Total	51	62	58
Truancy	20	33	19
Beyond Parental Control	18	17	16
Habitually Absent from Home	4	6	3
Injurious Behavior	9	6	20
Abuse/Neglect/Custody--Total	51	85	78
Abuse	8	9	8
Neglect	43	75	69
Custody Disputes	0	1	1

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	8	15	1
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	0	4	0
Parental Alcohol and Drug Use	0	1	0
Child Removed for Other Reason	8	9	1

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	14	12	16
Probation/Parole Admissions--Total	96	94	94
Probation/Parole Admissions--Drug	15	22	20
Probation/Parole Admissions--DWI	11	3	5
Prison Admissions--Total	54	54	46
Prison Admissions--Drug	15	10	14
Prison Admissions--DWI	5	2	2

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	16	15	14
Alcohol Package Carry-out Licenses	17	15	16

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# CEDAR COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	5	15	17
CSTAR Adolescent	7	5	*
CSTAR Women and Children	6	5	5
CSTAR General Adult	80	82	52
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	25	59
Clinical SATOP (CIP, YCIP, SROP)	9	5	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	42	45	32
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	16	20	15
- Weekend Intervention Program	8	9	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	*	0	0
Recovery Supports	6	*	18
Early Intervention	9	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	93	111	93	Alcohol	31	45	38
AGE				Marijuana / Hashish	25	27	25
Under 18	7	5	*	Cocaine (total)	*	*	*
18 to 24	16	24	25	- Crack	*	*	*
25 to 29	17	19	21	Stimulant (total)	26	27	21
30 to 34	20	26	18	- Methamphetamine	24	26	20
35 to 39	7	12	5	Heroin	0	0	0
40 to 44	9	7	9	Analgesic except Heroin	8	10	5
45 to 54	13	14	7	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	5	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	*
Male	56	74	62	Inhalant	0	0	0
Female	37	37	31	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	91	110	90	Average Age at First Use of Drug	17.0	16.6	16.9
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	14	19	15
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	0	0	*	- Weekly Injection Use	6	*	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	6	13	8
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	32	38	35	0	51	65	47
High School Graduate or G.E.D.	47	54	41	1 or 2	26	31	30
Associate Degree or Some College	14	18	17	3 or More	16	15	16
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	39	33	25
Employed	26	28	29	School	0	*	*
Unemployed	26	44	35	Mental Health Provider	0	*	5
Not in Labor Force	41	39	29	Health Care Provider	*	7	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	41	53	47
Independent Living	74	95	81	Other Referral Source	10	15	11
Dependent Living	12	7	8	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	5	*	*
Never Married	44	58	35	Special Education Services Needed	9	7	11
Married / Cohabiting	31	33	35	Co-Occurring Psychological Problem	18	29	30
Previously Married	18	20	23	Co-Occurring Developmental Problem	*	*	7

# CEDAR COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8B  
**CENSUS 2010** 13,982  
**2012 POPULATION ESTIMATE** 13,799

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2012	FY2011	FY2010
Adjustment Disorder	*	7	7
Anxiety Disorder	91	87	81
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	30	31	32
Mood Disorder	164	150	165
Personality Disorder	22	23	25
Psychotic Disorder	41	39	35
Sexual Disorder	*	0	0
Other Diagnosis	12	13	16
Diagnosis Unknown	12	18	32

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2012	FY2011	FY2010	EDUCATION	FY2012	FY2011	FY2010
Total Individuals	242	242	250	Less than High School Diploma	64	40	26
<b>AGE</b>				High School Grad or G.E.D.	59	56	49
Under 6	*	*	*	Associate Degree or Some College	14	13	14
6 to 9	11	11	11	Bachelor or Advanced Degree	*	*	0
10 to 13	15	12	11	Education Level Unknown	102	132	161
14 to 17	11	17	22	<b>EMPLOYMENT</b>			
18 to 24	22	18	24	Employed	20	16	14
25 to 29	13	16	24	Unemployed	107	92	72
30 to 34	24	20	16	Not in Labor Force	27	*	*
35 to 39	20	19	26	Employment Status Unknown	88	132	161
40 to 44	32	32	25	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	30	26	29	Independent Living	118	97	83
50 to 54	24	38	35	Dependent Living	32	29	6
55 to 59	23	16	11	Homeless	*	*	0
60 and Over	15	14	13	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	89	114	160
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	89	106	116	Self / Family / Friend	160	148	157
Female	153	136	134	School	0	0	*
Gender Unknown	0	0	0	Mental Health Provider	22	30	28
<b>RACE / ETHNICITY</b>				Health Care Provider	26	18	10
Caucasian	233	232	238	Court / Criminal Justice	*	6	9
African American	5	*	*	Other	28	38	42
Native American / Alaskan	*	*	5	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	235	232	237
Other Race	0	*	*	Civil	*	7	9
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	5	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	6				

# CEDAR COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	43.9	44.4	Alcohol	60.9	77.6
Cigarettes	35.9	26.0	Cigarettes	74.1	78.3
Chewing Tobacco	21.8	18.0	Marijuana	67.0	72.6
Marijuana	23.2	12.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	87.3	91.6
Inhalants	11.8	9.2			
Prescription medications not prescribed for student	13.6	9.5	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	10.5	7.8	Were very sad	29.2	21.0
Methamphetamine	8.5	0.0	Were grouchy, irritable, or in a bad mood	27.9	27.0
Cocaine	9.6	0.0	Felt hopeless about the future	14.7	16.0
Heroin	7.3	0.0	Felt like not eating or eating more than usual	21.9	19.1
Hallucinogens	8.7	1.3	Slept a lot more or a lot less than usual	19.3	27.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	8.2	0.3	Had difficulty concentrating on school work	31.8	29.3
Steroids not prescribed for student	8.2	1.7			
Synthetic drugs (K2, bath salts, Spice, etc)	13.6		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	21.9	15.0
Alcohol	11.26	11.74	Made plan about how they would attempt suicide	15.0	10.4
Cigarettes	11.35	11.41	Attempted suicide	11.3	9.0
Marijuana	11.85	13.69	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	6.4	3.0
Inhalants	10.46	12.39			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	28.6	22.0	Were threatened/injured with weapon at school	10.0	9.3
Binge Alcohol (5 or more drinks on one occasion)	19.5	13.1	Were in a physical fight	30.9	30.0
Cigarettes	15.5	14.3	Were in a fight and had to be treated by a doctor or nurse	6.9	3.4
Chewing Tobacco	12.7	12.9			
Marijuana	11.5	4.7	<b>Percent of students in past 3 months who:</b>		
Inhalants	6.8	2.7	Were victims of mean rumors or lies spread at school	51.4	57.1
Prescription medications not prescribed for student	9.5	6.4	Had embarrassing or hurtful pictures/text of them posted on internet	14.2	11.8
Over-the-counter medications for non-medical use	8.6	5.4	Had embarrassing or hurtful pictures/text of them sent by cell phone	12.7	11.7
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	57.8	68.7
Alcohol	62.7	53.5			
Cigarettes	52.7	42.0	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	40.5	24.3	Spread mean rumors or lies about other kids at school	25.0	27.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	21.0	10.7	Posted on internet embarrassing or hurtful pictures/text of someone	11.8	9.7
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	13.6	15.2
Alcohol	42.7	35.5	Made fun of other people	61.4	70.0
Cigarettes	19.6	14.0			
Marijuana	17.8	11.4	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	71.4	72.2
Alcohol	52.1	58.6	School provides feedback to parents on positive student performance	35.6	37.2
Cigarettes	74.5	78.7	Teachers praise student for hard work	58.6	57.7
Marijuana	74.3	83.9	Rules are enforced fairly	64.5	74.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	88.6	96.6	Students of all races/ethnicities are treated equally	71.5	80.3
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	76.8	79.1	<b>Percent of students who agree that:</b>		
Cigarettes	89.9	91.1	Parents notice and comment on student's good work	79.4	79.1
Marijuana	91.2	93.9	Parents involve student in making family decisions	57.8	67.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.9	96.0	It is important to be honest with parents regardless of consequences	79.1	77.9
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	68.8	72.7
Alcohol	58.9	54.5			
Cigarettes	56.8	53.3			
Marijuana	29.0	24.8			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.3	13.8			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# CHARITON COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	12
Adult Psychiatric	12
<b>FIPS COUNTY CODE</b>	041
<b>POPULATION</b>	
Census 2010	7,831
2012 Pop. Estimate	7,649

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	80	91	81
Mother Reported Smoking while Pregnant	11	15	17

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	0	1
IDU and MSM <sup>1</sup>	0	0	*
IDU without MSM <sup>1</sup>	0	0	*

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	90	102	100
Suicides	1	0	1
Self-inflicted Injuries	4	7	10
Homicides	0	0	0
Assault Injuries	10	17	8
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	1	0	1
Smoking Attributable Deaths	16	19	14

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	87		
Alcohol Primary Diagnosis <sup>2</sup>	5		
Drug Primary Diagnosis <sup>2</sup>	4		
Alcohol Related Diagnosis	21	27	34
Drug Related Diagnosis	17	16	12
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	12		
Alcohol Primary Diagnosis <sup>2</sup>	4		
Drug Primary Diagnosis <sup>2</sup>	5		
Alcohol Related Diagnosis	16	12	13
Drug Related Diagnosis	11	9	3
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	60		
Alcohol Primary Diagnosis <sup>2</sup>	8		
Drug Primary Diagnosis <sup>2</sup>	11		
Alcohol Related Diagnosis	23	24	12
Drug Related Diagnosis	22	12	10

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	6	14	6
Fatal Crashes	0	0	0
Injury Crashes	0	8	4
Property Damage Crashes	6	6	2
Crash Fatalities	0	0	0
Crash Injuries	0	8	7
Drug Involved Crashes--Total	1	0	1
Fatal Crashes	0	0	0
Injury Crashes	0	0	1
Property Damage Crashes	1	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	1

## EMPLOYMENT

	2012	2011	2010
Labor Force	4,214	4,267	4,265
Employed	3,951	3,897	3,885
Unemployed	263	370	380
Unemployment Rate	6.2%	8.7%	8.9%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	324	357	370
Drop-outs	6	7	8
Drop-out Rate	1.9%	2.0%	2.2%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	1	0	1
Tobacco Incidents	0	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	33	36	30
Liquor Law Arrests	6	2	2
Drug Arrests	2	1	3
Methamphetamine Lab Incidents	0	0	1
Violent Offenses	23	26	5
Property Offenses	77	114	54
Domestic Violence Reports	6	13	6

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	3	7	10
Violent Offenses	1	0	1
Alcohol Offenses	0	3	4
Drug Offenses	0	0	1
Status Offenses--Total	54	25	28
Truancy	7	3	6
Beyond Parental Control	3	2	3
Habitually Absent from Home	0	0	0
Injurious Behavior	44	20	19
Abuse/Neglect/Custody--Total	7	20	23
Abuse	0	0	3
Neglect	7	20	19
Custody Disputes	0	0	1

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	9	5	15
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	9	5	15

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	9	0	0
Probation/Parole Admissions--Total	48	40	44
Probation/Parole Admissions--Drug	8	8	4
Probation/Parole Admissions--DWI	4	1	2
Prison Admissions--Total	21	25	20
Prison Admissions--Drug	5	5	3
Prison Admissions--DWI	2	1	1

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	10	9	8
Alcohol Package Carry-out Licenses	15	15	14

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# CHARITON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	*	5	6
CSTAR Adolescent	0	0	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	13	17	6
CSTAR Opioid	0	0	0
Primary Recovery Treatment	6	12	26
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	30	32	22
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	15	11	10
- Weekend Intervention Program	6	6	6
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	0	*
Early Intervention	*	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	25	33	38	Alcohol	8	14	12
AGE				Marijuana / Hashish	10	8	14
Under 18	0	0	*	Cocaine (total)	*	*	*
18 to 24	5	7	*	- Crack	0	*	*
25 to 29	6	8	8	Stimulant (total)	*	*	*
30 to 34	5	*	*	- Methamphetamine	*	*	*
35 to 39	*	*	6	Heroin	0	0	0
40 to 44	*	*	*	Analgesic except Heroin	*	6	5
45 to 54	*	*	8	- Non-Prescription Methadone	0	0	0
55 and Over	*	5	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	12	23	25	Inhalant	0	0	0
Female	13	10	13	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	24	31	34	Average Age at First Use of Drug	18.2	15.8	19.4
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	0
Hispanic	0	0	0	- Weekly Injection Use	0	0	0
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	8	12	17	0	13	15	20
High School Graduate or G.E.D.	14	14	18	1 or 2	7	11	10
Associate Degree or Some College	*	7	*	3 or More	5	7	8
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	6	12	*
Employed	6	11	8	School	0	0	0
Unemployed	12	14	19	Mental Health Provider	0	0	0
Not in Labor Force	7	8	11	Health Care Provider	0	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	16	17	33
Independent Living	24	25	30	Other Referral Source	*	*	*
Dependent Living	0	*	5	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	5
Never Married	10	14	16	Special Education Services Needed	0	*	*
Married / Cohabiting	7	10	9	Co-Occurring Psychological Problem	9	14	12
Previously Married	8	9	13	Co-Occurring Developmental Problem	0	*	*

# CHARITON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 12  
**CENSUS 2010** 7,831  
**2012 POPULATION ESTIMATE** 7,649

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	0	*	0
Anxiety Disorder	10	15	10
Dementia	0	*	0
Developmental Disorder	*	*	*
Impulse Control Disorder	5	*	5
Mood Disorder	36	35	26
Personality Disorder	*	7	*
Psychotic Disorder	5	6	*
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	6	*	10

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	54	49	42	Less than High School Diploma	8	10	7
<b>AGE</b>				High School Grad or G.E.D.	13	13	5
Under 6	0	0	0	Associate Degree or Some College	7	5	0
6 to 9	*	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	26	21	30
14 to 17	*	*	*	<b>EMPLOYMENT</b>			
18 to 24	*	5	6	Employed	*	*	*
25 to 29	6	*	*	Unemployed	25	25	11
30 to 34	7	5	*	Not in Labor Force	5	*	0
35 to 39	5	*	*	Employment Status Unknown	23	20	30
40 to 44	*	5	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	*	*	*	Independent Living	24	23	10
50 to 54	7	6	5	Dependent Living	6	9	*
55 to 59	7	6	7	Homeless	*	0	0
60 and Over	6	6	*	Other	*	*	0
Age Unknown	0	0	0	Housing Unknown	21	16	29
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	22	20	17	Self / Family / Friend	30	26	23
Female	32	29	25	School	0	*	0
Gender Unknown	0	0	0	Mental Health Provider	5	5	5
<b>RACE / ETHNICITY</b>				Health Care Provider	14	8	*
Caucasian	51	48	40	Court / Criminal Justice	*	*	*
African American	*	*	*	Other	*	6	5
Native American / Alaskan	0	0	0	Referral Source Unknown	0	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	52	47	38
Other Race	*	0	0	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	0	0	Commitment Type Unknown	0	*	*
Past or Current Military Service	6	*	*				



# CHARITON COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	46.6	51.4	Alcohol	68.6	88.4
Cigarettes	23.7	27.4	Cigarettes	81.2	86.4
Chewing Tobacco	19.5	13.1	Marijuana	81.5	70.5
Marijuana	10.2	9.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.2	95.2
Inhalants	5.1	5.5	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	7.6	8.8	Were very sad	21.0	26.9
Over-the-counter medications for non-medical use	4.2	6.2	Were grouchy, irritable, or in a bad mood	26.1	29.5
Methamphetamine	0.0	0.0	Felt hopeless about the future	11.0	16.4
Cocaine	0.9	0.7	Felt like not eating or eating more than usual	15.3	21.9
Heroin	0.0	0.7	Slept a lot more or a lot less than usual	21.8	31.5
Hallucinogens	0.8	1.4	Had difficulty concentrating on school work	17.6	31.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	0.0	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	0.8	0.7	Seriously considered attempting suicide	11.9	8.8
Synthetic drugs (K2, bath salts, Spice, etc)	3.4		Made plan about how they would attempt suicide	6.7	6.1
<b>Average age of students' first use of:</b>			Attempted suicide	2.5	2.7
Alcohol	12.70	12.58	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.7	0.7
Cigarettes	12.81	11.75	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.52	13.40	Were threatened/injured with weapon at school	5.1	5.4
Inhalants	11.82	12.31	Were in a physical fight	21.2	22.4
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	2.5	3.4
Alcohol	19.5	26.0	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	14.4	16.9	Were victims of mean rumors or lies spread at school	49.2	62.1
Cigarettes	11.8	10.3	Had embarrassing or hurtful pictures/text of them posted on internet	16.1	16.6
Chewing Tobacco	11.9	9.0	Had embarrassing or hurtful pictures/text of them sent by cell phone	19.7	18.8
Marijuana	4.2	4.1	Were made fun of by others	67.5	74.1
Inhalants	1.7	1.4	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	4.2	5.4	Spread mean rumors or lies about other kids at school	32.2	41.8
Over-the-counter medications for non-medical use	2.5	4.1	Posted on internet embarrassing or hurtful pictures/text of someone	8.5	10.2
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	11.9	13.4
Alcohol	51.7	66.4	Made fun of other people	66.1	77.4
Cigarettes	44.1	39.5	<b>Percent of students who agree that:</b>		
Marijuana	24.6	19.2	Teachers notice and comment on student's good work	69.2	80.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.8	8.8	School provides feedback to parents on positive student performance	47.5	45.5
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	56.8	61.4
Alcohol	31.1	42.6	Rules are enforced fairly	66.9	67.8
Cigarettes	11.1	10.2	Students of all races/ethnicities are treated equally	85.6	84.8
Marijuana	5.9	5.6	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	86.4	90.5
Alcohol	56.8	57.8	Parents involve student in making family decisions	68.4	75.5
Cigarettes	76.9	81.6	It is important to be honest with parents regardless of consequences	88.0	90.4
Marijuana	88.1	92.5	Student could ask parent for help with a personal problem	78.8	82.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	97.9	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	74.4	73.5	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	90.7	92.5	Percentages are estimates based on weighted data.		
Marijuana	96.6	98.0	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.3	99.3	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	49.6	60.3			
Cigarettes	50.0	54.4			
Marijuana	21.4	21.8			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.1	8.2			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# CHRISTIAN COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	10
Adult Psychiatric	10
<b>FIPS COUNTY CODE</b>	043
<b>POPULATION</b>	
Census 2010	77,422
2012 Pop. Estimate	79,824

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	40,892	41,092	40,605
Employed	38,523	38,009	37,188
Unemployed	2,369	3,083	3,417
Unemployment Rate	5.8%	7.5%	8.4%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	4,128	4,106	3,962
Drop-outs	58	38	64
Drop-out Rate	1.4%	0.9%	1.6%
School Suspensions:			
Alcohol Incidents	6	7	7
Drug Incidents	28	40	42
Tobacco Incidents	0	1	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	996	1,106	1,048
Mother Reported Smoking while Pregnant	145	157	149

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	3	5	0
IDU and MSM <sup>1</sup>	*	*	0
IDU without MSM <sup>1</sup>	*	*	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	504	558	497
Suicides	13	13	9
Self-inflicted Injuries	71	73	79
Homicides	2	1	2
Assault Injuries	127	108	126
Alcohol Induced Deaths	4	3	2
Drug Induced Deaths	12	17	7
Smoking Attributable Deaths	80	88	85

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	237		
Alcohol Primary Diagnosis <sup>2</sup>	6		
Drug Primary Diagnosis <sup>2</sup>	11		
Alcohol Related Diagnosis	51	90	89
Drug Related Diagnosis	89	138	108
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	263		
Alcohol Primary Diagnosis <sup>2</sup>	77		
Drug Primary Diagnosis <sup>2</sup>	64		
Alcohol Related Diagnosis	215	170	163
Drug Related Diagnosis	245	151	147
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	414		
Alcohol Primary Diagnosis <sup>2</sup>	108		
Drug Primary Diagnosis <sup>2</sup>	126		
Alcohol Related Diagnosis	191	190	159
Drug Related Diagnosis	240	173	169

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	56	35	60
Fatal Crashes	1	1	2
Injury Crashes	26	13	31
Property Damage Crashes	29	21	27
Crash Fatalities	1	1	2
Crash Injuries	36	22	41
Drug Involved Crashes--Total	20	11	8
Fatal Crashes	0	0	1
Injury Crashes	12	5	3
Property Damage Crashes	8	6	4
Crash Fatalities	0	0	1
Crash Injuries	11	6	3

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	268	253	277
Liquor Law Arrests	91	93	119
Drug Arrests	312	325	298
Methamphetamine Lab Incidents	36	9	8
Violent Offenses	148	215	204
Property Offenses	1,435	1,244	1,126
Domestic Violence Reports	514	446	475

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	363	350	383
Violent Offenses	100	97	65
Alcohol Offenses	12	26	27
Drug Offenses	48	45	51
Status Offenses--Total	249	243	197
Truancy	7	19	10
Beyond Parental Control	32	52	62
Habitually Absent from Home	23	25	25
Injurious Behavior	187	147	100
Abuse/Neglect/Custody--Total	101	115	145
Abuse	13	15	41
Neglect	87	96	104
Custody Disputes	1	4	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	53	62	49
Parental Alcohol Use Related	1	1	1
Parental Drug Use Related	18	16	10
Parental Alcohol and Drug Use	1	0	3
Child Removed for Other Reason	33	45	35

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	49	48	45
Probation/Parole Admissions--Total	381	356	358
Probation/Parole Admissions--Drug	141	105	100
Probation/Parole Admissions--DWI	28	24	38
Prison Admissions--Total	172	166	173
Prison Admissions--Drug	61	51	38
Prison Admissions--DWI	13	11	16

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	42	40	32
Alcohol Package Carry-out Licenses	46	47	47

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# CHRISTIAN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	51	90	58
CSTAR Adolescent	28	35	27
CSTAR Women and Children	18	29	18
CSTAR General Adult	80	75	76
CSTAR Opioid	0	0	0
Primary Recovery Treatment	125	139	140
Clinical SATOP (CIP, YCIP, SROP)	40	32	37
Other Substance Abuse Treatment	0	0	0


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	260	221	289
- Adolescent Diversion Education Program	6	*	8
- Offender Education Program	94	85	129
- Weekend Intervention Program	66	60	82
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	8	9	5
Compulsive Gambling	0	0	*
Recovery Supports	121	23	45
Early Intervention	21	14	8

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	400	349	276	Alcohol	152	110	122
<b>AGE</b>				Marijuana / Hashish	91	80	64
Under 18	30	38	27	Cocaine (total)	5	*	*
18 to 24	72	75	59	- Crack	5	*	0
25 to 29	69	71	38	Stimulant (total)	99	86	46
30 to 34	68	62	47	- Methamphetamine	96	83	46
35 to 39	53	33	30	Heroin	9	8	*
40 to 44	44	24	23	Analgesic except Heroin	33	50	30
45 to 54	54	37	40	- Non-Prescription Methadone	*	*	0
55 and Over	10	9	12	PCP, LSD, other Hallucinogen	*	*	*
<b>GENDER</b>				Tranquilizer	8	5	5
Male	288	238	204	Inhalant	0	*	0
Female	112	111	72	Sedative	0	0	*
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	*	0
Caucasian	376	326	267	Average Age at First Use of Drug	17.5	16.7	16.8
African American	7	7	*	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	76	74	37
Asian / Pacific Islander	*	0	0	- Daily Injection Use	12	16	10
Hispanic	9	7	*	- Weekly Injection Use	19	26	11
Other Race / Two or More Races	9	10	*	- Less than Weekly Injection Use	45	32	16
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	130	120	106	0	201	185	134
High School Graduate or G.E.D.	175	157	110	1 or 2	119	108	80
Associate Degree or Some College	92	67	53	3 or More	80	56	62
Bachelor or Advanced Degree	*	5	7	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	99	108	71
Employed	131	96	72	School	*	*	0
Unemployed	162	148	127	Mental Health Provider	8	12	*
Not in Labor Force	107	105	77	Health Care Provider	10	9	7
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	264	199	178
Independent Living	336	272	228	Other Referral Source	18	20	16
Dependent Living	52	66	39	<b>TREATMENT ACCOMMODATION</b>			
Homeless	8	6	5	Pregnant when Admitted to any Episode	8	7	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	25	21	10
Never Married	193	201	135	Special Education Services Needed	42	22	8
Married / Cohabiting	103	83	66	Co-Occurring Psychological Problem	142	108	75
Previously Married	104	65	75	Co-Occurring Developmental Problem	*	5	5

# CHRISTIAN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 10  
**CENSUS 2010** 77,422  
**2012 POPULATION ESTIMATE** 79,824

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	10	20	11
Anxiety Disorder	82	93	69
Dementia	*	*	0
Developmental Disorder	9	12	11
Impulse Control Disorder	46	60	42
Mood Disorder	166	179	157
Personality Disorder	43	46	43
Psychotic Disorder	97	101	88
Sexual Disorder	0	*	*
Other Diagnosis	33	29	23
Diagnosis Unknown	46	51	114

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	331	402	411	Less than High School Diploma	60	32	9
<b>AGE</b>				High School Grad or G.E.D.	57	56	7
Under 6	9	12	16	Associate Degree or Some College	23	30	9
6 to 9	28	43	49	Bachelor or Advanced Degree	8	*	*
10 to 13	30	36	52	Education Level Unknown	183	281	385
14 to 17	26	33	36	<b>EMPLOYMENT</b>			
18 to 24	12	25	25	Employed	16	11	5
25 to 29	21	30	28	Unemployed	107	105	20
30 to 34	33	34	28	Not in Labor Force	64	5	*
35 to 39	30	23	22	Employment Status Unknown	144	281	385
40 to 44	32	29	31	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	29	37	43	Independent Living	81	60	18
50 to 54	31	40	29	Dependent Living	116	98	18
55 to 59	25	30	23	Homeless	*	*	*
60 and Over	25	30	29	Other	*	*	0
Age Unknown	0	0	0	Housing Unknown	132	239	374
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	147	199	196	Self / Family / Friend	208	275	297
Female	184	203	215	School	*	*	0
Gender Unknown	0	0	0	Mental Health Provider	21	23	20
<b>RACE / ETHNICITY</b>				Health Care Provider	27	18	7
Caucasian	311	366	373	Court / Criminal Justice	11	11	7
African American	*	6	6	Other	55	64	70
Native American / Alaskan	0	0	0	Referral Source Unknown	7	10	10
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	5	Voluntary	317	382	394
Other Race	13	24	25	Civil	*	6	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	8	6	10	Commitment Type Unknown	7	10	10
Past or Current Military Service	7	*	5				

# CHRISTIAN COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	25.3	33.2	Alcohol	74.9	75.5
Cigarettes	16.2	20.7	Cigarettes	84.5	79.2
Chewing Tobacco	9.0	9.4	Marijuana	77.6	72.2
Marijuana	10.4	12.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.0	89.1
Inhalants	6.2	6.7			
Prescription medications not prescribed for student	7.1	10.1	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	6.4	8.3	Were very sad	17.4	16.1
Methamphetamine	1.0	0.8	Were grouchy, irritable, or in a bad mood	19.3	22.0
Cocaine	1.3	1.5	Felt hopeless about the future	8.8	11.0
Heroin	0.6	0.8	Felt like not eating or eating more than usual	15.3	16.3
Hallucinogens	2.1	3.5	Slept a lot more or a lot less than usual	19.2	23.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	2.4	Had difficulty concentrating on school work	19.3	23.6
Steroids not prescribed for student	1.0	1.7			
Synthetic drugs (K2, bath salts, Spice, etc)	6.1		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	11.1	11.2
Alcohol	12.51	12.27	Made plan about how they would attempt suicide	8.1	9.0
Cigarettes	12.35	12.10	Attempted suicide	5.4	5.3
Marijuana	13.09	12.93	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.7	2.5
Inhalants	11.39	11.79			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	9.2	13.3	Were threatened/injured with weapon at school	6.7	8.8
Binge Alcohol (5 or more drinks on one occasion)	5.5	6.3	Were in a physical fight	19.6	27.2
Cigarettes	7.1	10.7	Were in a fight and had to be treated by a doctor or nurse	3.8	3.7
Chewing Tobacco	4.3	4.8			
Marijuana	4.9	6.3	<b>Percent of students in past 3 months who:</b>		
Inhalants	2.2	2.9	Were victims of mean rumors or lies spread at school	47.7	57.6
Prescription medications not prescribed for student	3.2	5.3	Had embarrassing or hurtful pictures/text of them posted on internet	13.8	13.1
Over-the-counter medications for non-medical use	3.5	4.9	Had embarrassing or hurtful pictures/text of them sent by cell phone	16.4	15.6
			Were made fun of by others	59.0	70.3
<b>Percent whose friends used in past 12 months:</b>			<b>Percent of students who, in the past 3 months:</b>		
Alcohol	40.0	52.2	Spread mean rumors or lies about other kids at school	24.1	35.7
Cigarettes	32.9	39.7	Posted on internet embarrassing or hurtful pictures/text of someone	9.1	11.0
Marijuana	28.9	32.8	Sent by cell phone embarrassing or hurtful pictures/text of someone	9.6	12.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.6	20.1	Made fun of other people	55.8	71.7
<b>Percent who would likely use, if offered by a best friend:</b>			<b>Percent of students who agree that:</b>		
Alcohol	17.7	25.5	Teachers notice and comment on student's good work	66.6	68.7
Cigarettes	8.8	12.3	School provides feedback to parents on positive student performance	36.3	33.3
Marijuana	9.2	12.2	Teachers praise student for hard work	53.7	55.7
			Rules are enforced fairly	69.2	69.2
<b>Percent who say it would be wrong to use:</b>			Students of all races/ethnicities are treated equally	80.8	83.8
Alcohol	73.6	65.6			
Cigarettes	86.8	78.7	<b>Percent of students who agree that:</b>		
Marijuana	86.0	85.1	Parents notice and comment on student's good work	84.1	84.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7	95.4	Parents involve student in making family decisions	71.9	73.5
			It is important to be honest with parents regardless of consequences	87.9	84.3
<b>Percent whose parents would disapprove if they use:</b>			Student could ask parent for help with a personal problem	77.2	78.2
Alcohol	87.4	85.9			
Cigarettes	95.1	93.9			
Marijuana	95.1	95.9			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.5	98.3			
<b>Percent who say it would be easy to obtain:</b>					
Alcohol	45.9	49.9			
Cigarettes	39.4	52.4			
Marijuana	28.1	29.8			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.9	16.8			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# CLARK COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	14
Adult Psychiatric	14
<b>FIPS COUNTY CODE</b>	045
<b>POPULATION</b>	
Census 2010	7,139
2012 Pop. Estimate	6,969

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	68	76	85
Mother Reported Smoking while Pregnant	20	30	23

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	81	83	66
Suicides	2	0	2
Self-inflicted Injuries	3	1	1
Homicides	0	1	0
Assault Injuries	4	3	4
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	2	1	1
Smoking Attributable Deaths	16	21	11

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	17		
Alcohol Primary Diagnosis <sup>2</sup>	4		
Drug Primary Diagnosis <sup>2</sup>	3		
Alcohol Related Diagnosis	11	20	12
Drug Related Diagnosis	14	11	10
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	2		
Alcohol Primary Diagnosis <sup>2</sup>	0		
Drug Primary Diagnosis <sup>2</sup>	0		
Alcohol Related Diagnosis	1	5	25
Drug Related Diagnosis	1	1	4
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	7		
Alcohol Primary Diagnosis <sup>2</sup>	1		
Drug Primary Diagnosis <sup>2</sup>	0		
Alcohol Related Diagnosis	4	5	6
Drug Related Diagnosis	1	3	6

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	3	2	9
Fatal Crashes	2	0	0
Injury Crashes	0	0	8
Property Damage Crashes	1	2	1
Crash Fatalities	2	0	0
Crash Injuries	0	0	10
Drug Involved Crashes--Total	0	0	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

## EMPLOYMENT

	2012	2011	2010
Labor Force	3,481	3,540	3,497
Employed	3,231	3,223	3,119
Unemployed	250	317	378
Unemployment Rate	7.2%	9.0%	10.8%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	320	332	324
Drop-outs	4	8	11
Drop-out Rate	1.3%	2.4%	3.4%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	66	70	62
Liquor Law Arrests	10	28	20
Drug Arrests	68	65	57
Methamphetamine Lab Incidents	12	18	10
Violent Offenses	12	17	12
Property Offenses	31	66	62
Domestic Violence Reports	19	14	10

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	10	29	33
Violent Offenses	2	4	22
Alcohol Offenses	0	3	5
Drug Offenses	0	3	1
Status Offenses--Total	100	100	90
Truancy	11	18	22
Beyond Parental Control	3	6	9
Habitually Absent from Home	2	3	1
Injurious Behavior	84	73	58
Abuse/Neglect/Custody--Total	32	49	40
Abuse	0	2	1
Neglect	32	47	39
Custody Disputes	0	0	0

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	25	14	17
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	8	5	1
Parental Alcohol and Drug Use	2	0	0
Child Removed for Other Reason	15	9	16

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	38	32	24
Probation/Parole Admissions--Total	76	55	71
Probation/Parole Admissions--Drug	25	22	19
Probation/Parole Admissions--DWI	12	7	14
Prison Admissions--Total	50	41	31
Prison Admissions--Drug	14	13	8
Prison Admissions--DWI	9	4	6

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	12	14	15
Alcohol Package Carry-out Licenses	14	12	11

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# CLARK COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	*	*	*
CSTAR Adolescent	*	0	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	35	14	10
CSTAR Opioid	0	0	0
Primary Recovery Treatment	26	34	41
Clinical SATOP (CIP, YCIP, SROP)	*	5	7
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	23	32	34
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	11	10	8
- Weekend Intervention Program	5	7	11
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	*
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	53	50	59	Alcohol	9	22	35
AGE				Marijuana / Hashish	27	9	14
Under 18	*	0	*	Cocaine (total)	0	*	*
18 to 24	8	10	12	- Crack	0	0	0
25 to 29	11	7	12	Stimulant (total)	13	15	9
30 to 34	14	10	9	- Methamphetamine	13	15	9
35 to 39	5	6	8	Heroin	0	0	0
40 to 44	5	*	5	Analgesic except Heroin	*	*	0
45 to 54	*	10	9	- Non-Prescription Methadone	0	0	0
55 and Over	*	5	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	37	32	46	Inhalant	0	0	0
Female	16	18	13	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	53	49	59	Average Age at First Use of Drug	18.2	17.8	15.1
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	0	0	- Weekly Injection Use	0	0	0
Other Race / Two or More Races	0	*	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	15	15	21	0	40	26	29
High School Graduate or G.E.D.	33	27	33	1 or 2	10	15	14
Associate Degree or Some College	5	8	5	3 or More	*	9	16
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	5	7	6
Employed	26	27	29	School	0	0	0
Unemployed	16	16	18	Mental Health Provider	*	0	0
Not in Labor Force	11	7	12	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	37	37	48
Independent Living	47	50	55	Other Referral Source	9	5	*
Dependent Living	5	0	*	TREATMENT ACCOMMODATION			
Homeless	0	0	0	Pregnant when Admitted to any Episode	*	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	0	*
Never Married	30	26	26	Special Education Services Needed	*	7	11
Married / Cohabiting	12	11	14	Co-Occurring Psychological Problem	22	11	15
Previously Married	11	13	19	Co-Occurring Developmental Problem	*	*	*

# CLARK COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 14  
**CENSUS 2010** 7,139  
**2012 POPULATION ESTIMATE** 6,969

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	5	5	6
Anxiety Disorder	14	15	18
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	19	15	14
Mood Disorder	39	26	27
Personality Disorder	*	*	*
Psychotic Disorder	*	5	8
Sexual Disorder	0	0	0
Other Diagnosis	8	7	7
Diagnosis Unknown	*	*	6

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	68	56	56	Less than High School Diploma	15	8	*
<b>AGE</b>				High School Grad or G.E.D.	13	10	5
Under 6	*	*	0	Associate Degree or Some College	*	*	*
6 to 9	11	*	*	Bachelor or Advanced Degree	*	*	*
10 to 13	11	10	7	Education Level Unknown	37	34	44
14 to 17	14	10	10	<b>EMPLOYMENT</b>			
18 to 24	6	*	7	Employed	*	*	*
25 to 29	*	*	6	Unemployed	21	19	11
30 to 34	*	7	*	Not in Labor Force	10	0	0
35 to 39	5	5	*	Employment Status Unknown	34	34	44
40 to 44	*	*	7	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	*	5	5	Independent Living	26	19	8
50 to 54	*	*	*	Dependent Living	19	22	7
55 to 59	*	*	*	Homeless	0	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	23	15	41
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	23	22	29	Self / Family / Friend	21	12	9
Female	45	34	27	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
<b>RACE / ETHNICITY</b>				Health Care Provider	*	*	*
Caucasian	66	55	54	Court / Criminal Justice	*	*	6
African American	*	0	0	Other	38	39	33
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	68	56	49
Other Race	0	*	*	Civil	0	0	5
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	0	0	0	Commitment Type Unknown	0	0	*
Past or Current Military Service	*	*	0				



# CLARK COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol		53.5	Alcohol		79.4
Cigarettes		35.9	Cigarettes		75.6
Chewing Tobacco		20.6	Marijuana		65.2
Marijuana		10.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		92.8
Inhalants		9.1	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student		13.5	Were very sad		17.5
Over-the-counter medications for non-medical use		11.0	Were grouchy, irritable, or in a bad mood		25.6
Methamphetamine		0.0	Felt hopeless about the future		11.0
Cocaine		0.7	Felt like not eating or eating more than usual		20.0
Heroin		0.0	Slept a lot more or a lot less than usual		24.0
Hallucinogens		1.3	Had difficulty concentrating on school work		20.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		0.6	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student		2.6	Seriously considered attempting suicide		15.4
Synthetic drugs (K2, bath salts, Spice, etc)			Made plan about how they would attempt suicide		10.3
<b>Average age of students' first use of:</b>			Attempted suicide		4.5
Alcohol		12.08	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse		0.7
Cigarettes		11.78	<b>Percent of students in past 12 months who:</b>		
Marijuana		14.19	Were threatened/injured with weapon at school		4.5
Inhalants		13.58	Were in a physical fight		25.6
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse		3.2
Alcohol		29.0	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)		18.1	Were victims of mean rumors or lies spread at school		61.5
Cigarettes		16.8	Had embarrassing or hurtful pictures/text of them posted on internet		13.1
Chewing Tobacco		12.3	Had embarrassing or hurtful pictures/text of them sent by cell phone		11.6
Marijuana		5.1	Were made fun of by others		74.4
Inhalants		2.6	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student		9.7	Spread mean rumors or lies about other kids at school		30.1
Over-the-counter medications for non-medical use		5.8	Posted on internet embarrassing or hurtful pictures/text of someone		6.4
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone		14.8
Alcohol		65.6	Made fun of other people		78.8
Cigarettes		54.8	<b>Percent of students who agree that:</b>		
Marijuana		25.8	Teachers notice and comment on student's good work		72.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		9.7	School provides feedback to parents on positive student performance		42.9
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work		54.5
Alcohol		45.5	Rules are enforced fairly		60.0
Cigarettes		18.6	Students of all races/ethnicities are treated equally		84.5
Marijuana		7.7	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work		79.5
Alcohol		46.2	Parents involve student in making family decisions		64.1
Cigarettes		74.2	It is important to be honest with parents regardless of consequences		84.5
Marijuana		85.9	Student could ask parent for help with a personal problem		74.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		94.3	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol		63.6	Survey is not conducted in every school district nor reported for every county.		
Cigarettes		90.3	Percentages are estimates based on weighted data.		
Marijuana		94.8	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		97.4	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol		63.5			
Cigarettes		58.7			
Marijuana		31.4			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		15.5			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# CLAY COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	6
Adult Psychiatric	6
<b>FIPS COUNTY CODE</b>	047
<b>POPULATION</b>	
Census 2010	221,939
2012 Pop. Estimate	227,577

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	120,910	121,175	119,048
Employed	113,144	111,790	108,551
Unemployed	7,766	9,385	10,497
Unemployment Rate	6.4%	7.7%	8.8%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	11,424	11,325	12,194
Drop-outs	245	293	326
Drop-out Rate	2.1%	2.6%	2.7%
School Suspensions:			
Alcohol Incidents	16	9	11
Drug Incidents	101	107	81
Tobacco Incidents	6	0	2

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	3,005	3,136	3,206
Mother Reported Smoking while Pregnant	440	450	396

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	17	21	11
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	1,535	1,542	1,486
Suicides	28	36	33
Self-inflicted Injuries	351	391	349
Homicides	10	5	8
Assault Injuries	740	758	835
Alcohol Induced Deaths	22	16	16
Drug Induced Deaths	21	25	26
Smoking Attributable Deaths	268	302	280

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,587		
Alcohol Primary Diagnosis <sup>2</sup>	144		
Drug Primary Diagnosis <sup>2</sup>	95		
Alcohol Related Diagnosis	586	737	515
Drug Related Diagnosis	659	705	511
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	344		
Alcohol Primary Diagnosis <sup>2</sup>	154		
Drug Primary Diagnosis <sup>2</sup>	90		
Alcohol Related Diagnosis	846	724	840
Drug Related Diagnosis	648	548	638
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,752		
Alcohol Primary Diagnosis <sup>2</sup>	629		
Drug Primary Diagnosis <sup>2</sup>	288		
Alcohol Related Diagnosis	1,277	1,320	1,109
Drug Related Diagnosis	971	878	586

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	154	213	203
Fatal Crashes	3	7	7
Injury Crashes	55	87	77
Property Damage Crashes	96	119	119
Crash Fatalities	3	7	6
Crash Injuries	87	119	94
Drug Involved Crashes--Total	29	26	32
Fatal Crashes	0	0	2
Injury Crashes	12	11	13
Property Damage Crashes	17	15	17
Crash Fatalities	0	0	2
Crash Injuries	13	16	13

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	1,049	1,029	1,001
Liquor Law Arrests	321	258	436
Drug Arrests	787	747	751
Methamphetamine Lab Incidents	3	4	8
Violent Offenses	236	210	229
Property Offenses	2,731	2,373	2,109
Domestic Violence Reports	572	765	853

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	648	736	982
Violent Offenses	133	170	204
Alcohol Offenses	35	27	48
Drug Offenses	91	113	92
Status Offenses--Total	55	63	57
Truancy	10	17	12
Beyond Parental Control	11	10	18
Habitually Absent from Home	24	29	26
Injurious Behavior	4	3	1
Abuse/Neglect/Custody--Total	219	189	215
Abuse	18	5	18
Neglect	188	176	186
Custody Disputes	13	8	11

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	34	47	53
Parental Alcohol Use Related	3	5	5
Parental Drug Use Related	7	13	16
Parental Alcohol and Drug Use	1	0	1
Child Removed for Other Reason	23	29	31

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	57	57	61
Probation/Parole Admissions--Total	783	728	700
Probation/Parole Admissions--Drug	231	216	197
Probation/Parole Admissions--DWI	70	51	50
Prison Admissions--Total	438	417	437
Prison Admissions--Drug	108	124	105
Prison Admissions--DWI	35	33	36

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	189	189	188
Alcohol Package Carry-out Licenses	151	150	149

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# CLAY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	60	90	154
CSTAR Adolescent	37	48	47
CSTAR Women and Children	28	33	36
CSTAR General Adult	631	547	356
CSTAR Opioid	7	11	8
Primary Recovery Treatment	33	52	301
Clinical SATOP (CIP, YCIP, SROP)	205	156	174
Other Substance Abuse Treatment	*	*	6


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	904	908	1,064
- Adolescent Diversion Education Program	18	12	12
- Offender Education Program	329	338	415
- Weekend Intervention Program	261	278	320
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	13	17	24
Compulsive Gambling	*	19	25
Recovery Supports	20	20	81
Early Intervention	12	8	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	969	859	948	Alcohol	472	436	494
AGE				Marijuana / Hashish	219	202	199
Under 18	44	49	46	Cocaine (total)	31	32	51
18 to 24	211	171	192	- Crack	23	20	33
25 to 29	163	123	169	Stimulant (total)	159	110	124
30 to 34	141	134	118	- Methamphetamine	158	105	123
35 to 39	125	93	119	Heroin	13	13	10
40 to 44	97	93	114	Analgesic except Heroin	60	53	54
45 to 54	147	156	146	- Non-Prescription Methadone	0	0	*
55 and Over	41	40	44	PCP, LSD, other Hallucinogen	7	5	*
GENDER				Tranquilizer	5	6	9
Male	650	601	646	Inhalant	0	0	*
Female	319	258	302	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	862	774	840	Average Age at First Use of Drug	17.9	17.3	17.1
African American	50	43	48	INJECTION DRUG USE			
Native American / Alaskan	*	*	5	Any Injection Use at Admission	68	54	55
Asian / Pacific Islander	*	*	*	- Daily Injection Use	24	22	9
Hispanic	42	33	40	- Weekly Injection Use	9	15	20
Other Race / Two or More Races	22	19	20	- Less than Weekly Injection Use	35	17	26
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	251	223	260	0	467	389	436
High School Graduate or G.E.D.	456	382	464	1 or 2	286	255	250
Associate Degree or Some College	245	227	200	3 or More	216	215	262
Bachelor or Advanced Degree	17	27	24	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	169	196	229
Employed	357	272	309	School	*	0	0
Unemployed	342	403	400	Mental Health Provider	93	77	70
Not in Labor Force	270	184	239	Health Care Provider	25	37	24
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	564	480	543
Independent Living	874	741	796	Other Referral Source	89	69	81
Dependent Living	54	75	81	TREATMENT ACCOMMODATION			
Homeless	30	34	43	Pregnant when Admitted to any Episode	17	*	9
MARITAL / FAMILY STATUS				Military Veteran	58	39	32
Never Married	537	495	553	Special Education Services Needed	43	26	37
Married / Cohabiting	193	187	185	Co-Occurring Psychological Problem	313	300	332
Previously Married	239	177	209	Co-Occurring Developmental Problem	14	21	19

# CLAY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 6  
**CENSUS 2010** 221,939  
**2012 POPULATION ESTIMATE** 227,577

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	56	55	71
Anxiety Disorder	1,118	912	880
Dementia	17	11	14
Developmental Disorder	50	42	48
Impulse Control Disorder	457	343	363
Mood Disorder	1,912	1,593	1,648
Personality Disorder	465	313	300
Psychotic Disorder	392	325	332
Sexual Disorder	0	*	0
Other Diagnosis	174	154	173
Diagnosis Unknown	258	379	687

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	2,691	2,375	2,797	Less than High School Diploma	154	71	34
<b>AGE</b>				High School Grad or G.E.D.	140	138	84
Under 6	26	12	18	Associate Degree or Some College	60	48	32
6 to 9	98	69	77	Bachelor or Advanced Degree	20	11	10
10 to 13	123	102	135	Education Level Unknown	2,317	2,107	2,637
14 to 17	165	132	189	<b>EMPLOYMENT</b>			
18 to 24	252	210	303	Employed	80	24	16
25 to 29	256	227	301	Unemployed	290	240	141
30 to 34	280	265	281	Not in Labor Force	176	5	*
35 to 39	256	240	292	Employment Status Unknown	2,145	2,106	2,636
40 to 44	260	250	277	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	298	289	330	Independent Living	419	220	136
50 to 54	278	259	260	Dependent Living	160	148	18
55 to 59	211	167	176	Homeless	10	6	*
60 and Over	188	153	158	Other	6	10	9
Age Unknown	0	0	0	Housing Unknown	2,096	1,991	2,630
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,135	984	1,201	Self / Family / Friend	2,495	2,122	2,394
Female	1,556	1,391	1,596	School	*	*	5
Gender Unknown	0	0	0	Mental Health Provider	48	54	70
<b>RACE / ETHNICITY</b>				Health Care Provider	49	56	73
Caucasian	2,329	2,076	2,424	Court / Criminal Justice	18	21	29
African American	156	117	138	Other	54	67	100
Native American / Alaskan	11	9	14	Referral Source Unknown	25	53	126
Asian / Pacific Islander	11	9	11	<b>TYPE OF COMMITMENT</b>			
Hispanic	83	54	65	Voluntary	2,661	2,320	2,664
Other Race	101	106	141	Civil	*	0	*
Race/Ethnicity Unknown	0	*	*	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	0	*
Hearing Impaired	52	39	45	Commitment Type Unknown	25	53	125
Past or Current Military Service	32	32	38				

# CLAY COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012


	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	35.6	37.9	Alcohol	71.1	77.5
Cigarettes	18.6	20.8	Cigarettes	83.8	82.0
Chewing Tobacco	9.6	10.1	Marijuana	73.1	72.7
Marijuana	16.2	14.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.1	93.8
Inhalants	5.5	6.9			
Prescription medications not prescribed for student	8.7	11.6	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	6.6	8.5	Were very sad	18.4	20.2
Methamphetamine	1.1	1.0	Were grouchy, irritable, or in a bad mood	23.1	25.2
Cocaine	1.7	1.8	Felt hopeless about the future	11.3	12.3
Heroin	0.8	0.7	Felt like not eating or eating more than usual	16.0	19.0
Hallucinogens	3.2	3.2	Slept a lot more or a lot less than usual	20.1	25.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.3	2.5	Had difficulty concentrating on school work	22.5	23.2
Steroids not prescribed for student	1.0	1.2			
Synthetic drugs (K2, bath salts, Spice, etc)	6.4		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	12.1	11.9
Alcohol	13.00	12.75	Made plan about how they would attempt suicide	8.5	8.0
Cigarettes	13.06	12.55	Attempted suicide	4.5	5.3
Marijuana	13.83	13.72	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.6	2.0
Inhalants	11.90	11.77			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	16.0	17.3	Were threatened/injured with weapon at school	5.2	8.8
Binge Alcohol (5 or more drinks on one occasion)	8.7	9.5	Were in a physical fight	16.4	21.5
Cigarettes	8.3	11.5	Were in a fight and had to be treated by a doctor or nurse	2.8	3.6
Chewing Tobacco	5.2	5.3			
Marijuana	8.3	7.7	<b>Percent of students in past 3 months who:</b>		
Inhalants	2.0	3.3	Were victims of mean rumors or lies spread at school	47.1	53.5
Prescription medications not prescribed for student	4.5	6.8	Had embarrassing or hurtful pictures/text of them posted on internet	14.1	14.7
Over-the-counter medications for non-medical use	3.8	5.7	Had embarrassing or hurtful pictures/text of them sent by cell phone	17.3	15.5
			Were made fun of by others	61.3	68.8
<b>Percent whose friends used in past 12 months:</b>			<b>Percent of students who, in the past 3 months:</b>		
Alcohol	51.1	54.9	Spread mean rumors or lies about other kids at school	29.0	36.4
Cigarettes	39.8	42.9	Posted on internet embarrassing or hurtful pictures/text of someone	9.7	12.3
Marijuana	38.8	37.1	Sent by cell phone embarrassing or hurtful pictures/text of someone	11.6	13.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.4	20.4	Made fun of other people	60.9	72.1
<b>Percent who would likely use, if offered by a best friend:</b>			<b>Percent of students who agree that:</b>		
Alcohol	27.2	29.0	Teachers notice and comment on student's good work	67.2	68.3
Cigarettes	11.0	13.4	School provides feedback to parents on positive student performance	34.0	37.9
Marijuana	13.5	12.3	Teachers praise student for hard work	54.4	53.5
			Rules are enforced fairly	69.0	69.9
<b>Percent who say it would be wrong to use:</b>			Students of all races/ethnicities are treated equally	79.0	78.3
Alcohol	64.9	63.2			
Cigarettes	83.2	81.1	<b>Percent of students who agree that:</b>		
Marijuana	81.4	82.6	Parents notice and comment on student's good work	82.7	83.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.3	94.2	Parents involve student in making family decisions	69.0	70.5
			It is important to be honest with parents regardless of consequences	83.0	80.9
<b>Percent whose parents would disapprove if they use:</b>			Student could ask parent for help with a personal problem	76.0	75.5
Alcohol	80.9	80.6			
Cigarettes	93.0	91.6			
Marijuana	93.9	94.5			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	97.7			
<b>Percent who say it would be easy to obtain:</b>					
Alcohol	59.2	59.7			
Cigarettes	51.0	52.5			
Marijuana	37.9	35.9			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.7	18.3			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# CLINTON COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	1
Adult Psychiatric	1
<b>FIPS COUNTY CODE</b>	049
<b>POPULATION</b>	
Census 2010	20,743
2012 Pop. Estimate	20,508

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	10,174	10,425	10,054
Employed	9,383	9,384	8,967
Unemployed	791	1,041	1,087
Unemployment Rate	7.8%	10.0%	10.8%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	1,010	1,028	1,052
Drop-outs	30	30	34
Drop-out Rate	3.0%	2.9%	3.2%
School Suspensions:			
Alcohol Incidents	0	0	1
Drug Incidents	0	2	0
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	249	224	265
Mother Reported Smoking while Pregnant	59	64	53

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	1
IDU and MSM <sup>1</sup>	0	0	*
IDU without MSM <sup>1</sup>	0	0	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	254	227	232
Suicides	3	0	4
Self-inflicted Injuries	29	31	26
Homicides	2	0	0
Assault Injuries	51	28	47
Alcohol Induced Deaths	4	1	2
Drug Induced Deaths	3	0	3
Smoking Attributable Deaths	42	49	47

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	169		
Alcohol Primary Diagnosis <sup>2</sup>	3		
Drug Primary Diagnosis <sup>2</sup>	3		
Alcohol Related Diagnosis	36	74	50
Drug Related Diagnosis	44	57	35
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	57		
Alcohol Primary Diagnosis <sup>2</sup>	12		
Drug Primary Diagnosis <sup>2</sup>	10		
Alcohol Related Diagnosis	55	65	61
Drug Related Diagnosis	55	31	47
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	156		
Alcohol Primary Diagnosis <sup>2</sup>	16		
Drug Primary Diagnosis <sup>2</sup>	20		
Alcohol Related Diagnosis	48	53	38
Drug Related Diagnosis	67	50	33

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	13	16	13
Fatal Crashes	1	0	1
Injury Crashes	9	4	7
Property Damage Crashes	3	12	5
Crash Fatalities	1	0	1
Crash Injuries	12	5	7
Drug Involved Crashes--Total	2	5	1
Fatal Crashes	1	0	1
Injury Crashes	0	1	0
Property Damage Crashes	1	4	0
Crash Fatalities	1	0	1
Crash Injuries	1	1	1

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	187	145	88
Liquor Law Arrests	51	28	25
Drug Arrests	158	176	158
Methamphetamine Lab Incidents	0	1	0
Violent Offenses	92	65	61
Property Offenses	409	453	439
Domestic Violence Reports	298	340	299

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	138	79	59
Violent Offenses	28	24	19
Alcohol Offenses	11	11	0
Drug Offenses	13	9	8
Status Offenses--Total	106	57	45
Truancy	37	26	8
Beyond Parental Control	16	7	5
Habitually Absent from Home	22	7	12
Injurious Behavior	25	14	20
Abuse/Neglect/Custody--Total	17	27	3
Abuse	8	7	0
Neglect	9	20	3
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	18	20	4
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	6	7	0
Parental Alcohol and Drug Use	1	0	0
Child Removed for Other Reason	11	13	4

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	159	136	119
Probation/Parole Admissions--Drug	46	43	34
Probation/Parole Admissions--DWI	7	9	11
Prison Admissions--Total	88	102	81
Prison Admissions--Drug	29	36	26
Prison Admissions--DWI	5	6	9

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	19	19	22
Alcohol Package Carry-out Licenses	17	15	13

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# CLINTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	8	5	13
CSTAR Adolescent	9	5	*
CSTAR Women and Children	0	*	0
CSTAR General Adult	42	58	12
CSTAR Opioid	0	0	0
Primary Recovery Treatment	30	9	51
Clinical SATOP (CIP, YCIP, SROP)	18	11	14
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	89	92	94
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	29	30	44
- Weekend Intervention Program	20	32	19
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	*	0
Recovery Supports	*	0	15
Early Intervention	12	*	0


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	101	86	79	Alcohol	48	44	40
AGE				Marijuana / Hashish	30	21	23
Under 18	10	5	*	Cocaine (total)	*	*	*
18 to 24	16	13	13	- Crack	*	*	*
25 to 29	19	18	19	Stimulant (total)	11	10	9
30 to 34	14	8	10	- Methamphetamine	10	10	9
35 to 39	6	12	9	Heroin	*	*	0
40 to 44	11	13	10	Analgesic except Heroin	6	5	*
45 to 54	19	14	13	- Non-Prescription Methadone	*	*	0
55 and Over	6	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	*
Male	73	57	57	Inhalant	0	0	0
Female	28	29	22	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	97	82	70	Average Age at First Use of Drug	17.3	18.0	16.5
African American	*	*	6	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	7	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	0
Hispanic	*	0	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	*	*	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	39	22	19	0	46	48	37
High School Graduate or G.E.D.	45	46	42	1 or 2	31	24	22
Associate Degree or Some College	15	15	15	3 or More	24	14	20
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	17	20	17
Employed	44	37	30	School	0	0	0
Unemployed	29	33	40	Mental Health Provider	*	0	0
Not in Labor Force	28	16	9	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	72	56	49
Independent Living	87	77	74	Other Referral Source	7	8	11
Dependent Living	12	7	*	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran	7	*	*
Never Married	54	42	40	Special Education Services Needed	*	*	*
Married / Cohabiting	23	23	22	Co-Occurring Psychological Problem	15	15	15
Previously Married	24	21	17	Co-Occurring Developmental Problem	*	*	0



# CLINTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 1  
**CENSUS 2010** 20,743  
**2012 POPULATION ESTIMATE** 20,508

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	18	9	11
Anxiety Disorder	58	41	29
Dementia	0	0	0
Developmental Disorder	*	0	*
Impulse Control Disorder	33	36	19
Mood Disorder	83	86	67
Personality Disorder	*	*	*
Psychotic Disorder	17	13	15
Sexual Disorder	0	0	0
Other Diagnosis	14	18	14
Diagnosis Unknown	30	25	17

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	206	192	146	Less than High School Diploma	43	19	0
<b>AGE</b>				High School Grad or G.E.D.	25	12	0
Under 6	7	14	8	Associate Degree or Some College	16	16	0
6 to 9	30	21	16	Bachelor or Advanced Degree	*	*	0
10 to 13	36	28	18	Education Level Unknown	121	144	146
14 to 17	25	26	21	<b>EMPLOYMENT</b>			
18 to 24	20	20	9	Employed	12	*	0
25 to 29	14	8	11	Unemployed	59	45	0
30 to 34	19	21	12	Not in Labor Force	27	0	0
35 to 39	17	16	11	Employment Status Unknown	108	144	146
40 to 44	13	12	7	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	8	7	8	Independent Living	81	45	0
50 to 54	8	8	13	Dependent Living	32	40	*
55 to 59	7	6	7	Homeless	0	0	0
60 and Over	*	5	5	Other	*	*	0
Age Unknown	0	0	0	Housing Unknown	92	105	143
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	84	81	55	Self / Family / Friend	94	82	61
Female	122	111	91	School	12	5	5
Gender Unknown	0	0	0	Mental Health Provider	29	30	23
<b>RACE / ETHNICITY</b>				Health Care Provider	31	30	21
Caucasian	190	181	141	Court / Criminal Justice	12	10	6
African American	*	*	*	Other	26	33	28
Native American / Alaskan	*	*	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	6	*	*	Voluntary	203	190	143
Other Race	6	*	*	Civil	*	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

# CLINTON COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	34.8	41.9	Alcohol	64.7	82.9
Cigarettes	15.3	27.3	Cigarettes	76.4	81.9
Chewing Tobacco	12.3	13.8	Marijuana	80.6	73.1
Marijuana	8.2	9.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	91.8	91.9
Inhalants	4.2	9.0			
Prescription medications not prescribed for student	5.1	16.1	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	2.2	8.2	Were very sad	12.8	23.0
Methamphetamine	2.6	0.0	Were grouchy, irritable, or in a bad mood	26.5	25.2
Cocaine	0.1	0.9	Felt hopeless about the future	9.1	10.3
Heroin	0.4	0.2	Felt like not eating or eating more than usual	17.0	21.7
Hallucinogens	1.6	0.2	Slept a lot more or a lot less than usual	22.4	23.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.4	0.7	Had difficulty concentrating on school work	23.4	19.1
Steroids not prescribed for student	0.3	1.5			
Synthetic drugs (K2, bath salts, Spice, etc)	6.7		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	10.5	17.4
Alcohol	11.86	11.77	Made plan about how they would attempt suicide	9.9	8.1
Cigarettes	11.84	11.75	Attempted suicide	3.3	5.1
Marijuana	13.35	13.52	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.5	1.7
Inhalants	10.24	11.41			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	14.7	17.1	Were threatened/injured with weapon at school	7.2	13.9
Binge Alcohol (5 or more drinks on one occasion)	8.4	10.8	Were in a physical fight	20.0	29.2
Cigarettes	5.6	14.2	Were in a fight and had to be treated by a doctor or nurse	1.1	6.4
Chewing Tobacco	5.4	7.3			
Marijuana	3.7	5.9	<b>Percent of students in past 3 months who:</b>		
Inhalants	1.5	3.4	Were victims of mean rumors or lies spread at school	51.4	56.1
Prescription medications not prescribed for student	3.2	9.9	Had embarrassing or hurtful pictures/text of them posted on internet	9.5	13.2
Over-the-counter medications for non-medical use	0.5	6.5	Had embarrassing or hurtful pictures/text of them sent by cell phone	14.2	15.0
			Were made fun of by others	68.2	69.3
<b>Percent whose friends used in past 12 months:</b>					
Alcohol	50.2	54.1	<b>Percent of students who, in the past 3 months:</b>		
Cigarettes	38.0	47.7	Spread mean rumors or lies about other kids at school	26.1	34.3
Marijuana	27.8	29.0	Posted on internet embarrassing or hurtful pictures/text of someone	7.8	11.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.9	20.0	Sent by cell phone embarrassing or hurtful pictures/text of someone	7.2	12.4
<b>Percent who would likely use, if offered by a best friend:</b>			Made fun of other people	58.1	68.6
Alcohol	27.9	32.0			
Cigarettes	11.1	15.3	<b>Percent of students who agree that:</b>		
Marijuana	8.0	9.4	Teachers notice and comment on student's good work	67.5	60.0
<b>Percent who say it would be wrong to use:</b>			School provides feedback to parents on positive student performance	38.4	34.3
Alcohol	61.7	60.5	Teachers praise student for hard work	53.2	45.1
Cigarettes	83.3	79.8	Rules are enforced fairly	69.1	59.5
Marijuana	90.0	87.2	Students of all races/ethnicities are treated equally	84.6	75.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	93.3			
<b>Percent whose parents would disapprove if they use:</b>			<b>Percent of students who agree that:</b>		
Alcohol	84.7	78.5	Parents notice and comment on student's good work	84.7	84.8
Cigarettes	97.6	89.9	Parents involve student in making family decisions	70.1	63.9
Marijuana	98.0	95.7	It is important to be honest with parents regardless of consequences	86.2	79.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.5	96.7	Student could ask parent for help with a personal problem	81.1	72.0
<b>Percent who say it would be easy to obtain:</b>					
Alcohol	54.8	54.1			
Cigarettes	42.1	56.9			
Marijuana	24.6	31.3			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.8	19.6			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# COLE COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	11
Adult Psychiatric	11
<b>FIPS COUNTY CODE</b>	051
<b>POPULATION</b>	
Census 2010	75,990
2012 Pop. Estimate	76,363

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	902	946	924
Mother Reported Smoking while Pregnant	172	163	197

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	5	3	3
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	593	598	603
Suicides	11	6	12
Self-inflicted Injuries	112	123	72
Homicides	1	1	2
Assault Injuries	334	376	242
Alcohol Induced Deaths	6	6	7
Drug Induced Deaths	8	12	11
Smoking Attributable Deaths	106	101	103

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	206		
Alcohol Primary Diagnosis <sup>2</sup>	19		
Drug Primary Diagnosis <sup>2</sup>	7		
Alcohol Related Diagnosis	104	133	126
Drug Related Diagnosis	113	147	119
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	408		
Alcohol Primary Diagnosis <sup>2</sup>	129		
Drug Primary Diagnosis <sup>2</sup>	50		
Alcohol Related Diagnosis	381	266	276
Drug Related Diagnosis	274	171	153
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	685		
Alcohol Primary Diagnosis <sup>2</sup>	172		
Drug Primary Diagnosis <sup>2</sup>	109		
Alcohol Related Diagnosis	399	352	245
Drug Related Diagnosis	266	207	136

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	68	66	83
Fatal Crashes	2	2	1
Injury Crashes	31	24	35
Property Damage Crashes	35	40	47
Crash Fatalities	2	3	1
Crash Injuries	41	33	43
Drug Involved Crashes--Total	16	5	13
Fatal Crashes	2	0	0
Injury Crashes	5	1	7
Property Damage Crashes	9	4	6
Crash Fatalities	2	0	2
Crash Injuries	9	2	7

## EMPLOYMENT

	2012	2011	2010
Labor Force	39,483	40,530	40,315
Employed	37,394	37,926	37,520
Unemployed	2,089	2,604	2,795
Unemployment Rate	5.3%	6.4%	6.9%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	3,518	3,510	3,482
Drop-outs	100	133	133
Drop-out Rate	2.8%	3.8%	3.8%
School Suspensions:			
Alcohol Incidents	5	4	2
Drug Incidents	32	39	36
Tobacco Incidents	1	2	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	485	388	448
Liquor Law Arrests	138	126	188
Drug Arrests	371	268	315
Methamphetamine Lab Incidents	2	3	2
Violent Offenses	306	263	308
Property Offenses	2,196	2,103	1,811
Domestic Violence Reports	617	711	580

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	518	491	741
Violent Offenses	138	146	235
Alcohol Offenses	33	17	31
Drug Offenses	51	40	68
Status Offenses--Total	289	264	261
Truancy	126	52	23
Beyond Parental Control	30	25	15
Habitually Absent from Home	54	53	77
Injurious Behavior	79	134	146
Abuse/Neglect/Custody--Total	241	278	279
Abuse	133	161	138
Neglect	108	117	139
Custody Disputes	0	0	2

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	77	64	41
Parental Alcohol Use Related	3	4	3
Parental Drug Use Related	33	13	7
Parental Alcohol and Drug Use	0	1	2
Child Removed for Other Reason	41	46	29

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	99	67	66
Probation/Parole Admissions--Total	404	376	405
Probation/Parole Admissions--Drug	130	128	147
Probation/Parole Admissions--DWI	53	43	29
Prison Admissions--Total	203	186	162
Prison Admissions--Drug	67	65	61
Prison Admissions--DWI	17	9	21

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	108	102	100
Alcohol Package Carry-out Licenses	67	67	65

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# COLE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	49	67	63
CSTAR Adolescent	29	36	34
CSTAR Women and Children	42	44	60
CSTAR General Adult	358	288	46
CSTAR Opioid	0	0	0
Primary Recovery Treatment	55	84	409
Clinical SATOP (CIP, YCIP, SROP)	109	95	77
Other Substance Abuse Treatment	*	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	381	343	457
- Adolescent Diversion Education Program	9	25	57
- Offender Education Program	117	113	161
- Weekend Intervention Program	93	79	105
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	9	11	*
Compulsive Gambling	*	*	5
Recovery Supports	*	*	15
Early Intervention	47	29	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	540	504	576	Alcohol	258	253	287
AGE				Marijuana / Hashish	147	124	162
Under 18	29	40	33	Cocaine (total)	22	24	42
18 to 24	100	104	119	- Crack	8	10	19
25 to 29	107	87	98	Stimulant (total)	55	28	26
30 to 34	95	71	99	- Methamphetamine	54	25	25
35 to 39	63	49	60	Heroin	34	41	27
40 to 44	41	51	67	Analgesic except Heroin	19	23	23
45 to 54	75	82	83	- Non-Prescription Methadone	0	0	*
55 and Over	30	20	17	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	*	7	*
Male	383	354	437	Inhalant	0	0	*
Female	157	150	139	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	*
Caucasian	402	381	409	Average Age at First Use of Drug	17.2	16.6	16.8
African American	114	103	140	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	60	42	34
Asian / Pacific Islander	*	*	*	- Daily Injection Use	12	12	11
Hispanic	6	*	5	- Weekly Injection Use	16	15	9
Other Race / Two or More Races	16	14	20	- Less than Weekly Injection Use	32	15	14
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	169	171	187	0	265	243	303
High School Graduate or G.E.D.	218	212	256	1 or 2	163	170	169
Associate Degree or Some College	145	109	116	3 or More	112	91	104
Bachelor or Advanced Degree	8	12	17	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	109	147	133
Employed	204	162	206	School	0	0	*
Unemployed	163	173	234	Mental Health Provider	6	6	9
Not in Labor Force	173	169	136	Health Care Provider	18	15	11
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	378	279	406
Independent Living	472	427	490	Other Referral Source	28	56	16
Dependent Living	40	50	59	TREATMENT ACCOMMODATION			
Homeless	11	19	13	Pregnant when Admitted to any Episode	9	7	10
MARITAL / FAMILY STATUS				Military Veteran	30	19	30
Never Married	329	303	329	Special Education Services Needed	59	44	43
Married / Cohabiting	98	88	120	Co-Occurring Psychological Problem	177	173	227
Previously Married	113	113	127	Co-Occurring Developmental Problem	17	12	15

# COLE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 11  
**CENSUS 2010** 75,990  
**2012 POPULATION ESTIMATE** 76,363

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	20	15	10
Anxiety Disorder	221	210	179
Dementia	*	*	7
Developmental Disorder	6	*	6
Impulse Control Disorder	46	57	48
Mood Disorder	332	324	289
Personality Disorder	84	96	90
Psychotic Disorder	176	179	178
Sexual Disorder	*	*	*
Other Diagnosis	52	48	40
Diagnosis Unknown	35	38	38

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	594	578	523	Less than High School Diploma	137	109	65
<b>AGE</b>				High School Grad or G.E.D.	158	167	88
Under 6	*	*	*	Associate Degree or Some College	61	54	25
6 to 9	11	10	5	Bachelor or Advanced Degree	17	16	10
10 to 13	32	32	30	Education Level Unknown	221	232	335
14 to 17	34	39	33	<b>EMPLOYMENT</b>			
18 to 24	37	40	36	Employed	52	57	34
25 to 29	46	45	37	Unemployed	298	279	133
30 to 34	51	43	38	Not in Labor Force	83	15	21
35 to 39	48	57	50	Employment Status Unknown	161	227	335
40 to 44	53	59	59	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	82	79	74	Independent Living	335	275	150
50 to 54	84	73	64	Dependent Living	124	117	38
55 to 59	53	49	49	Homeless	*	11	*
60 and Over	59	49	46	Other	9	*	*
Age Unknown	0	0	0	Housing Unknown	122	171	329
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	255	259	243	Self / Family / Friend	301	300	274
Female	339	319	280	School	0	*	*
Gender Unknown	0	0	0	Mental Health Provider	103	108	106
<b>RACE / ETHNICITY</b>				Health Care Provider	79	53	24
Caucasian	468	468	438	Court / Criminal Justice	25	25	25
African American	88	72	60	Other	85	90	91
Native American / Alaskan	*	*	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	16	14	10	Voluntary	580	564	508
Other Race	20	22	15	Civil	*	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	11	12	13
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	35	31	32	Commitment Type Unknown	*	*	*
Past or Current Military Service	18	25	22				




# COLE COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	43.4	42.6	Alcohol	69.2	75.9
Cigarettes	25.1	25.5	Cigarettes	83.6	83.1
Chewing Tobacco	9.5	10.6	Marijuana	71.2	73.8
Marijuana	16.8	16.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.8	94.6
Inhalants	4.5	5.3	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	9.6	11.2	Were very sad	20.9	28.9
Over-the-counter medications for non-medical use	7.3	7.5	Were grouchy, irritable, or in a bad mood	25.2	27.9
Methamphetamine	0.9	0.7	Felt hopeless about the future	11.9	12.5
Cocaine	1.7	2.0	Felt like not eating or eating more than usual	17.4	22.0
Heroin	0.5	0.6	Slept a lot more or a lot less than usual	19.5	26.8
Hallucinogens	3.6	3.8	Had difficulty concentrating on school work	23.7	20.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.7	3.0	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.8	0.7	Seriously considered attempting suicide	13.8	11.4
Synthetic drugs (K2, bath salts, Spice, etc)	7.6		Made plan about how they would attempt suicide	10.4	8.2
<b>Average age of students' first use of:</b>			Attempted suicide	6.2	4.9
Alcohol	12.64	12.64	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.3	1.8
Cigarettes	12.48	12.54	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.59	13.44	Were threatened/injured with weapon at school	7.0	10.2
Inhalants	12.05	12.20	Were in a physical fight	18.6	22.6
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.0	4.1
Alcohol	19.2	20.1	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	10.6	11.6	Were victims of mean rumors or lies spread at school	49.1	52.1
Cigarettes	11.3	13.6	Had embarrassing or hurtful pictures/text of them posted on internet	13.7	11.9
Chewing Tobacco	5.1	5.6	Had embarrassing or hurtful pictures/text of them sent by cell phone	16.9	13.0
Marijuana	8.2	7.6	Were made fun of by others	62.0	68.2
Inhalants	1.8	2.2	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	5.1	7.4	Spread mean rumors or lies about other kids at school	31.9	33.7
Over-the-counter medications for non-medical use	4.7	4.0	Posted on internet embarrassing or hurtful pictures/text of someone	9.9	10.6
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	11.7	15.8
Alcohol	62.6	62.7	Made fun of other people	66.5	73.2
Cigarettes	47.1	48.4	<b>Percent of students who agree that:</b>		
Marijuana	41.1	40.2	Teachers notice and comment on student's good work	65.3	71.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.9	20.9	School provides feedback to parents on positive student performance	33.4	35.3
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	52.2	51.7
Alcohol	32.8	33.9	Rules are enforced fairly	59.1	58.9
Cigarettes	14.7	14.5	Students of all races/ethnicities are treated equally	68.6	71.3
Marijuana	14.3	13.6	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	82.5	85.5
Alcohol	55.9	59.1	Parents involve student in making family decisions	67.6	72.0
Cigarettes	80.4	78.4	It is important to be honest with parents regardless of consequences	84.6	82.4
Marijuana	79.3	80.0	Student could ask parent for help with a personal problem	71.8	77.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	93.7	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	77.1	79.6	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	91.1	91.3	Percentages are estimates based on weighted data.		
Marijuana	92.7	94.1	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.0	97.5	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	63.9	64.2			
Cigarettes	54.7	58.1			
Marijuana	40.4	40.4			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.0	22.6			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# COOPER COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	12
Adult Psychiatric	12
<b>FIPS COUNTY CODE</b>	053
<b>POPULATION</b>	
Census 2010	17,601
2012 Pop. Estimate	17,520

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	8,434	8,674	8,663
Employed	7,857	7,927	7,866
Unemployed	577	747	797
Unemployment Rate	6.8%	8.6%	9.2%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	859	837	936
Drop-outs	12	18	19
Drop-out Rate	1.4%	2.2%	2.0%
School Suspensions:			
Alcohol Incidents	10	0	1
Drug Incidents	11	1	1
Tobacco Incidents	2	3	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	202	187	204
Mother Reported Smoking while Pregnant	53	41	42

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	209	177	186
Suicides	0	3	4
Self-inflicted Injuries	20	22	21
Homicides	0	0	0
Assault Injuries	48	58	60
Alcohol Induced Deaths	2	1	0
Drug Induced Deaths	0	1	2
Smoking Attributable Deaths	34	35	30

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	74		
Alcohol Primary Diagnosis <sup>2</sup>	7		
Drug Primary Diagnosis <sup>2</sup>	2		
Alcohol Related Diagnosis	38	34	34
Drug Related Diagnosis	31	24	31
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	64		
Alcohol Primary Diagnosis <sup>2</sup>	19		
Drug Primary Diagnosis <sup>2</sup>	7		
Alcohol Related Diagnosis	58	33	26
Drug Related Diagnosis	27	32	10
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	121		
Alcohol Primary Diagnosis <sup>2</sup>	20		
Drug Primary Diagnosis <sup>2</sup>	5		
Alcohol Related Diagnosis	66	55	62
Drug Related Diagnosis	36	25	19

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	20	34	25
Fatal Crashes	0	0	2
Injury Crashes	6	16	8
Property Damage Crashes	14	18	15
Crash Fatalities	0	0	2
Crash Injuries	9	22	8
Drug Involved Crashes--Total	2	2	3
Fatal Crashes	0	0	0
Injury Crashes	1	1	2
Property Damage Crashes	1	1	1
Crash Fatalities	0	0	0
Crash Injuries	1	1	2

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	140	157	92
Liquor Law Arrests	53	51	76
Drug Arrests	164	150	121
Methamphetamine Lab Incidents	18	22	18
Violent Offenses	13	23	39
Property Offenses	452	440	419
Domestic Violence Reports	69	63	78

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	87	110	71
Violent Offenses	19	32	25
Alcohol Offenses	1	12	4
Drug Offenses	4	2	2
Status Offenses--Total	114	117	88
Truancy	1	8	8
Beyond Parental Control	24	13	9
Habitually Absent from Home	3	7	11
Injurious Behavior	71	83	54
Abuse/Neglect/Custody--Total	3	11	11
Abuse	1	1	4
Neglect	2	10	7
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	12	22	15
Parental Alcohol Use Related	4	0	1
Parental Drug Use Related	2	4	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	6	18	14

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	16	22	14
Probation/Parole Admissions--Total	151	146	108
Probation/Parole Admissions--Drug	46	47	32
Probation/Parole Admissions--DWI	15	19	10
Prison Admissions--Total	64	72	53
Prison Admissions--Drug	21	29	16
Prison Admissions--DWI	7	8	4

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	21	21	20
Alcohol Package Carry-out Licenses	24	24	26

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# COOPER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	*	10	9
CSTAR Adolescent	5	6	*
CSTAR Women and Children	5	10	14
CSTAR General Adult	27	40	8
CSTAR Opioid	0	0	0
Primary Recovery Treatment	13	26	59
Clinical SATOP (CIP, YCIP, SROP)	14	11	12
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	78	56	75
- Adolescent Diversion Education Program	5	*	*
- Offender Education Program	34	23	24
- Weekend Intervention Program	13	13	17
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	8	*
Compulsive Gambling	0	*	0
Recovery Supports	*	*	*
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	63	80	87	Alcohol	31	38	42
AGE				Marijuana / Hashish	13	22	27
Under 18	5	7	*	Cocaine (total)	*	5	8
18 to 24	7	11	15	- Crack	*	*	*
25 to 29	13	14	20	Stimulant (total)	11	13	8
30 to 34	11	18	8	- Methamphetamine	10	13	8
35 to 39	9	12	8	Heroin	*	0	0
40 to 44	7	6	11	Analgesic except Heroin	*	*	*
45 to 54	6	10	16	- Non-Prescription Methadone	0	0	0
55 and Over	5	*	5	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	*
Male	42	58	66	Inhalant	0	0	0
Female	21	22	21	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	52	71	68	Average Age at First Use of Drug	16.0	15.4	17.2
African American	7	7	16	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	10	8	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	*	0	0
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	7	5	0
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	19	22	27	0	29	33	35
High School Graduate or G.E.D.	25	47	50	1 or 2	19	30	33
Associate Degree or Some College	19	11	8	3 or More	15	17	19
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	18	19	22
Employed	23	24	20	School	0	0	0
Unemployed	23	33	41	Mental Health Provider	*	*	0
Not in Labor Force	17	23	26	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	35	54	55
Independent Living	52	66	73	Other Referral Source	6	*	7
Dependent Living	6	10	8	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	5	5	5
Never Married	31	40	47	Special Education Services Needed	*	7	10
Married / Cohabiting	23	20	16	Co-Occurring Psychological Problem	18	20	28
Previously Married	9	20	24	Co-Occurring Developmental Problem	*	*	*

# COOPER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 12  
**CENSUS 2010** 17,601  
**2012 POPULATION ESTIMATE** 17,520

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	*	*
Anxiety Disorder	62	51	34
Dementia	0	*	0
Developmental Disorder	*	*	*
Impulse Control Disorder	12	9	*
Mood Disorder	106	84	59
Personality Disorder	*	6	*
Psychotic Disorder	22	19	12
Sexual Disorder	*	0	0
Other Diagnosis	5	*	*
Diagnosis Unknown	9	6	18

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	152	120	96	Less than High School Diploma	37	16	7
<b>AGE</b>				High School Grad or G.E.D.	41	40	12
Under 6	0	0	0	Associate Degree or Some College	22	15	*
6 to 9	*	*	*	Bachelor or Advanced Degree	*	*	0
10 to 13	7	*	*	Education Level Unknown	50	48	74
14 to 17	10	5	*	<b>EMPLOYMENT</b>			
18 to 24	13	13	13	Employed	17	16	6
25 to 29	26	23	19	Unemployed	78	54	16
30 to 34	24	21	10	Not in Labor Force	21	*	0
35 to 39	8	7	7	Employment Status Unknown	36	49	74
40 to 44	12	5	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	12	5	8	Independent Living	95	63	20
50 to 54	13	10	9	Dependent Living	24	11	*
55 to 59	13	15	12	Homeless	*	0	0
60 and Over	10	9	6	Other	*	*	0
Age Unknown	0	0	0	Housing Unknown	31	42	73
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	62	50	33	Self / Family / Friend	95	68	57
Female	90	70	63	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	7	10	12
<b>RACE / ETHNICITY</b>				Health Care Provider	34	23	8
Caucasian	130	101	78	Court / Criminal Justice	*	7	5
African American	16	14	13	Other	13	12	13
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	150	116	92
Other Race	*	*	*	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	*
Past or Current Military Service	*	*	*				

# COOPER COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	54.6	49.1	Alcohol	65.8	71.6
Cigarettes	31.7	33.9	Cigarettes	80.6	79.7
Chewing Tobacco	15.8	25.6	Marijuana	68.7	68.7
Marijuana	22.9	22.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.3	91.8
Inhalants	8.1	9.2	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	12.0	13.8	Were very sad	20.1	15.9
Over-the-counter medications for non-medical use	8.8	9.5	Were grouchy, irritable, or in a bad mood	29.6	22.1
Methamphetamine	1.1	1.3	Felt hopeless about the future	14.0	12.3
Cocaine	2.1	4.0	Felt like not eating or eating more than usual	17.3	17.2
Heroin	0.7	0.8	Slept a lot more or a lot less than usual	21.6	27.6
Hallucinogens	4.6	1.6	Had difficulty concentrating on school work	25.5	26.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.8	2.1	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.1	1.1	Seriously considered attempting suicide	14.1	9.2
Synthetic drugs (K2, bath salts, Spice, etc)	10.2		Made plan about how they would attempt suicide	13.4	7.6
<b>Average age of students' first use of:</b>			Attempted suicide	5.3	3.2
Alcohol	12.31	12.46	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.2	1.4
Cigarettes	12.58	11.82	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.39	13.55	Were threatened/injured with weapon at school	6.7	10.8
Inhalants	13.46	11.60	Were in a physical fight	23.2	30.5
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	2.8	3.7
Alcohol	27.2	28.4	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	17.3	19.5	Were victims of mean rumors or lies spread at school	50.7	63.8
Cigarettes	16.0	16.2	Had embarrassing or hurtful pictures/text of them posted on internet	15.5	16.7
Chewing Tobacco	7.7	14.2	Had embarrassing or hurtful pictures/text of them sent by cell phone	18.4	17.9
Marijuana	13.0	12.4	Were made fun of by others	68.3	75.3
Inhalants	3.5	3.9	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	6.3	6.9	Spread mean rumors or lies about other kids at school	33.3	41.9
Over-the-counter medications for non-medical use	6.0	4.5	Posted on internet embarrassing or hurtful pictures/text of someone	9.5	12.8
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	11.3	15.8
Alcohol	62.9	69.1	Made fun of other people	72.4	75.3
Cigarettes	50.7	56.8	<b>Percent of students who agree that:</b>		
Marijuana	47.0	41.3	Teachers notice and comment on student's good work	62.9	68.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	21.6	20.8	School provides feedback to parents on positive student performance	36.7	44.9
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	46.5	53.7
Alcohol	41.2	45.0	Rules are enforced fairly	52.6	59.3
Cigarettes	16.0	17.1	Students of all races/ethnicities are treated equally	73.5	77.0
Marijuana	17.7	18.2	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	80.2	78.4
Alcohol	50.2	49.5	Parents involve student in making family decisions	65.6	66.8
Cigarettes	77.7	76.6	It is important to be honest with parents regardless of consequences	83.1	80.8
Marijuana	79.9	79.1	Student could ask parent for help with a personal problem	72.2	75.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.8	92.6	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	72.0	69.8	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	90.7	89.1	Percentages are estimates based on weighted data.		
Marijuana	93.8	94.1	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.6	97.3	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	61.6	64.6			
Cigarettes	57.3	58.4			
Marijuana	46.2	39.3			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.4	19.0			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# CRAWFORD COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	17
Adult Psychiatric	17A
<b>FIPS COUNTY CODE</b>	055
<b>POPULATION</b>	
Census 2010	24,696
2012 Pop. Estimate	24,832

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	265	273	295
Mother Reported Smoking while Pregnant	81	79	106

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	1	0	1
IDU and MSM <sup>1</sup>	*	0	*
IDU without MSM <sup>1</sup>	*	0	*

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	298	281	279
Suicides	6	3	4
Self-inflicted Injuries	29	23	29
Homicides	0	0	0
Assault Injuries	90	97	69
Alcohol Induced Deaths	3	1	1
Drug Induced Deaths	5	8	4
Smoking Attributable Deaths	53	53	67

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	194		
Alcohol Primary Diagnosis <sup>2</sup>	13		
Drug Primary Diagnosis <sup>2</sup>	24		
Alcohol Related Diagnosis	92	99	59
Drug Related Diagnosis	108	94	51
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	93		
Alcohol Primary Diagnosis <sup>2</sup>	10		
Drug Primary Diagnosis <sup>2</sup>	11		
Alcohol Related Diagnosis	62	60	41
Drug Related Diagnosis	87	44	66
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	245		
Alcohol Primary Diagnosis <sup>2</sup>	39		
Drug Primary Diagnosis <sup>2</sup>	45		
Alcohol Related Diagnosis	113	93	73
Drug Related Diagnosis	113	102	64

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	31	33	51
Fatal Crashes	0	5	0
Injury Crashes	14	16	14
Property Damage Crashes	17	12	37
Crash Fatalities	0	5	0
Crash Injuries	20	29	20
Drug Involved Crashes--Total	4	4	4
Fatal Crashes	0	1	0
Injury Crashes	2	3	1
Property Damage Crashes	2	0	3
Crash Fatalities	0	1	0
Crash Injuries	2	3	1

## EMPLOYMENT

	2012	2011	2010
Labor Force	11,676	11,812	11,775
Employed	10,749	10,629	10,452
Unemployed	927	1,183	1,323
Unemployment Rate	7.9%	10.0%	11.2%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	984	977	964
Drop-outs	24	42	54
Drop-out Rate	2.4%	4.3%	5.6%
School Suspensions:			
Alcohol Incidents	4	1	6
Drug Incidents	15	9	21
Tobacco Incidents	0	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	299	185	135
Liquor Law Arrests	147	297	229
Drug Arrests	219	302	328
Methamphetamine Lab Incidents	54	37	26
Violent Offenses	60	63	65
Property Offenses	845	913	751
Domestic Violence Reports	347	352	354

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	62	134	130
Violent Offenses	17	42	42
Alcohol Offenses	3	11	10
Drug Offenses	10	18	26
Status Offenses--Total	54	81	85
Truancy	7	21	17
Beyond Parental Control	11	33	39
Habitually Absent from Home	1	1	1
Injurious Behavior	4	7	14
Abuse/Neglect/Custody--Total	37	20	28
Abuse	5	2	4
Neglect	32	18	24
Custody Disputes	0	0	0

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	43	22	29
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	16	8	9
Parental Alcohol and Drug Use	4	0	1
Child Removed for Other Reason	23	14	19

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	28	21	27
Probation/Parole Admissions--Total	255	257	269
Probation/Parole Admissions--Drug	117	105	106
Probation/Parole Admissions--DWI	19	16	15
Prison Admissions--Total	140	122	172
Prison Admissions--Drug	51	47	48
Prison Admissions--DWI	9	5	21

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	29	30	28
Alcohol Package Carry-out Licenses	30	30	29

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# CRAWFORD COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	13	13	19
CSTAR Adolescent	12	6	11
CSTAR Women and Children	6	6	6
CSTAR General Adult	81	78	42
CSTAR Opioid	*	*	*
Primary Recovery Treatment	174	210	258
Clinical SATOP (CIP, YCIP, SROP)	36	18	17
Other Substance Abuse Treatment	*	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	147	83	134
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	46	30	47
- Weekend Intervention Program	26	20	32
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	*
Recovery Supports	*	26	61
Early Intervention	11	8	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	288	311	347	Alcohol	116	135	143
AGE				Marijuana / Hashish	81	79	87
Under 18	13	7	11	Cocaine (total)	*	*	9
18 to 24	42	59	68	- Crack	*	*	6
25 to 29	53	64	63	Stimulant (total)	54	51	64
30 to 34	54	48	50	- Methamphetamine	53	50	62
35 to 39	34	30	52	Heroin	17	11	9
40 to 44	32	32	29	Analgesic except Heroin	15	25	30
45 to 54	50	57	61	- Non-Prescription Methadone	0	0	*
55 and Over	10	14	13	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	*	*	5
Male	212	229	249	Inhalant	*	0	0
Female	76	82	98	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	279	304	333	Average Age at First Use of Drug	17.5	17.7	17.7
African American	*	*	9	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	39	32	47
Asian / Pacific Islander	*	0	0	- Daily Injection Use	*	7	*
Hispanic	*	6	*	- Weekly Injection Use	5	*	8
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	30	21	36
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	108	129	130	0	152	188	211
High School Graduate or G.E.D.	136	144	167	1 or 2	85	87	96
Associate Degree or Some College	44	37	48	3 or More	51	36	40
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	42	63	58
Employed	110	82	105	School	0	0	0
Unemployed	119	154	154	Mental Health Provider	*	*	6
Not in Labor Force	59	75	88	Health Care Provider	6	6	10
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	223	221	251
Independent Living	257	288	316	Other Referral Source	16	19	21
Dependent Living	23	18	21	TREATMENT ACCOMMODATION			
Homeless	5	5	8	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	19	12	12
Never Married	127	142	157	Special Education Services Needed	54	28	42
Married / Cohabiting	89	88	107	Co-Occurring Psychological Problem	101	51	137
Previously Married	72	81	83	Co-Occurring Developmental Problem	11	*	11

# CRAWFORD COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 17A  
**CENSUS 2010** 24,696  
**2012 POPULATION ESTIMATE** 24,832

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	8	11	15
Anxiety Disorder	146	128	114
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	59	50	61
Mood Disorder	281	266	221
Personality Disorder	11	11	18
Psychotic Disorder	47	48	46
Sexual Disorder	0	0	0
Other Diagnosis	9	14	20
Diagnosis Unknown	19	14	44

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	417	372	357	Less than High School Diploma	149	69	11
<b>AGE</b>				High School Grad or G.E.D.	53	65	10
Under 6	7	5	6	Associate Degree or Some College	29	15	0
6 to 9	30	22	28	Bachelor or Advanced Degree	0	*	0
10 to 13	33	25	29	Education Level Unknown	186	222	336
14 to 17	24	23	27	<b>EMPLOYMENT</b>			
18 to 24	27	27	32	Employed	32	32	6
25 to 29	57	46	34	Unemployed	174	111	15
30 to 34	40	40	29	Not in Labor Force	27	9	0
35 to 39	36	28	33	Employment Status Unknown	184	220	336
40 to 44	40	37	28	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	42	42	45	Independent Living	193	132	13
50 to 54	38	31	30	Dependent Living	70	58	11
55 to 59	25	25	19	Homeless	*	0	*
60 and Over	18	21	17	Other	*	*	*
Age Unknown	0	0	0	Housing Unknown	152	180	330
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	178	158	159	Self / Family / Friend	281	262	253
Female	239	214	198	School	12	*	6
Gender Unknown	0	0	0	Mental Health Provider	8	8	8
<b>RACE / ETHNICITY</b>				Health Care Provider	41	24	19
Caucasian	402	362	345	Court / Criminal Justice	11	12	12
African American	*	*	*	Other	64	61	56
Native American / Alaskan	*	0	*	Referral Source Unknown	0	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	8	6	7	Voluntary	412	364	341
Other Race	*	*	*	Civil	*	6	12
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	10	13	14	Commitment Type Unknown	0	*	*
Past or Current Military Service	7	10	7				



# CRAWFORD COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012


	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	46.6	52.7	Alcohol	67.1	71.0
Cigarettes	30.8	36.0	Cigarettes	76.9	73.6
Chewing Tobacco	17.5	19.3	Marijuana	67.8	69.0
Marijuana	20.0	17.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	90.6	92.0
Inhalants	8.6	9.8			
Prescription medications not prescribed for student	12.6	16.4	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	6.8	9.8	Were very sad	25.1	8.7
Methamphetamine	2.3	1.8	Were grouchy, irritable, or in a bad mood	28.4	14.8
Cocaine	2.6	1.8	Felt hopeless about the future	12.9	7.4
Heroin	1.5	0.8	Felt like not eating or eating more than usual	19.8	12.9
Hallucinogens	4.8	3.7	Slept a lot more or a lot less than usual	21.6	21.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.3	1.8	Had difficulty concentrating on school work	24.4	18.6
Steroids not prescribed for student	1.8	1.2			
Synthetic drugs (K2, bath salts, Spice, etc)	9.1		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	14.5	14.3
Alcohol	12.37	12.32	Made plan about how they would attempt suicide	11.2	10.3
Cigarettes	11.70	11.80	Attempted suicide	8.1	7.0
Marijuana	13.07	13.41	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	3.4	1.8
Inhalants	12.65	12.61			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	19.4	24.0	Were threatened/injured with weapon at school	7.9	11.1
Binge Alcohol (5 or more drinks on one occasion)	12.4	15.5	Were in a physical fight	24.9	24.3
Cigarettes	16.8	19.1	Were in a fight and had to be treated by a doctor or nurse	3.8	1.5
Chewing Tobacco	8.9	8.8			
Marijuana	11.1	10.8	<b>Percent of students in past 3 months who:</b>		
Inhalants	4.0	4.5	Were victims of mean rumors or lies spread at school	53.4	61.7
Prescription medications not prescribed for student	7.1	10.5	Had embarrassing or hurtful pictures/text of them posted on internet	15.2	16.7
Over-the-counter medications for non-medical use	4.8	5.3	Had embarrassing or hurtful pictures/text of them sent by cell phone	17.3	17.6
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	62.9	72.0
Alcohol	60.2	66.7			
Cigarettes	55.2	54.1	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	40.4	38.3	Spread mean rumors or lies about other kids at school	28.5	44.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.4	18.0	Posted on internet embarrassing or hurtful pictures/text of someone	10.1	13.7
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	11.4	15.4
Alcohol	33.2	39.7	Made fun of other people	66.6	79.7
Cigarettes	18.5	18.4			
Marijuana	15.7	12.8	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	66.8	67.7
Alcohol	55.9	49.7	School provides feedback to parents on positive student performance	36.5	36.9
Cigarettes	71.9	71.5	Teachers praise student for hard work	52.9	49.9
Marijuana	77.2	79.6	Rules are enforced fairly	57.4	59.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.7	94.1	Students of all races/ethnicities are treated equally	78.4	79.4
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	74.7	72.4	<b>Percent of students who agree that:</b>		
Cigarettes	86.5	85.7	Parents notice and comment on student's good work	79.0	80.4
Marijuana	88.7	93.9	Parents involve student in making family decisions	61.9	60.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.2	97.1	It is important to be honest with parents regardless of consequences	83.8	82.8
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	69.3	72.8
Alcohol	57.1	63.0			
Cigarettes	56.5	67.1			
Marijuana	38.5	40.0			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	20.9	21.8			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# DADE COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	10
Adult Psychiatric	8A
<b>FIPS COUNTY CODE</b>	057
<b>POPULATION</b>	
Census 2010	7,883
2012 Pop. Estimate	7,568

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	3,472	3,558	3,484
Employed	3,222	3,237	3,173
Unemployed	250	321	311
Unemployment Rate	7.2%	9.0%	8.9%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	342	375	387
Drop-outs	9	7	9
Drop-out Rate	2.6%	1.9%	2.3%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	7	0	4
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	73	74	79
Mother Reported Smoking while Pregnant	19	17	13

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	107	106	110
Suicides	1	1	1
Self-inflicted Injuries	10	10	9
Homicides	1	0	0
Assault Injuries	17	15	13
Alcohol Induced Deaths	0	2	0
Drug Induced Deaths	2	1	0
Smoking Attributable Deaths	15	21	14

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	51		
Alcohol Primary Diagnosis <sup>2</sup>	2		
Drug Primary Diagnosis <sup>2</sup>	5		
Alcohol Related Diagnosis	15	18	21
Drug Related Diagnosis	18	14	9
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	26		
Alcohol Primary Diagnosis <sup>2</sup>	11		
Drug Primary Diagnosis <sup>2</sup>	6		
Alcohol Related Diagnosis	32	21	21
Drug Related Diagnosis	27	8	13
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	48		
Alcohol Primary Diagnosis <sup>2</sup>	6		
Drug Primary Diagnosis <sup>2</sup>	9		
Alcohol Related Diagnosis	18	30	22
Drug Related Diagnosis	21	28	22

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	10	2	3
Fatal Crashes	0	0	1
Injury Crashes	7	2	2
Property Damage Crashes	3	0	0
Crash Fatalities	0	0	1
Crash Injuries	8	3	2
Drug Involved Crashes--Total	1	0	0
Fatal Crashes	0	0	0
Injury Crashes	1	0	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	2	0	0

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	28	27	15
Liquor Law Arrests	2	5	1
Drug Arrests	21	49	50
Methamphetamine Lab Incidents	2	2	7
Violent Offenses	14	10	3
Property Offenses	79	67	69
Domestic Violence Reports	19	5	18

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	16	12	11
Violent Offenses	3	4	2
Alcohol Offenses	0	1	0
Drug Offenses	1	2	3
Status Offenses--Total	25	21	16
Truancy	6	9	2
Beyond Parental Control	4	2	3
Habitually Absent from Home	2	0	4
Injurious Behavior	13	10	7
Abuse/Neglect/Custody--Total	46	26	18
Abuse	6	5	9
Neglect	38	21	9
Custody Disputes	2	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	5	6	4
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	4	0
Parental Alcohol and Drug Use	3	0	0
Child Removed for Other Reason	2	2	4

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	45	34	36
Probation/Parole Admissions--Drug	13	15	16
Probation/Parole Admissions--DWI	0	0	1
Prison Admissions--Total	17	16	8
Prison Admissions--Drug	5	7	3
Prison Admissions--DWI	0	2	1

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	3	3	3
Alcohol Package Carry-out Licenses	12	12	14

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# DADE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	5	8	*
CSTAR Adolescent	0	*	0
CSTAR Women and Children	*	5	6
CSTAR General Adult	8	5	6
CSTAR Opioid	0	0	*
Primary Recovery Treatment	5	*	5
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	20	18	19
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	13	8	8
- Weekend Intervention Program	*	*	6
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	*	*	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	*
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	15	19	19	Alcohol	7	7	12
<b>AGE</b>				Marijuana / Hashish	*	*	*
Under 18	0	*	0	Cocaine (total)	0	0	0
18 to 24	*	*	*	- Crack	0	0	0
25 to 29	*	*	*	Stimulant (total)	*	*	*
30 to 34	*	*	*	- Methamphetamine	*	*	*
35 to 39	*	*	*	Heroin	*	*	*
40 to 44	*	*	5	Analgesic except Heroin	*	*	*
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	0	0	*	PCP, LSD, other Hallucinogen	*	0	0
<b>GENDER</b>				Tranquilizer	0	0	0
Male	11	9	9	Inhalant	0	0	0
Female	*	10	10	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	0	0	0
Caucasian	14	18	19	Average Age at First Use of Drug	18.3	16.3	16.2
African American	0	0	0	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	5	5
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	*
Hispanic	0	0	0	- Weekly Injection Use	*	0	*
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	0	*	*
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	*	8	*	0	8	10	10
High School Graduate or G.E.D.	7	7	11	1 or 2	6	7	*
Associate Degree or Some College	*	*	*	3 or More	*	*	5
Bachelor or Advanced Degree	0	0	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	8	6	8
Employed	*	*	5	School	0	0	0
Unemployed	*	7	9	Mental Health Provider	0	*	0
Not in Labor Force	8	8	5	Health Care Provider	*	*	0
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	5	6	9
Independent Living	15	13	15	Other Referral Source	*	*	*
Dependent Living	0	*	*	<b>TREATMENT ACCOMMODATION</b>			
Homeless	0	*	*	Pregnant when Admitted to any Episode	*	0	0
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	0	*	*
Never Married	5	10	6	Special Education Services Needed	*	*	0
Married / Cohabiting	6	6	5	Co-Occurring Psychological Problem	8	5	7
Previously Married	*	*	8	Co-Occurring Developmental Problem	*	0	*

# DADE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8A  
**CENSUS 2010** 7,883  
**2012 POPULATION ESTIMATE** 7,568

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2012	FY2011	FY2010
Adjustment Disorder	0	*	*
Anxiety Disorder	7	12	5
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	5	7	*
Mood Disorder	12	15	13
Personality Disorder	*	6	*
Psychotic Disorder	*	*	*
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	10	5	7

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2012	FY2011	FY2010	EDUCATION	FY2012	FY2011	FY2010
Total Individuals	29	30	24	Less than High School Diploma	5	*	*
<b>AGE</b>				High School Grad or G.E.D.	*	*	0
Under 6	0	0	*	Associate Degree or Some College	*	*	0
6 to 9	*	0	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	20	23	22
14 to 17	7	5	5	<b>EMPLOYMENT</b>			
18 to 24	5	*	*	Employed	0	*	0
25 to 29	*	*	*	Unemployed	5	6	*
30 to 34	*	*	0	Not in Labor Force	*	0	*
35 to 39	*	*	*	Employment Status Unknown	20	23	22
40 to 44	*	*	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	*	*	*	Independent Living	7	7	*
50 to 54	*	*	*	Dependent Living	5	7	*
55 to 59	0	0	0	Homeless	0	0	0
60 and Over	*	*	*	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	17	15	20
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	16	14	9	Self / Family / Friend	7	13	7
Female	13	16	15	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
<b>RACE / ETHNICITY</b>				Health Care Provider	7	7	*
Caucasian	26	27	23	Court / Criminal Justice	0	*	*
African American	*	*	*	Other	13	5	7
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	0	0	Voluntary	29	28	23
Other Race	0	*	0	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	0	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	0	0				


# DADE COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	36.7	37.3	Alcohol	76.3	78.8
Cigarettes	22.3	22.5	Cigarettes	85.7	82.8
Chewing Tobacco	10.8	16.3	Marijuana	79.1	74.0
Marijuana	10.8	13.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	91.4
Inhalants	7.9	4.1	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	6.5	10.6	Were very sad	17.1	11.3
Over-the-counter medications for non-medical use	7.2	6.1	Were grouchy, irritable, or in a bad mood	27.3	19.3
Methamphetamine	0.7	0.7	Felt hopeless about the future	13.0	10.1
Cocaine	2.9	0.7	Felt like not eating or eating more than usual	14.6	17.4
Heroin	0.0	0.0	Slept a lot more or a lot less than usual	18.0	19.9
Hallucinogens	1.4	1.4	Had difficulty concentrating on school work	25.2	24.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.2	2.0	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	0.7	0.0	Seriously considered attempting suicide	10.8	7.3
Synthetic drugs (K2, bath salts, Spice, etc)	5.7		Made plan about how they would attempt suicide	7.9	6.0
<b>Average age of students' first use of:</b>			Attempted suicide	4.3	3.3
Alcohol	12.70	12.89	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.5	1.4
Cigarettes	12.11	12.56	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.72	13.61	Were threatened/injured with weapon at school	7.9	7.9
Inhalants	12.36	13.90	Were in a physical fight	20.9	23.8
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	2.9	2.6
Alcohol	17.3	14.7	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	10.1	13.9	Were victims of mean rumors or lies spread at school	53.6	62.2
Cigarettes	10.0	12.8	Had embarrassing or hurtful pictures/text of them posted on internet	15.0	13.9
Chewing Tobacco	5.8	8.2	Had embarrassing or hurtful pictures/text of them sent by cell phone	15.8	18.8
Marijuana	4.3	7.3	Were made fun of by others	66.2	75.5
Inhalants	3.6	2.7	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	4.3	8.0	Spread mean rumors or lies about other kids at school	31.4	39.7
Over-the-counter medications for non-medical use	2.2	4.1	Posted on internet embarrassing or hurtful pictures/text of someone	6.4	12.6
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	10.8	11.8
Alcohol	43.9	52.3	Made fun of other people	67.9	73.5
Cigarettes	33.8	40.4	<b>Percent of students who agree that:</b>		
Marijuana	23.0	30.0	Teachers notice and comment on student's good work	72.9	72.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.3	17.9	School provides feedback to parents on positive student performance	38.1	50.3
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	51.4	63.3
Alcohol	22.3	30.2	Rules are enforced fairly	56.5	68.9
Cigarettes	10.8	14.7	Students of all races/ethnicities are treated equally	78.3	85.3
Marijuana	6.5	9.4	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	87.1	88.6
Alcohol	69.8	65.8	Parents involve student in making family decisions	74.8	73.0
Cigarettes	86.3	80.1	It is important to be honest with parents regardless of consequences	90.6	85.9
Marijuana	87.8	86.0	Student could ask parent for help with a personal problem	81.3	84.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.1	94.7	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	81.2	83.3	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	92.8	90.5	Percentages are estimates based on weighted data.		
Marijuana	95.6	93.9	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.6	99.3	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	55.0	53.6			
Cigarettes	50.7	54.0			
Marijuana	29.5	38.4			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.8	22.5			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# DALLAS COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	10
Adult Psychiatric	10
<b>FIPS COUNTY CODE</b>	059
<b>POPULATION</b>	
Census 2010	16,777
2012 Pop. Estimate	16,799

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	7,201	7,395	7,295
Employed	6,623	6,642	6,442
Unemployed	578	753	853
Unemployment Rate	8.0%	10.2%	11.7%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	556	589	615
Drop-outs	28	19	19
Drop-out Rate	5.0%	3.2%	3.1%
School Suspensions:			
Alcohol Incidents	1	1	0
Drug Incidents	11	8	6
Tobacco Incidents	3	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	206	192	230
Mother Reported Smoking while Pregnant	39	42	52

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	1	0	0
IDU and MSM <sup>1</sup>	*	0	0
IDU without MSM <sup>1</sup>	*	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	149	180	194
Suicides	3	2	5
Self-inflicted Injuries	22	26	31
Homicides	0	0	2
Assault Injuries	35	43	38
Alcohol Induced Deaths	0	2	0
Drug Induced Deaths	3	3	4
Smoking Attributable Deaths	22	34	44

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	99		
Alcohol Primary Diagnosis <sup>2</sup>	0		
Drug Primary Diagnosis <sup>2</sup>	0		
Alcohol Related Diagnosis	15	28	43
Drug Related Diagnosis	28	34	51
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	57		
Alcohol Primary Diagnosis <sup>2</sup>	16		
Drug Primary Diagnosis <sup>2</sup>	13		
Alcohol Related Diagnosis	64	36	36
Drug Related Diagnosis	65	22	37
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	143		
Alcohol Primary Diagnosis <sup>2</sup>	30		
Drug Primary Diagnosis <sup>2</sup>	32		
Alcohol Related Diagnosis	60	33	55
Drug Related Diagnosis	87	64	39

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	11	13	19
Fatal Crashes	0	4	0
Injury Crashes	5	6	10
Property Damage Crashes	6	3	9
Crash Fatalities	0	4	0
Crash Injuries	6	9	12
Drug Involved Crashes--Total	0	4	2
Fatal Crashes	0	0	0
Injury Crashes	0	3	0
Property Damage Crashes	0	1	2
Crash Fatalities	0	0	0
Crash Injuries	0	3	0

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	76	75	61
Liquor Law Arrests	82	217	313
Drug Arrests	94	165	157
Methamphetamine Lab Incidents	2	0	1
Violent Offenses	40	38	47
Property Offenses	325	318	336
Domestic Violence Reports	115	96	84

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	102	110	142
Violent Offenses	28	28	42
Alcohol Offenses	2	4	12
Drug Offenses	8	14	9
Status Offenses--Total	44	41	48
Truancy	6	7	2
Beyond Parental Control	14	16	18
Habitually Absent from Home	14	9	19
Injurious Behavior	6	9	9
Abuse/Neglect/Custody--Total	120	129	93
Abuse	58	37	25
Neglect	62	92	66
Custody Disputes	0	0	2

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	6	14	21
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	4	9
Parental Alcohol and Drug Use	0	0	1
Child Removed for Other Reason	5	10	11

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	79	81	104
Probation/Parole Admissions--Drug	24	21	28
Probation/Parole Admissions--DWI	8	9	5
Prison Admissions--Total	41	58	61
Prison Admissions--Drug	18	13	14
Prison Admissions--DWI	2	8	6

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	10	11	11
Alcohol Package Carry-out Licenses	17	19	18

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# DALLAS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	5	*	9
CSTAR Adolescent	8	*	11
CSTAR Women and Children	5	*	7
CSTAR General Adult	43	43	45
CSTAR Opioid	0	0	0
Primary Recovery Treatment	9	9	29
Clinical SATOP (CIP, YCIP, SROP)	6	12	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	55	57	57
- Adolescent Diversion Education Program	*	*	6
- Offender Education Program	27	18	21
- Weekend Intervention Program	8	17	11
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	6	*	7
Early Intervention	7	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	70	69	84	Alcohol	23	31	30
AGE				Marijuana / Hashish	23	18	28
Under 18	8	*	12	Cocaine (total)	*	0	0
18 to 24	12	13	14	- Crack	*	0	0
25 to 29	9	10	*	Stimulant (total)	11	14	17
30 to 34	12	11	13	- Methamphetamine	11	14	17
35 to 39	7	7	10	Heroin	0	0	0
40 to 44	5	10	11	Analgesic except Heroin	10	*	9
45 to 54	15	11	16	- Non-Prescription Methadone	0	0	*
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	0
Male	48	50	60	Inhalant	0	0	0
Female	22	19	24	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	68	65	81	Average Age at First Use of Drug	15.8	16.2	16.3
African American	*	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	12	7	13
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	*
Hispanic	*	*	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	*	*	- Less than Weekly Injection Use	9	5	9
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	30	23	39	0	36	38	49
High School Graduate or G.E.D.	30	33	29	1 or 2	22	18	17
Associate Degree or Some College	10	12	16	3 or More	12	13	18
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	13	6	10
Employed	20	17	21	School	0	0	0
Unemployed	24	38	38	Mental Health Provider	0	0	0
Not in Labor Force	26	14	25	Health Care Provider	*	*	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	48	59	64
Independent Living	57	61	69	Other Referral Source	7	*	*
Dependent Living	12	5	14	TREATMENT ACCOMMODATION			
Homeless	*	0	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	5	*
Never Married	33	24	38	Special Education Services Needed	13	*	5
Married / Cohabiting	22	24	22	Co-Occurring Psychological Problem	33	19	18
Previously Married	15	21	24	Co-Occurring Developmental Problem	*	*	5

# DALLAS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 10  
**CENSUS 2010** 16,777  
**2012 POPULATION ESTIMATE** 16,799

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	16	9
Anxiety Disorder	29	28	27
Dementia	*	*	0
Developmental Disorder	*	*	*
Impulse Control Disorder	7	15	9
Mood Disorder	54	60	54
Personality Disorder	14	13	13
Psychotic Disorder	21	20	25
Sexual Disorder	0	0	0
Other Diagnosis	9	15	11
Diagnosis Unknown	15	17	21

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	95	118	111	Less than High School Diploma	18	13	*
<b>AGE</b>				High School Grad or G.E.D.	20	19	*
Under 6	*	*	*	Associate Degree or Some College	6	*	*
6 to 9	*	8	9	Bachelor or Advanced Degree	*	*	0
10 to 13	5	14	18	Education Level Unknown	49	81	104
14 to 17	9	18	6	<b>EMPLOYMENT</b>			
18 to 24	5	6	9	Employed	0	*	*
25 to 29	5	*	5	Unemployed	37	33	6
30 to 34	8	*	5	Not in Labor Force	14	*	0
35 to 39	11	11	9	Employment Status Unknown	44	81	104
40 to 44	10	9	8	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	11	13	13	Independent Living	33	23	*
50 to 54	8	9	8	Dependent Living	18	27	5
55 to 59	8	10	10	Homeless	*	0	0
60 and Over	10	11	7	Other	*	0	0
Age Unknown	0	0	0	Housing Unknown	42	68	104
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	49	64	63	Self / Family / Friend	49	74	71
Female	46	54	48	School	*	*	0
Gender Unknown	0	0	0	Mental Health Provider	5	*	5
<b>RACE / ETHNICITY</b>				Health Care Provider	13	9	*
Caucasian	91	114	105	Court / Criminal Justice	8	5	6
African American	0	0	0	Other	18	25	27
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	0	0	Voluntary	90	115	106
Other Race	*	*	6	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				



# DALLAS COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	39.5	38.8	Alcohol	76.7	85.1
Cigarettes	30.3	27.1	Cigarettes	81.1	83.4
Chewing Tobacco	17.5	21.6	Marijuana	76.8	80.5
Marijuana	13.2	11.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.6	97.3
Inhalants	4.9	5.6			
Prescription medications not prescribed for student	8.0	13.3	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	6.3	6.5	Were very sad	20.9	13.0
Methamphetamine	1.8	0.8	Were grouchy, irritable, or in a bad mood	27.3	21.9
Cocaine	2.1	0.8	Felt hopeless about the future	12.6	9.1
Heroin	1.1	0.0	Felt like not eating or eating more than usual	19.0	11.9
Hallucinogens	2.5	1.4	Slept a lot more or a lot less than usual	19.6	21.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.5	1.1	Had difficulty concentrating on school work	24.8	19.0
Steroids not prescribed for student	2.8	0.5			
Synthetic drugs (K2, bath salts, Spice, etc)	5.9		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	14.7	11.3
Alcohol	12.58	12.10	Made plan about how they would attempt suicide	9.5	9.8
Cigarettes	12.05	11.72	Attempted suicide	6.7	3.7
Marijuana	13.17	12.98	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	3.2	0.5
Inhalants	12.10	12.45			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	13.3	15.4	Were threatened/injured with weapon at school	6.6	12.4
Binge Alcohol (5 or more drinks on one occasion)	7.0	8.9	Were in a physical fight	21.3	21.6
Cigarettes	13.6	8.8	Were in a fight and had to be treated by a doctor or nurse	3.5	2.7
Chewing Tobacco	9.8	12.7			
Marijuana	5.6	4.0	<b>Percent of students in past 3 months who:</b>		
Inhalants	1.4	3.2	Were victims of mean rumors or lies spread at school	51.2	59.6
Prescription medications not prescribed for student	4.9	7.1	Had embarrassing or hurtful pictures/text of them posted on internet	11.2	11.2
Over-the-counter medications for non-medical use	4.5	3.8	Had embarrassing or hurtful pictures/text of them sent by cell phone	14.3	15.2
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	61.1	67.1
Alcohol	47.6	56.2			
Cigarettes	42.9	42.2	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	28.7	25.0	Spread mean rumors or lies about other kids at school	21.8	28.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.3	11.9	Posted on internet embarrassing or hurtful pictures/text of someone	6.0	12.0
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	4.6	19.1
Alcohol	22.7	26.5	Made fun of other people	60.7	68.6
Cigarettes	11.3	10.4			
Marijuana	11.2	6.1	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	58.7	61.3
Alcohol	66.0	64.2	School provides feedback to parents on positive student performance	26.8	33.9
Cigarettes	81.1	82.5	Teachers praise student for hard work	41.2	47.8
Marijuana	83.2	90.1	Rules are enforced fairly	54.1	61.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.8	98.7	Students of all races/ethnicities are treated equally	72.7	78.0
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	81.6	80.8	<b>Percent of students who agree that:</b>		
Cigarettes	90.2	91.0	Parents notice and comment on student's good work	78.5	84.5
Marijuana	92.6	95.9	Parents involve student in making family decisions	67.0	66.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.6	99.5	It is important to be honest with parents regardless of consequences	87.0	91.1
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	77.5	71.8
Alcohol	47.3	52.4			
Cigarettes	49.1	53.7			
Marijuana	32.0	27.9			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.0	16.4			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# DAVIESS COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	13
Adult Psychiatric	13
<b>FIPS COUNTY CODE</b>	061
<b>POPULATION</b>	
Census 2010	8,433
2012 Pop. Estimate	8,239

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	3,931	4,000	3,777
Employed	3,656	3,645	3,408
Unemployed	275	355	369
Unemployment Rate	7.0%	8.9%	9.8%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	350	338	364
Drop-outs	5	4	6
Drop-out Rate	1.4%	1.2%	1.6%
School Suspensions:			
Alcohol Incidents	0	0	1
Drug Incidents	0	0	0
Tobacco Incidents	0	1	1

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	110	126	114
Mother Reported Smoking while Pregnant	20	25	12

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	1
IDU and MSM <sup>1</sup>	0	0	*
IDU without MSM <sup>1</sup>	0	0	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	84	89	85
Suicides	3	3	0
Self-inflicted Injuries	11	9	8
Homicides	0	0	1
Assault Injuries	21	9	12
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	1	0
Smoking Attributable Deaths	17	13	14

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	35		
Alcohol Primary Diagnosis <sup>2</sup>	7		
Drug Primary Diagnosis <sup>2</sup>	2		
Alcohol Related Diagnosis	14	16	9
Drug Related Diagnosis	15	15	20
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	13		
Alcohol Primary Diagnosis <sup>2</sup>	3		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	9	6	6
Drug Related Diagnosis	10	5	4
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	47		
Alcohol Primary Diagnosis <sup>2</sup>	9		
Drug Primary Diagnosis <sup>2</sup>	4		
Alcohol Related Diagnosis	25	15	10
Drug Related Diagnosis	16	12	11

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	2	2	8
Fatal Crashes	0	0	1
Injury Crashes	1	1	5
Property Damage Crashes	1	1	2
Crash Fatalities	0	0	1
Crash Injuries	1	1	4
Drug Involved Crashes--Total	3	2	1
Fatal Crashes	0	0	0
Injury Crashes	2	1	0
Property Damage Crashes	1	1	1
Crash Fatalities	0	0	0
Crash Injuries	2	1	0

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	47	35	44
Liquor Law Arrests	7	4	3
Drug Arrests	53	38	56
Methamphetamine Lab Incidents	0	0	1
Violent Offenses	7	10	8
Property Offenses	89	81	79
Domestic Violence Reports	18	20	42

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	14	12	18
Violent Offenses	2	0	9
Alcohol Offenses	0	2	1
Drug Offenses	0	0	1
Status Offenses--Total	3	20	29
Truancy	1	10	8
Beyond Parental Control	1	5	6
Habitually Absent from Home	0	3	8
Injurious Behavior	1	1	0
Abuse/Neglect/Custody--Total	9	6	9
Abuse	4	3	3
Neglect	3	3	5
Custody Disputes	2	0	1

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	6	7	2
Parental Alcohol Use Related	0	3	0
Parental Drug Use Related	1	0	0
Parental Alcohol and Drug Use	1	0	0
Child Removed for Other Reason	4	4	2

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	96	94	94
Probation/Parole Admissions--Drug	40	24	33
Probation/Parole Admissions--DWI	8	13	8
Prison Admissions--Total	67	60	66
Prison Admissions--Drug	27	22	23
Prison Admissions--DWI	6	7	6

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	6	5	6
Alcohol Package Carry-out Licenses	12	11	10

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# DAVIESS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	0	*	8
CSTAR Adolescent	*	*	*
CSTAR Women and Children	0	*	*
CSTAR General Adult	31	30	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	36
Clinical SATOP (CIP, YCIP, SROP)	7	6	0
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	19	29	23
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	6	9	14
- Weekend Intervention Program	5	*	7
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	23
Early Intervention	5	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	43	44	44	Alcohol	20	20	17
AGE				Marijuana / Hashish	13	10	14
Under 18	*	*	*	Cocaine (total)	0	0	0
18 to 24	6	6	14	- Crack	0	0	0
25 to 29	6	6	8	Stimulant (total)	9	10	8
30 to 34	9	6	*	- Methamphetamine	9	10	8
35 to 39	*	6	6	Heroin	0	*	*
40 to 44	8	5	*	Analgesic except Heroin	0	*	*
45 to 54	7	11	6	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	0
Male	31	24	31	Inhalant	0	0	0
Female	12	20	13	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	42	42	43	Average Age at First Use of Drug	16.9	17.5	16.3
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	5	5
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	*
Hispanic	*	0	0	- Weekly Injection Use	0	*	*
Other Race / Two or More Races	0	*	*	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	12	19	13	0	27	30	35
High School Graduate or G.E.D.	25	18	24	1 or 2	9	9	5
Associate Degree or Some College	6	7	6	3 or More	7	5	*
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	11	13
Employed	14	18	14	School	0	*	0
Unemployed	22	18	22	Mental Health Provider	*	0	0
Not in Labor Force	7	8	8	Health Care Provider	0	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	27	24	18
Independent Living	39	41	41	Other Referral Source	11	7	12
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	0	0	0	Pregnant when Admitted to any Episode	0	0	*
MARITAL / FAMILY STATUS				Military Veteran	6	*	*
Never Married	19	15	21	Special Education Services Needed	*	*	0
Married / Cohabiting	12	9	11	Co-Occurring Psychological Problem	9	12	9
Previously Married	12	20	12	Co-Occurring Developmental Problem	0	*	0

# DAVIESS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 13  
**CENSUS 2010** 8,433  
**2012 POPULATION ESTIMATE** 8,239

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	*	5
Anxiety Disorder	36	32	29
Dementia	0	0	*
Developmental Disorder	*	*	*
Impulse Control Disorder	24	20	20
Mood Disorder	58	60	63
Personality Disorder	*	*	*
Psychotic Disorder	5	7	*
Sexual Disorder	0	0	*
Other Diagnosis	8	7	10
Diagnosis Unknown	*	7	17

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	88	87	102	Less than High School Diploma	6	6	*
<b>AGE</b>				High School Grad or G.E.D.	11	9	*
Under 6	0	0	*	Associate Degree or Some College	*	*	*
6 to 9	9	6	12	Bachelor or Advanced Degree	0	*	0
10 to 13	7	12	12	Education Level Unknown	67	68	94
14 to 17	15	15	13	<b>EMPLOYMENT</b>			
18 to 24	8	*	10	Employed	6	5	*
25 to 29	6	*	8	Unemployed	11	13	5
30 to 34	6	*	*	Not in Labor Force	9	*	0
35 to 39	5	6	*	Employment Status Unknown	62	68	94
40 to 44	7	16	16	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	8	7	6	Independent Living	22	19	7
50 to 54	9	7	7	Dependent Living	5	14	5
55 to 59	*	*	*	Homeless	0	0	0
60 and Over	5	6	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	61	54	90
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	35	37	49	Self / Family / Friend	37	30	37
Female	53	50	53	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	13	21	24
<b>RACE / ETHNICITY</b>				Health Care Provider	15	14	16
Caucasian	86	85	99	Court / Criminal Justice	8	7	5
African American	*	*	0	Other	13	11	14
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	*	Voluntary	87	86	100
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	0	*	0	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

# DAVISS COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	31.0	49.5	Alcohol	68.3	82.6
Cigarettes	30.3	29.3	Cigarettes	76.7	79.3
Chewing Tobacco	19.3	23.4	Marijuana	80.0	77.0
Marijuana	13.0	14.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	91.7	93.9
Inhalants	9.6	7.1	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	12.3	19.2	Were very sad	24.0	7.0
Over-the-counter medications for non-medical use	8.3	9.5	Were grouchy, irritable, or in a bad mood	31.0	12.6
Methamphetamine	2.8	1.7	Felt hopeless about the future	13.7	4.3
Cocaine	2.8	4.9	Felt like not eating or eating more than usual	9.7	6.7
Heroin	2.8	2.2	Slept a lot more or a lot less than usual	19.9	10.4
Hallucinogens	5.5	3.3	Had difficulty concentrating on school work	23.4	14.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	5.5	3.3	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	3.4	3.8	Seriously considered attempting suicide	12.6	10.3
Synthetic drugs (K2, bath salts, Spice, etc)	11.6		Made plan about how they would attempt suicide	9.7	6.5
<b>Average age of students' first use of:</b>			Attempted suicide	7.6	3.8
Alcohol	12.57	12.77	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	5.0	2.2
Cigarettes	12.17	12.61	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.48	13.94	Were threatened/injured with weapon at school	5.5	8.2
Inhalants	12.17	12.55	Were in a physical fight	16.4	24.5
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.4	3.8
Alcohol	13.8	21.3	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	9.0	13.5	Were victims of mean rumors or lies spread at school	46.2	55.0
Cigarettes	16.8	14.1	Had embarrassing or hurtful pictures/text of them posted on internet	12.4	14.7
Chewing Tobacco	11.6	12.0	Had embarrassing or hurtful pictures/text of them sent by cell phone	20.0	19.5
Marijuana	5.5	7.7	Were made fun of by others	66.2	69.7
Inhalants	4.1	3.3	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	6.8	9.9	Spread mean rumors or lies about other kids at school	22.8	35.9
Over-the-counter medications for non-medical use	7.5	6.1	Posted on internet embarrassing or hurtful pictures/text of someone	6.8	13.6
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	12.4	8.9
Alcohol	45.9	51.1	Made fun of other people	56.2	77.8
Cigarettes	43.2	48.4	<b>Percent of students who agree that:</b>		
Marijuana	23.8	26.9	Teachers notice and comment on student's good work	72.4	75.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.3	11.1	School provides feedback to parents on positive student performance	48.6	42.1
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	54.9	45.1
Alcohol	27.4	27.1	Rules are enforced fairly	67.6	67.8
Cigarettes	21.2	16.9	Students of all races/ethnicities are treated equally	77.4	82.2
Marijuana	12.4	9.4	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	81.4	88.0
Alcohol	65.5	63.0	Parents involve student in making family decisions	73.8	70.1
Cigarettes	76.6	79.2	It is important to be honest with parents regardless of consequences	92.5	83.7
Marijuana	84.8	86.8	Student could ask parent for help with a personal problem	72.6	76.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.8	95.1	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	89.0	77.7	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	92.4	88.0	Percentages are estimates based on weighted data.		
Marijuana	97.3	97.3	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.3	98.9	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	39.3	54.9			
Cigarettes	44.1	59.9			
Marijuana	25.5	28.7			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.1	13.2			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# DE KALB COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	1
Adult Psychiatric	1
<b>FIPS COUNTY CODE</b>	063
<b>POPULATION</b>	
Census 2010	12,892
2012 Pop. Estimate	12,940

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	5,631	5,686	5,051
Employed	5,281	5,215	4,560
Unemployed	350	471	491
Unemployment Rate	6.2%	8.3%	9.7%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	332	328	374
Drop-outs	1	3	7
Drop-out Rate	0.3%	0.9%	1.9%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	1	0	0
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	116	110	122
Mother Reported Smoking while Pregnant	25	24	19

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	117	124	97
Suicides	1	3	2
Self-inflicted Injuries	5	6	4
Homicides	0	0	0
Assault Injuries	25	26	18
Alcohol Induced Deaths	0	1	2
Drug Induced Deaths	2	0	2
Smoking Attributable Deaths	20	21	16

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	40		
Alcohol Primary Diagnosis <sup>2</sup>	1		
Drug Primary Diagnosis <sup>2</sup>	0		
Alcohol Related Diagnosis	8	14	14
Drug Related Diagnosis	10	25	7
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	26		
Alcohol Primary Diagnosis <sup>2</sup>	2		
Drug Primary Diagnosis <sup>2</sup>	3		
Alcohol Related Diagnosis	19	6	23
Drug Related Diagnosis	18	4	6
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	69		
Alcohol Primary Diagnosis <sup>2</sup>	6		
Drug Primary Diagnosis <sup>2</sup>	6		
Alcohol Related Diagnosis	15	13	12
Drug Related Diagnosis	22	15	6

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	14	5	7
Fatal Crashes	1	0	0
Injury Crashes	6	3	5
Property Damage Crashes	7	2	2
Crash Fatalities	1	0	0
Crash Injuries	8	4	5
Drug Involved Crashes--Total	0	2	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	2	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	40	32	59
Liquor Law Arrests	9	19	21
Drug Arrests	50	72	50
Methamphetamine Lab Incidents	0	0	1
Violent Offenses	8	7	6
Property Offenses	70	98	84
Domestic Violence Reports	28	51	50

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	36	13	23
Violent Offenses	10	4	8
Alcohol Offenses	2	0	1
Drug Offenses	0	2	1
Status Offenses--Total	25	14	14
Truancy	7	6	7
Beyond Parental Control	5	3	2
Habitually Absent from Home	2	1	1
Injurious Behavior	11	3	3
Abuse/Neglect/Custody--Total	6	0	3
Abuse	5	0	0
Neglect	1	0	3
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	1	5	6
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	2
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	1	5	4

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	108	91	93
Probation/Parole Admissions--Drug	18	22	24
Probation/Parole Admissions--DWI	8	7	6
Prison Admissions--Total	74	72	68
Prison Admissions--Drug	18	13	17
Prison Admissions--DWI	5	4	7

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	11	9	8
Alcohol Package Carry-out Licenses	12	11	10

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# DE KALB COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	*	5	5
CSTAR Adolescent	*	*	*
CSTAR Women and Children	0	0	0
CSTAR General Adult	13	14	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	14	8	30
Clinical SATOP (CIP, YCIP, SROP)	6	*	0
Other Substance Abuse Treatment	0	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	38	34	34
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	14	19	18
- Weekend Intervention Program	9	10	6
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	8
Early Intervention	6	*	*


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	34	26	38	Alcohol	14	13	14
AGE				Marijuana / Hashish	9	7	14
Under 18	*	*	*	Cocaine (total)	*	*	*
18 to 24	10	5	13	- Crack	*	*	*
25 to 29	7	*	5	Stimulant (total)	6	*	*
30 to 34	*	0	*	- Methamphetamine	6	*	*
35 to 39	*	5	5	Heroin	0	0	0
40 to 44	*	*	*	Analgesic except Heroin	*	*	*
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	*
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	0	0	*
Male	24	18	28	Inhalant	0	0	0
Female	10	8	10	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	33	25	36	Average Age at First Use of Drug	17.2	16.4	16.1
African American	*	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	0	*	0	- Weekly Injection Use	*	0	*
Other Race / Two or More Races	0	0	*	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	10	10	13	0	18	12	26
High School Graduate or G.E.D.	15	11	19	1 or 2	10	8	6
Associate Degree or Some College	8	*	5	3 or More	6	6	6
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	7	7	5
Employed	10	9	14	School	0	0	0
Unemployed	17	11	15	Mental Health Provider	0	0	0
Not in Labor Force	7	6	9	Health Care Provider	0	*	5
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	20	14	22
Independent Living	29	22	32	Other Referral Source	7	*	6
Dependent Living	*	*	5	TREATMENT ACCOMMODATION			
Homeless	0	0	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	17	11	24	Special Education Services Needed	*	*	*
Married / Cohabiting	11	8	8	Co-Occurring Psychological Problem	10	8	6
Previously Married	6	7	6	Co-Occurring Developmental Problem	*	*	0



# DE KALB COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 1  
**CENSUS 2010** 12,892  
**2012 POPULATION ESTIMATE** 12,940

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	5	7	*
Anxiety Disorder	25	25	17
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	10	10	13
Mood Disorder	43	41	31
Personality Disorder	*	*	0
Psychotic Disorder	14	11	10
Sexual Disorder	0	0	0
Other Diagnosis	8	7	7
Diagnosis Unknown	11	9	10

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	86	86	78	Less than High School Diploma	16	8	0
<b>AGE</b>				High School Grad or G.E.D.	19	9	*
Under 6	0	*	*	Associate Degree or Some College	5	6	0
6 to 9	9	5	6	Bachelor or Advanced Degree	0	0	0
10 to 13	10	17	17	Education Level Unknown	46	63	76
14 to 17	14	16	9	<b>EMPLOYMENT</b>			
18 to 24	*	*	*	Employed	*	0	0
25 to 29	5	*	*	Unemployed	35	23	*
30 to 34	*	6	7	Not in Labor Force	7	*	0
35 to 39	8	6	0	Employment Status Unknown	42	62	76
40 to 44	7	*	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	5	6	6	Independent Living	36	22	*
50 to 54	8	7	8	Dependent Living	16	16	*
55 to 59	8	6	7	Homeless	0	0	*
60 and Over	*	7	6	Other	0	0	*
Age Unknown	0	0	0	Housing Unknown	34	48	74
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	39	38	31	Self / Family / Friend	38	40	21
Female	47	48	47	School	*	6	9
Gender Unknown	0	0	0	Mental Health Provider	15	13	18
<b>RACE / ETHNICITY</b>				Health Care Provider	8	7	9
Caucasian	77	71	71	Court / Criminal Justice	7	5	*
African American	*	*	*	Other	15	15	18
Native American / Alaskan	*	7	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	85	85	77
Other Race	*	5	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	*	5	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

# DE KALB COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012


	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	39.5	31.2	Alcohol	63.5	87.3
Cigarettes	27.1	28.9	Cigarettes	75.6	89.2
Chewing Tobacco	20.5	10.3	Marijuana	78.9	89.0
Marijuana	9.6	5.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	87.2	95.0
Inhalants	2.4	4.5			
Prescription medications not prescribed for student	3.0	7.1	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	2.4	2.5	Were very sad	22.9	7.3
Methamphetamine	0.6	0.5	Were grouchy, irritable, or in a bad mood	21.7	14.6
Cocaine	0.6	0.5	Felt hopeless about the future	7.8	2.5
Heroin	1.2	0.0	Felt like not eating or eating more than usual	12.7	12.2
Hallucinogens	1.2	1.0	Slept a lot more or a lot less than usual	11.6	11.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.6	0.0	Had difficulty concentrating on school work	10.8	14.3
Steroids not prescribed for student	0.6	0.5			
Synthetic drugs (K2, bath salts, Spice, etc)	1.8		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	7.9	13.2
Alcohol	13.09	12.04	Made plan about how they would attempt suicide	4.2	11.7
Cigarettes	13.15	10.89	Attempted suicide	3.0	1.5
Marijuana	14.65	14.33	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	3.7	0.0
Inhalants		10.32			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	15.6	9.1	Were threatened/injured with weapon at school	7.8	10.8
Binge Alcohol (5 or more drinks on one occasion)	6.6	5.4	Were in a physical fight	27.1	23.0
Cigarettes	12.0	15.6	Were in a fight and had to be treated by a doctor or nurse	1.8	9.3
Chewing Tobacco	12.0	7.8			
Marijuana	1.8	2.5	<b>Percent of students in past 3 months who:</b>		
Inhalants	1.8	2.5	Were victims of mean rumors or lies spread at school	51.8	47.8
Prescription medications not prescribed for student	1.8	3.5	Had embarrassing or hurtful pictures/text of them posted on internet	10.2	9.3
Over-the-counter medications for non-medical use	1.8	2.5	Had embarrassing or hurtful pictures/text of them sent by cell phone	17.6	11.7
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	63.3	64.4
Alcohol	54.8	28.1			
Cigarettes	50.0	34.8	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	27.7	14.9	Spread mean rumors or lies about other kids at school	31.9	20.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.8	9.3	Posted on internet embarrassing or hurtful pictures/text of someone	5.4	2.9
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	10.3	8.6
Alcohol	28.5	19.9	Made fun of other people	67.1	60.0
Cigarettes	13.9	9.0			
Marijuana	4.8	4.1	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	75.3	76.1
Alcohol	61.1	69.8	School provides feedback to parents on positive student performance	38.9	51.2
Cigarettes	82.4	86.1	Teachers praise student for hard work	64.5	68.7
Marijuana	91.0	90.7	Rules are enforced fairly	65.9	56.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.0	98.0	Students of all races/ethnicities are treated equally	79.4	95.8
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	79.4	88.8	<b>Percent of students who agree that:</b>		
Cigarettes	93.4	93.0	Parents notice and comment on student's good work	82.5	83.3
Marijuana	97.6	97.0	Parents involve student in making family decisions	66.3	80.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.4	100.0	It is important to be honest with parents regardless of consequences	89.2	91.5
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	79.6	85.0
Alcohol	59.0	39.9			
Cigarettes	56.0	46.8			
Marijuana	27.9	16.1			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.3	6.1			

### Notes:

Blank data cell indicates estimate not available for survey item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Percentages are estimates based on weighted data.  
 Estimates are not provided for geographic areas with low numbers of respondents.  
 Some year-to-year differences in percentages are not statistically significant.  
 Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# DENT COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	17
Adult Psychiatric	17A
<b>FIPS COUNTY CODE</b>	065
<b>POPULATION</b>	
Census 2010	15,657
2012 Pop. Estimate	15,647

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	6,345	6,669	6,843
Employed	5,860	6,040	6,191
Unemployed	485	629	652
Unemployment Rate	7.6%	9.4%	9.5%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	629	622	630
Drop-outs	10	18	9
Drop-out Rate	1.6%	2.9%	1.4%
School Suspensions:			
Alcohol Incidents	2	0	0
Drug Incidents	4	8	5
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	173	173	198
Mother Reported Smoking while Pregnant	52	56	64

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	1	0
IDU and MSM <sup>1</sup>	0	*	0
IDU without MSM <sup>1</sup>	0	*	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	185	205	203
Suicides	2	4	3
Self-inflicted Injuries	34	34	24
Homicides	4	1	1
Assault Injuries	53	49	53
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	1	8	6
Smoking Attributable Deaths	34	39	43

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	136		
Alcohol Primary Diagnosis <sup>2</sup>	7		
Drug Primary Diagnosis <sup>2</sup>	8		
Alcohol Related Diagnosis	44	63	29
Drug Related Diagnosis	52	65	49
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	44		
Alcohol Primary Diagnosis <sup>2</sup>	6		
Drug Primary Diagnosis <sup>2</sup>	9		
Alcohol Related Diagnosis	39	34	30
Drug Related Diagnosis	43	31	31
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	180		
Alcohol Primary Diagnosis <sup>2</sup>	38		
Drug Primary Diagnosis <sup>2</sup>	40		
Alcohol Related Diagnosis	61	74	62
Drug Related Diagnosis	53	67	52

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	15	16	23
Fatal Crashes	0	0	1
Injury Crashes	9	10	13
Property Damage Crashes	6	6	9
Crash Fatalities	0	0	1
Crash Injuries	16	14	22
Drug Involved Crashes--Total	2	10	9
Fatal Crashes	0	1	1
Injury Crashes	1	4	6
Property Damage Crashes	1	5	2
Crash Fatalities	0	1	1
Crash Injuries	1	8	10

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	71	81	97
Liquor Law Arrests	11	13	22
Drug Arrests	49	122	91
Methamphetamine Lab Incidents	1	3	0
Violent Offenses	30	32	29
Property Offenses	291	321	365
Domestic Violence Reports	25	29	42

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	58	64	87
Violent Offenses	24	18	42
Alcohol Offenses	1	2	3
Drug Offenses	4	3	12
Status Offenses--Total	26	25	22
Truancy	1	11	4
Beyond Parental Control	10	5	5
Habitually Absent from Home	4	3	7
Injurious Behavior	11	6	1
Abuse/Neglect/Custody--Total	14	57	98
Abuse	2	19	38
Neglect	12	37	60
Custody Disputes	0	1	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	13	24	15
Parental Alcohol Use Related	0	4	0
Parental Drug Use Related	4	15	3
Parental Alcohol and Drug Use	0	0	2
Child Removed for Other Reason	9	5	10

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	19	19	23
Probation/Parole Admissions--Total	138	148	136
Probation/Parole Admissions--Drug	54	64	44
Probation/Parole Admissions--DWI	5	11	1
Prison Admissions--Total	74	61	69
Prison Admissions--Drug	34	32	19
Prison Admissions--DWI	4	4	6

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	14	14	10
Alcohol Package Carry-out Licenses	18	19	18

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# DENT COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	23	28	25
CSTAR Adolescent	7	*	10
CSTAR Women and Children	*	5	5
CSTAR General Adult	64	79	69
CSTAR Opioid	0	*	0
Primary Recovery Treatment	106	139	116
Clinical SATOP (CIP, YCIP, SROP)	14	8	13
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	50	50	71
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	15	14	16
- Weekend Intervention Program	12	10	10
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	0	0	6
Early Intervention	17	9	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	174	197	186	Alcohol	55	71	88
AGE				Marijuana / Hashish	50	51	46
Under 18	8	*	10	Cocaine (total)	*	*	*
18 to 24	44	43	45	- Crack	0	0	*
25 to 29	41	43	42	Stimulant (total)	21	18	11
30 to 34	24	32	31	- Methamphetamine	21	17	10
35 to 39	14	21	9	Heroin	9	12	*
40 to 44	12	19	19	Analgesic except Heroin	33	38	32
45 to 54	24	31	23	- Non-Prescription Methadone	0	0	*
55 and Over	7	6	7	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	*	*	*
Male	112	136	132	Inhalant	*	*	*
Female	62	61	54	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	169	193	184	Average Age at First Use of Drug	17.8	18.3	16.5
African American	*	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	31	31	23
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	7	5
Hispanic	*	*	*	- Weekly Injection Use	9	8	5
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	20	16	13
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	70	74	73	0	94	108	115
High School Graduate or G.E.D.	80	93	88	1 or 2	57	64	48
Associate Degree or Some College	24	30	18	3 or More	23	25	23
Bachelor or Advanced Degree	0	0	7	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	44	47	39
Employed	53	63	42	School	0	0	*
Unemployed	73	91	92	Mental Health Provider	*	*	5
Not in Labor Force	48	43	52	Health Care Provider	7	7	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	105	124	124
Independent Living	160	188	167	Other Referral Source	16	17	12
Dependent Living	10	*	13	TREATMENT ACCOMMODATION			
Homeless	*	*	6	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	11	12	10
Never Married	70	77	81	Special Education Services Needed	23	25	22
Married / Cohabiting	73	77	57	Co-Occurring Psychological Problem	71	64	59
Previously Married	31	43	48	Co-Occurring Developmental Problem	13	25	32

# DENT COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 17A  
**CENSUS 2010** 15,657  
**2012 POPULATION ESTIMATE** 15,647

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2012	FY2011	FY2010
Adjustment Disorder	*	*	5
Anxiety Disorder	99	107	98
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	40	43	37
Mood Disorder	129	142	124
Personality Disorder	11	17	19
Psychotic Disorder	27	25	26
Sexual Disorder	0	0	*
Other Diagnosis	23	27	23
Diagnosis Unknown	11	13	34

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2012	FY2011	FY2010	EDUCATION	FY2012	FY2011	FY2010
Total Individuals	223	227	217	Less than High School Diploma	18	28	13
<b>AGE</b>				High School Grad or G.E.D.	18	47	13
Under 6	*	*	*	Associate Degree or Some College	*	18	*
6 to 9	13	12	9	Bachelor or Advanced Degree	*	0	0
10 to 13	17	18	16	Education Level Unknown	184	134	188
14 to 17	30	23	24	<b>EMPLOYMENT</b>			
18 to 24	26	31	26	Employed	*	10	*
25 to 29	17	13	17	Unemployed	27	83	23
30 to 34	22	19	18	Not in Labor Force	13	*	*
35 to 39	20	23	20	Employment Status Unknown	181	131	188
40 to 44	19	22	18	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	20	30	31	Independent Living	32	94	26
50 to 54	18	18	18	Dependent Living	27	39	*
55 to 59	12	9	9	Homeless	0	0	0
60 and Over	6	8	9	Other	*	*	*
Age Unknown	0	0	0	Housing Unknown	163	90	186
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	97	100	108	Self / Family / Friend	162	161	154
Female	126	127	109	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	6
<b>RACE / ETHNICITY</b>				Health Care Provider	21	26	13
Caucasian	213	220	208	Court / Criminal Justice	16	12	12
African American	0	0	*	Other	20	24	26
Native American / Alaskan	*	*	0	Referral Source Unknown	0	0	6
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	8	5	5	Voluntary	220	222	202
Other Race	*	*	*	Civil	*	*	6
Race/Ethnicity Unknown	0	0	*	Criminal	0	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	7	6	8	Commitment Type Unknown	0	0	6
Past or Current Military Service	5	*	8				



# DENT COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	28.2	40.5	Alcohol	57.7	78.5
Cigarettes	22.4	30.8	Cigarettes	76.2	76.7
Chewing Tobacco	22.9	23.7	Marijuana	73.2	74.4
Marijuana	13.9	12.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	92.3
Inhalants	12.6	5.8			
Prescription medications not prescribed for student	8.6	11.7	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	9.8	8.4	Were very sad	28.5	9.3
Methamphetamine	0.8	1.6	Were grouchy, irritable, or in a bad mood	26.0	14.6
Cocaine	1.2	1.6	Felt hopeless about the future	21.2	6.4
Heroin	0.8	0.3	Felt like not eating or eating more than usual	8.6	10.6
Hallucinogens	3.3	2.9	Slept a lot more or a lot less than usual	12.6	18.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	2.3	Had difficulty concentrating on school work	27.8	14.3
Steroids not prescribed for student	5.7	0.6			
Synthetic drugs (K2, bath salts, Spice, etc)	8.2		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	13.5	13.7
Alcohol	10.50	11.58	Made plan about how they would attempt suicide	4.9	8.9
Cigarettes	10.78	11.55	Attempted suicide	2.0	6.4
Marijuana	13.30	12.30	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.4	2.7
Inhalants	9.89	11.39			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	17.1	15.3	Were threatened/injured with weapon at school	13.5	7.9
Binge Alcohol (5 or more drinks on one occasion)	9.8	8.9	Were in a physical fight	32.9	27.6
Cigarettes	13.5	16.5	Were in a fight and had to be treated by a doctor or nurse	2.4	2.9
Chewing Tobacco	11.4	14.3			
Marijuana	6.9	6.5	<b>Percent of students in past 3 months who:</b>		
Inhalants	9.4	2.6	Were victims of mean rumors or lies spread at school	47.8	59.1
Prescription medications not prescribed for student	2.0	7.8	Had embarrassing or hurtful pictures/text of them posted on internet	9.8	11.2
Over-the-counter medications for non-medical use	3.3	5.2	Had embarrassing or hurtful pictures/text of them sent by cell phone	13.1	11.3
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	66.5	72.1
Alcohol	36.7	49.4			
Cigarettes	34.7	44.8	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	19.3	28.1	Spread mean rumors or lies about other kids at school	24.9	36.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.9	11.9	Posted on internet embarrassing or hurtful pictures/text of someone	4.5	8.0
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	17.5	11.8
Alcohol	17.1	27.2	Made fun of other people	59.0	72.7
Cigarettes	10.2	17.0			
Marijuana	9.3	9.6	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	61.9	71.9
Alcohol	71.2	67.0	School provides feedback to parents on positive student performance	43.5	39.2
Cigarettes	82.7	76.1	Teachers praise student for hard work	50.4	56.4
Marijuana	83.5	85.5	Rules are enforced fairly	64.6	68.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5	94.6	Students of all races/ethnicities are treated equally	84.4	80.6
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	76.3	79.6	<b>Percent of students who agree that:</b>		
Cigarettes	83.3	91.3	Parents notice and comment on student's good work	86.1	84.9
Marijuana	99.1	95.2	Parents involve student in making family decisions	78.0	68.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.1	97.8	It is important to be honest with parents regardless of consequences	87.4	84.4
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	80.7	75.6
Alcohol	40.2	49.4			
Cigarettes	37.1	53.0			
Marijuana	23.4	26.5			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.8	16.3			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# DOUGLAS COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	18
Adult Psychiatric	18
<b>FIPS COUNTY CODE</b>	067
<b>POPULATION</b>	
Census 2010	13,684
2012 Pop. Estimate	13,585

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	6,156	6,289	6,144
Employed	5,649	5,743	5,510
Unemployed	507	546	634
Unemployment Rate	8.2%	8.7%	10.3%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	446	456	450
Drop-outs	3	3	1
Drop-out Rate	0.7%	0.7%	0.2%
School Suspensions:			
Alcohol Incidents	2	1	5
Drug Incidents	6	5	4
Tobacco Incidents	1	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	167	137	130
Mother Reported Smoking while Pregnant	40	31	37

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	1	0	2
IDU and MSM <sup>1</sup>	*	0	*
IDU without MSM <sup>1</sup>	*	0	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	163	141	150
Suicides	1	2	2
Self-inflicted Injuries	11	11	12
Homicides	0	0	2
Assault Injuries	10	13	16
Alcohol Induced Deaths	0	1	3
Drug Induced Deaths	0	1	0
Smoking Attributable Deaths	39	32	25

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	54		
Alcohol Primary Diagnosis <sup>2</sup>	4		
Drug Primary Diagnosis <sup>2</sup>	2		
Alcohol Related Diagnosis	18	25	18
Drug Related Diagnosis	20	22	17
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	30		
Alcohol Primary Diagnosis <sup>2</sup>	13		
Drug Primary Diagnosis <sup>2</sup>	8		
Alcohol Related Diagnosis	46	36	32
Drug Related Diagnosis	28	21	20
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	42		
Alcohol Primary Diagnosis <sup>2</sup>	8		
Drug Primary Diagnosis <sup>2</sup>	12		
Alcohol Related Diagnosis	16	23	20
Drug Related Diagnosis	34	27	25

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	18	22	15
Fatal Crashes	0	0	1
Injury Crashes	9	15	8
Property Damage Crashes	9	7	6
Crash Fatalities	0	0	1
Crash Injuries	9	23	11
Drug Involved Crashes--Total	2	3	3
Fatal Crashes	0	0	0
Injury Crashes	2	1	2
Property Damage Crashes	0	2	1
Crash Fatalities	0	0	0
Crash Injuries	2	1	2

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	76	84	46
Liquor Law Arrests	25	8	17
Drug Arrests	56	82	52
Methamphetamine Lab Incidents	9	9	3
Violent Offenses	38	30	53
Property Offenses	186	180	194
Domestic Violence Reports	0	3	1

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	31	34	45
Violent Offenses	4	10	14
Alcohol Offenses	2	2	6
Drug Offenses	3	3	5
Status Offenses--Total	15	29	22
Truancy	9	8	9
Beyond Parental Control	6	17	9
Habitually Absent from Home	0	1	2
Injurious Behavior	0	3	2
Abuse/Neglect/Custody--Total	27	12	17
Abuse	2	1	7
Neglect	22	10	8
Custody Disputes	3	1	2

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	18	12	15
Parental Alcohol Use Related	2	1	1
Parental Drug Use Related	5	2	1
Parental Alcohol and Drug Use	0	2	1
Child Removed for Other Reason	11	7	12

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	29	26	33
Probation/Parole Admissions--Total	91	95	70
Probation/Parole Admissions--Drug	39	38	24
Probation/Parole Admissions--DWI	10	4	4
Prison Admissions--Total	45	43	41
Prison Admissions--Drug	15	14	8
Prison Admissions--DWI	3	5	8

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	4	4	5
Alcohol Package Carry-out Licenses	11	11	11

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# DOUGLAS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	14	16	10
CSTAR Adolescent	*	5	*
CSTAR Women and Children	*	*	11
CSTAR General Adult	13	10	14
CSTAR Opioid	0	0	0
Primary Recovery Treatment	45	40	37
Clinical SATOP (CIP, YCIP, SROP)	8	5	7
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	47	40	37
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	15	13	12
- Weekend Intervention Program	14	6	9
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	76	61	68	Alcohol	32	33	30
AGE				Marijuana / Hashish	12	11	12
Under 18	*	5	*	Cocaine (total)	0	0	0
18 to 24	17	13	17	- Crack	0	0	0
25 to 29	12	10	15	Stimulant (total)	19	10	14
30 to 34	10	6	6	- Methamphetamine	18	9	14
35 to 39	6	5	9	Heroin	*	0	0
40 to 44	10	*	8	Analgesic except Heroin	7	7	11
45 to 54	12	15	8	- Non-Prescription Methadone	0	0	0
55 and Over	5	5	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	0
Male	53	44	44	Inhalant	*	0	0
Female	23	17	24	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	74	61	68	Average Age at First Use of Drug	17.8	15.7	17.0
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	13	6	10
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	0	0	- Weekly Injection Use	*	*	0
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	10	*	7
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	25	24	20	0	40	36	43
High School Graduate or G.E.D.	39	27	33	1 or 2	24	15	9
Associate Degree or Some College	11	10	12	3 or More	12	10	16
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	16	17	9
Employed	9	7	10	School	0	0	0
Unemployed	41	33	34	Mental Health Provider	*	0	*
Not in Labor Force	26	21	24	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	52	36	50
Independent Living	67	51	59	Other Referral Source	5	6	5
Dependent Living	6	7	5	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	32	30	31	Special Education Services Needed	0	*	*
Married / Cohabiting	23	13	20	Co-Occurring Psychological Problem	21	16	21
Previously Married	21	18	16	Co-Occurring Developmental Problem	0	*	0

# DOUGLAS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 18  
**CENSUS 2010** 13,684  
**2012 POPULATION ESTIMATE** 13,585

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	0	*
Anxiety Disorder	18	21	16
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	7	9	9
Mood Disorder	41	41	33
Personality Disorder	*	0	0
Psychotic Disorder	*	*	5
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	7	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	63	61	56	Less than High School Diploma	10	*	5
<b>AGE</b>				High School Grad or G.E.D.	6	8	*
Under 6	*	*	*	Associate Degree or Some College	*	*	*
6 to 9	*	*	*	Bachelor or Advanced Degree	*	*	0
10 to 13	*	7	5	Education Level Unknown	44	47	49
14 to 17	*	*	*	<b>EMPLOYMENT</b>			
18 to 24	10	6	7	Employed	*	0	0
25 to 29	6	*	*	Unemployed	12	13	7
30 to 34	9	5	*	Not in Labor Force	6	*	0
35 to 39	*	7	9	Employment Status Unknown	43	47	49
40 to 44	7	5	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	5	6	7	Independent Living	12	11	5
50 to 54	*	*	*	Dependent Living	6	13	*
55 to 59	6	8	*	Homeless	*	*	*
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	43	36	47
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	33	26	28	Self / Family / Friend	26	30	28
Female	30	35	28	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	5	*	*
<b>RACE / ETHNICITY</b>				Health Care Provider	19	22	17
Caucasian	61	58	55	Court / Criminal Justice	9	*	6
African American	0	0	0	Other	*	*	*
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	*	*	Voluntary	61	61	54
Other Race	*	*	0	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	0				


# DOUGLAS COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	43.3	46.1	Alcohol	66.2	74.7
Cigarettes	29.3	39.5	Cigarettes	76.4	71.6
Chewing Tobacco	25.0	26.9	Marijuana	72.6	70.5
Marijuana	14.5	13.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.7	90.6
Inhalants	3.4	9.8	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	7.2	13.5	Were very sad	25.6	22.0
Over-the-counter medications for non-medical use	1.9	9.4	Were grouchy, irritable, or in a bad mood	30.9	33.0
Methamphetamine	1.4	0.7	Felt hopeless about the future	15.2	19.5
Cocaine	2.0	1.4	Felt like not eating or eating more than usual	20.2	16.3
Heroin	0.5	1.0	Slept a lot more or a lot less than usual	22.7	28.8
Hallucinogens	0.5	2.7	Had difficulty concentrating on school work	25.6	30.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.5	2.7	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	2.9	0.7	Seriously considered attempting suicide	10.6	11.8
Synthetic drugs (K2, bath salts, Spice, etc)	7.7		Made plan about how they would attempt suicide	8.7	9.5
<b>Average age of students' first use of:</b>			Attempted suicide	3.8	6.1
Alcohol	12.95	12.02	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.0	1.4
Cigarettes	12.19	12.64	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.19	13.83	Were threatened/injured with weapon at school	7.2	10.8
Inhalants	12.41	12.78	Were in a physical fight	21.7	30.6
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	5.3	4.7
Alcohol	22.1	22.1	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	13.5	12.8	Were victims of mean rumors or lies spread at school	52.4	54.8
Cigarettes	11.1	20.3	Had embarrassing or hurtful pictures/text of them posted on internet	15.9	12.1
Chewing Tobacco	16.4	15.9	Had embarrassing or hurtful pictures/text of them sent by cell phone	19.3	15.9
Marijuana	7.7	6.1	Were made fun of by others	63.6	66.9
Inhalants	1.9	4.7	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	1.4	6.8	Spread mean rumors or lies about other kids at school	17.4	29.5
Over-the-counter medications for non-medical use	1.4	5.1	Posted on internet embarrassing or hurtful pictures/text of someone	12.1	13.2
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	13.1	15.4
Alcohol	62.5	62.2	Made fun of other people	58.2	64.3
Cigarettes	53.4	54.1	<b>Percent of students who agree that:</b>		
Marijuana	35.9	33.7	Teachers notice and comment on student's good work	72.5	70.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.9	16.8	School provides feedback to parents on positive student performance	38.6	40.3
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	59.2	51.2
Alcohol	35.7	40.3	Rules are enforced fairly	57.2	59.7
Cigarettes	19.3	23.2	Students of all races/ethnicities are treated equally	75.5	72.1
Marijuana	11.3	11.6	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	81.6	78.0
Alcohol	60.3	53.4	Parents involve student in making family decisions	68.8	63.1
Cigarettes	68.9	66.7	It is important to be honest with parents regardless of consequences	89.5	84.1
Marijuana	79.7	82.1	Student could ask parent for help with a personal problem	76.9	74.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.7	92.9	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	75.2	79.4	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	84.6	88.6	Percentages are estimates based on weighted data.		
Marijuana	92.7	95.9	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	98.3	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	64.4	63.9			
Cigarettes	65.5	65.5			
Marijuana	35.8	38.4			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.2	22.3			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# DUNKLIN COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	20
Adult Psychiatric	19
<b>FIPS COUNTY CODE</b>	069
<b>POPULATION</b>	
Census 2010	31,953
2012 Pop. Estimate	31,826

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	14,254	14,207	14,307
Employed	13,041	12,725	12,751
Unemployed	1,213	1,482	1,556
Unemployment Rate	8.5%	10.4%	10.9%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	1,518	1,585	1,572
Drop-outs	33	35	56
Drop-out Rate	2.2%	2.2%	3.6%
School Suspensions:			
Alcohol Incidents	1	0	0
Drug Incidents	12	23	28
Tobacco Incidents	1	1	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	480	473	462
Mother Reported Smoking while Pregnant	140	132	129

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	1	2
IDU and MSM <sup>1</sup>	0	*	*
IDU without MSM <sup>1</sup>	0	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	433	443	454
Suicides	9	5	9
Self-inflicted Injuries	111	121	98
Homicides	2	1	3
Assault Injuries	199	193	215
Alcohol Induced Deaths	2	2	1
Drug Induced Deaths	6	4	7
Smoking Attributable Deaths	98	78	83

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	534		
Alcohol Primary Diagnosis <sup>2</sup>	40		
Drug Primary Diagnosis <sup>2</sup>	50		
Alcohol Related Diagnosis	170	115	57
Drug Related Diagnosis	217	224	74
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	171		
Alcohol Primary Diagnosis <sup>2</sup>	11		
Drug Primary Diagnosis <sup>2</sup>	14		
Alcohol Related Diagnosis	94	103	192
Drug Related Diagnosis	84	168	189
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	595		
Alcohol Primary Diagnosis <sup>2</sup>	75		
Drug Primary Diagnosis <sup>2</sup>	75		
Alcohol Related Diagnosis	150	175	132
Drug Related Diagnosis	160	230	114

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	26	38	39
Fatal Crashes	1	2	2
Injury Crashes	12	21	16
Property Damage Crashes	13	15	21
Crash Fatalities	1	2	2
Crash Injuries	17	33	15
Drug Involved Crashes--Total	16	21	26
Fatal Crashes	0	2	0
Injury Crashes	8	11	8
Property Damage Crashes	8	8	18
Crash Fatalities	0	2	0
Crash Injuries	13	16	7

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	266	373	319
Liquor Law Arrests	33	60	92
Drug Arrests	294	269	336
Methamphetamine Lab Incidents	8	17	30
Violent Offenses	115	121	108
Property Offenses	1,029	900	926
Domestic Violence Reports	122	92	84

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	205	243	197
Violent Offenses	48	58	55
Alcohol Offenses	9	22	14
Drug Offenses	13	17	4
Status Offenses--Total	64	70	82
Truancy	15	17	13
Beyond Parental Control	30	32	45
Habitually Absent from Home	8	10	9
Injurious Behavior	3	6	11
Abuse/Neglect/Custody--Total	508	695	846
Abuse	158	205	241
Neglect	346	488	604
Custody Disputes	4	2	1

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	97	120	100
Parental Alcohol Use Related	5	6	2
Parental Drug Use Related	55	60	43
Parental Alcohol and Drug Use	4	7	2
Child Removed for Other Reason	33	47	53

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	55	54	73
Probation/Parole Admissions--Total	502	459	527
Probation/Parole Admissions--Drug	135	114	130
Probation/Parole Admissions--DWI	48	40	38
Prison Admissions--Total	298	295	281
Prison Admissions--Drug	69	84	79
Prison Admissions--DWI	27	30	29

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	29	27	30
Alcohol Package Carry-out Licenses	45	42	40

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# DUNKLIN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	89	93	54
CSTAR Adolescent	31	38	43
CSTAR Women and Children	21	41	68
CSTAR General Adult	96	68	70
CSTAR Opioid	0	0	0
Primary Recovery Treatment	272	296	302
Clinical SATOP (CIP, YCIP, SROP)	21	21	27
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	126	117	164
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	52	53	75
- Weekend Intervention Program	25	15	28
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	5
Compulsive Gambling	0	0	0
Recovery Supports	5	5	6
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	408	438	480	Alcohol	121	129	161
AGE				Marijuana / Hashish	151	172	195
Under 18	34	38	47	Cocaine (total)	30	31	28
18 to 24	79	91	102	- Crack	14	19	15
25 to 29	81	93	88	Stimulant (total)	47	42	43
30 to 34	75	70	72	- Methamphetamine	44	39	43
35 to 39	40	41	53	Heroin	*	*	*
40 to 44	30	27	43	Analgesic except Heroin	40	41	38
45 to 54	54	59	59	- Non-Prescription Methadone	0	0	0
55 and Over	15	19	16	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	11	15	8
Male	277	304	328	Inhalant	*	*	*
Female	131	134	152	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	328	336	387	Average Age at First Use of Drug	17.6	17.2	17.2
African American	69	91	81	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	19	18	24
Asian / Pacific Islander	0	0	*	- Daily Injection Use	*	*	*
Hispanic	8	6	5	- Weekly Injection Use	6	*	6
Other Race / Two or More Races	*	8	5	- Less than Weekly Injection Use	10	10	14
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	195	227	246	0	284	307	271
High School Graduate or G.E.D.	179	178	200	1 or 2	95	91	147
Associate Degree or Some College	32	32	28	3 or More	29	40	62
Bachelor or Advanced Degree	*	*	6	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	53	44	62
Employed	92	96	90	School	*	*	*
Unemployed	128	176	198	Mental Health Provider	8	*	13
Not in Labor Force	188	166	192	Health Care Provider	23	15	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	283	315	340
Independent Living	307	341	359	Other Referral Source	40	58	56
Dependent Living	91	86	101	TREATMENT ACCOMMODATION			
Homeless	*	9	8	Pregnant when Admitted to any Episode	*	12	8
MARITAL / FAMILY STATUS				Military Veteran	15	9	11
Never Married	197	225	230	Special Education Services Needed	36	52	44
Married / Cohabiting	120	125	146	Co-Occurring Psychological Problem	110	77	102
Previously Married	91	88	104	Co-Occurring Developmental Problem	13	7	11

# DUNKLIN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 19  
**CENSUS 2010** 31,953  
**2012 POPULATION ESTIMATE** 31,826

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	15	32	30
Anxiety Disorder	90	86	68
Dementia	*	*	*
Developmental Disorder	6	*	0
Impulse Control Disorder	55	36	30
Mood Disorder	267	245	204
Personality Disorder	51	67	69
Psychotic Disorder	80	61	59
Sexual Disorder	*	*	*
Other Diagnosis	34	35	30
Diagnosis Unknown	73	57	156

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	469	415	466	Less than High School Diploma	86	58	38
<b>AGE</b>				High School Grad or G.E.D.	78	80	40
Under 6	*	0	*	Associate Degree or Some College	9	8	5
6 to 9	19	18	7	Bachelor or Advanced Degree	*	*	*
10 to 13	33	19	21	Education Level Unknown	292	266	381
14 to 17	27	30	27	<b>EMPLOYMENT</b>			
18 to 24	53	46	59	Employed	5	7	5
25 to 29	39	32	52	Unemployed	146	140	79
30 to 34	43	37	48	Not in Labor Force	64	*	*
35 to 39	54	44	60	Employment Status Unknown	254	266	381
40 to 44	52	47	37	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	43	38	45	Independent Living	167	127	67
50 to 54	34	32	33	Dependent Living	43	39	19
55 to 59	29	35	35	Homeless	*	*	0
60 and Over	40	37	39	Other	10	*	*
Age Unknown	0	0	0	Housing Unknown	247	247	378
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	234	175	215	Self / Family / Friend	100	85	90
Female	235	240	251	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	52	68	78
<b>RACE / ETHNICITY</b>				Health Care Provider	130	92	46
Caucasian	385	346	388	Court / Criminal Justice	107	79	79
African American	69	57	67	Other	56	50	56
Native American / Alaskan	0	0	0	Referral Source Unknown	22	37	114
Asian / Pacific Islander	0	0	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	6	5	5	Voluntary	444	369	328
Other Race	9	7	5	Civil	*	6	19
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	5
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	9	9	7	Commitment Type Unknown	22	37	114
Past or Current Military Service	12	11	12				



# DUNKLIN COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	42.2	42.9	Alcohol	74.4	77.5
Cigarettes	31.7	34.5	Cigarettes	82.8	80.3
Chewing Tobacco	17.4	15.6	Marijuana	74.5	76.5
Marijuana	17.9	15.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.1	92.5
Inhalants	7.2	7.4			
Prescription medications not prescribed for student	12.7	14.3	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	6.6	7.5	Were very sad	18.5	13.4
Methamphetamine	1.8	1.1	Were grouchy, irritable, or in a bad mood	27.6	19.7
Cocaine	2.5	1.3	Felt hopeless about the future	11.0	8.3
Heroin	1.5	0.3	Felt like not eating or eating more than usual	17.3	12.4
Hallucinogens	2.2	1.7	Slept a lot more or a lot less than usual	21.5	20.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.4	1.1	Had difficulty concentrating on school work	22.1	21.4
Steroids not prescribed for student	2.2	1.9			
Synthetic drugs (K2, bath salts, Spice, etc)	10.2		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	11.8	13.1
Alcohol	12.95	12.76	Made plan about how they would attempt suicide	9.0	10.6
Cigarettes	12.11	12.24	Attempted suicide	5.4	7.0
Marijuana	13.41	13.67	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.9	2.9
Inhalants	12.95	12.26			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	18.8	17.9	Were threatened/injured with weapon at school	4.9	8.1
Binge Alcohol (5 or more drinks on one occasion)	10.8	11.2	Were in a physical fight	25.3	25.6
Cigarettes	16.8	17.2	Were in a fight and had to be treated by a doctor or nurse	3.2	4.2
Chewing Tobacco	9.1	6.7			
Marijuana	7.9	6.1	<b>Percent of students in past 3 months who:</b>		
Inhalants	3.0	3.4	Were victims of mean rumors or lies spread at school	58.0	60.1
Prescription medications not prescribed for student	7.2	9.0	Had embarrassing or hurtful pictures/text of them posted on internet	14.6	13.3
Over-the-counter medications for non-medical use	3.8	4.4	Had embarrassing or hurtful pictures/text of them sent by cell phone	19.6	14.5
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	65.5	71.3
Alcohol	56.8	58.7			
Cigarettes	50.6	54.8	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	36.9	35.4	Spread mean rumors or lies about other kids at school	24.4	33.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.5	16.2	Posted on internet embarrassing or hurtful pictures/text of someone	7.4	13.3
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	10.8	13.0
Alcohol	33.9	33.4	Made fun of other people	67.4	75.8
Cigarettes	17.7	17.5			
Marijuana	13.1	11.0	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	69.5	74.1
Alcohol	60.5	61.6	School provides feedback to parents on positive student performance	37.3	44.0
Cigarettes	76.7	75.6	Teachers praise student for hard work	51.4	58.1
Marijuana	81.8	83.9	Rules are enforced fairly	65.6	64.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.2	94.5	Students of all races/ethnicities are treated equally	73.8	71.4
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	82.8	82.9	<b>Percent of students who agree that:</b>		
Cigarettes	90.2	90.1	Parents notice and comment on student's good work	85.0	85.0
Marijuana	94.0	94.9	Parents involve student in making family decisions	70.0	69.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.7	97.0	It is important to be honest with parents regardless of consequences	86.7	84.0
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	75.5	77.3
Alcohol	53.5	55.5			
Cigarettes	59.6	58.6			
Marijuana	37.8	35.7			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.1	19.9			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# FRANKLIN COUNTY



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	16
Adult Psychiatric	16
<b>FIPS COUNTY CODE</b>	071
<b>POPULATION</b>	
Census 2010	101,492
2012 Pop. Estimate	101,412

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	52,500	53,498	52,681
Employed	48,311	48,503	46,867
Unemployed	4,189	4,995	5,814
Unemployment Rate	8.0%	9.3%	11.0%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	4,870	5,083	5,318
Drop-outs	128	155	122
Drop-out Rate	2.6%	3.0%	2.3%
School Suspensions:			
Alcohol Incidents	8	17	7
Drug Incidents	43	79	37
Tobacco Incidents	2	6	3

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	1,274	1,271	1,315
Mother Reported Smoking while Pregnant	286	312	283

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	1	7
IDU and MSM <sup>1</sup>	0	*	*
IDU without MSM <sup>1</sup>	0	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	1,000	966	901
Suicides	23	21	23
Self-inflicted Injuries	149	139	124
Homicides	5	3	2
Assault Injuries	366	344	294
Alcohol Induced Deaths	2	6	4
Drug Induced Deaths	27	23	14
Smoking Attributable Deaths	192	164	156

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	601		
Alcohol Primary Diagnosis <sup>2</sup>	50		
Drug Primary Diagnosis <sup>2</sup>	96		
Alcohol Related Diagnosis	225	351	275
Drug Related Diagnosis	300	400	260
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	485		
Alcohol Primary Diagnosis <sup>2</sup>	58		
Drug Primary Diagnosis <sup>2</sup>	67		
Alcohol Related Diagnosis	371	195	229
Drug Related Diagnosis	350	187	184
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,024		
Alcohol Primary Diagnosis <sup>2</sup>	202		
Drug Primary Diagnosis <sup>2</sup>	221		
Alcohol Related Diagnosis	457	369	344
Drug Related Diagnosis	838	521	332

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	127	136	172
Fatal Crashes	5	8	8
Injury Crashes	44	58	69
Property Damage Crashes	78	70	95
Crash Fatalities	5	8	7
Crash Injuries	57	82	97
Drug Involved Crashes--Total	28	25	43
Fatal Crashes	1	4	2
Injury Crashes	9	11	13
Property Damage Crashes	18	10	28
Crash Fatalities	1	4	1
Crash Injuries	7	18	14

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	712	547	444
Liquor Law Arrests	154	105	184
Drug Arrests	487	507	396
Methamphetamine Lab Incidents	97	106	96
Violent Offenses	220	185	179
Property Offenses	1,945	2,038	2,186
Domestic Violence Reports	544	539	484

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	353	345	462
Violent Offenses	76	80	114
Alcohol Offenses	27	29	28
Drug Offenses	31	27	31
Status Offenses--Total	181	223	137
Truancy	38	69	27
Beyond Parental Control	28	20	23
Habitually Absent from Home	18	40	34
Injurious Behavior	74	70	39
Abuse/Neglect/Custody--Total	105	103	75
Abuse	8	5	11
Neglect	96	98	61
Custody Disputes	1	0	3

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	108	104	76
Parental Alcohol Use Related	11	0	2
Parental Drug Use Related	53	73	43
Parental Alcohol and Drug Use	5	8	3
Child Removed for Other Reason	39	23	28

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	108	100	97
Probation/Parole Admissions--Total	498	444	547
Probation/Parole Admissions--Drug	132	131	136
Probation/Parole Admissions--DWI	57	39	44
Prison Admissions--Total	216	184	191
Prison Admissions--Drug	55	52	51
Prison Admissions--DWI	18	13	17

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	128	120	131
Alcohol Package Carry-out Licenses	94	95	86

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# FRANKLIN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	47	52	50
CSTAR Adolescent	47	57	47
CSTAR Women and Children	45	60	61
CSTAR General Adult	178	82	33
CSTAR Opioid	0	*	*
Primary Recovery Treatment	72	192	256
Clinical SATOP (CIP, YCIP, SROP)	142	99	126
Other Substance Abuse Treatment	*	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	546	482	561
- Adolescent Diversion Education Program	*	5	8
- Offender Education Program	200	175	234
- Weekend Intervention Program	138	138	129
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	9	9	8
Compulsive Gambling	*	*	*
Recovery Supports	0	0	16
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	449	460	529	Alcohol	207	187	228
AGE				Marijuana / Hashish	94	105	106
Under 18	48	58	49	Cocaine (total)	6	*	9
18 to 24	90	97	121	- Crack	*	*	6
25 to 29	91	77	101	Stimulant (total)	48	60	83
30 to 34	63	73	81	- Methamphetamine	44	58	81
35 to 39	48	48	50	Heroin	59	64	73
40 to 44	37	31	45	Analgesic except Heroin	23	28	20
45 to 54	56	55	64	- Non-Prescription Methadone	0	0	0
55 and Over	16	21	18	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	8	5	5
Male	315	311	362	Inhalant	*	*	*
Female	134	149	167	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	433	447	507	Average Age at First Use of Drug	16.8	17.7	17.4
African American	7	8	11	INJECTION DRUG USE			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	73	90	87
Asian / Pacific Islander	0	0	*	- Daily Injection Use	21	28	22
Hispanic	*	5	*	- Weekly Injection Use	22	26	34
Other Race / Two or More Races	6	*	5	- Less than Weekly Injection Use	30	36	31
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	171	192	208	0	193	255	276
High School Graduate or G.E.D.	171	190	228	1 or 2	162	124	163
Associate Degree or Some College	104	75	83	3 or More	94	81	90
Bachelor or Advanced Degree	*	*	10	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	115	111	132
Employed	144	111	136	School	*	7	0
Unemployed	160	191	224	Mental Health Provider	*	9	17
Not in Labor Force	145	158	169	Health Care Provider	7	16	20
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	270	274	306
Independent Living	362	362	429	Other Referral Source	51	43	54
Dependent Living	59	77	84	TREATMENT ACCOMMODATION			
Homeless	8	12	8	Pregnant when Admitted to any Episode	7	8	10
MARITAL / FAMILY STATUS				Military Veteran	18	22	21
Never Married	257	272	320	Special Education Services Needed	35	34	43
Married / Cohabiting	106	101	105	Co-Occurring Psychological Problem	152	165	167
Previously Married	86	87	104	Co-Occurring Developmental Problem	19	17	14

# FRANKLIN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Eastern  
**PSYCHIATRIC SERVICE AREA** 16  
**CENSUS 2010** 101,492  
**2012 POPULATION ESTIMATE** 101,412

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	30	30	32
Anxiety Disorder	390	374	302
Dementia	*	5	7
Developmental Disorder	44	39	34
Impulse Control Disorder	253	221	172
Mood Disorder	721	667	552
Personality Disorder	125	141	157
Psychotic Disorder	122	127	126
Sexual Disorder	*	*	*
Other Diagnosis	75	79	92
Diagnosis Unknown	120	123	63

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	1,106	1,016	834	Less than High School Diploma	236	171	119
<b>AGE</b>				High School Grad or G.E.D.	122	158	143
Under 6	8	*	*	Associate Degree or Some College	72	80	51
6 to 9	102	81	62	Bachelor or Advanced Degree	10	14	13
10 to 13	141	122	89	Education Level Unknown	666	593	508
14 to 17	131	109	83	<b>EMPLOYMENT</b>			
18 to 24	102	103	94	Employed	55	82	64
25 to 29	93	91	74	Unemployed	259	315	254
30 to 34	95	82	61	Not in Labor Force	168	34	10
35 to 39	79	82	77	Employment Status Unknown	624	585	506
40 to 44	94	88	70	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	86	85	81	Independent Living	365	403	309
50 to 54	83	77	69	Dependent Living	172	218	80
55 to 59	41	48	34	Homeless	7	*	*
60 and Over	51	44	39	Other	6	8	*
Age Unknown	0	0	0	Housing Unknown	556	383	439
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	575	538	453	Self / Family / Friend	144	122	125
Female	531	478	381	School	113	63	73
Gender Unknown	0	0	0	Mental Health Provider	85	100	109
<b>RACE / ETHNICITY</b>				Health Care Provider	88	56	38
Caucasian	1,057	972	794	Court / Criminal Justice	34	31	71
African American	17	15	17	Other	631	629	401
Native American / Alaskan	0	0	0	Referral Source Unknown	11	15	17
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	11	11	8	Voluntary	1,085	990	753
Other Race	18	17	14	Civil	*	5	53
Race/Ethnicity Unknown	0	0	0	Criminal	7	6	11
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	26	14	7	Commitment Type Unknown	12	15	17
Past or Current Military Service	13	13	10				


# FRANKLIN COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	43.2	44.7	Alcohol	67.9	76.5
Cigarettes	21.0	24.3	Cigarettes	83.0	80.0
Chewing Tobacco	12.5	14.9	Marijuana	75.4	69.4
Marijuana	13.6	15.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.7	92.2
Inhalants	5.0	8.5	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	8.1	12.8	Were very sad	19.7	18.7
Over-the-counter medications for non-medical use	4.8	8.1	Were grouchy, irritable, or in a bad mood	26.1	21.9
Methamphetamine	0.8	1.0	Felt hopeless about the future	11.0	10.7
Cocaine	0.9	1.6	Felt like not eating or eating more than usual	18.9	18.2
Heroin	0.5	0.6	Slept a lot more or a lot less than usual	20.8	27.5
Hallucinogens	2.2	4.1	Had difficulty concentrating on school work	24.8	20.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	2.1	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.1	1.1	Seriously considered attempting suicide	11.9	10.9
Synthetic drugs (K2, bath salts, Spice, etc)	4.9		Made plan about how they would attempt suicide	9.8	8.5
<b>Average age of students' first use of:</b>			Attempted suicide	5.4	5.7
Alcohol	12.53	12.29	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.6	2.2
Cigarettes	12.14	11.87	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.16	13.25	Were threatened/injured with weapon at school	6.8	9.8
Inhalants	12.24	12.36	Were in a physical fight	21.8	24.2
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.3	4.3
Alcohol	18.1	20.2	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	10.1	12.7	Were victims of mean rumors or lies spread at school	51.8	55.1
Cigarettes	9.6	13.5	Had embarrassing or hurtful pictures/text of them posted on internet	12.6	13.1
Chewing Tobacco	7.6	9.1	Had embarrassing or hurtful pictures/text of them sent by cell phone	15.4	13.5
Marijuana	6.2	8.1	Were made fun of by others	63.0	68.7
Inhalants	2.3	3.7	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	3.6	7.7	Spread mean rumors or lies about other kids at school	27.2	34.3
Over-the-counter medications for non-medical use	2.8	4.7	Posted on internet embarrassing or hurtful pictures/text of someone	8.7	11.5
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.2	9.5
Alcohol	55.0	57.1	Made fun of other people	61.4	70.8
Cigarettes	39.5	44.5	<b>Percent of students who agree that:</b>		
Marijuana	32.3	33.3	Teachers notice and comment on student's good work	65.7	71.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.2	16.7	School provides feedback to parents on positive student performance	38.9	46.5
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	53.1	57.4
Alcohol	32.1	33.9	Rules are enforced fairly	61.2	67.6
Cigarettes	11.2	14.4	Students of all races/ethnicities are treated equally	79.0	80.1
Marijuana	10.5	11.8	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	82.4	84.2
Alcohol	58.1	58.1	Parents involve student in making family decisions	65.8	68.7
Cigarettes	84.1	80.1	It is important to be honest with parents regardless of consequences	86.4	82.8
Marijuana	84.0	83.6	Student could ask parent for help with a personal problem	76.0	77.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	95.3	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	78.3	76.4	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	93.0	89.3	Percentages are estimates based on weighted data.		
Marijuana	94.3	92.5	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.7	97.0	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	58.4	58.3			
Cigarettes	51.8	53.7			
Marijuana	35.4	34.8			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.5	17.9			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# GASCONADE COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	17
Adult Psychiatric	17A
<b>FIPS COUNTY CODE</b>	073
<b>POPULATION</b>	
Census 2010	15,222
2012 Pop. Estimate	14,972

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	7,220	7,380	7,490
Employed	6,695	6,702	6,701
Unemployed	525	678	789
Unemployment Rate	7.3%	9.2%	10.5%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	952	966	1,020
Drop-outs	9	20	18
Drop-out Rate	0.9%	2.1%	1.8%
School Suspensions:			
Alcohol Incidents	0	3	6
Drug Incidents	7	10	15
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	153	156	146
Mother Reported Smoking while Pregnant	37	48	35

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	1
IDU and MSM <sup>1</sup>	0	0	*
IDU without MSM <sup>1</sup>	0	0	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	218	175	202
Suicides	3	1	0
Self-inflicted Injuries	10	12	15
Homicides	0	0	2
Assault Injuries	28	56	31
Alcohol Induced Deaths	2	1	0
Drug Induced Deaths	1	4	0
Smoking Attributable Deaths	34	28	35

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	70		
Alcohol Primary Diagnosis <sup>2</sup>	3		
Drug Primary Diagnosis <sup>2</sup>	5		
Alcohol Related Diagnosis	25	47	35
Drug Related Diagnosis	22	46	20
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	55		
Alcohol Primary Diagnosis <sup>2</sup>	7		
Drug Primary Diagnosis <sup>2</sup>	3		
Alcohol Related Diagnosis	52	35	26
Drug Related Diagnosis	40	33	19
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	116		
Alcohol Primary Diagnosis <sup>2</sup>	39		
Drug Primary Diagnosis <sup>2</sup>	12		
Alcohol Related Diagnosis	79	61	49
Drug Related Diagnosis	48	61	27

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	25	22	21
Fatal Crashes	6	0	0
Injury Crashes	8	10	14
Property Damage Crashes	11	12	7
Crash Fatalities	6	0	0
Crash Injuries	14	16	17
Drug Involved Crashes--Total	3	2	2
Fatal Crashes	0	1	0
Injury Crashes	1	0	1
Property Damage Crashes	2	1	1
Crash Fatalities	0	1	0
Crash Injuries	1	1	1

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	71	64	112
Liquor Law Arrests	24	29	22
Drug Arrests	41	46	44
Methamphetamine Lab Incidents	6	16	19
Violent Offenses	35	34	37
Property Offenses	264	241	310
Domestic Violence Reports	26	9	11

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	100	88	91
Violent Offenses	39	22	35
Alcohol Offenses	9	7	12
Drug Offenses	8	19	6
Status Offenses--Total	18	25	40
Truancy	4	5	0
Beyond Parental Control	5	4	0
Habitually Absent from Home	6	3	0
Injurious Behavior	2	13	40
Abuse/Neglect/Custody--Total	5	3	3
Abuse	0	0	0
Neglect	5	3	3
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	7	5	7
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	5	2	0
Parental Alcohol and Drug Use	2	0	0
Child Removed for Other Reason	0	3	7

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	13	9	0
Probation/Parole Admissions--Total	85	64	73
Probation/Parole Admissions--Drug	31	18	25
Probation/Parole Admissions--DWI	4	2	7
Prison Admissions--Total	31	31	38
Prison Admissions--Drug	8	12	12
Prison Admissions--DWI	2	0	4

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	55	57	51
Alcohol Package Carry-out Licenses	19	22	21

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# GASCONADE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	8	6	10
CSTAR Adolescent	*	5	*
CSTAR Women and Children	*	*	6
CSTAR General Adult	53	19	6
CSTAR Opioid	0	0	0
Primary Recovery Treatment	15	50	61
Clinical SATOP (CIP, YCIP, SROP)	18	12	17
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	90	72	86
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	36	37	34
- Weekend Intervention Program	25	19	22
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	*	*
Recovery Supports	0	*	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	81	74	92	Alcohol	29	31	37
AGE				Marijuana / Hashish	22	22	21
Under 18	*	6	5	Cocaine (total)	0	*	0
18 to 24	18	14	19	- Crack	0	0	0
25 to 29	15	16	16	Stimulant (total)	18	13	23
30 to 34	14	11	6	- Methamphetamine	18	13	23
35 to 39	8	*	13	Heroin	5	*	*
40 to 44	8	6	11	Analgesic except Heroin	5	*	6
45 to 54	11	9	15	- Non-Prescription Methadone	*	0	0
55 and Over	5	8	7	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	*
Male	54	57	63	Inhalant	0	0	0
Female	27	17	29	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	78	72	89	Average Age at First Use of Drug	18.1	17.4	17.8
African American	*	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	5	7	13
Asian / Pacific Islander	*	*	*	- Daily Injection Use	*	0	*
Hispanic	*	0	*	- Weekly Injection Use	0	*	5
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	6	7
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	29	24	39	0	37	42	55
High School Graduate or G.E.D.	39	36	41	1 or 2	31	22	25
Associate Degree or Some College	12	11	10	3 or More	13	10	12
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	22	14	16
Employed	31	32	32	School	0	0	0
Unemployed	38	21	38	Mental Health Provider	0	0	*
Not in Labor Force	12	21	22	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	49	55	71
Independent Living	72	64	81	Other Referral Source	8	*	*
Dependent Living	*	6	8	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	8	5	*
Never Married	41	44	44	Special Education Services Needed	6	*	11
Married / Cohabiting	21	18	24	Co-Occurring Psychological Problem	26	25	34
Previously Married	19	12	24	Co-Occurring Developmental Problem	*	0	*

# GASCONADE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 17A  
**CENSUS 2010** 15,222  
**2012 POPULATION ESTIMATE** 14,972

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	*	8
Anxiety Disorder	58	58	59
Dementia	0	0	0
Developmental Disorder	*	*	6
Impulse Control Disorder	30	27	36
Mood Disorder	99	94	102
Personality Disorder	15	13	16
Psychotic Disorder	19	11	11
Sexual Disorder	0	0	0
Other Diagnosis	9	9	15
Diagnosis Unknown	8	9	12

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	152	140	154	Less than High School Diploma	28	8	11
<b>AGE</b>				High School Grad or G.E.D.	20	8	18
Under 6	0	*	*	Associate Degree or Some College	8	*	*
6 to 9	9	7	12	Bachelor or Advanced Degree	*	*	*
10 to 13	11	11	14	Education Level Unknown	95	120	120
14 to 17	13	16	18	<b>EMPLOYMENT</b>			
18 to 24	8	9	10	Employed	11	6	5
25 to 29	11	6	11	Unemployed	35	15	25
30 to 34	18	14	11	Not in Labor Force	15	0	*
35 to 39	9	13	12	Employment Status Unknown	91	119	120
40 to 44	16	13	14	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	19	13	14	Independent Living	48	19	33
50 to 54	18	21	16	Dependent Living	17	23	8
55 to 59	10	11	13	Homeless	0	0	0
60 and Over	10	5	5	Other	*	*	0
Age Unknown	0	0	0	Housing Unknown	85	97	113
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	58	54	62	Self / Family / Friend	61	50	62
Female	94	86	92	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	5	6	*
<b>RACE / ETHNICITY</b>				Health Care Provider	14	7	6
Caucasian	146	134	148	Court / Criminal Justice	*	*	9
African American	*	*	0	Other	71	74	72
Native American / Alaskan	0	0	0	Referral Source Unknown	0	*	*
Asian / Pacific Islander	0	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	151	137	146
Other Race	*	*	*	Civil	0	0	6
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	7	5	5	Commitment Type Unknown	0	*	*
Past or Current Military Service	5	*	*				




# GASCONADE COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	44.7	52.4	Alcohol	68.5	78.0
Cigarettes	20.3	28.5	Cigarettes	81.5	79.7
Chewing Tobacco	15.1	16.6	Marijuana	82.2	71.2
Marijuana	10.1	17.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.7	93.3
Inhalants	6.7	7.7	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	10.5	13.7	Were very sad	22.8	10.1
Over-the-counter medications for non-medical use	5.9	6.4	Were grouchy, irritable, or in a bad mood	23.3	18.9
Methamphetamine	1.3	1.0	Felt hopeless about the future	11.0	8.2
Cocaine	1.7	2.6	Felt like not eating or eating more than usual	19.6	11.4
Heroin	0.4	0.6	Slept a lot more or a lot less than usual	22.5	19.9
Hallucinogens	2.6	4.8	Had difficulty concentrating on school work	21.9	18.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	2.2	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.3	1.3	Seriously considered attempting suicide	13.6	12.6
Synthetic drugs (K2, bath salts, Spice, etc)	3.8		Made plan about how they would attempt suicide	10.2	8.8
<b>Average age of students' first use of:</b>			Attempted suicide	5.9	4.7
Alcohol	11.79	12.44	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.6	0.7
Cigarettes	11.45	12.43	<b>Percent of students in past 12 months who:</b>		
Marijuana	12.15	14.00	Were threatened/injured with weapon at school	8.4	6.3
Inhalants	11.31	13.60	Were in a physical fight	24.5	21.8
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	5.0	3.5
Alcohol	17.7	28.6	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	8.0	18.3	Were victims of mean rumors or lies spread at school	55.3	54.7
Cigarettes	9.7	13.9	Had embarrassing or hurtful pictures/text of them posted on internet	17.7	12.7
Chewing Tobacco	9.7	10.3	Had embarrassing or hurtful pictures/text of them sent by cell phone	20.3	13.7
Marijuana	6.8	7.7	Were made fun of by others	67.2	73.6
Inhalants	2.9	2.9	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	5.9	7.6	Spread mean rumors or lies about other kids at school	30.8	31.3
Over-the-counter medications for non-medical use	2.9	3.2	Posted on internet embarrassing or hurtful pictures/text of someone	8.5	7.3
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	11.0	0.0
Alcohol	53.0	67.9	Made fun of other people	66.2	75.4
Cigarettes	37.6	47.5	<b>Percent of students who agree that:</b>		
Marijuana	26.9	34.9	Teachers notice and comment on student's good work	65.8	77.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.4	17.8	School provides feedback to parents on positive student performance	32.8	45.6
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	52.3	60.1
Alcohol	31.9	43.7	Rules are enforced fairly	70.9	69.1
Cigarettes	11.8	15.9	Students of all races/ethnicities are treated equally	82.7	88.3
Marijuana	11.4	12.5	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	84.4	83.8
Alcohol	55.9	50.8	Parents involve student in making family decisions	68.5	68.8
Cigarettes	84.3	75.0	It is important to be honest with parents regardless of consequences	87.4	85.4
Marijuana	86.1	84.8	Student could ask parent for help with a personal problem	74.4	78.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.8	96.2	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	70.4	65.7	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	94.1	86.6	Percentages are estimates based on weighted data.		
Marijuana	95.8	93.6	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.2	99.0	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	62.9	66.6			
Cigarettes	47.3	60.8			
Marijuana	28.4	36.3			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.3	18.0			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# GENTRY COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	1
Adult Psychiatric	1
<b>FIPS COUNTY CODE</b>	075
<b>POPULATION</b>	
Census 2010	6,738
2012 Pop. Estimate	6,777

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	3,564	3,625	3,560
Employed	3,381	3,383	3,308
Unemployed	183	242	252
Unemployment Rate	5.1%	6.7%	7.1%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	338	345	366
Drop-outs	2	3	4
Drop-out Rate	0.6%	0.9%	1.1%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	3
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	71	99	80
Mother Reported Smoking while Pregnant	15	25	11

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	74	87	97
Suicides	0	1	1
Self-inflicted Injuries	5	13	4
Homicides	0	0	0
Assault Injuries	15	18	22
Alcohol Induced Deaths	0	2	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	13	12	20

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	62		
Alcohol Primary Diagnosis <sup>2</sup>	2		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	13	19	10
Drug Related Diagnosis	16	19	13
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	18		
Alcohol Primary Diagnosis <sup>2</sup>	1		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	9	12	17
Drug Related Diagnosis	8	8	7
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	59		
Alcohol Primary Diagnosis <sup>2</sup>	5		
Drug Primary Diagnosis <sup>2</sup>	5		
Alcohol Related Diagnosis	19	22	5
Drug Related Diagnosis	29	24	16

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	7	4	9
Fatal Crashes	0	1	2
Injury Crashes	7	2	5
Property Damage Crashes	0	1	2
Crash Fatalities	0	1	2
Crash Injuries	9	3	7
Drug Involved Crashes--Total	0	1	1
Fatal Crashes	0	1	0
Injury Crashes	0	0	0
Property Damage Crashes	0	0	1
Crash Fatalities	0	1	0
Crash Injuries	0	1	0

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	22	18	43
Liquor Law Arrests	9	9	10
Drug Arrests	6	1	11
Methamphetamine Lab Incidents	1	0	0
Violent Offenses	1	3	1
Property Offenses	33	32	36
Domestic Violence Reports	1	2	7

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	32	27	14
Violent Offenses	1	7	2
Alcohol Offenses	5	3	4
Drug Offenses	4	1	0
Status Offenses--Total	14	17	23
Truancy	0	2	1
Beyond Parental Control	12	6	12
Habitually Absent from Home	1	1	0
Injurious Behavior	1	8	9
Abuse/Neglect/Custody--Total	10	31	12
Abuse	0	0	0
Neglect	10	30	11
Custody Disputes	0	1	1

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	3	14	1
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	0	3	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	3	11	0

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	1	1	0
Probation/Parole Admissions--Total	20	21	28
Probation/Parole Admissions--Drug	1	2	7
Probation/Parole Admissions--DWI	1	1	1
Prison Admissions--Total	13	12	16
Prison Admissions--Drug	2	0	1
Prison Admissions--DWI	1	0	0

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	4	6	4
Alcohol Package Carry-out Licenses	12	11	9

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# GENTRY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	*	*	*
CSTAR Adolescent	0	*	*
CSTAR Women and Children	0	*	0
CSTAR General Adult	6	6	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	12	11	20
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	34	17	31
- Adolescent Diversion Education Program	11	0	7
- Offender Education Program	8	6	11
- Weekend Intervention Program	6	*	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	11	9	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	18	22	27	Alcohol	7	12	16
AGE				Marijuana / Hashish	*	*	8
Under 18	0	*	*	Cocaine (total)	*	*	0
18 to 24	5	*	5	- Crack	*	*	0
25 to 29	*	5	*	Stimulant (total)	*	*	*
30 to 34	*	*	*	- Methamphetamine	*	*	*
35 to 39	*	*	*	Heroin	0	*	0
40 to 44	*	*	*	Analgesic except Heroin	0	*	*
45 to 54	*	*	7	- Non-Prescription Methadone	0	0	0
55 and Over	0	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	0
Male	11	14	14	Inhalant	0	0	0
Female	7	8	13	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	18	21	26	Average Age at First Use of Drug	15.8	17.2	16.9
African American	0	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	0	*	- Weekly Injection Use	*	*	0
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	6	5	7	0	11	9	13
High School Graduate or G.E.D.	8	8	12	1 or 2	6	9	10
Associate Degree or Some College	*	8	8	3 or More	*	*	*
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	6	5
Employed	6	8	9	School	0	0	0
Unemployed	9	10	10	Mental Health Provider	0	0	*
Not in Labor Force	*	*	8	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	11	12	15
Independent Living	16	20	23	Other Referral Source	*	*	5
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	0	*	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	0	*	*
Never Married	8	10	13	Special Education Services Needed	*	0	*
Married / Cohabiting	5	6	5	Co-Occurring Psychological Problem	8	10	7
Previously Married	5	6	9	Co-Occurring Developmental Problem	0	0	0

# GENTRY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 1  
**CENSUS 2010** 6,738  
**2012 POPULATION ESTIMATE** 6,777

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	0	0	0
Anxiety Disorder	10	9	6
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	*	*	8
Mood Disorder	23	21	18
Personality Disorder	*	0	0
Psychotic Disorder	*	*	*
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	5	5	6

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	35	34	34	Less than High School Diploma	*	*	0
<b>AGE</b>				High School Grad or G.E.D.	9	*	0
Under 6	0	0	0	Associate Degree or Some College	*	*	0
6 to 9	*	*	5	Bachelor or Advanced Degree	0	*	0
10 to 13	*	5	*	Education Level Unknown	22	26	34
14 to 17	6	*	5	<b>EMPLOYMENT</b>			
18 to 24	*	*	*	Employed	*	0	0
25 to 29	*	*	*	Unemployed	11	7	0
30 to 34	*	*	*	Not in Labor Force	0	*	0
35 to 39	6	6	*	Employment Status Unknown	21	26	34
40 to 44	*	*	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	*	*	*	Independent Living	13	5	0
50 to 54	*	*	0	Dependent Living	7	*	0
55 to 59	*	*	*	Homeless	0	0	0
60 and Over	*	*	*	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	15	24	34
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	15	14	17	Self / Family / Friend	8	9	11
Female	20	20	17	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	8	9	*
<b>RACE / ETHNICITY</b>				Health Care Provider	9	*	7
Caucasian	35	33	33	Court / Criminal Justice	5	5	*
African American	0	0	0	Other	*	6	7
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	30	30	32
Other Race	0	*	*	Civil	*	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	0	Commitment Type Unknown	*	*	*
Past or Current Military Service	0	*	*				

# GENTRY COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012


	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	29.1		Alcohol	76.9	
Cigarettes	18.1		Cigarettes	89.7	
Chewing Tobacco	12.9		Marijuana	78.6	
Marijuana	6.8		Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	88.0	
Inhalants	8.5				
Prescription medications not prescribed for student	6.9		<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	11.1		Were very sad	16.2	
Methamphetamine	3.5		Were grouchy, irritable, or in a bad mood	21.6	
Cocaine	3.5		Felt hopeless about the future	11.2	
Heroin	3.4		Felt like not eating or eating more than usual	12.3	
Hallucinogens	3.4		Slept a lot more or a lot less than usual	14.7	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.4		Had difficulty concentrating on school work	8.5	
Steroids not prescribed for student	0.0				
Synthetic drugs (K2, bath salts, Spice, etc)	3.4		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	9.5	
Alcohol	12.59		Made plan about how they would attempt suicide	9.4	
Cigarettes	14.10		Attempted suicide	3.4	
Marijuana	13.27		Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.0	
Inhalants	11.50				
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	14.7		Were threatened/injured with weapon at school	6.0	
Binge Alcohol (5 or more drinks on one occasion)	8.5		Were in a physical fight	14.7	
Cigarettes	9.4		Were in a fight and had to be treated by a doctor or nurse	1.7	
Chewing Tobacco	6.9				
Marijuana	3.4		<b>Percent of students in past 3 months who:</b>		
Inhalants	0.0		Were victims of mean rumors or lies spread at school	40.2	
Prescription medications not prescribed for student	0.0		Had embarrassing or hurtful pictures/text of them posted on internet	9.4	
Over-the-counter medications for non-medical use	0.0		Had embarrassing or hurtful pictures/text of them sent by cell phone	16.5	
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	52.1	
Alcohol	43.6				
Cigarettes	34.2		<b>Percent of students who, in the past 3 months:</b>		
Marijuana	21.4		Spread mean rumors or lies about other kids at school	19.5	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.4		Posted on internet embarrassing or hurtful pictures/text of someone	1.7	
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	6.0	
Alcohol	19.8		Made fun of other people	50.9	
Cigarettes	12.8				
Marijuana	7.7		<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	69.8	
Alcohol	76.1		School provides feedback to parents on positive student performance	34.2	
Cigarettes	83.8		Teachers praise student for hard work	54.7	
Marijuana	92.3		Rules are enforced fairly	75.2	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0		Students of all races/ethnicities are treated equally	98.3	
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	85.5		<b>Percent of students who agree that:</b>		
Cigarettes	100.0		Parents notice and comment on student's good work	81.2	
Marijuana	100.0		Parents involve student in making family decisions	76.1	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0		It is important to be honest with parents regardless of consequences	90.5	
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	73.5	
Alcohol	53.8				
Cigarettes	53.0				
Marijuana	6.8				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	2.6				

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# GREENE COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	10
Adult Psychiatric	10
<b>FIPS COUNTY CODE</b>	077
<b>POPULATION</b>	
Census 2010	275,174
2012 Pop. Estimate	280,626

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	142,285	143,782	139,254
Employed	133,902	133,087	127,532
Unemployed	8,383	10,695	11,722
Unemployment Rate	5.9%	7.4%	8.4%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	11,120	11,362	11,622
Drop-outs	253	256	312
Drop-out Rate	2.3%	2.3%	2.7%
School Suspensions:			
Alcohol Incidents	20	32	24
Drug Incidents	124	200	96
Tobacco Incidents	47	21	26

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	3,553	3,530	3,540
Mother Reported Smoking while Pregnant	658	640	666

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	18	23	18
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	2,533	2,531	2,443
Suicides	42	36	38
Self-inflicted Injuries	495	467	422
Homicides	11	10	8
Assault Injuries	1,231	1,170	1,106
Alcohol Induced Deaths	25	32	23
Drug Induced Deaths	63	86	66
Smoking Attributable Deaths	415	441	420

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,334		
Alcohol Primary Diagnosis <sup>2</sup>	77		
Drug Primary Diagnosis <sup>2</sup>	87		
Alcohol Related Diagnosis	367	689	641
Drug Related Diagnosis	565	901	709
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,872		
Alcohol Primary Diagnosis <sup>2</sup>	658		
Drug Primary Diagnosis <sup>2</sup>	402		
Alcohol Related Diagnosis	1,665	1,303	1,250
Drug Related Diagnosis	1,655	1,079	1,018
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	3,145		
Alcohol Primary Diagnosis <sup>2</sup>	1,378		
Drug Primary Diagnosis <sup>2</sup>	898		
Alcohol Related Diagnosis	2,189	2,001	1,782
Drug Related Diagnosis	1,815	1,600	1,340

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	334	334	421
Fatal Crashes	6	6	8
Injury Crashes	134	113	176
Property Damage Crashes	194	215	237
Crash Fatalities	6	8	8
Crash Injuries	206	167	175
Drug Involved Crashes--Total	80	85	88
Fatal Crashes	3	0	3
Injury Crashes	34	37	34
Property Damage Crashes	43	48	51
Crash Fatalities	3	0	3
Crash Injuries	36	55	30

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	2,017	1,778	1,808
Liquor Law Arrests	282	489	501
Drug Arrests	1,325	1,101	992
Methamphetamine Lab Incidents	115	79	46
Violent Offenses	1,503	1,563	1,450
Property Offenses	17,478	18,284	17,039
Domestic Violence Reports	3,190	3,341	3,202

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	1,419	1,341	1,309
Violent Offenses	505	539	535
Alcohol Offenses	63	50	32
Drug Offenses	138	110	97
Status Offenses--Total	432	478	440
Truancy	9	5	6
Beyond Parental Control	4	12	19
Habitually Absent from Home	94	68	64
Injurious Behavior	325	393	351
Abuse/Neglect/Custody--Total	526	606	375
Abuse	87	82	60
Neglect	347	465	263
Custody Disputes	92	59	52

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	482	490	310
Parental Alcohol Use Related	32	24	15
Parental Drug Use Related	152	181	88
Parental Alcohol and Drug Use	14	31	20
Child Removed for Other Reason	284	254	187

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	770	674	524
Probation/Parole Admissions--Total	1,739	1,626	1,883
Probation/Parole Admissions--Drug	579	560	734
Probation/Parole Admissions--DWI	146	114	131
Prison Admissions--Total	953	944	834
Prison Admissions--Drug	324	327	318
Prison Admissions--DWI	54	41	36

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	342	336	340
Alcohol Package Carry-out Licenses	235	220	197

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# GREENE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	473	468	455
CSTAR Adolescent	141	159	158
CSTAR Women and Children	197	242	214
CSTAR General Adult	563	517	500
CSTAR Opioid	0	*	0
Primary Recovery Treatment	514	612	1,057
Clinical SATOP (CIP, YCIP, SROP)	244	213	292
Other Substance Abuse Treatment	*	*	6

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	1,447	1,248	1,613
- Adolescent Diversion Education Program	33	33	57
- Offender Education Program	619	506	621
- Weekend Intervention Program	270	270	375
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	113	78	76
Compulsive Gambling	*	*	0
Recovery Supports	730	312	648
Early Intervention	218	201	96


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	1,944	1,959	2,191	Alcohol	762	829	916
<b>AGE</b>				Marijuana / Hashish	434	488	643
Under 18	142	159	164	Cocaine (total)	64	68	85
18 to 24	351	367	414	- Crack	39	38	34
25 to 29	357	332	415	Stimulant (total)	404	332	314
30 to 34	288	279	311	- Methamphetamine	396	321	307
35 to 39	192	209	249	Heroin	64	34	28
40 to 44	220	210	210	Analgesic except Heroin	153	155	162
45 to 54	311	336	339	- Non-Prescription Methadone	*	*	5
55 and Over	83	66	89	PCP, LSD, other Hallucinogen	11	8	6
<b>GENDER</b>				Tranquilizer	31	30	29
Male	1,360	1,292	1,583	Inhalant	*	*	*
Female	583	665	608	Sedative	*	5	*
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	15	5	*
Caucasian	1,687	1,650	1,910	Average Age at First Use of Drug	17.4	16.5	16.5
African American	166	212	187	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	11	6	11	Any Injection Use at Admission	343	295	258
Asian / Pacific Islander	8	5	8	- Daily Injection Use	65	66	59
Hispanic	42	51	48	- Weekly Injection Use	82	84	49
Other Race / Two or More Races	50	57	54	- Less than Weekly Injection Use	196	145	150
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	656	753	824	0	988	1,063	1,169
High School Graduate or G.E.D.	797	802	917	1 or 2	617	594	611
Associate Degree or Some College	472	369	416	3 or More	339	301	411
Bachelor or Advanced Degree	19	34	34	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	590	563	499
Employed	522	450	660	School	*	13	5
Unemployed	650	791	855	Mental Health Provider	20	58	44
Not in Labor Force	772	717	676	Health Care Provider	103	111	74
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	1,082	1,064	1,421
Independent Living	1,471	1,466	1,721	Other Referral Source	139	149	148
Dependent Living	275	294	299	<b>TREATMENT ACCOMMODATION</b>			
Homeless	174	163	115	Pregnant when Admitted to any Episode	32	35	43
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	98	102	102
Never Married	1,054	1,045	1,192	Special Education Services Needed	147	139	114
Married / Cohabiting	408	435	452	Co-Occurring Psychological Problem	688	635	654
Previously Married	482	478	547	Co-Occurring Developmental Problem	55	39	44



# GREENE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 10  
**CENSUS 2010** 275,174  
**2012 POPULATION ESTIMATE** 280,626

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	86	155	97
Anxiety Disorder	742	789	600
Dementia	6	6	18
Developmental Disorder	42	53	42
Impulse Control Disorder	241	324	235
Mood Disorder	1,284	1,471	1,242
Personality Disorder	346	366	355
Psychotic Disorder	551	597	537
Sexual Disorder	7	5	5
Other Diagnosis	177	199	158
Diagnosis Unknown	400	432	710

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	2,477	2,948	2,803	Less than High School Diploma	477	279	66
<b>AGE</b>				High School Grad or G.E.D.	445	428	84
Under 6	87	119	128	Associate Degree or Some College	237	211	41
6 to 9	189	245	239	Bachelor or Advanced Degree	57	59	8
10 to 13	126	194	202	Education Level Unknown	1,261	1,971	2,604
14 to 17	138	211	206	<b>EMPLOYMENT</b>			
18 to 24	129	185	187	Employed	115	102	24
25 to 29	164	176	158	Unemployed	932	843	169
30 to 34	228	239	216	Not in Labor Force	425	42	7
35 to 39	226	249	218	Employment Status Unknown	1,005	1,961	2,603
40 to 44	240	271	276	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	306	366	319	Independent Living	1,082	823	149
50 to 54	280	299	284	Dependent Living	369	340	100
55 to 59	188	195	177	Homeless	48	32	10
60 and Over	176	199	193	Other	29	25	9
Age Unknown	0	0	0	Housing Unknown	949	1,728	2,535
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,151	1,414	1,346	Self / Family / Friend	1,646	2,067	1,911
Female	1,326	1,534	1,457	School	17	15	6
Gender Unknown	0	0	0	Mental Health Provider	86	101	121
<b>RACE / ETHNICITY</b>				Health Care Provider	234	157	65
Caucasian	2,198	2,619	2,537	Court / Criminal Justice	53	58	68
African American	98	106	84	Other	384	469	517
Native American / Alaskan	11	10	9	Referral Source Unknown	57	81	115
Asian / Pacific Islander	6	5	5	<b>TYPE OF COMMITMENT</b>			
Hispanic	47	49	32	Voluntary	2,386	2,813	2,630
Other Race	117	159	136	Civil	11	27	27
Race/Ethnicity Unknown	0	0	0	Criminal	19	21	28
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	69	66	49	Commitment Type Unknown	59	84	116
Past or Current Military Service	64	74	62				


# GREENE COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	33.1	38.0	Alcohol	73.0	71.3
Cigarettes	22.9	27.0	Cigarettes	82.4	80.8
Chewing Tobacco	9.7	11.0	Marijuana	70.2	74.8
Marijuana	18.0	20.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.0	93.2
Inhalants	5.6	7.1	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	9.4	13.3	Were very sad	19.0	18.9
Over-the-counter medications for non-medical use	7.2	9.4	Were grouchy, irritable, or in a bad mood	24.3	24.3
Methamphetamine	1.7	1.3	Felt hopeless about the future	11.4	11.9
Cocaine	2.6	2.5	Felt like not eating or eating more than usual	18.4	18.8
Heroin	1.1	0.9	Slept a lot more or a lot less than usual	20.1	26.3
Hallucinogens	4.5	4.6	Had difficulty concentrating on school work	22.4	26.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.0	3.1	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.5	1.0	Seriously considered attempting suicide	13.0	11.7
Synthetic drugs (K2, bath salts, Spice, etc)	8.3		Made plan about how they would attempt suicide	9.2	8.6
<b>Average age of students' first use of:</b>			Attempted suicide	5.8	5.2
Alcohol	12.63	12.55	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.9	2.4
Cigarettes	12.39	12.24	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.19	13.46	Were threatened/injured with weapon at school	7.0	10.5
Inhalants	12.20	12.32	Were in a physical fight	18.9	21.7
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.7	3.8
Alcohol	13.9	16.6	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	8.1	9.7	Were victims of mean rumors or lies spread at school	47.0	51.2
Cigarettes	11.3	14.5	Had embarrassing or hurtful pictures/text of them posted on internet	13.9	12.5
Chewing Tobacco	5.1	5.6	Had embarrassing or hurtful pictures/text of them sent by cell phone	16.6	13.9
Marijuana	9.8	11.5	Were made fun of by others	58.1	65.8
Inhalants	2.6	2.8	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	5.1	7.4	Spread mean rumors or lies about other kids at school	26.2	33.1
Over-the-counter medications for non-medical use	4.4	5.8	Posted on internet embarrassing or hurtful pictures/text of someone	9.1	11.9
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	10.7	12.9
Alcohol	47.5	54.3	Made fun of other people	57.6	68.4
Cigarettes	40.9	48.0	<b>Percent of students who agree that:</b>		
Marijuana	38.6	42.5	Teachers notice and comment on student's good work	68.8	69.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.2	23.8	School provides feedback to parents on positive student performance	38.9	38.2
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	60.5	55.8
Alcohol	25.5	29.4	Rules are enforced fairly	64.2	65.2
Cigarettes	14.4	16.2	Students of all races/ethnicities are treated equally	77.6	79.5
Marijuana	16.8	17.2	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	82.0	83.4
Alcohol	66.1	62.4	Parents involve student in making family decisions	69.8	70.5
Cigarettes	79.7	75.6	It is important to be honest with parents regardless of consequences	83.9	80.8
Marijuana	77.9	76.5	Student could ask parent for help with a personal problem	77.3	78.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.5	92.4	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	81.9	81.6	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	90.9	89.4	Percentages are estimates based on weighted data.		
Marijuana	92.0	91.1	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.9	97.0	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	54.2	57.3			
Cigarettes	52.0	57.8			
Marijuana	41.1	41.9			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	21.8	23.4			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# GRUNDY COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	13
Adult Psychiatric	13
<b>FIPS COUNTY CODE</b>	079
<b>POPULATION</b>	
Census 2010	10,261
2012 Pop. Estimate	10,338

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	4,822	4,868	4,791
Employed	4,513	4,516	4,418
Unemployed	309	352	373
Unemployment Rate	6.4%	7.2%	7.8%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	486	456	446
Drop-outs	10	5	13
Drop-out Rate	2.1%	1.1%	2.9%
School Suspensions:			
Alcohol Incidents	0	1	0
Drug Incidents	3	2	0
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	118	145	147
Mother Reported Smoking while Pregnant	32	36	35

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	126	142	141
Suicides	1	1	1
Self-inflicted Injuries	13	7	9
Homicides	0	0	0
Assault Injuries	24	27	24
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	0	0	2
Smoking Attributable Deaths	24	26	23

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	83		
Alcohol Primary Diagnosis <sup>2</sup>	5		
Drug Primary Diagnosis <sup>2</sup>	2		
Alcohol Related Diagnosis	31	37	39
Drug Related Diagnosis	39	33	32
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	18		
Alcohol Primary Diagnosis <sup>2</sup>	5		
Drug Primary Diagnosis <sup>2</sup>	2		
Alcohol Related Diagnosis	19	7	16
Drug Related Diagnosis	30	6	4
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	91		
Alcohol Primary Diagnosis <sup>2</sup>	16		
Drug Primary Diagnosis <sup>2</sup>	9		
Alcohol Related Diagnosis	47	55	47
Drug Related Diagnosis	52	52	39

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	9	8	15
Fatal Crashes	0	0	2
Injury Crashes	3	5	6
Property Damage Crashes	6	3	7
Crash Fatalities	0	0	2
Crash Injuries	3	5	12
Drug Involved Crashes--Total	2	0	2
Fatal Crashes	0	0	0
Injury Crashes	0	0	2
Property Damage Crashes	2	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	2

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	35	31	51
Liquor Law Arrests	39	35	45
Drug Arrests	45	59	64
Methamphetamine Lab Incidents	1	3	0
Violent Offenses	22	15	14
Property Offenses	220	226	232
Domestic Violence Reports	137	105	119

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	50	64	47
Violent Offenses	10	24	15
Alcohol Offenses	0	2	2
Drug Offenses	3	1	0
Status Offenses--Total	72	43	21
Truancy	37	8	2
Beyond Parental Control	14	13	4
Habitually Absent from Home	5	9	10
Injurious Behavior	16	13	5
Abuse/Neglect/Custody--Total	71	79	83
Abuse	17	18	25
Neglect	54	61	58
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	16	7	18
Parental Alcohol Use Related	2	0	3
Parental Drug Use Related	6	2	2
Parental Alcohol and Drug Use	0	0	1
Child Removed for Other Reason	8	5	12

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	12	16	24
Probation/Parole Admissions--Total	71	83	86
Probation/Parole Admissions--Drug	7	22	20
Probation/Parole Admissions--DWI	3	2	3
Prison Admissions--Total	38	41	57
Prison Admissions--Drug	5	8	14
Prison Admissions--DWI	2	2	2

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	9	9	10
Alcohol Package Carry-out Licenses	12	11	9

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# GRUNDY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	8	7	20
CSTAR Adolescent	*	*	5
CSTAR Women and Children	*	*	0
CSTAR General Adult	93	88	18
CSTAR Opioid	0	0	0
Primary Recovery Treatment	8	6	66
Clinical SATOP (CIP, YCIP, SROP)	8	10	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	39	28	42
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	12	10	18
- Weekend Intervention Program	11	*	11
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	17
Early Intervention	5	7	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	106	103	89	Alcohol	44	46	33
AGE				Marijuana / Hashish	15	26	27
Under 18	*	*	6	Cocaine (total)	0	*	*
18 to 24	18	19	23	- Crack	0	0	*
25 to 29	21	21	18	Stimulant (total)	26	16	11
30 to 34	29	17	11	- Methamphetamine	26	14	10
35 to 39	7	9	10	Heroin	*	*	0
40 to 44	13	17	10	Analgesic except Heroin	15	7	15
45 to 54	12	13	8	- Non-Prescription Methadone	*	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	*	*	*
Male	67	80	60	Inhalant	0	0	0
Female	39	23	29	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	103	98	79	Average Age at First Use of Drug	17.9	16.8	16.6
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	25	13	11
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	5
Hispanic	0	*	*	- Weekly Injection Use	8	*	0
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	15	8	6
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	35	35	29	0	66	63	69
High School Graduate or G.E.D.	58	53	50	1 or 2	24	24	12
Associate Degree or Some College	13	15	10	3 or More	16	16	8
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	27	20	19
Employed	34	43	14	School	0	0	*
Unemployed	59	47	61	Mental Health Provider	0	0	0
Not in Labor Force	13	13	14	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	58	70	57
Independent Living	96	96	79	Other Referral Source	19	9	11
Dependent Living	8	5	8	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	*	0	0
MARITAL / FAMILY STATUS				Military Veteran	8	*	*
Never Married	52	58	50	Special Education Services Needed	12	6	*
Married / Cohabiting	31	25	21	Co-Occurring Psychological Problem	50	31	11
Previously Married	23	20	18	Co-Occurring Developmental Problem	*	*	0

# GRUNDY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 13  
**CENSUS 2010** 10,261  
**2012 POPULATION ESTIMATE** 10,338

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	11	8	14
Anxiety Disorder	124	112	131
Dementia	*	*	*
Developmental Disorder	8	7	11
Impulse Control Disorder	56	48	59
Mood Disorder	205	200	222
Personality Disorder	12	14	21
Psychotic Disorder	32	26	26
Sexual Disorder	*	*	*
Other Diagnosis	26	22	33
Diagnosis Unknown	20	35	47

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	301	303	354	Less than High School Diploma	44	23	17
<b>AGE</b>				High School Grad or G.E.D.	54	58	43
Under 6	*	*	*	Associate Degree or Some College	15	16	15
6 to 9	17	12	21	Bachelor or Advanced Degree	*	*	*
10 to 13	32	32	32	Education Level Unknown	184	205	278
14 to 17	26	27	31	<b>EMPLOYMENT</b>			
18 to 24	20	27	35	Employed	13	7	*
25 to 29	19	18	25	Unemployed	91	89	69
30 to 34	20	25	30	Not in Labor Force	32	*	*
35 to 39	27	24	25	Employment Status Unknown	165	205	277
40 to 44	32	33	28	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	25	26	32	Independent Living	100	88	71
50 to 54	29	29	37	Dependent Living	48	47	27
55 to 59	25	23	23	Homeless	*	0	*
60 and Over	26	26	33	Other	*	*	*
Age Unknown	0	0	0	Housing Unknown	151	166	253
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	115	117	130	Self / Family / Friend	158	152	166
Female	186	186	224	School	*	*	7
Gender Unknown	0	0	0	Mental Health Provider	30	35	42
<b>RACE / ETHNICITY</b>				Health Care Provider	54	46	53
Caucasian	291	290	343	Court / Criminal Justice	11	12	14
African American	*	*	*	Other	39	47	62
Native American / Alaskan	0	0	0	Referral Source Unknown	7	7	10
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	6	5	*	Voluntary	294	295	342
Other Race	*	5	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	7	7	10
Past or Current Military Service	*	8	7				



# GRUNDY COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	45.7	43.1	Alcohol	69.1	89.8
Cigarettes	30.5	24.8	Cigarettes	74.7	82.2
Chewing Tobacco	11.0	14.4	Marijuana	73.3	76.2
Marijuana	13.4	3.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.6	98.5
Inhalants	6.7	11.3			
Prescription medications not prescribed for student	14.6	7.9	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	9.1	7.9	Were very sad	21.3	16.8
Methamphetamine	2.4	2.1	Were grouchy, irritable, or in a bad mood	25.0	22.4
Cocaine	3.0	2.0	Felt hopeless about the future	15.2	13.0
Heroin	2.5	2.0	Felt like not eating or eating more than usual	15.9	13.5
Hallucinogens	3.7	0.0	Slept a lot more or a lot less than usual	20.7	27.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.1	0.5	Had difficulty concentrating on school work	24.1	22.8
Steroids not prescribed for student	3.1	0.0			
Synthetic drugs (K2, bath salts, Spice, etc)	6.7		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	14.0	14.9
Alcohol	13.13	11.34	Made plan about how they would attempt suicide	10.4	11.4
Cigarettes	12.52	11.16	Attempted suicide	5.5	9.5
Marijuana	13.32	10.30	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.6	2.0
Inhalants	12.27	12.26			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	25.2	17.9	Were threatened/injured with weapon at school	5.5	12.4
Binge Alcohol (5 or more drinks on one occasion)	14.5	9.0	Were in a physical fight	26.4	21.8
Cigarettes	15.9	14.9	Were in a fight and had to be treated by a doctor or nurse	1.9	6.9
Chewing Tobacco	4.9	6.5			
Marijuana	6.7	1.0	<b>Percent of students in past 3 months who:</b>		
Inhalants	4.3	8.2	Were victims of mean rumors or lies spread at school	59.1	54.3
Prescription medications not prescribed for student	7.3	3.5	Had embarrassing or hurtful pictures/text of them posted on internet	18.3	17.9
Over-the-counter medications for non-medical use	6.7	5.0	Had embarrassing or hurtful pictures/text of them sent by cell phone	24.5	14.1
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	69.5	61.7
Alcohol	59.5	59.2			
Cigarettes	51.2	46.0	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	38.9	27.1	Spread mean rumors or lies about other kids at school	34.8	48.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.3	9.5	Posted on internet embarrassing or hurtful pictures/text of someone	8.6	11.1
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	15.2	19.4
Alcohol	39.6	35.6	Made fun of other people	69.5	78.6
Cigarettes	14.7	14.9			
Marijuana	13.4	7.5	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	63.6	68.8
Alcohol	55.2	62.4	School provides feedback to parents on positive student performance	39.0	36.6
Cigarettes	77.2	85.4	Teachers praise student for hard work	52.4	49.3
Marijuana	82.7	88.5	Rules are enforced fairly	60.4	65.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.5	98.5	Students of all races/ethnicities are treated equally	78.0	86.1
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	86.0	81.7	<b>Percent of students who agree that:</b>		
Cigarettes	93.2	95.0	Parents notice and comment on student's good work	78.5	82.6
Marijuana	95.0	99.5	Parents involve student in making family decisions	61.0	73.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	100.0	It is important to be honest with parents regardless of consequences	82.9	85.6
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	72.6	68.8
Alcohol	60.4	67.2			
Cigarettes	59.1	64.9			
Marijuana	34.4	23.3			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.0	11.4			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# HARRISON COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	13
Adult Psychiatric	13
<b>FIPS COUNTY CODE</b>	081
<b>POPULATION</b>	
Census 2010	8,957
2012 Pop. Estimate	8,728

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	4,262	4,347	4,327
Employed	3,979	4,005	3,952
Unemployed	283	342	375
Unemployment Rate	6.6%	7.9%	8.7%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	356	381	408
Drop-outs	9	12	9
Drop-out Rate	2.5%	3.1%	2.2%
School Suspensions:			
Alcohol Incidents	0	0	1
Drug Incidents	0	0	4
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	116	106	107
Mother Reported Smoking while Pregnant	39	40	30

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	1
IDU and MSM <sup>1</sup>	0	0	*
IDU without MSM <sup>1</sup>	0	0	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	118	99	117
Suicides	3	2	1
Self-inflicted Injuries	16	11	6
Homicides	1	0	0
Assault Injuries	10	12	15
Alcohol Induced Deaths	1	0	1
Drug Induced Deaths	2	2	1
Smoking Attributable Deaths	22	15	21

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	71		
Alcohol Primary Diagnosis <sup>2</sup>	7		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	30	30	16
Drug Related Diagnosis	21	26	26
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	19		
Alcohol Primary Diagnosis <sup>2</sup>	2		
Drug Primary Diagnosis <sup>2</sup>	3		
Alcohol Related Diagnosis	17	11	17
Drug Related Diagnosis	10	4	6
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	84		
Alcohol Primary Diagnosis <sup>2</sup>	10		
Drug Primary Diagnosis <sup>2</sup>	6		
Alcohol Related Diagnosis	29	18	13
Drug Related Diagnosis	23	12	23

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	16	9	13
Fatal Crashes	0	0	1
Injury Crashes	7	5	6
Property Damage Crashes	9	4	6
Crash Fatalities	0	0	1
Crash Injuries	10	5	7
Drug Involved Crashes--Total	1	2	2
Fatal Crashes	0	0	0
Injury Crashes	0	0	1
Property Damage Crashes	1	2	1
Crash Fatalities	0	0	0
Crash Injuries	0	0	1

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	65	67	95
Liquor Law Arrests	35	17	23
Drug Arrests	71	99	119
Methamphetamine Lab Incidents	0	0	0
Violent Offenses	13	12	16
Property Offenses	110	94	98
Domestic Violence Reports	11	18	14

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	38	19	14
Violent Offenses	6	6	6
Alcohol Offenses	9	2	0
Drug Offenses	0	0	1
Status Offenses--Total	18	5	12
Truancy	0	0	0
Beyond Parental Control	9	2	8
Habitually Absent from Home	4	2	2
Injurious Behavior	4	1	2
Abuse/Neglect/Custody--Total	59	41	46
Abuse	43	16	17
Neglect	16	24	29
Custody Disputes	0	1	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	15	4	11
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	2	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	15	2	11

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	12	8	10
Probation/Parole Admissions--Total	81	75	83
Probation/Parole Admissions--Drug	33	31	35
Probation/Parole Admissions--DWI	4	3	5
Prison Admissions--Total	48	41	35
Prison Admissions--Drug	20	15	15
Prison Admissions--DWI	4	4	5

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	7	8	9
Alcohol Package Carry-out Licenses	14	13	12

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# HARRISON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	*	3	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	37	26	8
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	6	26
Clinical SATOP (CIP, YCIP, SROP)	7	6	*
Other Substance Abuse Treatment	0	*	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	28	37	42
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	13	18	15
- Weekend Intervention Program	5	*	17
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	*
Recovery Supports	0	*	8
Early Intervention	*	6	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	50	32	39	Alcohol	21	20	15
AGE				Marijuana / Hashish	12	6	11
Under 18	*	*	*	Cocaine (total)	*	*	0
18 to 24	15	9	10	- Crack	*	0	0
25 to 29	9	*	9	Stimulant (total)	13	5	8
30 to 34	*	*	6	- Methamphetamine	13	5	8
35 to 39	9	6	*	Heroin	0	0	0
40 to 44	*	5	*	Analgesic except Heroin	*	0	*
45 to 54	7	*	5	- Non-Prescription Methadone	0	0	0
55 and Over	*	0	0	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	*
Male	33	22	28	Inhalant	0	0	0
Female	17	10	11	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	48	31	37	Average Age at First Use of Drug	18.6	16.1	16.3
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	8	*	5
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
Hispanic	*	0	*	- Weekly Injection Use	0	*	*
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	7	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	15	9	12	0	24	16	27
High School Graduate or G.E.D.	30	19	22	1 or 2	17	11	7
Associate Degree or Some College	*	*	*	3 or More	9	5	5
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	8	5	9
Employed	17	15	16	School	*	0	0
Unemployed	26	11	18	Mental Health Provider	0	0	0
Not in Labor Force	7	6	5	Health Care Provider	*	0	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	32	22	25
Independent Living	46	29	34	Other Referral Source	8	5	5
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	0	*
Never Married	27	16	20	Special Education Services Needed	*	*	*
Married / Cohabiting	10	8	12	Co-Occurring Psychological Problem	26	6	5
Previously Married	13	8	7	Co-Occurring Developmental Problem	0	*	0

# HARRISON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 13  
**CENSUS 2010** 8,957  
**2012 POPULATION ESTIMATE** 8,728

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	*	*
Anxiety Disorder	61	48	40
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	15	18	20
Mood Disorder	90	85	84
Personality Disorder	5	5	*
Psychotic Disorder	15	15	12
Sexual Disorder	0	0	0
Other Diagnosis	*	7	11
Diagnosis Unknown	5	13	12

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	111	115	122	Less than High School Diploma	15	7	7
<b>AGE</b>				High School Grad or G.E.D.	17	26	12
Under 6	*	0	*	Associate Degree or Some College	7	10	8
6 to 9	5	5	7	Bachelor or Advanced Degree	0	0	0
10 to 13	*	6	11	Education Level Unknown	72	72	95
14 to 17	6	11	10	<b>EMPLOYMENT</b>			
18 to 24	12	12	12	Employed	7	8	*
25 to 29	9	8	9	Unemployed	31	33	23
30 to 34	7	9	5	Not in Labor Force	14	*	0
35 to 39	8	8	10	Employment Status Unknown	59	72	95
40 to 44	11	9	12	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	14	13	13	Independent Living	44	41	26
50 to 54	9	8	8	Dependent Living	9	17	5
55 to 59	11	11	10	Homeless	0	0	0
60 and Over	14	15	14	Other	*	0	0
Age Unknown	0	0	0	Housing Unknown	57	57	91
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	48	57	56	Self / Family / Friend	34	33	42
Female	63	58	66	School	0	0	*
Gender Unknown	0	0	0	Mental Health Provider	18	27	31
<b>RACE / ETHNICITY</b>				Health Care Provider	43	32	32
Caucasian	104	112	119	Court / Criminal Justice	11	9	7
African American	*	0	*	Other	5	13	8
Native American / Alaskan	0	0	0	Referral Source Unknown	0	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	111	114	121
Other Race	*	*	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	6	*	*	Commitment Type Unknown	0	*	*
Past or Current Military Service	*	*	*				


# HARRISON COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	43.6	40.2	Alcohol	75.2	84.2
Cigarettes	32.3	32.4	Cigarettes	73.7	78.0
Chewing Tobacco	28.4	20.2	Marijuana	82.7	76.4
Marijuana	15.7	9.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	91.7	92.3
Inhalants	3.7	3.8	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	2.2	12.6	Were very sad	6.8	21.3
Over-the-counter medications for non-medical use	0.8	7.1	Were grouchy, irritable, or in a bad mood	14.3	23.5
Methamphetamine	0.0	0.5	Felt hopeless about the future	7.8	8.7
Cocaine	0.0	1.1	Felt like not eating or eating more than usual	18.0	19.6
Heroin	0.0	1.1	Slept a lot more or a lot less than usual	14.5	25.8
Hallucinogens	0.0	1.1	Had difficulty concentrating on school work	14.9	19.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.6	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	0.0	1.1	Seriously considered attempting suicide	3.8	8.7
Synthetic drugs (K2, bath salts, Spice, etc)	3.0		Made plan about how they would attempt suicide	3.8	8.6
<b>Average age of students' first use of:</b>			Attempted suicide	1.5	4.3
Alcohol	12.49	12.63	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.0	0.6
Cigarettes	13.49	12.36	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.64	14.32	Were threatened/injured with weapon at school	4.5	7.1
Inhalants	11.98	12.18	Were in a physical fight	20.3	20.1
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	1.5	2.2
Alcohol	27.6	16.2	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	15.8	12.0	Were victims of mean rumors or lies spread at school	46.3	50.3
Cigarettes	15.7	15.5	Had embarrassing or hurtful pictures/text of them posted on internet	10.5	12.7
Chewing Tobacco	14.9	13.2	Had embarrassing or hurtful pictures/text of them sent by cell phone	12.8	13.7
Marijuana	11.2	3.3	Were made fun of by others	56.4	72.3
Inhalants	0.0	2.2	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	2.2	5.5	Spread mean rumors or lies about other kids at school	25.6	34.8
Over-the-counter medications for non-medical use	0.8	4.4	Posted on internet embarrassing or hurtful pictures/text of someone	6.8	13.8
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.0	15.8
Alcohol	61.2	53.0	Made fun of other people	61.2	72.3
Cigarettes	59.0	55.4	<b>Percent of students who agree that:</b>		
Marijuana	18.8	20.2	Teachers notice and comment on student's good work	83.6	65.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	0.0	11.1	School provides feedback to parents on positive student performance	64.7	47.0
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	77.4	52.5
Alcohol	35.4	29.0	Rules are enforced fairly	68.4	59.8
Cigarettes	16.4	17.7	Students of all races/ethnicities are treated equally	93.2	82.6
Marijuana	6.8	6.7	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	81.2	82.0
Alcohol	43.9	62.5	Parents involve student in making family decisions	74.6	67.6
Cigarettes	72.3	71.6	It is important to be honest with parents regardless of consequences	87.3	83.9
Marijuana	88.1	89.6	Student could ask parent for help with a personal problem	70.7	76.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0	95.7	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	70.2	76.6	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	82.2	85.8	Percentages are estimates based on weighted data.		
Marijuana	94.8	97.8	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0	98.9	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	45.7	62.0			
Cigarettes	56.7	65.4			
Marijuana	14.3	28.2			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	6.0	13.7			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# HENRY COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	8
Adult Psychiatric	8B
<b>FIPS COUNTY CODE</b>	083
<b>POPULATION</b>	
Census 2010	22,272
2012 Pop. Estimate	22,153

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	10,246	10,449	10,623
Employed	9,486	9,470	9,553
Unemployed	760	979	1,070
Unemployment Rate	7.4%	9.4%	10.1%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	843	887	902
Drop-outs	46	32	25
Drop-out Rate	5.5%	3.6%	2.8%
School Suspensions:			
Alcohol Incidents	1	3	0
Drug Incidents	8	11	11
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	273	260	272
Mother Reported Smoking while Pregnant	79	79	82

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	1	0
IDU and MSM <sup>1</sup>	0	*	0
IDU without MSM <sup>1</sup>	0	*	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	312	300	304
Suicides	6	4	3
Self-inflicted Injuries	60	39	46
Homicides	2	0	0
Assault Injuries	82	77	66
Alcohol Induced Deaths	1	2	2
Drug Induced Deaths	1	6	1
Smoking Attributable Deaths	70	57	66

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	258		
Alcohol Primary Diagnosis <sup>2</sup>	17		
Drug Primary Diagnosis <sup>2</sup>	10		
Alcohol Related Diagnosis	88	105	81
Drug Related Diagnosis	105	84	98
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	31		
Alcohol Primary Diagnosis <sup>2</sup>	25		
Drug Primary Diagnosis <sup>2</sup>	8		
Alcohol Related Diagnosis	77	48	53
Drug Related Diagnosis	61	29	39
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	197		
Alcohol Primary Diagnosis <sup>2</sup>	37		
Drug Primary Diagnosis <sup>2</sup>	33		
Alcohol Related Diagnosis	82	77	83
Drug Related Diagnosis	84	164	109

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	32	31	27
Fatal Crashes	1	1	0
Injury Crashes	15	18	13
Property Damage Crashes	16	12	14
Crash Fatalities	1	1	0
Crash Injuries	17	28	17
Drug Involved Crashes--Total	6	5	8
Fatal Crashes	0	0	0
Injury Crashes	0	5	6
Property Damage Crashes	6	0	2
Crash Fatalities	0	0	0
Crash Injuries	0	8	6

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	139	111	98
Liquor Law Arrests	63	70	121
Drug Arrests	179	140	152
Methamphetamine Lab Incidents	1	0	21
Violent Offenses	78	93	57
Property Offenses	799	793	624
Domestic Violence Reports	219	151	135

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	87	114	114
Violent Offenses	29	24	34
Alcohol Offenses	9	20	28
Drug Offenses	7	13	6
Status Offenses--Total	119	101	162
Truancy	12	13	24
Beyond Parental Control	22	23	38
Habitually Absent from Home	3	7	15
Injurious Behavior	82	58	83
Abuse/Neglect/Custody--Total	183	170	171
Abuse	57	30	26
Neglect	118	115	88
Custody Disputes	8	25	57

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	64	72	22
Parental Alcohol Use Related	3	2	1
Parental Drug Use Related	17	19	5
Parental Alcohol and Drug Use	4	0	0
Child Removed for Other Reason	40	51	16

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	12	12	16
Probation/Parole Admissions--Total	242	217	175
Probation/Parole Admissions--Drug	40	42	43
Probation/Parole Admissions--DWI	19	13	14
Prison Admissions--Total	135	117	104
Prison Admissions--Drug	25	27	21
Prison Admissions--DWI	11	9	14

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	28	32	31
Alcohol Package Carry-out Licenses	35	34	34

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# HENRY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	14	31	29
CSTAR Adolescent	8	13	19
CSTAR Women and Children	*	5	*
CSTAR General Adult	213	205	192
CSTAR Opioid	0	*	0
Primary Recovery Treatment	19	72	96
Clinical SATOP (CIP, YCIP, SROP)	21	21	21
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	79	96	80
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	37	24	26
- Weekend Intervention Program	8	26	20
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	13	11	22
Compulsive Gambling	0	0	0
Recovery Supports	20	50	56
Early Intervention	11	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	262	319	286	Alcohol	103	115	117
AGE				Marijuana / Hashish	63	95	70
Under 18	8	17	21	Cocaine (total)	*	*	8
18 to 24	69	76	55	- Crack	*	*	6
25 to 29	37	54	43	Stimulant (total)	77	78	57
30 to 34	44	51	41	- Methamphetamine	75	78	56
35 to 39	30	30	28	Heroin	*	0	0
40 to 44	29	38	41	Analgesic except Heroin	13	24	27
45 to 54	37	39	46	- Non-Prescription Methadone	0	0	0
55 and Over	8	14	11	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	0	*	5
Male	179	233	205	Inhalant	*	0	*
Female	83	86	81	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	251	305	273	Average Age at First Use of Drug	17.2	17.4	17.4
African American	*	5	5	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	39	39	36
Asian / Pacific Islander	*	0	*	- Daily Injection Use	*	*	*
Hispanic	5	9	5	- Weekly Injection Use	7	8	8
Other Race / Two or More Races	*	*	5	- Less than Weekly Injection Use	29	28	26
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	74	112	101	0	149	186	161
High School Graduate or G.E.D.	142	160	147	1 or 2	66	88	75
Associate Degree or Some College	44	47	33	3 or More	47	45	50
Bachelor or Advanced Degree	*	0	5	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	87	92	91
Employed	81	90	58	School	0	0	0
Unemployed	77	149	161	Mental Health Provider	*	*	*
Not in Labor Force	104	80	67	Health Care Provider	6	7	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	59	187	180
Independent Living	216	285	247	Other Referral Source	108	30	11
Dependent Living	15	25	35	TREATMENT ACCOMMODATION			
Homeless	5	*	*	Pregnant when Admitted to any Episode	*	5	*
MARITAL / FAMILY STATUS				Military Veteran	9	18	12
Never Married	140	171	148	Special Education Services Needed	9	14	8
Married / Cohabiting	58	80	71	Co-Occurring Psychological Problem	23	103	85
Previously Married	64	68	67	Co-Occurring Developmental Problem	*	*	0

# HENRY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8B  
**CENSUS 2010** 22,272  
**2012 POPULATION ESTIMATE** 22,153

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	31	22	19
Anxiety Disorder	184	194	183
Dementia	0	0	0
Developmental Disorder	6	5	8
Impulse Control Disorder	60	63	70
Mood Disorder	337	354	326
Personality Disorder	30	33	42
Psychotic Disorder	64	69	64
Sexual Disorder	0	*	*
Other Diagnosis	58	47	44
Diagnosis Unknown	44	45	73

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	546	558	526	Less than High School Diploma	116	84	76
<b>AGE</b>				High School Grad or G.E.D.	101	140	91
Under 6	7	5	5	Associate Degree or Some College	26	22	26
6 to 9	30	34	27	Bachelor or Advanced Degree	7	9	*
10 to 13	48	38	37	Education Level Unknown	296	303	331
14 to 17	33	44	47	<b>EMPLOYMENT</b>			
18 to 24	43	49	50	Employed	35	45	31
25 to 29	37	51	46	Unemployed	174	208	159
30 to 34	49	50	50	Not in Labor Force	86	*	6
35 to 39	39	45	42	Employment Status Unknown	251	302	330
40 to 44	60	58	56	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	74	71	64	Independent Living	221	222	164
50 to 54	47	48	46	Dependent Living	96	80	29
55 to 59	44	37	31	Homeless	7	*	*
60 and Over	35	28	25	Other	5	5	5
Age Unknown	0	0	0	Housing Unknown	217	248	324
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	229	235	238	Self / Family / Friend	385	426	387
Female	317	323	288	School	0	0	*
Gender Unknown	0	0	0	Mental Health Provider	22	23	27
<b>RACE / ETHNICITY</b>				Health Care Provider	28	17	12
Caucasian	527	538	500	Court / Criminal Justice	9	14	15
African American	*	7	6	Other	92	68	70
Native American / Alaskan	*	*	*	Referral Source Unknown	10	10	14
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	7	5	9	Voluntary	533	541	506
Other Race	8	7	9	Civil	*	7	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	7	10	11	Commitment Type Unknown	10	10	14
Past or Current Military Service	15	13	14				



# HENRY COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	39.8	51.1	Alcohol	72.7	77.8
Cigarettes	22.5	34.4	Cigarettes	79.2	80.0
Chewing Tobacco	11.8	12.8	Marijuana	82.4	76.4
Marijuana	11.0	22.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	95.4
Inhalants	3.3	5.6	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	7.4	11.5	Were very sad	23.7	22.8
Over-the-counter medications for non-medical use	5.0	8.6	Were grouchy, irritable, or in a bad mood	24.5	21.0
Methamphetamine	0.3	1.0	Felt hopeless about the future	9.0	11.8
Cocaine	0.6	2.5	Felt like not eating or eating more than usual	20.0	19.1
Heroin	0.3	0.5	Slept a lot more or a lot less than usual	20.4	24.4
Hallucinogens	0.6	3.4	Had difficulty concentrating on school work	20.1	21.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	4.0	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.2	0.5	Seriously considered attempting suicide	9.8	9.3
Synthetic drugs (K2, bath salts, Spice, etc)	3.6		Made plan about how they would attempt suicide	5.3	4.4
<b>Average age of students' first use of:</b>			Attempted suicide	3.9	3.9
Alcohol	12.55	12.89	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.2	1.0
Cigarettes	12.29	12.49	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.38	13.94	Were threatened/injured with weapon at school	4.5	13.2
Inhalants	12.05	13.04	Were in a physical fight	21.1	19.4
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	2.7	1.9
Alcohol	12.5	23.7	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	5.3	14.1	Were victims of mean rumors or lies spread at school	57.6	57.4
Cigarettes	8.3	17.3	Had embarrassing or hurtful pictures/text of them posted on internet	17.8	13.5
Chewing Tobacco	4.7	5.8	Had embarrassing or hurtful pictures/text of them sent by cell phone	19.3	19.3
Marijuana	3.6	10.7	Were made fun of by others	69.9	71.8
Inhalants	1.2	2.2	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	2.7	7.2	Spread mean rumors or lies about other kids at school	30.1	36.8
Over-the-counter medications for non-medical use	3.3	6.2	Posted on internet embarrassing or hurtful pictures/text of someone	8.6	10.4
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	11.2	14.5
Alcohol	52.8	68.3	Made fun of other people	65.8	79.7
Cigarettes	35.1	57.3	<b>Percent of students who agree that:</b>		
Marijuana	21.5	38.7	Teachers notice and comment on student's good work	72.0	70.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.3	17.9	School provides feedback to parents on positive student performance	41.5	38.8
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	55.2	42.5
Alcohol	25.0	42.6	Rules are enforced fairly	66.8	53.9
Cigarettes	9.9	17.1	Students of all races/ethnicities are treated equally	84.2	80.9
Marijuana	6.3	15.7	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	83.6	77.4
Alcohol	62.3	59.7	Parents involve student in making family decisions	70.6	64.0
Cigarettes	84.5	75.7	It is important to be honest with parents regardless of consequences	89.3	84.9
Marijuana	89.6	82.7	Student could ask parent for help with a personal problem	79.0	74.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	93.0	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	80.3	75.1	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	92.1	86.2	Percentages are estimates based on weighted data.		
Marijuana	95.1	91.1	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.6	97.0	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	56.4	65.5			
Cigarettes	50.7	66.5			
Marijuana	26.6	46.4			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.4	26.7			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# HICKORY COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	8
Adult Psychiatric	8B
<b>FIPS COUNTY CODE</b>	085
<b>POPULATION</b>	
Census 2010	9,627
2012 Pop. Estimate	9,391

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	3,521	3,433	3,508
Employed	3,088	3,008	3,069
Unemployed	433	425	439
Unemployment Rate	12.3%	12.4%	12.5%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	500	564	539
Drop-outs	3	4	7
Drop-out Rate	0.6%	0.7%	1.3%
School Suspensions:			
Alcohol Incidents	0	0	1
Drug Incidents	12	1	8
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	81	81	72
Mother Reported Smoking while Pregnant	21	19	26

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	163	141	134
Suicides	1	0	2
Self-inflicted Injuries	10	12	13
Homicides	0	0	0
Assault Injuries	13	16	18
Alcohol Induced Deaths	1	1	0
Drug Induced Deaths	1	2	0
Smoking Attributable Deaths	31	29	30

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	60		
Alcohol Primary Diagnosis <sup>2</sup>	4		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	25	29	36
Drug Related Diagnosis	18	18	18
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	17		
Alcohol Primary Diagnosis <sup>2</sup>	8		
Drug Primary Diagnosis <sup>2</sup>	5		
Alcohol Related Diagnosis	41	18	30
Drug Related Diagnosis	16	18	19
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	48		
Alcohol Primary Diagnosis <sup>2</sup>	8		
Drug Primary Diagnosis <sup>2</sup>	11		
Alcohol Related Diagnosis	27	32	28
Drug Related Diagnosis	39	28	24

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	11	14	20
Fatal Crashes	2	1	3
Injury Crashes	6	7	12
Property Damage Crashes	3	6	5
Crash Fatalities	3	1	3
Crash Injuries	6	15	18
Drug Involved Crashes--Total	0	0	1
Fatal Crashes	0	0	0
Injury Crashes	0	0	1
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	1

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	38	44	45
Liquor Law Arrests	2	7	1
Drug Arrests	19	21	33
Methamphetamine Lab Incidents	0	0	0
Violent Offenses	2	4	1
Property Offenses	133	146	99
Domestic Violence Reports	17	12	16

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	15	20	20
Violent Offenses	4	4	1
Alcohol Offenses	0	0	3
Drug Offenses	1	1	3
Status Offenses--Total	17	10	12
Truancy	4	1	2
Beyond Parental Control	5	5	7
Habitually Absent from Home	0	1	1
Injurious Behavior	8	3	2
Abuse/Neglect/Custody--Total	31	15	32
Abuse	10	2	4
Neglect	21	13	28
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	2	7	6
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	0	2	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	2	5	5

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	44	52	51
Probation/Parole Admissions--Drug	11	10	10
Probation/Parole Admissions--DWI	2	4	4
Prison Admissions--Total	27	26	36
Prison Admissions--Drug	6	3	3
Prison Admissions--DWI	1	0	1

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	13	13	12
Alcohol Package Carry-out Licenses	11	11	12

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# HICKORY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	*	6	*
CSTAR Adolescent	0	0	0
CSTAR Women and Children	0	*	*
CSTAR General Adult	16	9	10
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	13	5
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	28	26	48
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	13	8	21
- Weekend Intervention Program	*	11	18
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	0
Recovery Supports	0	5	17
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	24	30	18	Alcohol	15	13	11
AGE				Marijuana / Hashish	*	*	*
Under 18	0	0	*	Cocaine (total)	0	*	0
18 to 24	*	5	*	- Crack	0	*	0
25 to 29	*	5	*	Stimulant (total)	*	5	0
30 to 34	*	*	*	- Methamphetamine	*	5	0
35 to 39	*	*	*	Heroin	0	0	0
40 to 44	*	5	*	Analgesic except Heroin	*	*	*
45 to 54	7	7	5	- Non-Prescription Methadone	0	0	0
55 and Over	5	*	0	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	0
Male	15	19	11	Inhalant	0	0	0
Female	9	11	7	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	24	30	17	Average Age at First Use of Drug	15.4	18.8	16.5
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	5	0
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	0
Hispanic	0	0	0	- Weekly Injection Use	*	0	0
Other Race / Two or More Races	0	0	*	- Less than Weekly Injection Use	*	*	0
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	*	10	*	0	12	13	9
High School Graduate or G.E.D.	12	9	12	1 or 2	6	11	5
Associate Degree or Some College	8	11	*	3 or More	6	6	*
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	12	9	11
Employed	*	6	5	School	0	0	0
Unemployed	8	11	5	Mental Health Provider	0	*	0
Not in Labor Force	13	13	8	Health Care Provider	*	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	8	13	6
Independent Living	21	26	16	Other Referral Source	*	*	*
Dependent Living	0	*	*	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	0	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	5	10	6	Special Education Services Needed	0	0	*
Married / Cohabiting	7	12	*	Co-Occurring Psychological Problem	8	7	7
Previously Married	12	8	9	Co-Occurring Developmental Problem	0	0	*

# HICKORY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8B  
**CENSUS 2010** 9,627  
**2012 POPULATION ESTIMATE** 9,391

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2012	FY2011	FY2010
Adjustment Disorder	0	*	0
Anxiety Disorder	9	11	6
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	0	*	*
Mood Disorder	22	19	9
Personality Disorder	*	*	*
Psychotic Disorder	*	5	*
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	*	*	6

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2012	FY2011	FY2010	EDUCATION	FY2012	FY2011	FY2010
Total Individuals	28	29	18	Less than High School Diploma	*	*	0
<b>AGE</b>				High School Grad or G.E.D.	8	8	*
Under 6	0	0	0	Associate Degree or Some College	5	5	*
6 to 9	0	0	0	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	13	14	16
14 to 17	*	*	*	<b>EMPLOYMENT</b>			
18 to 24	*	0	*	Employed	*	*	0
25 to 29	5	*	*	Unemployed	12	14	*
30 to 34	0	*	*	Not in Labor Force	*	0	0
35 to 39	*	6	*	Employment Status Unknown	11	14	16
40 to 44	*	*	0	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	*	6	5	Independent Living	15	15	*
50 to 54	5	*	0	Dependent Living	*	*	0
55 to 59	*	*	0	Homeless	0	0	0
60 and Over	0	0	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	10	11	16
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	13	14	8	Self / Family / Friend	15	16	12
Female	15	15	10	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
<b>RACE / ETHNICITY</b>				Health Care Provider	8	8	*
Caucasian	28	29	18	Court / Criminal Justice	*	*	*
African American	0	0	0	Other	*	*	*
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	27	28	16
Other Race	0	0	0	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	0	0	0	Commitment Type Unknown	0	0	*
Past or Current Military Service	*	*	0				

# HICKORY COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012


	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	39.5	47.6	Alcohol	59.7	77.4
Cigarettes	29.5	30.8	Cigarettes	77.5	76.9
Chewing Tobacco	17.8	27.6	Marijuana	77.5	76.7
Marijuana	6.2	13.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	91.3	93.8
Inhalants	6.2	3.4			
Prescription medications not prescribed for student	7.0	9.0	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	5.4	6.1	Were very sad	7.0	17.8
Methamphetamine	0.0	0.7	Were grouchy, irritable, or in a bad mood	22.5	24.0
Cocaine	0.8	1.4	Felt hopeless about the future	7.8	11.6
Heroin	0.8	0.7	Felt like not eating or eating more than usual	14.7	20.0
Hallucinogens	0.0	2.1	Slept a lot more or a lot less than usual	15.5	24.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.4	Had difficulty concentrating on school work	18.6	18.6
Steroids not prescribed for student	0.0	1.4			
Synthetic drugs (K2, bath salts, Spice, etc)	0.8		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	10.2	5.4
Alcohol	12.79	12.51	Made plan about how they would attempt suicide	8.7	4.1
Cigarettes	12.07	12.19	Attempted suicide	3.1	4.0
Marijuana	13.66	13.05	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.6	1.4
Inhalants	11.93	11.45			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	14.0	20.7	Were threatened/injured with weapon at school	5.4	6.2
Binge Alcohol (5 or more drinks on one occasion)	7.0	14.3	Were in a physical fight	27.1	24.3
Cigarettes	10.1	13.7	Were in a fight and had to be treated by a doctor or nurse	3.9	3.4
Chewing Tobacco	6.2	14.6			
Marijuana	1.6	6.2	<b>Percent of students in past 3 months who:</b>		
Inhalants	3.1	1.4	Were victims of mean rumors or lies spread at school	47.3	56.9
Prescription medications not prescribed for student	4.7	2.8	Had embarrassing or hurtful pictures/text of them posted on internet	11.6	9.6
Over-the-counter medications for non-medical use	3.9	2.7	Had embarrassing or hurtful pictures/text of them sent by cell phone	15.5	15.0
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	59.7	68.0
Alcohol	45.0	60.3			
Cigarettes	39.5	51.0	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	24.0	27.9	Spread mean rumors or lies about other kids at school	31.0	26.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.8	12.2	Posted on internet embarrassing or hurtful pictures/text of someone	7.8	11.0
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	6.2	12.2
Alcohol	31.3	33.8	Made fun of other people	65.9	71.4
Cigarettes	12.4	16.0			
Marijuana	6.9	8.8	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	75.2	76.6
Alcohol	58.9	61.9	School provides feedback to parents on positive student performance	39.8	51.7
Cigarettes	82.2	77.6	Teachers praise student for hard work	59.7	63.3
Marijuana	89.1	86.4	Rules are enforced fairly	61.2	66.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.9	97.3	Students of all races/ethnicities are treated equally	89.1	85.0
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	81.9	75.5	<b>Percent of students who agree that:</b>		
Cigarettes	96.0	87.0	Parents notice and comment on student's good work	90.7	88.3
Marijuana	96.1	93.1	Parents involve student in making family decisions	68.2	76.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.2	98.6	It is important to be honest with parents regardless of consequences	85.8	86.4
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	82.0	80.0
Alcohol	54.3	55.5			
Cigarettes	51.2	53.7			
Marijuana	24.8	26.0			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.7	15.0			

### Notes:

Blank data cell indicates estimate not available for survey item or geographic area. Survey is not conducted in every school district nor reported for every county. Percentages are estimates based on weighted data. Estimates are not provided for geographic areas with low numbers of respondents. Some year-to-year differences in percentages are not statistically significant. Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# HOLT COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	1
Adult Psychiatric	1
<b>FIPS COUNTY CODE</b>	087
<b>POPULATION</b>	
Census 2010	4,912
2012 Pop. Estimate	4,655

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	49	61	60
Mother Reported Smoking while Pregnant	17	17	15

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	61	70	73
Suicides	0	1	0
Self-inflicted Injuries	3	9	2
Homicides	0	0	0
Assault Injuries	12	7	8
Alcohol Induced Deaths	1	2	1
Drug Induced Deaths	0	1	0
Smoking Attributable Deaths	9	13	10

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	23		
Alcohol Primary Diagnosis <sup>2</sup>	2		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	4	14	6
Drug Related Diagnosis	7	11	3
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	15		
Alcohol Primary Diagnosis <sup>2</sup>	6		
Drug Primary Diagnosis <sup>2</sup>	0		
Alcohol Related Diagnosis	14	6	7
Drug Related Diagnosis	7	6	5
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	24		
Alcohol Primary Diagnosis <sup>2</sup>	4		
Drug Primary Diagnosis <sup>2</sup>	3		
Alcohol Related Diagnosis	13	11	8
Drug Related Diagnosis	9	7	6

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	10	9	10
Fatal Crashes	0	1	0
Injury Crashes	5	7	4
Property Damage Crashes	5	1	6
Crash Fatalities	0	1	0
Crash Injuries	8	9	8
Drug Involved Crashes--Total	0	2	0
Fatal Crashes	0	0	0
Injury Crashes	0	2	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	3	0

## EMPLOYMENT

	2012	2011	2010
Labor Force	2,710	2,818	2,700
Employed	2,572	2,625	2,495
Unemployed	138	193	205
Unemployment Rate	5.1%	6.8%	7.6%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	178	196	204
Drop-outs	4	2	5
Drop-out Rate	2.3%	1.0%	2.5%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	20	42	36
Liquor Law Arrests	4	11	11
Drug Arrests	25	34	58
Methamphetamine Lab Incidents	0	0	0
Violent Offenses	9	4	6
Property Offenses	94	119	102
Domestic Violence Reports	16	19	13

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	11	15	20
Violent Offenses	3	2	3
Alcohol Offenses	1	0	3
Drug Offenses	0	2	0
Status Offenses--Total	20	25	14
Truancy	4	3	4
Beyond Parental Control	11	13	9
Habitually Absent from Home	0	1	0
Injurious Behavior	5	8	1
Abuse/Neglect/Custody--Total	10	26	17
Abuse	0	0	0
Neglect	10	26	16
Custody Disputes	0	0	1

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	10	5	2
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	10	5	2

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	3	1	2
Probation/Parole Admissions--Total	39	33	50
Probation/Parole Admissions--Drug	11	9	13
Probation/Parole Admissions--DWI	6	5	8
Prison Admissions--Total	25	29	26
Prison Admissions--Drug	8	6	5
Prison Admissions--DWI	4	5	5

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	10	11	10
Alcohol Package Carry-out Licenses	10	8	9

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# HOLT COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	*	*	*
CSTAR Adolescent	0	*	*
CSTAR Women and Children	0	0	0
CSTAR General Adult	7	*	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	13	9	7
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	18	22	27
- Adolescent Diversion Education Program	*	*	0
- Offender Education Program	7	12	15
- Weekend Intervention Program	*	*	10
(See also Clinical SATOP at left)			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	0	0	0
Compulsive Gambling	*	0	0
Recovery Supports	0	0	0
Early Intervention	*	5	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	19	19	12	Alcohol	8	7	6
<b>AGE</b>				Marijuana / Hashish	*	5	*
Under 18	0	*	*	Cocaine (total)	*	0	0
18 to 24	7	*	*	- Crack	0	0	0
25 to 29	*	*	0	Stimulant (total)	6	5	*
30 to 34	*	*	*	- Methamphetamine	6	5	*
35 to 39	*	*	*	Heroin	0	0	0
40 to 44	*	5	*	Analgesic except Heroin	0	*	*
45 to 54	*	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
<b>GENDER</b>				Tranquilizer	0	0	*
Male	16	10	9	Inhalant	0	0	0
Female	*	9	*	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	0	0	0
Caucasian	18	19	12	Average Age at First Use of Drug	18.5	19.5	18.8
African American	0	0	0	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	*	0	0	- Daily Injection Use	0	*	0
Hispanic	0	0	0	- Weekly Injection Use	*	0	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	*
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	*	6	*	0	11	11	8
High School Graduate or G.E.D.	15	11	7	1 or 2	6	5	*
Associate Degree or Some College	*	*	*	3 or More	*	*	*
Bachelor or Advanced Degree	0	*	0	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	0	*	*
Employed	5	7	*	School	0	0	0
Unemployed	10	8	7	Mental Health Provider	*	*	0
Not in Labor Force	*	*	*	Health Care Provider	*	*	0
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	16	12	11
Independent Living	18	18	10	Other Referral Source	0	*	0
Dependent Living	*	*	*	<b>TREATMENT ACCOMMODATION</b>			
Homeless	0	0	0	Pregnant when Admitted to any Episode	0	0	0
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	0	*	0
Never Married	12	8	6	Special Education Services Needed	*	*	0
Married / Cohabiting	*	6	*	Co-Occurring Psychological Problem	*	*	0
Previously Married	6	5	*	Co-Occurring Developmental Problem	0	0	0

# HOLT COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 1  
**CENSUS 2010** 4,912  
**2012 POPULATION ESTIMATE** 4,655

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	*	*
Anxiety Disorder	7	*	*
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	*	5	8
Mood Disorder	15	11	13
Personality Disorder	0	0	0
Psychotic Disorder	0	0	*
Sexual Disorder	0	0	0
Other Diagnosis	0	0	*
Diagnosis Unknown	*	6	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	21	21	26	Less than High School Diploma	*	*	0
<b>AGE</b>				High School Grad or G.E.D.	*	0	0
Under 6	0	0	*	Associate Degree or Some College	*	*	0
6 to 9	*	6	6	Bachelor or Advanced Degree	*	0	0
10 to 13	*	*	*	Education Level Unknown	9	15	26
14 to 17	*	*	*	<b>EMPLOYMENT</b>			
18 to 24	*	0	0	Employed	0	*	0
25 to 29	*	*	*	Unemployed	12	5	0
30 to 34	*	0	*	Not in Labor Force	0	0	0
35 to 39	0	0	*	Employment Status Unknown	9	15	26
40 to 44	*	*	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	*	*	*	Independent Living	12	6	0
50 to 54	*	*	*	Dependent Living	*	0	0
55 to 59	*	*	*	Homeless	0	0	0
60 and Over	*	*	0	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	6	15	26
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	9	12	14	Self / Family / Friend	7	11	15
Female	12	9	12	School	0	0	*
Gender Unknown	0	0	0	Mental Health Provider	*	0	*
<b>RACE / ETHNICITY</b>				Health Care Provider	5	5	*
Caucasian	21	19	24	Court / Criminal Justice	*	*	*
African American	0	0	0	Other	*	*	*
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	*	*	Voluntary	20	20	25
Other Race	0	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	0				



# HOLT COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	49.2	18.4	Alcohol	76.6	87.6
Cigarettes	31.3	7.1	Cigarettes	75.4	85.7
Chewing Tobacco	23.4	0.0	Marijuana	86.2	87.8
Marijuana	13.8	0.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.3	94.7
Inhalants	6.2	4.2	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	13.8	6.3	Were very sad	18.5	20.4
Over-the-counter medications for non-medical use	10.8	0.0	Were grouchy, irritable, or in a bad mood	26.2	26.5
Methamphetamine	1.6	0.0	Felt hopeless about the future	12.5	17.3
Cocaine	1.5	0.0	Felt like not eating or eating more than usual	16.9	24.5
Heroin	1.6	0.0	Slept a lot more or a lot less than usual	17.2	35.1
Hallucinogens	1.5	0.0	Had difficulty concentrating on school work	13.8	24.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	4.6	0.0	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	4.6	0.0	Seriously considered attempting suicide	9.4	5.1
Synthetic drugs (K2, bath salts, Spice, etc)	6.2		Made plan about how they would attempt suicide	6.3	5.1
<b>Average age of students' first use of:</b>			Attempted suicide	4.6	1.0
Alcohol	12.40	12.93	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.0	0.0
Cigarettes	12.72	15.00	<b>Percent of students in past 12 months who:</b>		
Marijuana	14.58		Were threatened/injured with weapon at school	6.2	2.1
Inhalants		9.82	Were in a physical fight	20.0	13.3
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	1.5	0.0
Alcohol	21.5	3.1	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	15.4	0.0	Were victims of mean rumors or lies spread at school	49.2	44.9
Cigarettes	16.9	0.0	Had embarrassing or hurtful pictures/text of them posted on internet	10.8	13.3
Chewing Tobacco	18.5	0.0	Had embarrassing or hurtful pictures/text of them sent by cell phone	17.2	17.3
Marijuana	7.7	0.0	Were made fun of by others	64.6	73.5
Inhalants	4.6	1.1	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	9.2	5.3	Spread mean rumors or lies about other kids at school	30.8	29.6
Over-the-counter medications for non-medical use	6.2	0.0	Posted on internet embarrassing or hurtful pictures/text of someone	12.3	7.1
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	13.8	13.3
Alcohol	64.1	17.3	Made fun of other people	70.8	78.6
Cigarettes	56.9	17.3	<b>Percent of students who agree that:</b>		
Marijuana	41.5	10.2	Teachers notice and comment on student's good work	85.9	92.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.3	3.1	School provides feedback to parents on positive student performance	57.8	79.6
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	73.8	86.7
Alcohol	34.4	9.6	Rules are enforced fairly	71.4	90.9
Cigarettes	17.5	0.0	Students of all races/ethnicities are treated equally	79.7	99.0
Marijuana	7.8	6.3	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	83.1	98.9
Alcohol	56.3	82.7	Parents involve student in making family decisions	69.2	75.8
Cigarettes	73.8	96.9	It is important to be honest with parents regardless of consequences	87.5	96.9
Marijuana	88.9	92.9	Student could ask parent for help with a personal problem	80.0	94.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.4	100.0	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	71.4	100.0	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	87.7	97.9	Percentages are estimates based on weighted data.		
Marijuana	95.3	100.0	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.9	100.0	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	63.1	42.6			
Cigarettes	58.5	29.6			
Marijuana	36.9	15.3			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.8	1.0			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# HOWARD COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	12
Adult Psychiatric	12
<b>FIPS COUNTY CODE</b>	089
<b>POPULATION</b>	
Census 2010	10,144
2012 Pop. Estimate	10,169

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	5,193	5,243	5,138
Employed	4,878	4,848	4,729
Unemployed	315	395	409
Unemployment Rate	6.1%	7.5%	8.0%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	425	439	442
Drop-outs	11	7	12
Drop-out Rate	2.6%	1.6%	2.7%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	1	0
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	123	120	116
Mother Reported Smoking while Pregnant	25	34	30

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	107	101	79
Suicides	0	1	2
Self-inflicted Injuries	8	10	10
Homicides	1	0	0
Assault Injuries	24	15	18
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	19	14	12

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	35		
Alcohol Primary Diagnosis <sup>2</sup>	1		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	10	25	17
Drug Related Diagnosis	7	17	15
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	41		
Alcohol Primary Diagnosis <sup>2</sup>	3		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	17	22	22
Drug Related Diagnosis	11	18	11
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	45		
Alcohol Primary Diagnosis <sup>2</sup>	9		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	30	22	30
Drug Related Diagnosis	11	9	6

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	8	13	15
Fatal Crashes	0	2	0
Injury Crashes	3	5	9
Property Damage Crashes	5	6	6
Crash Fatalities	0	2	0
Crash Injuries	3	10	12
Drug Involved Crashes--Total	1	1	1
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	1	1	1
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	64	42	72
Liquor Law Arrests	32	24	47
Drug Arrests	37	31	47
Methamphetamine Lab Incidents	6	2	14
Violent Offenses	16	14	9
Property Offenses	74	64	84
Domestic Violence Reports	26	28	31

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	23	29	50
Violent Offenses	4	11	15
Alcohol Offenses	1	0	15
Drug Offenses	2	1	2
Status Offenses--Total	30	26	42
Truancy	14	10	19
Beyond Parental Control	4	1	2
Habitually Absent from Home	1	1	2
Injurious Behavior	11	14	19
Abuse/Neglect/Custody--Total	14	8	15
Abuse	4	4	6
Neglect	10	4	9
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	9	5	6
Parental Alcohol Use Related	0	2	0
Parental Drug Use Related	1	1	3
Parental Alcohol and Drug Use	0	1	0
Child Removed for Other Reason	8	1	3

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	62	65	95
Probation/Parole Admissions--Drug	23	24	31
Probation/Parole Admissions--DWI	1	3	6
Prison Admissions--Total	46	47	56
Prison Admissions--Drug	17	14	27
Prison Admissions--DWI	6	3	2

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	11	11	10
Alcohol Package Carry-out Licenses	13	9	8

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# HOWARD COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	6	*	5
CSTAR Adolescent	0	*	*
CSTAR Women and Children	11	5	*
CSTAR General Adult	12	23	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	13	13	47
Clinical SATOP (CIP, YCIP, SROP)	7	6	6
Other Substance Abuse Treatment	*	*	0


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	41	39	57
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	28	13	14
- Weekend Intervention Program	5	8	21
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	43	49	72	Alcohol	17	30	38
<b>AGE</b>				Marijuana / Hashish	10	10	17
Under 18	*	0	*	Cocaine (total)	*	*	5
18 to 24	8	8	18	- Crack	0	*	*
25 to 29	*	6	15	Stimulant (total)	14	7	10
30 to 34	6	11	6	- Methamphetamine	14	7	10
35 to 39	8	9	11	Heroin	0	0	0
40 to 44	7	*	7	Analgesic except Heroin	0	*	*
45 to 54	9	10	9	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	*
<b>GENDER</b>				Tranquilizer	0	0	0
Male	27	37	47	Inhalant	0	0	0
Female	16	12	25	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	0	0	0
Caucasian	37	42	57	Average Age at First Use of Drug	17.3	16.3	16.6
African American	6	*	8	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	5	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	*	*	- Weekly Injection Use	*	*	0
Other Race / Two or More Races	0	*	6	- Less than Weekly Injection Use	*	*	*
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	11	20	28	0	23	15	30
High School Graduate or G.E.D.	21	19	33	1 or 2	13	21	33
Associate Degree or Some College	9	9	10	3 or More	7	13	9
Bachelor or Advanced Degree	*	*	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	10	12	15
Employed	14	16	22	School	0	0	0
Unemployed	12	19	30	Mental Health Provider	0	*	*
Not in Labor Force	17	14	20	Health Care Provider	*	0	*
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	24	35	51
Independent Living	34	44	62	Other Referral Source	8	*	*
Dependent Living	5	*	5	<b>TREATMENT ACCOMMODATION</b>			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	0	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	*	*	*
Never Married	16	22	37	Special Education Services Needed	*	6	12
Married / Cohabiting	15	16	21	Co-Occurring Psychological Problem	15	18	29
Previously Married	12	11	14	Co-Occurring Developmental Problem	*	5	9

# HOWARD COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 12  
**CENSUS 2010** 10,144  
**2012 POPULATION ESTIMATE** 10,169

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	*	0
Anxiety Disorder	28	20	17
Dementia	*	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	10	9	8
Mood Disorder	52	42	41
Personality Disorder	6	*	5
Psychotic Disorder	35	30	24
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	*	9	13

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	96	83	82	Less than High School Diploma	27	14	*
<b>AGE</b>				High School Grad or G.E.D.	25	28	10
Under 6	0	0	0	Associate Degree or Some College	14	8	*
6 to 9	*	*	0	Bachelor or Advanced Degree	*	*	0
10 to 13	*	*	5	Education Level Unknown	28	32	68
14 to 17	*	*	*	<b>EMPLOYMENT</b>			
18 to 24	11	14	7	Employed	20	11	0
25 to 29	5	*	5	Unemployed	47	38	14
30 to 34	12	5	7	Not in Labor Force	11	*	0
35 to 39	5	10	8	Employment Status Unknown	18	32	68
40 to 44	12	5	7	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	17	12	12	Independent Living	39	27	6
50 to 54	14	10	12	Dependent Living	39	27	12
55 to 59	6	6	7	Homeless	0	0	0
60 and Over	8	9	8	Other	*	*	0
Age Unknown	0	0	0	Housing Unknown	15	28	64
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	61	54	48	Self / Family / Friend	48	36	41
Female	35	29	34	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	19	17	22
<b>RACE / ETHNICITY</b>				Health Care Provider	19	17	9
Caucasian	75	70	69	Court / Criminal Justice	*	*	*
African American	16	10	10	Other	*	7	5
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	0	0	Voluntary	92	79	76
Other Race	*	*	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	0	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	8	*	5				

# HOWARD COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	44.1	51.6	Alcohol	62.4	77.5
Cigarettes	26.3	30.0	Cigarettes	67.0	88.7
Chewing Tobacco	19.6	10.9	Marijuana	73.0	68.2
Marijuana	15.1	14.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	91.5	95.9
Inhalants	6.1	2.3	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	7.8	7.3	Were very sad	19.0	12.7
Over-the-counter medications for non-medical use	6.1	5.9	Were grouchy, irritable, or in a bad mood	21.9	15.8
Methamphetamine	1.7	0.9	Felt hopeless about the future	10.1	6.3
Cocaine	2.2	2.7	Felt like not eating or eating more than usual	13.5	17.6
Heroin	1.7	0.0	Slept a lot more or a lot less than usual	17.9	20.5
Hallucinogens	1.7	2.7	Had difficulty concentrating on school work	16.9	15.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	1.4	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	2.3	0.9	Seriously considered attempting suicide	7.8	7.7
Synthetic drugs (K2, bath salts, Spice, etc)	7.8		Made plan about how they would attempt suicide	3.9	6.3
<b>Average age of students' first use of:</b>			Attempted suicide	2.8	3.6
Alcohol	12.54	13.04	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.0	0.9
Cigarettes	13.13	12.91	<b>Percent of students in past 12 months who:</b>		
Marijuana	14.43	13.82	Were threatened/injured with weapon at school	3.9	5.0
Inhalants	11.37	12.40	Were in a physical fight	19.0	17.6
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.4	2.3
Alcohol	20.2	21.5	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	11.2	11.3	Were victims of mean rumors or lies spread at school	41.3	61.5
Cigarettes	15.7	11.7	Had embarrassing or hurtful pictures/text of them posted on internet	8.4	13.6
Chewing Tobacco	11.8	6.4	Had embarrassing or hurtful pictures/text of them sent by cell phone	11.2	17.6
Marijuana	8.4	6.4	Were made fun of by others	52.0	76.5
Inhalants	2.2	0.9	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	5.0	5.0	Spread mean rumors or lies about other kids at school	26.3	35.1
Over-the-counter medications for non-medical use	2.2	5.0	Posted on internet embarrassing or hurtful pictures/text of someone	5.6	6.4
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.6	19.5
Alcohol	49.4	77.4	Made fun of other people	59.4	84.2
Cigarettes	44.1	48.9	<b>Percent of students who agree that:</b>		
Marijuana	21.3	32.9	Teachers notice and comment on student's good work	75.0	63.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.9	9.0	School provides feedback to parents on positive student performance	50.0	50.2
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	65.4	54.8
Alcohol	28.5	48.0	Rules are enforced fairly	73.1	58.4
Cigarettes	12.8	14.1	Students of all races/ethnicities are treated equally	82.7	80.9
Marijuana	8.6	13.2	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	88.8	82.0
Alcohol	57.1	47.5	Parents involve student in making family decisions	81.4	67.4
Cigarettes	74.3	82.8	It is important to be honest with parents regardless of consequences	85.5	86.5
Marijuana	84.7	82.3	Student could ask parent for help with a personal problem	83.1	76.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	98.2	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	76.0	73.3	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	92.7	92.8	Percentages are estimates based on weighted data.		
Marijuana	93.7	96.8	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0	99.1	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	45.8	76.6			
Cigarettes	41.1	69.4			
Marijuana	21.8	28.5			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.4	12.7			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# HOWELL COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	18
Adult Psychiatric	18
<b>FIPS COUNTY CODE</b>	091
<b>POPULATION</b>	
Census 2010	40,400
2012 Pop. Estimate	40,629

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	546	537	560
Mother Reported Smoking while Pregnant	130	159	147

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	1	1	0
IDU and MSM <sup>1</sup>	*	*	0
IDU without MSM <sup>1</sup>	*	*	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	508	451	463
Suicides	9	8	11
Self-inflicted Injuries	116	91	120
Homicides	2	2	2
Assault Injuries	169	133	141
Alcohol Induced Deaths	3	1	1
Drug Induced Deaths	5	5	11
Smoking Attributable Deaths	101	87	86

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	570		
Alcohol Primary Diagnosis <sup>2</sup>	59		
Drug Primary Diagnosis <sup>2</sup>	67		
Alcohol Related Diagnosis	276	183	73
Drug Related Diagnosis	336	268	104
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	28		
Alcohol Primary Diagnosis <sup>2</sup>	10		
Drug Primary Diagnosis <sup>2</sup>	4		
Alcohol Related Diagnosis	36	54	195
Drug Related Diagnosis	23	48	214
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	483		
Alcohol Primary Diagnosis <sup>2</sup>	70		
Drug Primary Diagnosis <sup>2</sup>	62		
Alcohol Related Diagnosis	198	234	157
Drug Related Diagnosis	199	217	133

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	46	55	60
Fatal Crashes	1	1	3
Injury Crashes	21	32	31
Property Damage Crashes	24	22	26
Crash Fatalities	1	1	3
Crash Injuries	36	44	45
Drug Involved Crashes--Total	7	14	7
Fatal Crashes	0	1	0
Injury Crashes	5	6	1
Property Damage Crashes	2	7	6
Crash Fatalities	0	1	0
Crash Injuries	7	7	2

## EMPLOYMENT

	2012	2011	2010
Labor Force	18,719	18,968	19,448
Employed	17,410	17,371	17,666
Unemployed	1,309	1,597	1,782
Unemployment Rate	7.0%	8.4%	9.2%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	1,950	1,890	2,044
Drop-outs	27	56	66
Drop-out Rate	1.4%	3.0%	3.2%
School Suspensions:			
Alcohol Incidents	2	7	7
Drug Incidents	24	25	9
Tobacco Incidents	2	0	2

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	341	224	226
Liquor Law Arrests	47	38	43
Drug Arrests	317	328	212
Methamphetamine Lab Incidents	36	26	9
Violent Offenses	113	118	133
Property Offenses	1,472	1,469	1,453
Domestic Violence Reports	262	259	230

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	177	120	123
Violent Offenses	23	31	26
Alcohol Offenses	22	9	5
Drug Offenses	18	13	8
Status Offenses--Total	459	370	430
Truancy	205	106	181
Beyond Parental Control	61	68	65
Habitually Absent from Home	35	40	51
Injurious Behavior	92	118	92
Abuse/Neglect/Custody--Total	138	153	117
Abuse	33	19	12
Neglect	94	110	86
Custody Disputes	11	24	19

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	18	29	38
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	6	1
Parental Alcohol and Drug Use	0	3	0
Child Removed for Other Reason	17	20	37

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	19	25	23
Probation/Parole Admissions--Total	283	228	219
Probation/Parole Admissions--Drug	91	58	51
Probation/Parole Admissions--DWI	16	11	7
Prison Admissions--Total	140	134	99
Prison Admissions--Drug	39	37	24
Prison Admissions--DWI	7	2	5

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	34	32	32
Alcohol Package Carry-out Licenses	42	41	44

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# HOWELL COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	77	59	54
CSTAR Adolescent	22	45	44
CSTAR Women and Children	14	23	34
CSTAR General Adult	74	82	71
CSTAR Opioid	0	0	0
Primary Recovery Treatment	127	129	169
Clinical SATOP (CIP, YCIP, SROP)	54	29	40
Other Substance Abuse Treatment	*	0	0

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	209	137	217
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	88	54	90
- Weekend Intervention Program	37	30	43
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	5	12	12
Compulsive Gambling	0	0	0
Recovery Supports	*	*	25
Early Intervention	0	*	0


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	292	315	353	Alcohol	136	120	161
<b>AGE</b>				Marijuana / Hashish	78	85	87
Under 18	25	50	44	Cocaine (total)	*	*	*
18 to 24	57	73	73	- Crack	0	*	0
25 to 29	36	48	54	Stimulant (total)	33	44	47
30 to 34	42	37	40	- Methamphetamine	33	43	47
35 to 39	41	36	51	Heroin	*	*	*
40 to 44	39	26	28	Analgesic except Heroin	30	49	44
45 to 54	38	33	49	- Non-Prescription Methadone	0	0	*
55 and Over	14	12	14	PCP, LSD, other Hallucinogen	0	0	0
<b>GENDER</b>				Tranquilizer	*	*	*
Male	195	208	248	Inhalant	*	*	5
Female	97	107	105	Sedative	*	*	*
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	*	*
Caucasian	278	303	342	Average Age at First Use of Drug	17.4	16.1	17.1
African American	7	*	*	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	33	47	41
Asian / Pacific Islander	0	*	0	- Daily Injection Use	8	10	13
Hispanic	*	7	5	- Weekly Injection Use	9	17	12
Other Race / Two or More Races	*	6	5	- Less than Weekly Injection Use	16	20	16
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	92	137	160	0	141	194	185
High School Graduate or G.E.D.	147	133	145	1 or 2	109	77	109
Associate Degree or Some College	49	39	44	3 or More	42	44	59
Bachelor or Advanced Degree	*	6	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	72	80	73
Employed	26	17	19	School	5	*	*
Unemployed	141	176	181	Mental Health Provider	*	*	7
Not in Labor Force	125	122	153	Health Care Provider	9	9	6
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	175	184	232
Independent Living	237	235	289	Other Referral Source	28	36	32
Dependent Living	33	64	58	<b>TREATMENT ACCOMMODATION</b>			
Homeless	17	11	*	Pregnant when Admitted to any Episode	6	*	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	8	5	5
Never Married	130	156	159	Special Education Services Needed	15	18	18
Married / Cohabiting	92	80	98	Co-Occurring Psychological Problem	82	86	138
Previously Married	70	79	96	Co-Occurring Developmental Problem	*	*	*



# HOWELL COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 18  
**CENSUS 2010** 40,400  
**2012 POPULATION ESTIMATE** 40,629

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	45	26	38
Anxiety Disorder	339	182	187
Dementia	*	0	*
Developmental Disorder	*	*	*
Impulse Control Disorder	91	43	36
Mood Disorder	563	407	427
Personality Disorder	*	5	*
Psychotic Disorder	74	50	45
Sexual Disorder	*	0	*
Other Diagnosis	28	18	14
Diagnosis Unknown	96	33	33

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	971	667	684	Less than High School Diploma	127	70	58
<b>AGE</b>				High School Grad or G.E.D.	156	178	80
Under 6	*	*	16	Associate Degree or Some College	32	24	27
6 to 9	23	13	14	Bachelor or Advanced Degree	7	6	*
10 to 13	36	22	18	Education Level Unknown	649	389	515
14 to 17	33	23	21	<b>EMPLOYMENT</b>			
18 to 24	132	95	118	Employed	56	19	16
25 to 29	121	86	81	Unemployed	295	256	150
30 to 34	126	72	59	Not in Labor Force	116	*	*
35 to 39	81	53	68	Employment Status Unknown	504	389	515
40 to 44	111	73	78	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	103	80	82	Independent Living	358	233	142
50 to 54	99	70	60	Dependent Living	76	51	19
55 to 59	54	43	44	Homeless	30	29	20
60 and Over	48	33	25	Other	*	*	*
Age Unknown	0	0	0	Housing Unknown	504	353	502
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	444	294	298	Self / Family / Friend	427	190	200
Female	527	373	386	School	*	*	0
Gender Unknown	0	0	0	Mental Health Provider	40	48	65
<b>RACE / ETHNICITY</b>				Health Care Provider	232	190	146
Caucasian	940	651	661	Court / Criminal Justice	24	22	28
African American	*	*	*	Other	244	216	245
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	13	*	7	Voluntary	967	664	678
Other Race	12	7	7	Civil	0	*	5
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	36	35	35	Commitment Type Unknown	*	0	0
Past or Current Military Service	22	17	28				


# HOWELL COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	41.4	43.9	Alcohol	70.8	78.6
Cigarettes	30.7	33.5	Cigarettes	79.4	79.9
Chewing Tobacco	26.5	21.9	Marijuana	84.1	74.7
Marijuana	10.4	17.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.7	94.5
Inhalants	7.7	7.4	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	7.7	12.6	Were very sad	17.1	19.1
Over-the-counter medications for non-medical use	5.1	8.2	Were grouchy, irritable, or in a bad mood	19.0	19.8
Methamphetamine	1.5	1.1	Felt hopeless about the future	10.6	10.9
Cocaine	2.1	1.3	Felt like not eating or eating more than usual	13.5	17.3
Heroin	1.6	0.6	Slept a lot more or a lot less than usual	16.9	22.8
Hallucinogens	2.8	3.3	Had difficulty concentrating on school work	17.3	20.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.4	2.0	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	2.9	1.1	Seriously considered attempting suicide	8.5	11.9
Synthetic drugs (K2, bath salts, Spice, etc)	8.0		Made plan about how they would attempt suicide	8.7	9.0
<b>Average age of students' first use of:</b>			Attempted suicide	4.8	5.2
Alcohol	12.33	12.49	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.6	2.5
Cigarettes	12.33	12.00	<b>Percent of students in past 12 months who:</b>		
Marijuana	12.66	13.85	Were threatened/injured with weapon at school	7.2	9.3
Inhalants	12.66	12.26	Were in a physical fight	21.4	24.6
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	2.2	3.1
Alcohol	16.2	19.8	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	10.1	12.7	Were victims of mean rumors or lies spread at school	51.9	57.9
Cigarettes	14.4	17.9	Had embarrassing or hurtful pictures/text of them posted on internet	13.7	12.0
Chewing Tobacco	16.1	12.0	Had embarrassing or hurtful pictures/text of them sent by cell phone	13.2	13.0
Marijuana	2.2	7.7	Were made fun of by others	62.4	67.1
Inhalants	3.1	3.3	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	2.6	8.0	Spread mean rumors or lies about other kids at school	25.7	27.2
Over-the-counter medications for non-medical use	2.5	5.5	Posted on internet embarrassing or hurtful pictures/text of someone	6.6	8.8
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	7.5	10.3
Alcohol	50.9	55.2	Made fun of other people	54.8	67.7
Cigarettes	41.7	50.2	<b>Percent of students who agree that:</b>		
Marijuana	21.8	33.5	Teachers notice and comment on student's good work	70.3	73.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.8	17.0	School provides feedback to parents on positive student performance	36.9	36.7
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	56.0	52.2
Alcohol	33.4	31.8	Rules are enforced fairly	65.3	61.7
Cigarettes	17.3	18.1	Students of all races/ethnicities are treated equally	78.1	82.0
Marijuana	6.9	12.7	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	83.4	83.2
Alcohol	58.0	59.7	Parents involve student in making family decisions	65.9	70.8
Cigarettes	75.1	75.2	It is important to be honest with parents regardless of consequences	86.1	84.8
Marijuana	87.4	83.3	Student could ask parent for help with a personal problem	77.3	77.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	94.4	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	76.8	77.3	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	84.9	87.1	Percentages are estimates based on weighted data.		
Marijuana	96.2	93.5	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4	98.2	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	51.4	55.2			
Cigarettes	53.9	55.7			
Marijuana	29.1	36.5			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.0	20.6			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# IRON COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	17
Adult Psychiatric	17B
<b>FIPS COUNTY CODE</b>	093
<b>POPULATION</b>	
Census 2010	10,630
2012 Pop. Estimate	10,374

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	5,357	4,970	4,947
Employed	4,933	4,459	4,374
Unemployed	424	511	573
Unemployment Rate	7.9%	10.3%	11.6%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	552	582	660
Drop-outs	9	21	18
Drop-out Rate	1.6%	3.6%	2.7%
School Suspensions:			
Alcohol Incidents	0	0	1
Drug Incidents	3	0	1
Tobacco Incidents	2	4	3

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	118	112	108
Mother Reported Smoking while Pregnant	43	41	38

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	1	0
IDU and MSM <sup>1</sup>	0	*	0
IDU without MSM <sup>1</sup>	0	*	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	133	143	154
Suicides	0	1	2
Self-inflicted Injuries	27	14	4
Homicides	0	1	1
Assault Injuries	48	30	18
Alcohol Induced Deaths	1	1	0
Drug Induced Deaths	0	1	2
Smoking Attributable Deaths	32	30	28

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	244		
Alcohol Primary Diagnosis <sup>2</sup>	1		
Drug Primary Diagnosis <sup>2</sup>	5		
Alcohol Related Diagnosis	51	38	25
Drug Related Diagnosis	70	45	28
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	49		
Alcohol Primary Diagnosis <sup>2</sup>	5		
Drug Primary Diagnosis <sup>2</sup>	3		
Alcohol Related Diagnosis	23	24	35
Drug Related Diagnosis	25	20	20
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	212		
Alcohol Primary Diagnosis <sup>2</sup>	13		
Drug Primary Diagnosis <sup>2</sup>	22		
Alcohol Related Diagnosis	69	27	13
Drug Related Diagnosis	97	71	33

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	25	15	19
Fatal Crashes	1	0	0
Injury Crashes	15	7	10
Property Damage Crashes	9	8	9
Crash Fatalities	1	0	0
Crash Injuries	22	14	11
Drug Involved Crashes--Total	1	3	3
Fatal Crashes	0	1	0
Injury Crashes	1	0	3
Property Damage Crashes	0	2	0
Crash Fatalities	0	1	0
Crash Injuries	1	1	3

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	66	42	71
Liquor Law Arrests	20	4	14
Drug Arrests	48	32	42
Methamphetamine Lab Incidents	7	3	2
Violent Offenses	32	25	11
Property Offenses	101	120	97
Domestic Violence Reports	14	24	23

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	40	20	34
Violent Offenses	8	7	12
Alcohol Offenses	2	6	2
Drug Offenses	3	0	2
Status Offenses--Total	63	64	44
Truancy	15	3	12
Beyond Parental Control	11	8	7
Habitually Absent from Home	1	1	2
Injurious Behavior	26	40	20
Abuse/Neglect/Custody--Total	138	110	92
Abuse	56	35	25
Neglect	82	75	67
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	13	13	19
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	3	6	8
Parental Alcohol and Drug Use	0	0	4
Child Removed for Other Reason	10	7	7

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	13	16	19
Probation/Parole Admissions--Total	84	95	92
Probation/Parole Admissions--Drug	24	27	27
Probation/Parole Admissions--DWI	6	4	2
Prison Admissions--Total	39	49	67
Prison Admissions--Drug	8	16	20
Prison Admissions--DWI	2	2	4

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	12	12	14
Alcohol Package Carry-out Licenses	10	8	8

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# IRON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	5	5	9
CSTAR Adolescent	*	5	6
CSTAR Women and Children	*	0	*
CSTAR General Adult	22	33	16
CSTAR Opioid	*	0	*
Primary Recovery Treatment	61	65	95
Clinical SATOP (CIP, YCIP, SROP)	5	9	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	35	28	45
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	12	11	19
- Weekend Intervention Program	13	7	15
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	*	0
Recovery Supports	0	0	0
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	103	114	114	Alcohol	31	42	39
AGE				Marijuana / Hashish	27	35	40
Under 18	*	6	6	Cocaine (total)	*	*	0
18 to 24	25	26	30	- Crack	*	*	0
25 to 29	24	21	23	Stimulant (total)	13	14	5
30 to 34	9	21	11	- Methamphetamine	12	14	*
35 to 39	12	9	11	Heroin	*	*	*
40 to 44	6	10	11	Analgesic except Heroin	21	15	24
45 to 54	19	18	20	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	*	0	*
Male	74	83	85	Inhalant	*	0	*
Female	29	31	29	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	98	111	111	Average Age at First Use of Drug	18.3	17.6	17.7
African American	5	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	5	8	9
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	0	*	- Weekly Injection Use	*	0	*
Other Race / Two or More Races	0	*	0	- Less than Weekly Injection Use	*	5	6
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	37	50	50	0	70	70	75
High School Graduate or G.E.D.	53	49	59	1 or 2	21	30	27
Associate Degree or Some College	13	15	*	3 or More	12	14	12
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	34	30	22
Employed	24	23	26	School	0	0	0
Unemployed	59	64	61	Mental Health Provider	0	*	10
Not in Labor Force	20	27	27	Health Care Provider	5	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	59	70	63
Independent Living	89	103	102	Other Referral Source	*	9	15
Dependent Living	7	10	9	TREATMENT ACCOMMODATION			
Homeless	7	*	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	11	5	5
Never Married	56	63	61	Special Education Services Needed	7	*	10
Married / Cohabiting	26	28	33	Co-Occurring Psychological Problem	26	36	35
Previously Married	21	23	20	Co-Occurring Developmental Problem	5	30	20

# IRON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 17B  
**CENSUS 2010** 10,630  
**2012 POPULATION ESTIMATE** 10,374

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	5	9
Anxiety Disorder	36	36	33
Dementia	*	*	*
Developmental Disorder	5	*	6
Impulse Control Disorder	21	24	24
Mood Disorder	90	90	112
Personality Disorder	15	15	49
Psychotic Disorder	36	42	48
Sexual Disorder	0	*	*
Other Diagnosis	9	17	35
Diagnosis Unknown	24	18	29

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	180	180	214	Less than High School Diploma	47	24	8
<b>AGE</b>				High School Grad or G.E.D.	36	28	16
Under 6	0	*	*	Associate Degree or Some College	6	5	5
6 to 9	8	8	*	Bachelor or Advanced Degree	*	*	*
10 to 13	16	17	17	Education Level Unknown	89	122	183
14 to 17	20	16	13	<b>EMPLOYMENT</b>			
18 to 24	13	17	20	Employed	6	*	5
25 to 29	12	12	22	Unemployed	75	55	25
30 to 34	15	9	14	Not in Labor Force	19	0	*
35 to 39	14	16	20	Employment Status Unknown	80	122	183
40 to 44	17	19	19	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	19	20	23	Independent Living	68	40	22
50 to 54	17	14	19	Dependent Living	36	35	15
55 to 59	10	11	18	Homeless	0	*	0
60 and Over	19	19	24	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	76	102	177
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	83	82	109	Self / Family / Friend	57	58	70
Female	97	98	105	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	30	38	32
<b>RACE / ETHNICITY</b>				Health Care Provider	33	27	27
Caucasian	173	172	207	Court / Criminal Justice	*	5	18
African American	*	*	*	Other	55	50	64
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	176	173	191
Other Race	*	*	*	Civil	*	*	18
Race/Ethnicity Unknown	0	0	*	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	*	*
Hearing Impaired	8	10	11	Commitment Type Unknown	0	0	*
Past or Current Military Service	*	7	12				



# IRON COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	44.8	55.6	Alcohol	70.1	72.3
Cigarettes	30.3	45.7	Cigarettes	75.6	70.8
Chewing Tobacco	23.2	22.7	Marijuana	73.2	62.6
Marijuana	14.6	22.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.9	91.0
Inhalants	2.4	9.1	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	8.5	24.4	Were very sad	23.0	13.7
Over-the-counter medications for non-medical use	5.5	16.3	Were grouchy, irritable, or in a bad mood	25.6	23.0
Methamphetamine	0.6	1.0	Felt hopeless about the future	10.4	14.6
Cocaine	0.6	1.9	Felt like not eating or eating more than usual	22.0	12.7
Heroin	0.6	0.0	Slept a lot more or a lot less than usual	20.7	22.2
Hallucinogens	1.2	4.8	Had difficulty concentrating on school work	16.4	23.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.8	2.4	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.8	2.9	Seriously considered attempting suicide	9.8	15.5
Synthetic drugs (K2, bath salts, Spice, etc)	5.5		Made plan about how they would attempt suicide	8.5	14.1
<b>Average age of students' first use of:</b>			Attempted suicide	3.7	7.9
Alcohol	12.25	11.53	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.2	3.9
Cigarettes	11.72	11.24	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.25	13.08	Were threatened/injured with weapon at school	6.7	14.2
Inhalants		12.85	Were in a physical fight	26.2	32.4
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.0	9.8
Alcohol	17.6	24.6	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	12.8	20.1	Were victims of mean rumors or lies spread at school	55.8	63.4
Cigarettes	10.3	23.0	Had embarrassing or hurtful pictures/text of them posted on internet	14.0	11.0
Chewing Tobacco	12.7	17.4	Had embarrassing or hurtful pictures/text of them sent by cell phone	19.4	18.9
Marijuana	7.3	11.0	Were made fun of by others	66.5	72.8
Inhalants	1.8	2.4	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	5.5	14.4	Spread mean rumors or lies about other kids at school	27.3	31.1
Over-the-counter medications for non-medical use	3.6	9.6	Posted on internet embarrassing or hurtful pictures/text of someone	8.5	9.0
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	10.3	14.1
Alcohol	54.9	70.0	Made fun of other people	67.9	68.1
Cigarettes	41.8	54.5	<b>Percent of students who agree that:</b>		
Marijuana	27.3	39.8	Teachers notice and comment on student's good work	75.8	76.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.7	15.9	School provides feedback to parents on positive student performance	39.4	36.2
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	55.5	53.1
Alcohol	38.7	41.8	Rules are enforced fairly	61.6	57.1
Cigarettes	14.5	23.8	Students of all races/ethnicities are treated equally	77.0	82.9
Marijuana	8.5	15.8	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	84.8	83.2
Alcohol	55.2	50.7	Parents involve student in making family decisions	68.1	68.6
Cigarettes	75.6	68.5	It is important to be honest with parents regardless of consequences	85.5	82.5
Marijuana	85.5	79.2	Student could ask parent for help with a personal problem	75.3	70.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.2	93.9	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	77.3	74.5	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	87.7	80.6	Percentages are estimates based on weighted data.		
Marijuana	93.9	92.7	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	96.7	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	57.3	63.2			
Cigarettes	52.1	60.1			
Marijuana	30.1	37.6			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.3	20.8			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# JACKSON COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	2-5 (JC)
Adult Psychiatric	2, 3, 4, 5
<b>FIPS COUNTY CODE</b>	095
<b>POPULATION</b>	
Census 2010	674,158
2012 Pop. Estimate	677,377

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	9,583	9,763	10,348
Mother Reported Smoking while Pregnant	1,485	1,529	1,324

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	149	129	139
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	5,981	5,883	5,903
Suicides	127	93	98
Self-inflicted Injuries	1,120	1,133	1,127
Homicides	112	121	111
Assault Injuries	4,490	4,370	4,770
Alcohol Induced Deaths	65	72	67
Drug Induced Deaths	105	123	111
Smoking Attributable Deaths	974	942	958

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	7,059		
Alcohol Primary Diagnosis <sup>2</sup>	732		
Drug Primary Diagnosis <sup>2</sup>	385		
Alcohol Related Diagnosis	3,170	3,297	1,901
Drug Related Diagnosis	3,619	3,955	2,157
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,549		
Alcohol Primary Diagnosis <sup>2</sup>	492		
Drug Primary Diagnosis <sup>2</sup>	265		
Alcohol Related Diagnosis	3,133	3,213	3,771
Drug Related Diagnosis	2,683	2,605	3,052
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	5,955		
Alcohol Primary Diagnosis <sup>2</sup>	3,963		
Drug Primary Diagnosis <sup>2</sup>	1,539		
Alcohol Related Diagnosis	7,134	6,975	6,530
Drug Related Diagnosis	5,025	4,108	2,801

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	648	716	754
Fatal Crashes	13	9	23
Injury Crashes	307	289	329
Property Damage Crashes	328	418	402
Crash Fatalities	14	9	25
Crash Injuries	500	428	350
Drug Involved Crashes--Total	148	165	200
Fatal Crashes	3	2	7
Injury Crashes	77	79	101
Property Damage Crashes	68	84	92
Crash Fatalities	3	2	7
Crash Injuries	85	109	104

## EMPLOYMENT

	2012	2011	2010
Labor Force	333,027	339,740	340,863
Employed	307,454	307,179	303,463
Unemployed	25,573	32,561	37,400
Unemployment Rate	7.7%	9.6%	11.0%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	28,672	29,317	29,642
Drop-outs	1,515	1,592	1,338
Drop-out Rate	5.3%	5.4%	4.5%
School Suspensions:			
Alcohol Incidents	38	56	43
Drug Incidents	418	406	369
Tobacco Incidents	10	12	8

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	3,096	3,522	3,177
Liquor Law Arrests	575	892	1,289
Drug Arrests	2,001	3,800	6,377
Methamphetamine Lab Incidents	26	24	21
Violent Offenses	1,121	6,712	7,690
Property Offenses	14,421	43,841	41,841
Domestic Violence Reports	3,203	7,709	3,179

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	1,621	1,210	1,582
Violent Offenses	475	505	554
Alcohol Offenses	4	19	17
Drug Offenses	70	79	123
Status Offenses--Total	95	83	22
Truancy	3	21	1
Beyond Parental Control	10	22	2
Habitually Absent from Home	18	18	1
Injurious Behavior	10	11	17
Abuse/Neglect/Custody--Total	1,312	1,581	1,441
Abuse	142	197	7
Neglect	839	991	1,202
Custody Disputes	331	393	232

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	994	1,084	935
Parental Alcohol Use Related	51	27	32
Parental Drug Use Related	294	303	249
Parental Alcohol and Drug Use	20	41	34
Child Removed for Other Reason	629	713	620

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	871	870	809
Probation/Parole Admissions--Total	2,829	2,969	3,156
Probation/Parole Admissions--Drug	940	995	1,228
Probation/Parole Admissions--DWI	187	147	146
Prison Admissions--Total	1,165	1,357	1,417
Prison Admissions--Drug	249	320	364
Prison Admissions--DWI	95	106	73

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	804	784	766
Alcohol Package Carry-out Licenses	463	445	434

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# JACKSON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	1,134	1,392	1,399
CSTAR Adolescent	260	284	314
CSTAR Women and Children	713	733	717
CSTAR General Adult	1,287	1,442	448
CSTAR Opioid	69	83	58
Primary Recovery Treatment	838	1,092	2,458
Clinical SATOP (CIP, YCIP, SROP)	460	379	441
Other Substance Abuse Treatment	469	515	491

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	2,643	2,650	3,142
- Adolescent Diversion Education Program	20	21	28
- Offender Education Program	1,044	1,125	1,323
- Weekend Intervention Program	611	639	833
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED	FY2012	FY2011	FY2010
Co-Dependency	216	228	259
Compulsive Gambling	17	31	41
Recovery Supports	2,043	1,284	2,864
Early Intervention	42	26	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010
Total Individuals	4,727	5,017	5,164
AGE	FY2012	FY2011	FY2010
Under 18	270	290	311
18 to 24	641	706	714
25 to 29	635	763	776
30 to 34	701	680	688
35 to 39	539	602	645
40 to 44	553	594	610
45 to 54	1,085	1,080	1,136
55 and Over	303	302	284

GENDER	FY2012	FY2011	FY2010
Male	3,264	3,495	3,675
Female	1,463	1,522	1,489

RACE / ETHNICITY	FY2012	FY2011	FY2010
Caucasian	2,522	2,629	2,734
African American	1,858	2,051	2,071
Native American / Alaskan	26	23	27
Asian / Pacific Islander	17	15	14
Hispanic	190	206	186
Other Race / Two or More Races	171	153	176

EDUCATION	FY2012	FY2011	FY2010
Less than High School Diploma	1,587	1,737	1,866
High School Graduate or G.E.D.	2,019	2,147	2,234
Associate Degree or Some College	1,069	1,054	973
Bachelor or Advanced Degree	52	79	91

EMPLOYMENT	FY2012	FY2011	FY2010
Employed	886	964	928
Unemployed	2,163	2,449	2,430
Not in Labor Force	1,678	1,604	1,806

HOUSING / LIVING ARRANGEMENT	FY2012	FY2011	FY2010
Independent Living	3,178	3,288	3,354
Dependent Living	743	892	903
Homeless	662	686	752

MARITAL / FAMILY STATUS	FY2012	FY2011	FY2010
Never Married	2,828	3,057	3,134
Married / Cohabiting	848	884	910
Previously Married	1,051	1,076	1,120

PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Alcohol	1,906	1,991	2,073
Marijuana / Hashish	1,140	1,270	1,313
Cocaine (total)	602	690	815
- Crack	462	562	683
Stimulant (total)	576	564	520
- Methamphetamine	556	541	488
Heroin	77	79	79
Analgesic except Heroin	158	163	125
- Non-Prescription Methadone	7	5	*
PCP, LSD, other Hallucinogen	203	205	193
Tranquilizer	46	36	33
Inhalant	*	*	*
Sedative	*	9	9
Other Medication or Illicit Drug	14	6	*
Average Age at First Use of Drug	17.9	17.7	17.6

INJECTION DRUG USE	FY2012	FY2011	FY2010
Any Injection Use at Admission	283	257	261
- Daily Injection Use	65	58	67
- Weekly Injection Use	85	78	66
- Less than Weekly Injection Use	133	121	127


LIFETIME DUI / DWI ARRESTS	FY2012	FY2011	FY2010
0	2,816	3,068	3,130
1 or 2	1,161	1,138	1,172
3 or More	750	811	862

TREATMENT REFERRAL SOURCE	FY2012	FY2011	FY2010
Self / Family / Friend	1,821	1,772	1,861
School	40	27	40
Mental Health Provider	102	102	94
Health Care Provider	230	281	235
Court / Criminal Justice	2,057	2,392	2,483
Other Referral Source	426	441	446

TREATMENT ACCOMMODATION	FY2012	FY2011	FY2010
Pregnant when Admitted to any Episode	86	78	83
Military Veteran	239	288	287
Special Education Services Needed	353	307	341
Co-Occurring Psychological Problem	1,894	1,884	2,001
Co-Occurring Developmental Problem	168	153	217

# JACKSON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 2-5  
**CENSUS 2010** 674,158  
**2012 POPULATION ESTIMATE** 677,377

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	627	534	587
Anxiety Disorder	3,054	2,400	2,238
Dementia	29	17	22
Developmental Disorder	73	69	76
Impulse Control Disorder	1,818	1,662	1,584
Mood Disorder	6,861	5,791	5,420
Personality Disorder	229	227	218
Psychotic Disorder	2,835	2,527	2,294
Sexual Disorder	8	12	13
Other Diagnosis	713	686	604
Diagnosis Unknown	2,845	2,671	5,480

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	14,653	13,020	15,376	Less than High School Diploma	1,403	919	1,008
<b>AGE</b>				High School Grad or G.E.D.	1,305	1,220	1,269
Under 6	169	164	223	Associate Degree or Some College	505	476	549
6 to 9	867	760	846	Bachelor or Advanced Degree	155	172	154
10 to 13	1,054	912	993	Education Level Unknown	11,285	10,233	12,396
14 to 17	1,100	1,061	1,165	<b>EMPLOYMENT</b>			
18 to 24	1,322	1,123	1,513	Employed	379	309	430
25 to 29	1,132	1,029	1,387	Unemployed	2,613	2,427	2,470
30 to 34	1,334	1,159	1,357	Not in Labor Force	1,084	71	109
35 to 39	1,176	1,061	1,342	Employment Status Unknown	10,577	10,213	12,367
40 to 44	1,291	1,177	1,440	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	1,568	1,448	1,802	Independent Living	2,756	2,139	2,215
50 to 54	1,666	1,411	1,521	Dependent Living	1,144	849	464
55 to 59	1,074	962	996	Homeless	256	161	185
60 and Over	900	753	791	Other	117	191	364
Age Unknown	0	0	0	Housing Unknown	10,380	9,680	12,148
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	7,222	6,540	7,736	Self / Family / Friend	7,141	5,496	6,416
Female	7,431	6,480	7,640	School	186	176	215
Gender Unknown	0	0	0	Mental Health Provider	1,315	1,460	1,585
<b>RACE / ETHNICITY</b>				Health Care Provider	2,081	1,636	1,822
Caucasian	6,812	6,195	7,334	Court / Criminal Justice	827	891	1,318
African American	6,494	5,437	6,606	Other	3,000	3,215	3,595
Native American / Alaskan	58	64	69	Referral Source Unknown	103	146	425
Asian / Pacific Islander	56	51	50	<b>TYPE OF COMMITMENT</b>			
Hispanic	437	384	456	Voluntary	14,360	12,667	14,779
Other Race	795	888	861	Civil	87	93	92
Race/Ethnicity Unknown	*	*	0	Criminal	115	126	107
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	6	8	*
Hearing Impaired	225	204	245	Commitment Type Unknown	85	126	394
Past or Current Military Service	297	290	346				


# JACKSON COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	36.7	37.7	Alcohol	71.4	71.5
Cigarettes	21.1	24.7	Cigarettes	81.9	78.3
Chewing Tobacco	7.8	6.3	Marijuana	67.2	71.9
Marijuana	19.6	19.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	91.8	89.7
Inhalants	5.0	5.8	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	8.0	9.9	Were very sad	19.9	17.1
Over-the-counter medications for non-medical use	5.9	7.3	Were grouchy, irritable, or in a bad mood	25.5	23.4
Methamphetamine	1.3	0.9	Felt hopeless about the future	11.8	11.1
Cocaine	2.1	1.8	Felt like not eating or eating more than usual	17.4	17.2
Heroin	1.0	0.6	Slept a lot more or a lot less than usual	21.6	24.5
Hallucinogens	3.0	2.5	Had difficulty concentrating on school work	23.3	22.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.4	2.1	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.6	1.0	Seriously considered attempting suicide	12.5	11.4
Synthetic drugs (K2, bath salts, Spice, etc)	6.4		Made plan about how they would attempt suicide	8.8	8.6
<b>Average age of students' first use of:</b>			Attempted suicide	5.6	6.2
Alcohol	12.94	12.46	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.8	2.5
Cigarettes	12.65	12.12	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.61	13.33	Were threatened/injured with weapon at school	6.5	9.9
Inhalants	11.55	11.21	Were in a physical fight	19.9	26.5
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.0	4.9
Alcohol	14.9	16.3	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	7.8	9.1	Were victims of mean rumors or lies spread at school	44.7	48.6
Cigarettes	9.2	12.4	Had embarrassing or hurtful pictures/text of them posted on internet	11.9	11.5
Chewing Tobacco	3.8	3.1	Had embarrassing or hurtful pictures/text of them sent by cell phone	13.6	12.4
Marijuana	10.2	10.5	Were made fun of by others	58.0	63.7
Inhalants	2.0	2.7	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	4.5	6.2	Spread mean rumors or lies about other kids at school	25.4	30.6
Over-the-counter medications for non-medical use	3.5	4.6	Posted on internet embarrassing or hurtful pictures/text of someone	9.0	11.6
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.6	12.6
Alcohol	51.5	50.9	Made fun of other people	62.0	68.7
Cigarettes	41.0	42.5	<b>Percent of students who agree that:</b>		
Marijuana	42.9	39.6	Teachers notice and comment on student's good work	65.8	70.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.1	17.0	School provides feedback to parents on positive student performance	36.7	42.0
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	52.6	54.6
Alcohol	29.3	29.3	Rules are enforced fairly	62.3	64.4
Cigarettes	12.4	13.5	Students of all races/ethnicities are treated equally	71.7	76.3
Marijuana	17.0	15.4	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	80.9	82.2
Alcohol	61.1	62.8	Parents involve student in making family decisions	67.0	69.1
Cigarettes	81.3	79.3	It is important to be honest with parents regardless of consequences	84.6	82.2
Marijuana	76.9	78.0	Student could ask parent for help with a personal problem	73.8	75.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.9	93.6	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	79.3	80.4	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	90.6	90.0	Percentages are estimates based on weighted data.		
Marijuana	91.5	92.0	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.3	96.5	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	56.9	52.7			
Cigarettes	54.4	51.7			
Marijuana	43.6	39.4			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.7	19.8			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# JASPER COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	9
Adult Psychiatric	9
<b>FIPS COUNTY CODE</b>	097
<b>POPULATION</b>	
Census 2010	117,404
2012 Pop. Estimate	115,258

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	57,547	58,457	57,887
Employed	54,125	53,977	53,042
Unemployed	3,422	4,480	4,845
Unemployment Rate	5.9%	7.7%	8.4%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	5,643	5,961	5,986
Drop-outs	198	185	178
Drop-out Rate	3.5%	3.1%	3.0%
School Suspensions:			
Alcohol Incidents	10	6	19
Drug Incidents	38	65	52
Tobacco Incidents	1	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	1,688	1,779	1,782
Mother Reported Smoking while Pregnant	362	368	331

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	6	8	8
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	1,215	1,114	1,094
Suicides	17	15	16
Self-inflicted Injuries	186	173	175
Homicides	3	3	1
Assault Injuries	442	494	521
Alcohol Induced Deaths	2	5	5
Drug Induced Deaths	17	25	22
Smoking Attributable Deaths	202	197	214

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,225		
Alcohol Primary Diagnosis <sup>2</sup>	175		
Drug Primary Diagnosis <sup>2</sup>	105		
Alcohol Related Diagnosis	726	796	241
Drug Related Diagnosis	687	760	244
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	285		
Alcohol Primary Diagnosis <sup>2</sup>	151		
Drug Primary Diagnosis <sup>2</sup>	71		
Alcohol Related Diagnosis	329	359	1,076
Drug Related Diagnosis	240	325	781
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,496		
Alcohol Primary Diagnosis <sup>2</sup>	308		
Drug Primary Diagnosis <sup>2</sup>	191		
Alcohol Related Diagnosis	756	897	928
Drug Related Diagnosis	681	737	764

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	101	106	133
Fatal Crashes	3	0	3
Injury Crashes	34	45	52
Property Damage Crashes	64	61	78
Crash Fatalities	3	0	2
Crash Injuries	54	58	58
Drug Involved Crashes--Total	41	41	40
Fatal Crashes	0	1	1
Injury Crashes	19	15	11
Property Damage Crashes	22	25	28
Crash Fatalities	0	1	0
Crash Injuries	21	21	11

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	1,283	1,302	1,057
Liquor Law Arrests	231	172	392
Drug Arrests	419	539	795
Methamphetamine Lab Incidents	86	93	94
Violent Offenses	476	535	516
Property Offenses	5,277	5,336	5,840
Domestic Violence Reports	1,112	1,054	1,230

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	644	726	779
Violent Offenses	140	166	171
Alcohol Offenses	33	34	63
Drug Offenses	57	74	77
Status Offenses--Total	288	372	412
Truancy	92	134	185
Beyond Parental Control	58	87	56
Habitually Absent from Home	40	51	102
Injurious Behavior	90	90	56
Abuse/Neglect/Custody--Total	700	896	858
Abuse	5	27	31
Neglect	695	867	827
Custody Disputes	0	2	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	307	323	246
Parental Alcohol Use Related	10	7	6
Parental Drug Use Related	136	116	94
Parental Alcohol and Drug Use	16	15	12
Child Removed for Other Reason	145	185	134

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	32	30	29
Probation/Parole Admissions--Total	738	725	642
Probation/Parole Admissions--Drug	261	241	195
Probation/Parole Admissions--DWI	109	80	44
Prison Admissions--Total	338	365	363
Prison Admissions--Drug	103	135	112
Prison Admissions--DWI	30	37	33

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	112	116	114
Alcohol Package Carry-out Licenses	121	115	105

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# JASPER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	149	143	167
CSTAR Adolescent	80	79	84
CSTAR Women and Children	180	182	179
CSTAR General Adult	533	462	184
CSTAR Opioid	0	0	0
Primary Recovery Treatment	36	290	603
Clinical SATOP (CIP, YCIP, SROP)	134	126	131
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	780	692	810
- Adolescent Diversion Education Program	45	49	63
- Offender Education Program	291	249	280
- Weekend Intervention Program	148	99	179
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	52	63	96
Compulsive Gambling	*	*	*
Recovery Supports	415	183	122
Early Intervention	61	30	33


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	1,134	1,205	1,178	Alcohol	487	519	504
AGE				Marijuana / Hashish	237	262	280
Under 18	83	80	88	Cocaine (total)	26	24	30
18 to 24	174	195	193	- Crack	14	14	21
25 to 29	193	247	220	Stimulant (total)	288	291	261
30 to 34	200	170	143	- Methamphetamine	283	265	251
35 to 39	128	142	163	Heroin	*	7	*
40 to 44	116	119	116	Analgesic except Heroin	66	84	76
45 to 54	182	208	202	- Non-Prescription Methadone	*	0	0
55 and Over	58	44	53	PCP, LSD, other Hallucinogen	*	0	*
GENDER				Tranquilizer	17	11	18
Male	722	773	745	Inhalant	*	*	0
Female	412	432	433	Sedative	*	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	5	*	*
Caucasian	1,013	1,080	1,057	Average Age at First Use of Drug	17.3	17.3	17.4
African American	55	59	56	INJECTION DRUG USE			
Native American / Alaskan	*	5	12	Any Injection Use at Admission	148	172	155
Asian / Pacific Islander	*	5	*	- Daily Injection Use	15	24	27
Hispanic	42	39	33	- Weekly Injection Use	35	45	45
Other Race / Two or More Races	28	25	29	- Less than Weekly Injection Use	98	103	83
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	411	476	441	0	515	571	546
High School Graduate or G.E.D.	464	491	489	1 or 2	386	404	393
Associate Degree or Some College	249	224	227	3 or More	233	230	239
Bachelor or Advanced Degree	10	14	21	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	439	366	394
Employed	345	330	341	School	*	*	0
Unemployed	464	491	412	Mental Health Provider	7	12	14
Not in Labor Force	325	384	425	Health Care Provider	42	70	103
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	477	569	517
Independent Living	888	955	860	Other Referral Source	165	186	150
Dependent Living	148	156	232	TREATMENT ACCOMMODATION			
Homeless	57	73	68	Pregnant when Admitted to any Episode	19	20	14
MARITAL / FAMILY STATUS				Military Veteran	45	49	75
Never Married	518	546	562	Special Education Services Needed	129	134	121
Married / Cohabiting	309	338	296	Co-Occurring Psychological Problem	598	538	436
Previously Married	307	321	319	Co-Occurring Developmental Problem	25	38	31



# JASPER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 9  
**CENSUS 2010** 117,404  
**2012 POPULATION ESTIMATE** 115,258

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	296	301	264
Anxiety Disorder	1,265	1,222	1,013
Dementia	11	14	30
Developmental Disorder	50	46	38
Impulse Control Disorder	738	717	578
Mood Disorder	1,758	1,791	1,475
Personality Disorder	734	756	672
Psychotic Disorder	275	298	273
Sexual Disorder	15	12	7
Other Diagnosis	311	277	254
Diagnosis Unknown	259	220	995

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	3,102	3,036	3,351	Less than High School Diploma	270	187	166
<b>AGE</b>				High School Grad or G.E.D.	236	246	215
Under 6	57	48	71	Associate Degree or Some College	126	96	94
6 to 9	213	198	209	Bachelor or Advanced Degree	33	30	13
10 to 13	254	239	243	Education Level Unknown	2,437	2,477	2,863
14 to 17	244	242	253	<b>EMPLOYMENT</b>			
18 to 24	325	314	311	Employed	116	75	70
25 to 29	293	280	324	Unemployed	500	469	399
30 to 34	319	306	323	Not in Labor Force	178	15	19
35 to 39	267	292	316	Employment Status Unknown	2,308	2,477	2,863
40 to 44	279	257	294	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	277	291	333	Independent Living	570	467	389
50 to 54	289	294	324	Dependent Living	182	220	68
55 to 59	165	149	156	Homeless	39	42	36
60 and Over	120	126	194	Other	22	21	24
Age Unknown	0	0	0	Housing Unknown	2,289	2,286	2,834
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,415	1,318	1,457	Self / Family / Friend	2,394	2,390	2,417
Female	1,687	1,718	1,894	School	*	*	5
Gender Unknown	0	0	0	Mental Health Provider	96	98	145
<b>RACE / ETHNICITY</b>				Health Care Provider	120	99	105
Caucasian	2,841	2,814	3,099	Court / Criminal Justice	228	170	221
African American	75	60	72	Other	239	245	285
Native American / Alaskan	13	12	16	Referral Source Unknown	21	31	173
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	94	69	71	Voluntary	2,865	2,844	3,034
Other Race	76	76	90	Civil	209	149	134
Race/Ethnicity Unknown	0	*	0	Criminal	6	10	8
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	47	44	42	Commitment Type Unknown	22	33	175
Past or Current Military Service	66	55	58				




# JASPER COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	31.5	39.4	Alcohol	75.3	75.9
Cigarettes	22.3	28.4	Cigarettes	81.2	80.4
Chewing Tobacco	9.1	12.7	Marijuana	73.5	76.9
Marijuana	13.3	16.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.8	93.2
Inhalants	5.2	7.5	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	6.5	11.7	Were very sad	17.3	20.9
Over-the-counter medications for non-medical use	5.7	8.2	Were grouchy, irritable, or in a bad mood	20.8	23.6
Methamphetamine	1.2	1.3	Felt hopeless about the future	10.5	10.5
Cocaine	1.6	2.0	Felt like not eating or eating more than usual	16.2	18.7
Heroin	0.8	0.5	Slept a lot more or a lot less than usual	18.7	25.0
Hallucinogens	2.8	3.4	Had difficulty concentrating on school work	21.7	22.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.6	2.5	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.0	1.2	Seriously considered attempting suicide	9.7	10.3
Synthetic drugs (K2, bath salts, Spice, etc)	6.4		Made plan about how they would attempt suicide	7.0	7.7
<b>Average age of students' first use of:</b>			Attempted suicide	4.6	4.7
Alcohol	12.70	12.62	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.4	2.0
Cigarettes	12.48	12.42	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.66	13.66	Were threatened/injured with weapon at school	6.6	8.8
Inhalants	12.06	12.44	Were in a physical fight	18.7	22.6
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.4	4.1
Alcohol	12.8	16.9	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	7.9	10.6	Were victims of mean rumors or lies spread at school	47.3	50.0
Cigarettes	10.4	14.9	Had embarrassing or hurtful pictures/text of them posted on internet	12.7	11.1
Chewing Tobacco	4.4	6.8	Had embarrassing or hurtful pictures/text of them sent by cell phone	16.3	13.1
Marijuana	5.6	7.9	Were made fun of by others	57.6	61.6
Inhalants	1.9	3.8	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	3.5	6.5	Spread mean rumors or lies about other kids at school	23.9	27.8
Over-the-counter medications for non-medical use	3.3	4.9	Posted on internet embarrassing or hurtful pictures/text of someone	7.6	9.3
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.5	11.6
Alcohol	44.0	51.1	Made fun of other people	54.4	64.1
Cigarettes	39.1	44.7	<b>Percent of students who agree that:</b>		
Marijuana	30.3	35.0	Teachers notice and comment on student's good work	68.1	67.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.3	17.2	School provides feedback to parents on positive student performance	36.8	39.4
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	56.2	55.6
Alcohol	22.4	28.4	Rules are enforced fairly	61.0	65.7
Cigarettes	12.0	15.7	Students of all races/ethnicities are treated equally	77.0	77.2
Marijuana	10.0	12.7	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	82.0	84.5
Alcohol	68.5	64.4	Parents involve student in making family decisions	69.1	71.7
Cigarettes	82.9	77.1	It is important to be honest with parents regardless of consequences	87.8	83.6
Marijuana	83.9	81.4	Student could ask parent for help with a personal problem	77.9	78.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.2	93.9	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	81.7	81.0	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	91.0	88.4	Percentages are estimates based on weighted data.		
Marijuana	93.8	93.0	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.2	97.4	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	47.4	52.2			
Cigarettes	46.7	55.6			
Marijuana	31.3	37.3			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.6	19.8			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# JEFFERSON COUNTY



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	22
Adult Psychiatric	22
<b>FIPS COUNTY CODE</b>	099
<b>POPULATION</b>	
Census 2010	218,733
2012 Pop. Estimate	220,209

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	2,662	2,758	2,859
Mother Reported Smoking while Pregnant	602	613	574

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	4	11	7
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	1,822	1,823	1,772
Suicides	41	37	32
Self-inflicted Injuries	279	260	155
Homicides	4	9	6
Assault Injuries	523	563	543
Alcohol Induced Deaths	12	4	7
Drug Induced Deaths	54	57	47
Smoking Attributable Deaths	355	373	363

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,659		
Alcohol Primary Diagnosis <sup>2</sup>	33		
Drug Primary Diagnosis <sup>2</sup>	132		
Alcohol Related Diagnosis	392	579	528
Drug Related Diagnosis	584	719	501
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	960		
Alcohol Primary Diagnosis <sup>2</sup>	82		
Drug Primary Diagnosis <sup>2</sup>	119		
Alcohol Related Diagnosis	735	624	634
Drug Related Diagnosis	766	568	554
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,299		
Alcohol Primary Diagnosis <sup>2</sup>	197		
Drug Primary Diagnosis <sup>2</sup>	421		
Alcohol Related Diagnosis	460	508	438
Drug Related Diagnosis	743	666	459

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	240	221	295
Fatal Crashes	7	8	14
Injury Crashes	102	97	117
Property Damage Crashes	131	116	164
Crash Fatalities	8	8	13
Crash Injuries	142	139	158
Drug Involved Crashes--Total	33	35	43
Fatal Crashes	1	5	5
Injury Crashes	18	11	13
Property Damage Crashes	14	19	25
Crash Fatalities	1	5	5
Crash Injuries	23	22	27

## EMPLOYMENT

	2012	2011	2010
Labor Force	115,338	117,800	116,155
Employed	106,839	107,369	104,134
Unemployed	8,499	10,431	12,021
Unemployment Rate	7.4%	8.9%	10.3%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	10,668	10,877	11,134
Drop-outs	247	234	235
Drop-out Rate	2.3%	2.2%	2.1%
School Suspensions:			
Alcohol Incidents	26	24	10
Drug Incidents	109	110	115
Tobacco Incidents	4	1	2

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	1,609	1,950	2,055
Liquor Law Arrests	826	730	945
Drug Arrests	1,563	1,574	1,682
Methamphetamine Lab Incidents	253	228	227
Violent Offenses	548	569	606
Property Offenses	4,496	4,248	4,503
Domestic Violence Reports	1,423	1,404	1,393

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	1,186	1,111	1,047
Violent Offenses	395	377	372
Alcohol Offenses	60	65	43
Drug Offenses	131	113	115
Status Offenses--Total	355	444	358
Truancy	172	237	207
Beyond Parental Control	38	47	44
Habitually Absent from Home	69	93	54
Injurious Behavior	76	65	53
Abuse/Neglect/Custody--Total	473	504	456
Abuse	40	54	49
Neglect	56	51	50
Custody Disputes	377	399	357

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	284	307	309
Parental Alcohol Use Related	8	9	20
Parental Drug Use Related	150	125	142
Parental Alcohol and Drug Use	12	16	14
Child Removed for Other Reason	114	157	133

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	100	99	84
Probation/Parole Admissions--Total	984	923	847
Probation/Parole Admissions--Drug	338	271	258
Probation/Parole Admissions--DWI	120	99	72
Prison Admissions--Total	437	369	362
Prison Admissions--Drug	141	105	113
Prison Admissions--DWI	63	41	42

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	183	174	183
Alcohol Package Carry-out Licenses	148	147	143

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# JEFFERSON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	113	136	118
CSTAR Adolescent	178	162	142
CSTAR Women and Children	66	84	65
CSTAR General Adult	563	591	79
CSTAR Opioid	18	17	17
Primary Recovery Treatment	123	172	678
Clinical SATOP (CIP, YCIP, SROP)	301	237	237
Other Substance Abuse Treatment	6	*	12

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	1,261	1,049	1,349
- Adolescent Diversion Education Program	5	11	85
- Offender Education Program	490	409	470
- Weekend Intervention Program	262	234	308
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	18	18	25
Compulsive Gambling	7	*	9
Recovery Supports	5	*	70
Early Intervention	63	125	57


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	1,220	1,265	1,196
<b>AGE</b>			
Under 18	184	164	144
18 to 24	235	278	270
25 to 29	180	207	222
30 to 34	199	190	135
35 to 39	119	118	133
40 to 44	115	99	116
45 to 54	155	175	154
55 and Over	33	34	22
<b>GENDER</b>			
Male	785	826	839
Female	435	439	357
<b>RACE / ETHNICITY</b>			
Caucasian	1,174	1,221	1,148
African American	22	25	25
Native American / Alaskan	*	0	*
Asian / Pacific Islander	*	*	0
Hispanic	9	7	10
Other Race / Two or More Races	16	13	17
<b>EDUCATION</b>			
Less than High School Diploma	438	486	450
High School Graduate or G.E.D.	537	534	546
Associate Degree or Some College	239	228	184
Bachelor or Advanced Degree	6	17	16
<b>EMPLOYMENT</b>			
Employed	337	338	374
Unemployed	499	537	407
Not in Labor Force	384	390	415
<b>HOUSING / LIVING ARRANGEMENT</b>			
Independent Living	907	963	955
Dependent Living	202	201	179
Homeless	29	30	44
<b>MARITAL / FAMILY STATUS</b>			
Never Married	779	811	775
Married / Cohabiting	232	230	225
Previously Married	209	224	195

<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Alcohol	480	480	533
Marijuana / Hashish	281	292	273
Cocaine (total)	24	40	38
- Crack	14	25	24
Stimulant (total)	132	126	98
- Methamphetamine	126	118	94
Heroin	229	241	192
Analgesic except Heroin	56	54	47
- Non-Prescription Methadone	*	*	*
PCP, LSD, other Hallucinogen	*	*	*
Tranquilizer	6	23	8
Inhalant	0	*	*
Sedative	*	*	*
Other Medication or Illicit Drug	7	*	0
Average Age at First Use of Drug	18.2	18.0	17.4
<b>INJECTION DRUG USE</b>			
Any Injection Use at Admission	266	260	209
- Daily Injection Use	74	95	70
- Weekly Injection Use	73	72	75
- Less than Weekly Injection Use	119	93	64
<b>LIFETIME DUI / DWI ARRESTS</b>			
0	671	718	624
1 or 2	346	353	382
3 or More	203	194	190
<b>TREATMENT REFERRAL SOURCE</b>			
Self / Family / Friend	321	357	316
School	*	*	*
Mental Health Provider	5	20	13
Health Care Provider	22	33	29
Court / Criminal Justice	724	720	666
Other Referral Source	143	133	169
<b>TREATMENT ACCOMMODATION</b>			
Pregnant when Admitted to any Episode	31	20	15
Military Veteran	43	50	39
Special Education Services Needed	52	56	53
Co-Occurring Psychological Problem	480	467	428
Co-Occurring Developmental Problem	40	39	40

# JEFFERSON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Eastern  
**PSYCHIATRIC SERVICE AREA** 22  
**CENSUS 2010** 218,733  
**2012 POPULATION ESTIMATE** 220,209

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	39	45	45
Anxiety Disorder	843	858	750
Dementia	13	17	16
Developmental Disorder	68	69	68
Impulse Control Disorder	341	332	311
Mood Disorder	1,399	1,461	1,427
Personality Disorder	687	739	668
Psychotic Disorder	309	313	315
Sexual Disorder	*	*	*
Other Diagnosis	196	183	188
Diagnosis Unknown	140	185	198

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	1,933	2,065	2,059	Less than High School Diploma	352	177	98
<b>AGE</b>				High School Grad or G.E.D.	357	233	89
Under 6	7	7	5	Associate Degree or Some College	174	82	19
6 to 9	34	33	42	Bachelor or Advanced Degree	31	26	10
10 to 13	76	73	80	Education Level Unknown	1,019	1,547	1,843
14 to 17	118	112	122	<b>EMPLOYMENT</b>			
18 to 24	175	194	225	Employed	200	87	30
25 to 29	210	243	240	Unemployed	687	424	186
30 to 34	220	223	213	Not in Labor Force	152	10	0
35 to 39	179	203	200	Employment Status Unknown	894	1,544	1,843
40 to 44	202	213	222	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	238	261	266	Independent Living	904	448	148
50 to 54	218	244	217	Dependent Living	166	139	67
55 to 59	137	135	124	Homeless	8	*	*
60 and Over	119	124	103	Other	9	9	*
Age Unknown	0	0	0	Housing Unknown	846	1,467	1,839
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	838	908	921	Self / Family / Friend	841	1,019	1,054
Female	1,095	1,157	1,138	School	7	6	10
Gender Unknown	0	0	0	Mental Health Provider	167	168	171
<b>RACE / ETHNICITY</b>				Health Care Provider	311	208	145
Caucasian	1,839	1,975	1,973	Court / Criminal Justice	102	106	114
African American	44	43	41	Other	475	524	526
Native American / Alaskan	*	*	*	Referral Source Unknown	30	34	39
Asian / Pacific Islander	7	8	7	<b>TYPE OF COMMITMENT</b>			
Hispanic	12	10	8	Voluntary	1,888	2,004	1,962
Other Race	27	26	27	Civil	8	17	48
Race/Ethnicity Unknown	0	0	0	Criminal	7	10	11
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	0
Hearing Impaired	12	11	12	Commitment Type Unknown	29	33	38
Past or Current Military Service	37	42	37				

# JEFFERSON COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	43.9	49.4	Alcohol	68.3	72.6
Cigarettes	25.8	27.6	Cigarettes	81.2	81.1
Chewing Tobacco	10.5	11.2	Marijuana	69.3	71.6
Marijuana	20.2	20.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.5	94.4
Inhalants	6.1	6.4	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	9.7	13.4	Were very sad	21.0	20.5
Over-the-counter medications for non-medical use	7.2	9.5	Were grouchy, irritable, or in a bad mood	24.2	28.4
Methamphetamine	1.2	0.8	Felt hopeless about the future	11.3	11.0
Cocaine	2.1	1.9	Felt like not eating or eating more than usual	18.5	20.1
Heroin	1.1	0.7	Slept a lot more or a lot less than usual	20.6	25.5
Hallucinogens	3.6	3.8	Had difficulty concentrating on school work	26.1	23.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.6	2.6	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.7	1.2	Seriously considered attempting suicide	12.2	11.5
Synthetic drugs (K2, bath salts, Spice, etc)	8.3		Made plan about how they would attempt suicide	8.6	8.1
<b>Average age of students' first use of:</b>			Attempted suicide	5.3	5.2
Alcohol	12.75	12.69	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.6	1.6
Cigarettes	12.85	12.44	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.79	13.68	Were threatened/injured with weapon at school	5.9	8.8
Inhalants	12.48	12.20	Were in a physical fight	20.8	23.9
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.2	4.1
Alcohol	20.0	25.1	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	11.8	15.6	Were victims of mean rumors or lies spread at school	48.5	50.7
Cigarettes	13.3	14.2	Had embarrassing or hurtful pictures/text of them posted on internet	14.3	12.0
Chewing Tobacco	6.2	5.8	Had embarrassing or hurtful pictures/text of them sent by cell phone	16.9	13.8
Marijuana	11.1	11.3	Were made fun of by others	59.9	67.1
Inhalants	2.7	3.1	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	5.8	7.9	Spread mean rumors or lies about other kids at school	27.4	31.5
Over-the-counter medications for non-medical use	4.7	5.4	Posted on internet embarrassing or hurtful pictures/text of someone	9.4	10.2
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	11.2	13.7
Alcohol	57.1	64.4	Made fun of other people	61.8	72.2
Cigarettes	47.7	51.4	<b>Percent of students who agree that:</b>		
Marijuana	43.1	44.1	Teachers notice and comment on student's good work	65.6	70.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.5	21.2	School provides feedback to parents on positive student performance	34.2	39.0
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	53.2	57.0
Alcohol	34.0	39.0	Rules are enforced fairly	62.9	66.4
Cigarettes	13.9	15.8	Students of all races/ethnicities are treated equally	78.8	79.9
Marijuana	15.9	15.6	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	81.8	83.1
Alcohol	59.1	54.6	Parents involve student in making family decisions	67.2	67.6
Cigarettes	80.6	78.8	It is important to be honest with parents regardless of consequences	85.7	82.6
Marijuana	77.7	78.3	Student could ask parent for help with a personal problem	76.3	76.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	94.9	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	77.1	75.3	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	91.2	89.9	Percentages are estimates based on weighted data.		
Marijuana	92.8	92.0	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.9	97.5	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	59.6	63.0			
Cigarettes	57.1	61.6			
Marijuana	44.5	44.1			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	21.6	21.2			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# JOHNSON COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	7
Adult Psychiatric	7
<b>FIPS COUNTY CODE</b>	101
<b>POPULATION</b>	
Census 2010	52,595
2012 Pop. Estimate	54,397

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	25,036	25,416	25,562
Employed	23,303	23,280	23,242
Unemployed	1,733	2,136	2,320
Unemployment Rate	6.9%	8.4%	9.1%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	2,174	2,220	2,310
Drop-outs	30	34	52
Drop-out Rate	1.4%	1.5%	2.3%
School Suspensions:			
Alcohol Incidents	3	4	11
Drug Incidents	11	14	19
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	712	737	738
Mother Reported Smoking while Pregnant	120	137	118

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	2	1	1
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	404	384	358
Suicides	11	8	4
Self-inflicted Injuries	52	49	52
Homicides	2	0	2
Assault Injuries	141	144	112
Alcohol Induced Deaths	1	1	0
Drug Induced Deaths	8	5	1
Smoking Attributable Deaths	67	66	65

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	431		
Alcohol Primary Diagnosis <sup>2</sup>	29		
Drug Primary Diagnosis <sup>2</sup>	19		
Alcohol Related Diagnosis	148	179	123
Drug Related Diagnosis	139	140	93
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	45		
Alcohol Primary Diagnosis <sup>2</sup>	20		
Drug Primary Diagnosis <sup>2</sup>	9		
Alcohol Related Diagnosis	103	84	104
Drug Related Diagnosis	85	46	57
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	312		
Alcohol Primary Diagnosis <sup>2</sup>	81		
Drug Primary Diagnosis <sup>2</sup>	34		
Alcohol Related Diagnosis	170	191	148
Drug Related Diagnosis	113	110	84

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	68	84	95
Fatal Crashes	1	3	2
Injury Crashes	20	30	39
Property Damage Crashes	47	51	54
Crash Fatalities	1	3	1
Crash Injuries	24	35	51
Drug Involved Crashes--Total	7	7	10
Fatal Crashes	0	0	0
Injury Crashes	3	3	6
Property Damage Crashes	4	4	4
Crash Fatalities	0	0	0
Crash Injuries	3	7	8

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	270	326	300
Liquor Law Arrests	328	341	293
Drug Arrests	184	261	253
Methamphetamine Lab Incidents	1	1	2
Violent Offenses	76	86	79
Property Offenses	1,378	1,333	1,323
Domestic Violence Reports	365	401	450

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	124	145	175
Violent Offenses	29	45	49
Alcohol Offenses	1	10	13
Drug Offenses	12	8	16
Status Offenses--Total	174	207	163
Truancy	12	6	7
Beyond Parental Control	44	66	40
Habitually Absent from Home	30	36	36
Injurious Behavior	86	97	80
Abuse/Neglect/Custody--Total	123	204	143
Abuse	3	25	32
Neglect	117	166	104
Custody Disputes	3	13	7

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	18	37	27
Parental Alcohol Use Related	0	3	0
Parental Drug Use Related	4	18	9
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	14	16	18

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	293	282	297
Probation/Parole Admissions--Drug	76	78	96
Probation/Parole Admissions--DWI	35	25	22
Prison Admissions--Total	142	154	139
Prison Admissions--Drug	33	44	34
Prison Admissions--DWI	12	24	13

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	48	52	52
Alcohol Package Carry-out Licenses	42	39	34

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# JOHNSON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	9	21	31
CSTAR Adolescent	20	29	17
CSTAR Women and Children	*	5	5
CSTAR General Adult	155	159	96
CSTAR Opioid	0	*	0
Primary Recovery Treatment	6	23	249
Clinical SATOP (CIP, YCIP, SROP)	38	30	42
Other Substance Abuse Treatment	0	0	*

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	240	255	299
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	119	129	128
- Weekend Intervention Program	60	69	80
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	15	21	18
Compulsive Gambling	0	0	0
Recovery Supports	136	137	86
Early Intervention	13	18	0


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	237	267	368
<b>AGE</b>			
Under 18	21	30	18
18 to 24	56	57	106
25 to 29	43	53	69
30 to 34	36	38	41
35 to 39	20	25	42
40 to 44	23	24	29
45 to 54	32	29	47
55 and Over	6	11	16
<b>GENDER</b>			
Male	160	181	269
Female	77	86	99
<b>RACE / ETHNICITY</b>			
Caucasian	211	235	324
African American	13	17	29
Native American / Alaskan	*	*	*
Asian / Pacific Islander	0	0	0
Hispanic	6	9	7
Other Race / Two or More Races	8	6	8
<b>EDUCATION</b>			
Less than High School Diploma	64	81	110
High School Graduate or G.E.D.	96	109	164
Associate Degree or Some College	72	68	79
Bachelor or Advanced Degree	5	9	15
<b>EMPLOYMENT</b>			
Employed	77	71	143
Unemployed	62	76	161
Not in Labor Force	98	120	64
<b>HOUSING / LIVING ARRANGEMENT</b>			
Independent Living	188	221	322
Dependent Living	26	33	35
Homeless	6	5	*
<b>MARITAL / FAMILY STATUS</b>			
Never Married	138	153	205
Married / Cohabiting	48	66	100
Previously Married	51	48	63

<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Alcohol	120	115	174
Marijuana / Hashish	57	83	112
Cocaine (total)	*	7	21
- Crack	*	*	7
Stimulant (total)	47	49	46
- Methamphetamine	45	46	46
Heroin	*	*	*
Analgesic except Heroin	7	9	11
- Non-Prescription Methadone	0	0	0
PCP, LSD, other Hallucinogen	0	*	0
Tranquilizer	0	0	*
Inhalant	0	0	0
Sedative	0	0	0
Other Medication or Illicit Drug	*	*	0
Average Age at First Use of Drug	17.2	16.6	17.1
<b>INJECTION DRUG USE</b>			
Any Injection Use at Admission	22	18	23
- Daily Injection Use	*	*	*
- Weekly Injection Use	8	7	7
- Less than Weekly Injection Use	11	9	12
<b>LIFETIME DUI / DWI ARRESTS</b>			
0	120	144	215
1 or 2	74	77	96
3 or More	43	46	57
<b>TREATMENT REFERRAL SOURCE</b>			
Self / Family / Friend	153	177	163
School	0	0	*
Mental Health Provider	*	*	*
Health Care Provider	*	*	5
Court / Criminal Justice	45	69	188
Other Referral Source	31	13	10
<b>TREATMENT ACCOMMODATION</b>			
Pregnant when Admitted to any Episode	*	*	6
Military Veteran	9	16	24
Special Education Services Needed	7	10	11
Co-Occurring Psychological Problem	44	73	102
Co-Occurring Developmental Problem	*	*	*

# JOHNSON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 7  
**CENSUS 2010** 52,595  
**2012 POPULATION ESTIMATE** 54,397

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	21	17	15
Anxiety Disorder	154	141	112
Dementia	*	*	*
Developmental Disorder	11	11	9
Impulse Control Disorder	89	86	75
Mood Disorder	314	297	242
Personality Disorder	11	13	15
Psychotic Disorder	83	73	66
Sexual Disorder	0	0	0
Other Diagnosis	32	32	32
Diagnosis Unknown	36	35	59

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	512	479	426	Less than High School Diploma	65	51	14
<b>AGE</b>				High School Grad or G.E.D.	72	65	19
Under 6	7	5	7	Associate Degree or Some College	25	30	7
6 to 9	28	29	28	Bachelor or Advanced Degree	8	*	0
10 to 13	61	49	32	Education Level Unknown	342	329	386
14 to 17	48	59	49	<b>EMPLOYMENT</b>			
18 to 24	51	40	43	Employed	31	24	8
25 to 29	39	38	34	Unemployed	110	124	31
30 to 34	46	47	42	Not in Labor Force	50	*	*
35 to 39	44	48	46	Employment Status Unknown	321	329	386
40 to 44	47	47	36	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	52	41	39	Independent Living	139	131	35
50 to 54	41	29	27	Dependent Living	78	94	20
55 to 59	25	24	24	Homeless	*	*	*
60 and Over	23	23	19	Other	*	6	*
Age Unknown	0	0	0	Housing Unknown	288	246	367
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	235	228	221	Self / Family / Friend	420	398	343
Female	277	251	205	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	9	11	7
<b>RACE / ETHNICITY</b>				Health Care Provider	29	19	13
Caucasian	469	437	381	Court / Criminal Justice	12	10	13
African American	16	19	21	Other	38	35	44
Native American / Alaskan	*	*	*	Referral Source Unknown	*	6	6
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	7	9	8	Voluntary	501	470	416
Other Race	14	10	11	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	6	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	15	15	21	Commitment Type Unknown	*	6	6
Past or Current Military Service	12	13	17				

# JOHNSON COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	38.3	45.4	Alcohol	71.7	75.5
Cigarettes	23.0	29.1	Cigarettes	83.7	80.9
Chewing Tobacco	10.9	11.9	Marijuana	72.6	72.2
Marijuana	14.5	15.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.3	92.2
Inhalants	5.4	9.2			
Prescription medications not prescribed for student	7.8	12.5	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	4.8	7.9	Were very sad	16.7	24.2
Methamphetamine	0.6	1.2	Were grouchy, irritable, or in a bad mood	23.6	29.6
Cocaine	1.2	2.2	Felt hopeless about the future	10.0	14.1
Heroin	0.4	0.4	Felt like not eating or eating more than usual	16.7	21.4
Hallucinogens	2.8	3.8	Slept a lot more or a lot less than usual	19.5	27.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.2	2.5	Had difficulty concentrating on school work	19.8	23.9
Steroids not prescribed for student	0.8	1.3			
Synthetic drugs (K2, bath salts, Spice, etc)	4.9		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	10.6	11.7
Alcohol	13.08	12.72	Made plan about how they would attempt suicide	8.6	8.8
Cigarettes	12.82	12.60	Attempted suicide	4.8	5.1
Marijuana	13.79	13.77	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.1	2.3
Inhalants	12.54	12.62			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	17.1	20.1	Were threatened/injured with weapon at school	3.9	9.3
Binge Alcohol (5 or more drinks on one occasion)	9.7	11.3	Were in a physical fight	16.7	21.1
Cigarettes	11.6	15.3	Were in a fight and had to be treated by a doctor or nurse	2.5	3.3
Chewing Tobacco	6.1	5.9			
Marijuana	5.9	7.5	<b>Percent of students in past 3 months who:</b>		
Inhalants	2.0	3.3	Were victims of mean rumors or lies spread at school	47.2	53.8
Prescription medications not prescribed for student	4.3	7.9	Had embarrassing or hurtful pictures/text of them posted on internet	11.0	13.4
Over-the-counter medications for non-medical use	2.4	5.1	Had embarrassing or hurtful pictures/text of them sent by cell phone	13.2	15.6
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	57.5	68.7
Alcohol	55.5	61.0			
Cigarettes	41.8	51.3	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	34.8	38.0	Spread mean rumors or lies about other kids at school	23.7	34.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.7	18.3	Posted on internet embarrassing or hurtful pictures/text of someone	6.1	9.1
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	10.2	13.5
Alcohol	30.9	33.9	Made fun of other people	60.4	73.2
Cigarettes	13.7	16.3			
Marijuana	13.2	13.1	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	70.6	71.5
Alcohol	60.8	58.4	School provides feedback to parents on positive student performance	40.7	42.3
Cigarettes	80.5	78.2	Teachers praise student for hard work	58.1	57.7
Marijuana	81.3	83.0	Rules are enforced fairly	65.1	65.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.9	94.2	Students of all races/ethnicities are treated equally	81.8	82.9
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	76.9	78.5	<b>Percent of students who agree that:</b>		
Cigarettes	92.5	91.1	Parents notice and comment on student's good work	85.2	82.8
Marijuana	94.6	94.7	Parents involve student in making family decisions	70.0	70.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.5	96.7	It is important to be honest with parents regardless of consequences	86.1	83.2
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	79.1	74.8
Alcohol	58.4	63.1			
Cigarettes	52.3	62.7			
Marijuana	37.3	39.8			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.9	21.2			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# KNOX COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	14
Adult Psychiatric	14
<b>FIPS COUNTY CODE</b>	103
<b>POPULATION</b>	
Census 2010	4,131
2012 Pop. Estimate	4,082

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	53	36	46
Mother Reported Smoking while Pregnant	7	8	13

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	45	53	49
Suicides	0	0	1
Self-inflicted Injuries	6	5	4
Homicides	0	0	0
Assault Injuries	8	9	2
Alcohol Induced Deaths	0	2	1
Drug Induced Deaths	0	1	1
Smoking Attributable Deaths	10	10	9

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	7		
Alcohol Primary Diagnosis <sup>2</sup>	1		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	6	16	3
Drug Related Diagnosis	4	3	8
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	3		
Alcohol Primary Diagnosis <sup>2</sup>	0		
Drug Primary Diagnosis <sup>2</sup>	0		
Alcohol Related Diagnosis	3	4	4
Drug Related Diagnosis	2	4	8
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	8		
Alcohol Primary Diagnosis <sup>2</sup>	4		
Drug Primary Diagnosis <sup>2</sup>	3		
Alcohol Related Diagnosis	8	9	5
Drug Related Diagnosis	6	7	4

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	6	5	8
Fatal Crashes	0	0	2
Injury Crashes	4	3	3
Property Damage Crashes	2	2	3
Crash Fatalities	0	0	3
Crash Injuries	5	3	2
Drug Involved Crashes--Total	0	1	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	1	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

## EMPLOYMENT

	2012	2011	2010
Labor Force	2,186	2,244	2,255
Employed	2,078	2,103	2,103
Unemployed	108	141	152
Unemployment Rate	4.9%	6.3%	6.7%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	164	159	179
Drop-outs	1	3	3
Drop-out Rate	0.6%	1.9%	1.7%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	16	10	14
Liquor Law Arrests	0	0	0
Drug Arrests	0	2	0
Methamphetamine Lab Incidents	4	2	2
Violent Offenses	2	9	6
Property Offenses	49	100	134
Domestic Violence Reports	3	8	12

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	6	12	8
Violent Offenses	1	1	2
Alcohol Offenses	0	0	0
Drug Offenses	0	0	0
Status Offenses--Total	40	38	28
Truancy	10	5	3
Beyond Parental Control	2	5	4
Habitually Absent from Home	0	0	0
Injurious Behavior	23	24	18
Abuse/Neglect/Custody--Total	9	9	7
Abuse	1	2	0
Neglect	8	7	7
Custody Disputes	0	0	0

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	2	3	10
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	1	4
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	1	2	6

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	9	11	10
Probation/Parole Admissions--Drug	3	3	4
Probation/Parole Admissions--DWI	1	2	1
Prison Admissions--Total	3	4	8
Prison Admissions--Drug	1	1	5
Prison Admissions--DWI	1	0	0

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	3	4	6
Alcohol Package Carry-out Licenses	3	3	3

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# KNOX COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	0	*	*
CSTAR Adolescent	0	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	19	7	10
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	6
Clinical SATOP (CIP, YCIP, SROP)	7	*	*
Other Substance Abuse Treatment	0	0	0


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	19	10	17
- Adolescent Diversion Education Program	*	5	*
- Offender Education Program	6	*	*
- Weekend Intervention Program	*	5	*
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	*
Early Intervention	*	*	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	28	19	28	Alcohol	14	9	19
<b>AGE</b>				Marijuana / Hashish	8	5	*
Under 18	*	*	*	Cocaine (total)	0	*	*
18 to 24	5	*	*	- Crack	0	*	*
25 to 29	7	*	*	Stimulant (total)	*	*	*
30 to 34	*	*	*	- Methamphetamine	*	*	*
35 to 39	*	*	*	Heroin	*	0	0
40 to 44	*	*	*	Analgesic except Heroin	*	*	*
45 to 54	*	7	8	- Non-Prescription Methadone	0	0	0
55 and Over	*	0	*	PCP, LSD, other Hallucinogen	0	0	0
<b>GENDER</b>				Tranquilizer	0	*	*
Male	21	14	18	Inhalant	0	0	0
Female	7	5	10	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	0	0	0
Caucasian	28	18	28	Average Age at First Use of Drug	16.8	20.6	15.4
African American	0	0	0	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	0	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
Hispanic	*	*	0	- Weekly Injection Use	0	0	0
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	0	0
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	8	6	8	0	15	9	15
High School Graduate or G.E.D.	12	11	18	1 or 2	9	6	6
Associate Degree or Some College	8	*	*	3 or More	*	*	7
Bachelor or Advanced Degree	0	0	0	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	6	7	8
Employed	15	6	5	School	0	0	0
Unemployed	*	7	12	Mental Health Provider	0	0	0
Not in Labor Force	10	6	11	Health Care Provider	*	0	0
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	14	10	14
Independent Living	21	16	22	Other Referral Source	5	*	6
Dependent Living	*	*	5	<b>TREATMENT ACCOMMODATION</b>			
Homeless	0	0	*	Pregnant when Admitted to any Episode	*	0	0
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	*	0	*
Never Married	17	10	10	Special Education Services Needed	*	*	*
Married / Cohabiting	*	*	10	Co-Occurring Psychological Problem	9	8	19
Previously Married	7	5	8	Co-Occurring Developmental Problem	0	*	*

# KNOX COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 14  
**CENSUS 2010** 4,131  
**2012 POPULATION ESTIMATE** 4,082

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	0	*	*
Anxiety Disorder	9	6	18
Dementia	0	*	*
Developmental Disorder	0	0	0
Impulse Control Disorder	*	*	6
Mood Disorder	20	17	23
Personality Disorder	0	*	5
Psychotic Disorder	10	9	11
Sexual Disorder	0	0	0
Other Diagnosis	0	*	5
Diagnosis Unknown	6	6	10

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	45	40	57	Less than High School Diploma	7	*	10
<b>AGE</b>				High School Grad or G.E.D.	21	11	13
Under 6	0	0	0	Associate Degree or Some College	0	*	*
6 to 9	0	*	*	Bachelor or Advanced Degree	0	*	*
10 to 13	*	*	*	Education Level Unknown	17	20	29
14 to 17	8	*	*	<b>EMPLOYMENT</b>			
18 to 24	*	*	6	Employed	5	5	*
25 to 29	*	*	*	Unemployed	21	15	24
30 to 34	*	5	7	Not in Labor Force	5	0	*
35 to 39	6	*	8	Employment Status Unknown	14	20	29
40 to 44	*	*	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	8	*	6	Independent Living	18	12	9
50 to 54	*	6	7	Dependent Living	14	12	21
55 to 59	*	*	*	Homeless	0	0	0
60 and Over	*	*	6	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	13	16	27
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	17	19	25	Self / Family / Friend	13	13	17
Female	28	21	32	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	10	5	9
<b>RACE / ETHNICITY</b>				Health Care Provider	8	*	6
Caucasian	40	37	53	Court / Criminal Justice	0	0	*
African American	*	*	*	Other	14	19	23
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	45	40	55
Other Race	*	*	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	0	0	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	*	*				




# KNOX COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol			Alcohol		
Cigarettes			Cigarettes		
Chewing Tobacco			Marijuana		
Marijuana			Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		
Inhalants					
Prescription medications not prescribed for student			<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use			Were very sad		
Methamphetamine			Were grouchy, irritable, or in a bad mood		
Cocaine			Felt hopeless about the future		
Heroin			Felt like not eating or eating more than usual		
Hallucinogens			Slept a lot more or a lot less than usual		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)			Had difficulty concentrating on school work		
Steroids not prescribed for student					
Synthetic drugs (K2, bath salts, Spice, etc)			<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide		
Alcohol			Made plan about how they would attempt suicide		
Cigarettes			Attempted suicide		
Marijuana			Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse		
Inhalants					
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol			Were threatened/injured with weapon at school		
Binge Alcohol (5 or more drinks on one occasion)			Were in a physical fight		
Cigarettes			Were in a fight and had to be treated by a doctor or nurse		
Chewing Tobacco					
Marijuana			<b>Percent of students in past 3 months who:</b>		
Inhalants			Were victims of mean rumors or lies spread at school		
Prescription medications not prescribed for student			Had embarrassing or hurtful pictures/text of them posted on internet		
Over-the-counter medications for non-medical use			Had embarrassing or hurtful pictures/text of them sent by cell phone		
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others		
Alcohol					
Cigarettes			<b>Percent of students who, in the past 3 months:</b>		
Marijuana			Spread mean rumors or lies about other kids at school		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			Posted on internet embarrassing or hurtful pictures/text of someone		
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone		
Alcohol			Made fun of other people		
Cigarettes					
Marijuana			<b>Percent of students who agree that:</b>		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			Teachers notice and comment on student's good work		
<b>Percent who say it would be wrong to use:</b>			School provides feedback to parents on positive student performance		
Alcohol			Teachers praise student for hard work		
Cigarettes			Rules are enforced fairly		
Marijuana			Students of all races/ethnicities are treated equally		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)					
<b>Percent whose parents would disapprove if they use:</b>			<b>Percent of students who agree that:</b>		
Alcohol			Parents notice and comment on student's good work		
Cigarettes			Parents involve student in making family decisions		
Marijuana			It is important to be honest with parents regardless of consequences		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			Student could ask parent for help with a personal problem		
<b>Percent who say it would be easy to obtain:</b>					
Alcohol					
Cigarettes					
Marijuana					
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)					
Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.			Notes:		
			Blank data cell indicates estimate not available for survey item or geographic area.		
			Survey is not conducted in every school district nor reported for every county.		
			Percentages are estimates based on weighted data.		
			Estimates are not provided for geographic areas with low numbers of respondents.		
			Some year-to-year differences in percentages are not statistically significant.		
			Responses to some questions combine similar answer choices.		

# LACLEDE COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	11
Adult Psychiatric	11
<b>FIPS COUNTY CODE</b>	105
<b>POPULATION</b>	
Census 2010	35,571
2012 Pop. Estimate	35,417

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	489	440	470
Mother Reported Smoking while Pregnant	129	123	124

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	1	4	0
IDU and MSM <sup>1</sup>	*	*	0
IDU without MSM <sup>1</sup>	*	*	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	361	356	344
Suicides	8	9	5
Self-inflicted Injuries	43	62	59
Homicides	0	6	2
Assault Injuries	129	115	158
Alcohol Induced Deaths	3	1	2
Drug Induced Deaths	1	2	0
Smoking Attributable Deaths	75	72	67

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	331		
Alcohol Primary Diagnosis <sup>2</sup>	8		
Drug Primary Diagnosis <sup>2</sup>	22		
Alcohol Related Diagnosis	75	121	123
Drug Related Diagnosis	121	165	143
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	74		
Alcohol Primary Diagnosis <sup>2</sup>	24		
Drug Primary Diagnosis <sup>2</sup>	24		
Alcohol Related Diagnosis	80	44	44
Drug Related Diagnosis	102	41	38
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	440		
Alcohol Primary Diagnosis <sup>2</sup>	95		
Drug Primary Diagnosis <sup>2</sup>	104		
Alcohol Related Diagnosis	163	160	161
Drug Related Diagnosis	200	120	123

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	41	39	36
Fatal Crashes	0	2	1
Injury Crashes	17	15	17
Property Damage Crashes	24	22	18
Crash Fatalities	0	2	1
Crash Injuries	28	20	22
Drug Involved Crashes--Total	5	1	8
Fatal Crashes	0	0	0
Injury Crashes	3	0	3
Property Damage Crashes	2	1	5
Crash Fatalities	0	0	0
Crash Injuries	3	0	3

## EMPLOYMENT

	2012	2011	2010
Labor Force	15,871	16,289	16,255
Employed	14,433	14,485	14,330
Unemployed	1,438	1,804	1,925
Unemployment Rate	9.1%	11.1%	11.8%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	1,686	1,754	1,714
Drop-outs	51	33	44
Drop-out Rate	3.0%	1.9%	2.6%
School Suspensions:			
Alcohol Incidents	6	2	2
Drug Incidents	29	30	47
Tobacco Incidents	0	0	3

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	187	194	190
Liquor Law Arrests	111	115	148
Drug Arrests	132	220	209
Methamphetamine Lab Incidents	12	18	31
Violent Offenses	194	284	148
Property Offenses	1,083	1,015	1,083
Domestic Violence Reports	205	212	298

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	106	151	163
Violent Offenses	31	66	70
Alcohol Offenses	3	15	5
Drug Offenses	19	7	8
Status Offenses--Total	118	110	104
Truancy	58	56	43
Beyond Parental Control	5	5	9
Habitually Absent from Home	10	7	16
Injurious Behavior	43	16	16
Abuse/Neglect/Custody--Total	202	131	184
Abuse	60	26	101
Neglect	142	105	82
Custody Disputes	0	0	1

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	68	79	69
Parental Alcohol Use Related	0	1	3
Parental Drug Use Related	22	23	13
Parental Alcohol and Drug Use	1	1	2
Child Removed for Other Reason	45	54	51

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	372	303	309
Probation/Parole Admissions--Drug	165	137	134
Probation/Parole Admissions--DWI	32	24	26
Prison Admissions--Total	189	185	177
Prison Admissions--Drug	81	70	79
Prison Admissions--DWI	19	24	17

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	23	21	24
Alcohol Package Carry-out Licenses	49	40	41

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# LACLEDE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	20	34	18
CSTAR Adolescent	30	16	30
CSTAR Women and Children	17	14	19
CSTAR General Adult	54	48	33
CSTAR Opioid	0	*	0
Primary Recovery Treatment	60	91	107
Clinical SATOP (CIP, YCIP, SROP)	18	31	11
Other Substance Abuse Treatment	0	0	0


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	153	141	184
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	52	57	74
- Weekend Intervention Program	39	40	57
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	*	7	10
Compulsive Gambling	0	0	0
Recovery Supports	*	6	27
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	187	208	204	Alcohol	63	83	70
<b>AGE</b>				Marijuana / Hashish	37	44	43
Under 18	29	18	33	Cocaine (total)	*	*	*
18 to 24	32	48	34	- Crack	0	*	0
25 to 29	25	40	40	Stimulant (total)	49	48	56
30 to 34	31	38	34	- Methamphetamine	45	46	53
35 to 39	18	12	20	Heroin	6	6	6
40 to 44	21	13	13	Analgesic except Heroin	21	19	19
45 to 54	26	31	26	- Non-Prescription Methadone	0	0	*
55 and Over	5	8	*	PCP, LSD, other Hallucinogen	0	0	0
<b>GENDER</b>				Tranquilizer	*	*	6
Male	109	147	141	Inhalant	0	0	*
Female	78	61	63	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	9	*	0
Caucasian	180	200	196	Average Age at First Use of Drug	17.7	16.8	17.0
African American	*	*	0	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	48	47	51
Asian / Pacific Islander	0	0	0	- Daily Injection Use	9	15	14
Hispanic	*	*	*	- Weekly Injection Use	16	15	12
Other Race / Two or More Races	*	*	5	- Less than Weekly Injection Use	23	17	25
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	79	82	87	0	114	107	119
High School Graduate or G.E.D.	79	97	87	1 or 2	47	69	60
Associate Degree or Some College	29	27	28	3 or More	26	32	25
Bachelor or Advanced Degree	0	*	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	64	59	61
Employed	31	44	38	School	0	*	*
Unemployed	66	77	82	Mental Health Provider	5	5	7
Not in Labor Force	90	87	84	Health Care Provider	13	7	6
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	77	116	99
Independent Living	128	158	148	Other Referral Source	27	19	27
Dependent Living	46	40	51	<b>TREATMENT ACCOMMODATION</b>			
Homeless	9	6	*	Pregnant when Admitted to any Episode	*	7	0
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	7	15	6
Never Married	91	106	107	Special Education Services Needed	12	29	15
Married / Cohabiting	52	62	55	Co-Occurring Psychological Problem	79	93	88
Previously Married	44	40	42	Co-Occurring Developmental Problem	10	7	9

# LACLEDE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 11  
**CENSUS 2010** 35,571  
**2012 POPULATION ESTIMATE** 35,417

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	7	7	6
Anxiety Disorder	104	123	118
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	59	54	56
Mood Disorder	254	237	234
Personality Disorder	21	27	32
Psychotic Disorder	62	61	59
Sexual Disorder	*	*	*
Other Diagnosis	42	45	51
Diagnosis Unknown	39	23	18

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	396	372	355	Less than High School Diploma	90	58	26
<b>AGE</b>				High School Grad or G.E.D.	53	64	32
Under 6	*	*	*	Associate Degree or Some College	19	21	9
6 to 9	17	25	18	Bachelor or Advanced Degree	*	0	*
10 to 13	47	32	37	Education Level Unknown	232	229	287
14 to 17	42	42	56	<b>EMPLOYMENT</b>			
18 to 24	28	20	17	Employed	19	22	11
25 to 29	29	26	20	Unemployed	105	116	55
30 to 34	38	34	30	Not in Labor Force	71	6	*
35 to 39	34	26	25	Employment Status Unknown	201	228	287
40 to 44	28	36	32	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	44	43	41	Independent Living	141	109	48
50 to 54	45	38	32	Dependent Living	76	114	30
55 to 59	19	21	17	Homeless	*	*	0
60 and Over	23	27	26	Other	*	*	0
Age Unknown	0	0	0	Housing Unknown	176	146	277
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	189	171	164	Self / Family / Friend	148	131	143
Female	207	201	191	School	0	*	*
Gender Unknown	0	0	0	Mental Health Provider	29	33	37
<b>RACE / ETHNICITY</b>				Health Care Provider	64	34	21
Caucasian	369	351	332	Court / Criminal Justice	44	32	27
African American	6	*	*	Other	111	140	123
Native American / Alaskan	*	*	*	Referral Source Unknown	0	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	9	6	*	Voluntary	386	361	341
Other Race	11	10	14	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	6	7	7
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	11	10	10	Commitment Type Unknown	0	*	*
Past or Current Military Service	10	11	10				

# LACLEDE COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	22.4	41.9	Alcohol	80.3	78.0
Cigarettes	4.3	30.9	Cigarettes	74.7	77.7
Chewing Tobacco	6.4	20.7	Marijuana	91.0	72.0
Marijuana	0.2	13.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.9	90.6
Inhalants	1.8	9.3	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	0.7	14.8	Were very sad	3.6	17.7
Over-the-counter medications for non-medical use	0.7	9.2	Were grouchy, irritable, or in a bad mood	21.7	23.6
Methamphetamine	0.0	0.9	Felt hopeless about the future	3.1	8.6
Cocaine	0.0	1.7	Felt like not eating or eating more than usual	5.9	12.8
Heroin	0.0	1.7	Slept a lot more or a lot less than usual	8.7	20.1
Hallucinogens	0.0	4.6	Had difficulty concentrating on school work	20.7	19.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	3.0	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	0.2	1.7	Seriously considered attempting suicide	17.2	12.5
Synthetic drugs (K2, bath salts, Spice, etc)	0.0		Made plan about how they would attempt suicide	2.5	11.5
<b>Average age of students' first use of:</b>			Attempted suicide	0.7	6.4
Alcohol	12.09	11.93	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.3	2.8
Cigarettes	11.33	11.60	<b>Percent of students in past 12 months who:</b>		
Marijuana		12.59	Were threatened/injured with weapon at school	1.3	11.4
Inhalants	11.11	12.15	Were in a physical fight	25.2	30.8
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	0.5	6.0
Alcohol	16.2	20.3	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	14.7	13.1	Were victims of mean rumors or lies spread at school	31.3	56.1
Cigarettes	1.6	17.1	Had embarrassing or hurtful pictures/text of them posted on internet	1.0	10.6
Chewing Tobacco	2.8	13.1	Had embarrassing or hurtful pictures/text of them sent by cell phone	3.6	14.0
Marijuana	0.2	7.3	Were made fun of by others	34.4	68.7
Inhalants	0.8	4.5	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	0.7	9.0	Spread mean rumors or lies about other kids at school	24.3	37.2
Over-the-counter medications for non-medical use	0.2	6.6	Posted on internet embarrassing or hurtful pictures/text of someone	2.0	13.0
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	2.1	14.5
Alcohol	39.6	58.1	Made fun of other people	40.0	71.8
Cigarettes	28.3	50.3	<b>Percent of students who agree that:</b>		
Marijuana	4.1	34.5	Teachers notice and comment on student's good work	72.5	65.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	2.1	23.4	School provides feedback to parents on positive student performance	41.9	41.6
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	36.0	52.6
Alcohol	34.5	36.3	Rules are enforced fairly	85.5	64.8
Cigarettes	15.9	17.6	Students of all races/ethnicities are treated equally	93.6	76.6
Marijuana	15.6	12.4	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	78.8	83.4
Alcohol	62.1	61.6	Parents involve student in making family decisions	67.5	72.8
Cigarettes	80.2	75.9	It is important to be honest with parents regardless of consequences	79.9	80.9
Marijuana	97.7	82.2	Student could ask parent for help with a personal problem	77.6	77.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.8	93.7	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	80.2	81.5	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	98.5	90.7	Percentages are estimates based on weighted data.		
Marijuana	99.3	94.5	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.0	97.4	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	40.9	47.6			
Cigarettes	42.3	50.8			
Marijuana	5.6	27.6			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.8	18.1			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# LAFAYETTE COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	7
Adult Psychiatric	7
<b>FIPS COUNTY CODE</b>	107
<b>POPULATION</b>	
Census 2010	33,381
2012 Pop. Estimate	33,080

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	378	412	377
Mother Reported Smoking while Pregnant	108	105	102

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	1	1
IDU and MSM <sup>1</sup>	0	*	*
IDU without MSM <sup>1</sup>	0	*	*

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	325	333	335
Suicides	2	6	5
Self-inflicted Injuries	50	48	29
Homicides	0	0	1
Assault Injuries	92	110	87
Alcohol Induced Deaths	2	2	1
Drug Induced Deaths	6	1	3
Smoking Attributable Deaths	61	60	64

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	318		
Alcohol Primary Diagnosis <sup>2</sup>	19		
Drug Primary Diagnosis <sup>2</sup>	9		
Alcohol Related Diagnosis	111	95	68
Drug Related Diagnosis	103	124	56
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	50		
Alcohol Primary Diagnosis <sup>2</sup>	7		
Drug Primary Diagnosis <sup>2</sup>	9		
Alcohol Related Diagnosis	93	63	81
Drug Related Diagnosis	64	44	52
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	262		
Alcohol Primary Diagnosis <sup>2</sup>	45		
Drug Primary Diagnosis <sup>2</sup>	41		
Alcohol Related Diagnosis	95	117	95
Drug Related Diagnosis	107	110	69

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	24	38	46
Fatal Crashes	0	1	2
Injury Crashes	11	18	17
Property Damage Crashes	13	19	27
Crash Fatalities	0	1	2
Crash Injuries	20	23	19
Drug Involved Crashes--Total	1	5	5
Fatal Crashes	0	0	1
Injury Crashes	0	2	3
Property Damage Crashes	1	3	1
Crash Fatalities	0	0	1
Crash Injuries	0	8	3

## EMPLOYMENT

	2012	2011	2010
Labor Force	16,384	16,952	15,799
Employed	15,167	15,281	14,072
Unemployed	1,217	1,671	1,727
Unemployment Rate	7.4%	9.9%	10.9%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	1,632	1,640	1,697
Drop-outs	26	15	41
Drop-out Rate	1.6%	0.9%	2.4%
School Suspensions:			
Alcohol Incidents	2	0	1
Drug Incidents	11	17	9
Tobacco Incidents	0	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	192	218	237
Liquor Law Arrests	64	104	103
Drug Arrests	277	317	318
Methamphetamine Lab Incidents	2	0	6
Violent Offenses	35	47	45
Property Offenses	612	598	586
Domestic Violence Reports	49	42	50

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	200	205	266
Violent Offenses	52	49	77
Alcohol Offenses	21	27	19
Drug Offenses	13	5	12
Status Offenses--Total	87	79	90
Truancy	13	18	16
Beyond Parental Control	19	26	25
Habitually Absent from Home	22	17	31
Injurious Behavior	33	18	17
Abuse/Neglect/Custody--Total	33	23	12
Abuse	0	2	0
Neglect	1	6	8
Custody Disputes	32	15	4

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	31	20	8
Parental Alcohol Use Related	0	0	2
Parental Drug Use Related	5	3	1
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	26	17	5

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	45	44	52
Probation/Parole Admissions--Total	457	457	458
Probation/Parole Admissions--Drug	187	185	161
Probation/Parole Admissions--DWI	24	34	22
Prison Admissions--Total	251	270	247
Prison Admissions--Drug	106	100	84
Prison Admissions--DWI	13	18	15

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	43	42	43
Alcohol Package Carry-out Licenses	39	39	38

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# LAFAYETTE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	10	16	16
CSTAR Adolescent	14	14	5
CSTAR Women and Children	9	*	*
CSTAR General Adult	119	107	99
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	34	150
Clinical SATOP (CIP, YCIP, SROP)	31	6	19
Other Substance Abuse Treatment	*	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	135	116	149
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	47	51	70
- Weekend Intervention Program	31	35	34
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	7	5
Compulsive Gambling	0	0	0
Recovery Supports	73	40	37
Early Intervention	11	11	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	181	183	260	Alcohol	86	84	120
AGE				Marijuana / Hashish	39	51	83
Under 18	13	14	7	Cocaine (total)	*	0	6
18 to 24	33	42	63	- Crack	*	0	*
25 to 29	29	28	42	Stimulant (total)	42	34	35
30 to 34	35	19	39	- Methamphetamine	41	28	35
35 to 39	14	21	32	Heroin	0	*	*
40 to 44	30	28	26	Analgesic except Heroin	8	7	11
45 to 54	20	24	46	- Non-Prescription Methadone	0	0	0
55 and Over	7	7	5	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	*	*	*
Male	120	123	197	Inhalant	*	0	0
Female	61	60	63	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	158	161	236	Average Age at First Use of Drug	16.3	16.8	16.1
African American	11	13	19	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	13	11	25
Asian / Pacific Islander	*	0	0	- Daily Injection Use	5	*	*
Hispanic	6	*	*	- Weekly Injection Use	6	*	*
Other Race / Two or More Races	*	7	*	- Less than Weekly Injection Use	*	8	19
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	50	53	80	0	96	112	144
High School Graduate or G.E.D.	85	96	139	1 or 2	52	40	65
Associate Degree or Some College	44	31	39	3 or More	33	31	51
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	59	56	73
Employed	58	51	83	School	0	0	0
Unemployed	55	72	118	Mental Health Provider	*	0	*
Not in Labor Force	68	60	59	Health Care Provider	6	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	93	110	176
Independent Living	154	158	240	Other Referral Source	19	13	6
Dependent Living	14	15	11	TREATMENT ACCOMMODATION			
Homeless	5	*	*	Pregnant when Admitted to any Episode	0	*	5
MARITAL / FAMILY STATUS				Military Veteran	12	8	11
Never Married	93	89	131	Special Education Services Needed	8	5	5
Married / Cohabiting	55	57	78	Co-Occurring Psychological Problem	55	46	67
Previously Married	33	37	51	Co-Occurring Developmental Problem	5	*	*

# LAFAYETTE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 7  
**CENSUS 2010** 33,381  
**2012 POPULATION ESTIMATE** 33,080

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	12	8	*
Anxiety Disorder	121	107	81
Dementia	*	0	*
Developmental Disorder	*	5	*
Impulse Control Disorder	46	39	40
Mood Disorder	202	178	165
Personality Disorder	14	9	10
Psychotic Disorder	39	29	31
Sexual Disorder	0	0	0
Other Diagnosis	18	14	21
Diagnosis Unknown	43	26	46

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	358	297	281	Less than High School Diploma	60	34	11
<b>AGE</b>				High School Grad or G.E.D.	55	55	15
Under 6	9	6	7	Associate Degree or Some College	23	17	*
6 to 9	22	23	21	Bachelor or Advanced Degree	*	5	*
10 to 13	34	27	30	Education Level Unknown	216	186	251
14 to 17	35	32	27	<b>EMPLOYMENT</b>			
18 to 24	43	30	32	Employed	20	12	*
25 to 29	32	30	15	Unemployed	104	95	26
30 to 34	22	20	23	Not in Labor Force	37	*	*
35 to 39	24	22	17	Employment Status Unknown	197	186	251
40 to 44	30	26	21	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	34	28	39	Independent Living	127	101	26
50 to 54	36	24	23	Dependent Living	43	59	10
55 to 59	22	15	15	Homeless	*	*	*
60 and Over	15	14	11	Other	8	7	*
Age Unknown	0	0	0	Housing Unknown	179	128	243
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	146	116	113	Self / Family / Friend	252	233	219
Female	212	181	168	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	5	7	10
<b>RACE / ETHNICITY</b>				Health Care Provider	22	6	*
Caucasian	329	279	260	Court / Criminal Justice	11	17	18
African American	14	9	10	Other	64	32	27
Native American / Alaskan	0	0	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	0	*	Voluntary	355	294	275
Other Race	11	8	9	Civil	*	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	*	*
Hearing Impaired	11	14	13	Commitment Type Unknown	*	*	*
Past or Current Military Service	11	6	9				


# LAFAYETTE COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	39.9	45.1	Alcohol	72.0	80.3
Cigarettes	25.8	27.5	Cigarettes	79.5	80.8
Chewing Tobacco	16.4	16.6	Marijuana	77.2	72.1
Marijuana	14.2	13.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.7	92.9
Inhalants	5.7	6.7	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	9.1	11.4	Were very sad	20.5	26.7
Over-the-counter medications for non-medical use	6.9	6.9	Were grouchy, irritable, or in a bad mood	23.4	30.6
Methamphetamine	0.9	0.7	Felt hopeless about the future	10.2	12.6
Cocaine	1.2	1.4	Felt like not eating or eating more than usual	16.2	23.0
Heroin	0.3	0.6	Slept a lot more or a lot less than usual	19.4	30.0
Hallucinogens	1.4	2.2	Had difficulty concentrating on school work	19.9	26.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.5	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	0.9	0.8	Seriously considered attempting suicide	12.4	11.6
Synthetic drugs (K2, bath salts, Spice, etc)	5.4		Made plan about how they would attempt suicide	9.7	8.6
<b>Average age of students' first use of:</b>			Attempted suicide	6.1	6.0
Alcohol	12.37	12.46	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.7	1.4
Cigarettes	12.22	12.01	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.33	13.17	Were threatened/injured with weapon at school	4.9	11.2
Inhalants	11.59	12.39	Were in a physical fight	19.4	20.5
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	2.5	3.6
Alcohol	17.3	22.8	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	10.6	12.3	Were victims of mean rumors or lies spread at school	49.4	58.5
Cigarettes	13.0	14.5	Had embarrassing or hurtful pictures/text of them posted on internet	12.4	12.8
Chewing Tobacco	9.5	10.3	Had embarrassing or hurtful pictures/text of them sent by cell phone	15.8	15.1
Marijuana	8.1	5.2	Were made fun of by others	60.9	67.4
Inhalants	2.4	3.8	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	5.6	6.3	Spread mean rumors or lies about other kids at school	27.1	33.0
Over-the-counter medications for non-medical use	3.9	4.0	Posted on internet embarrassing or hurtful pictures/text of someone	7.5	10.1
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	10.8	14.2
Alcohol	53.8	61.0	Made fun of other people	60.3	69.8
Cigarettes	47.6	49.2	<b>Percent of students who agree that:</b>		
Marijuana	31.4	28.5	Teachers notice and comment on student's good work	72.0	76.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.7	13.6	School provides feedback to parents on positive student performance	42.7	46.4
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	57.0	60.9
Alcohol	29.2	38.1	Rules are enforced fairly	70.4	70.9
Cigarettes	13.1	16.2	Students of all races/ethnicities are treated equally	80.7	85.8
Marijuana	11.2	9.4	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	82.5	83.8
Alcohol	64.0	58.3	Parents involve student in making family decisions	68.4	71.1
Cigarettes	83.4	78.8	It is important to be honest with parents regardless of consequences	87.9	85.7
Marijuana	85.5	87.0	Student could ask parent for help with a personal problem	77.9	77.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.9	95.5	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	80.0	78.0	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	92.8	90.6	Percentages are estimates based on weighted data.		
Marijuana	95.5	95.1	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.5	97.5	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	51.3	58.9			
Cigarettes	50.3	55.1			
Marijuana	27.2	27.4			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.5	15.0			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# LAWRENCE COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	9
Adult Psychiatric	8A
<b>FIPS COUNTY CODE</b>	109
<b>POPULATION</b>	
Census 2010	38,634
2012 Pop. Estimate	38,467

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	490	476	522
Mother Reported Smoking while Pregnant	115	119	110

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	423	419	407
Suicides	4	3	8
Self-inflicted Injuries	43	41	59
Homicides	0	0	1
Assault Injuries	83	63	66
Alcohol Induced Deaths	5	4	3
Drug Induced Deaths	9	9	5
Smoking Attributable Deaths	70	80	72

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	201		
Alcohol Primary Diagnosis <sup>2</sup>	9		
Drug Primary Diagnosis <sup>2</sup>	12		
Alcohol Related Diagnosis	55	89	69
Drug Related Diagnosis	70	99	98
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	102		
Alcohol Primary Diagnosis <sup>2</sup>	20		
Drug Primary Diagnosis <sup>2</sup>	27		
Alcohol Related Diagnosis	96	54	81
Drug Related Diagnosis	105	87	72
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	309		
Alcohol Primary Diagnosis <sup>2</sup>	56		
Drug Primary Diagnosis <sup>2</sup>	61		
Alcohol Related Diagnosis	159	153	175
Drug Related Diagnosis	186	202	222

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	44	41	47
Fatal Crashes	1	3	2
Injury Crashes	22	20	24
Property Damage Crashes	21	18	21
Crash Fatalities	1	3	3
Crash Injuries	29	29	33
Drug Involved Crashes--Total	6	8	11
Fatal Crashes	0	0	0
Injury Crashes	2	2	5
Property Damage Crashes	4	6	6
Crash Fatalities	0	0	0
Crash Injuries	2	2	7

## EMPLOYMENT

	2012	2011	2010
Labor Force	18,453	18,787	18,658
Employed	17,336	17,338	17,084
Unemployed	1,117	1,449	1,574
Unemployment Rate	6.1%	7.7%	8.4%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	1,776	1,805	1,810
Drop-outs	36	47	53
Drop-out Rate	2.0%	2.6%	2.9%
School Suspensions:			
Alcohol Incidents	0	1	1
Drug Incidents	16	20	13
Tobacco Incidents	0	1	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	201	167	168
Liquor Law Arrests	44	37	65
Drug Arrests	151	109	90
Methamphetamine Lab Incidents	35	23	33
Violent Offenses	154	121	132
Property Offenses	1,192	1,128	1,130
Domestic Violence Reports	234	168	206

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	79	133	190
Violent Offenses	22	47	51
Alcohol Offenses	7	12	10
Drug Offenses	8	5	9
Status Offenses--Total	37	44	81
Truancy	7	1	6
Beyond Parental Control	8	9	33
Habitually Absent from Home	9	20	26
Injurious Behavior	12	11	12
Abuse/Neglect/Custody--Total	104	90	133
Abuse	16	14	25
Neglect	46	52	72
Custody Disputes	42	24	36

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	50	28	47
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	12	3	6
Parental Alcohol and Drug Use	2	0	0
Child Removed for Other Reason	36	25	41

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	29	4	0
Probation/Parole Admissions--Total	243	230	249
Probation/Parole Admissions--Drug	74	62	50
Probation/Parole Admissions--DWI	26	10	16
Prison Admissions--Total	118	127	146
Prison Admissions--Drug	25	31	38
Prison Admissions--DWI	5	10	9

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	17	18	16
Alcohol Package Carry-out Licenses	43	43	41

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# LAWRENCE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	22	20	17
CSTAR Adolescent	10	8	16
CSTAR Women and Children	20	25	15
CSTAR General Adult	96	80	41
CSTAR Opioid	0	0	0
Primary Recovery Treatment	25	25	109
Clinical SATOP (CIP, YCIP, SROP)	13	12	17
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	110	111	121
- Adolescent Diversion Education Program	*	*	0
- Offender Education Program	40	53	69
- Weekend Intervention Program	30	18	16
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	8	*
Compulsive Gambling	0	0	0
Recovery Supports	13	*	11
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	175	169	197	Alcohol	69	68	88
AGE				Marijuana / Hashish	37	25	44
Under 18	10	10	16	Cocaine (total)	*	0	*
18 to 24	34	43	47	- Crack	*	0	*
25 to 29	35	29	36	Stimulant (total)	40	45	40
30 to 34	30	27	28	- Methamphetamine	39	44	39
35 to 39	22	22	22	Heroin	*	*	*
40 to 44	17	14	16	Analgesic except Heroin	19	26	17
45 to 54	17	23	27	- Non-Prescription Methadone	0	*	0
55 and Over	10	*	5	PCP, LSD, other Hallucinogen	0	*	*
GENDER				Tranquilizer	*	*	*
Male	110	109	138	Inhalant	0	0	*
Female	65	60	59	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	167	157	185	Average Age at First Use of Drug	17.3	16.7	16.0
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	39	37	26
Asian / Pacific Islander	0	0	0	- Daily Injection Use	8	6	7
Hispanic	*	9	*	- Weekly Injection Use	13	11	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	18	20	15
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	74	72	83	0	90	98	112
High School Graduate or G.E.D.	68	76	90	1 or 2	55	40	50
Associate Degree or Some College	32	20	23	3 or More	30	31	35
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	52	47	50
Employed	41	35	49	School	0	0	*
Unemployed	61	90	99	Mental Health Provider	*	*	*
Not in Labor Force	73	44	49	Health Care Provider	7	6	8
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	49	102	123
Independent Living	150	141	167	Other Referral Source	66	13	14
Dependent Living	20	23	23	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	8
MARITAL / FAMILY STATUS				Military Veteran	7	6	5
Never Married	76	87	112	Special Education Services Needed	26	11	13
Married / Cohabiting	57	46	41	Co-Occurring Psychological Problem	75	52	38
Previously Married	42	36	44	Co-Occurring Developmental Problem	12	*	*

# LAWRENCE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8A  
**CENSUS 2010** 38,634  
**2012 POPULATION ESTIMATE** 38,467

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	33	46	18
Anxiety Disorder	131	139	93
Dementia	0	0	0
Developmental Disorder	8	7	7
Impulse Control Disorder	74	76	54
Mood Disorder	200	238	156
Personality Disorder	38	55	30
Psychotic Disorder	38	44	38
Sexual Disorder	*	*	*
Other Diagnosis	51	40	28
Diagnosis Unknown	146	75	200

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	461	462	460	Less than High School Diploma	46	18	11
<b>AGE</b>				High School Grad or G.E.D.	34	37	29
Under 6	14	9	6	Associate Degree or Some College	10	9	9
6 to 9	38	20	23	Bachelor or Advanced Degree	*	*	0
10 to 13	41	39	41	Education Level Unknown	370	397	411
14 to 17	44	48	43	<b>EMPLOYMENT</b>			
18 to 24	41	38	48	Employed	*	*	5
25 to 29	39	31	35	Unemployed	63	62	44
30 to 34	38	48	31	Not in Labor Force	40	*	*
35 to 39	35	56	63	Employment Status Unknown	354	396	410
40 to 44	42	47	38	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	39	46	52	Independent Living	83	60	45
50 to 54	40	37	35	Dependent Living	40	47	9
55 to 59	28	23	18	Homeless	0	*	0
60 and Over	22	20	27	Other	*	*	*
Age Unknown	0	0	0	Housing Unknown	337	353	405
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	244	236	222	Self / Family / Friend	202	236	281
Female	217	226	238	School	12	9	5
Gender Unknown	0	0	0	Mental Health Provider	33	56	51
<b>RACE / ETHNICITY</b>				Health Care Provider	49	64	47
Caucasian	434	440	436	Court / Criminal Justice	22	30	26
African American	*	*	6	Other	142	63	43
Native American / Alaskan	0	0	*	Referral Source Unknown	*	*	7
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	19	13	9	Voluntary	454	449	451
Other Race	6	7	*	Civil	6	6	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	*	0
Hearing Impaired	18	34	30	Commitment Type Unknown	*	*	7
Past or Current Military Service	*	7	5				




# LAWRENCE COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	27.3	38.3	Alcohol	74.2	79.5
Cigarettes	18.8	27.2	Cigarettes	82.8	75.8
Chewing Tobacco	12.1	17.7	Marijuana	77.7	72.1
Marijuana	10.2	11.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.3	92.0
Inhalants	3.8	7.4	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	6.8	10.9	Were very sad	19.2	15.6
Over-the-counter medications for non-medical use	5.2	8.4	Were grouchy, irritable, or in a bad mood	19.5	20.2
Methamphetamine	1.6	1.0	Felt hopeless about the future	10.5	10.2
Cocaine	1.1	0.7	Felt like not eating or eating more than usual	17.0	15.6
Heroin	1.0	0.8	Slept a lot more or a lot less than usual	15.4	18.6
Hallucinogens	3.4	1.8	Had difficulty concentrating on school work	15.8	19.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.9	2.0	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.3	1.2	Seriously considered attempting suicide	9.8	12.9
Synthetic drugs (K2, bath salts, Spice, etc)	9.0		Made plan about how they would attempt suicide	7.4	9.9
<b>Average age of students' first use of:</b>			Attempted suicide	5.5	6.2
Alcohol	11.93	12.24	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.0	2.4
Cigarettes	11.58	11.74	<b>Percent of students in past 12 months who:</b>		
Marijuana	12.84	13.39	Were threatened/injured with weapon at school	7.9	10.8
Inhalants	12.12	12.15	Were in a physical fight	17.9	26.6
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	2.5	5.5
Alcohol	9.2	14.4	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	4.0	8.0	Were victims of mean rumors or lies spread at school	49.4	57.9
Cigarettes	9.6	13.5	Had embarrassing or hurtful pictures/text of them posted on internet	10.5	14.0
Chewing Tobacco	7.1	9.7	Had embarrassing or hurtful pictures/text of them sent by cell phone	12.1	15.7
Marijuana	5.8	4.7	Were made fun of by others	61.4	72.3
Inhalants	1.3	2.7	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	3.2	6.8	Spread mean rumors or lies about other kids at school	24.7	34.1
Over-the-counter medications for non-medical use	2.7	4.7	Posted on internet embarrassing or hurtful pictures/text of someone	8.2	12.2
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	8.2	12.7
Alcohol	40.7	52.7	Made fun of other people	60.4	71.0
Cigarettes	29.3	41.6	<b>Percent of students who agree that:</b>		
Marijuana	16.8	30.2	Teachers notice and comment on student's good work	71.8	68.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.2	16.8	School provides feedback to parents on positive student performance	45.9	40.0
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	55.2	52.9
Alcohol	19.0	29.2	Rules are enforced fairly	68.3	64.1
Cigarettes	9.8	15.2	Students of all races/ethnicities are treated equally	83.1	80.2
Marijuana	8.6	8.8	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	86.4	84.6
Alcohol	72.7	63.9	Parents involve student in making family decisions	74.8	70.8
Cigarettes	87.7	80.2	It is important to be honest with parents regardless of consequences	89.9	85.9
Marijuana	88.5	86.3	Student could ask parent for help with a personal problem	78.4	79.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.2	95.4	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	87.5	82.6	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	94.4	91.3	Percentages are estimates based on weighted data.		
Marijuana	96.0	94.3	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.6	97.2	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	43.5	49.1			
Cigarettes	40.1	50.8			
Marijuana	21.7	29.4			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.6	17.8			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# LEWIS COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	14
Adult Psychiatric	14
<b>FIPS COUNTY CODE</b>	111
<b>POPULATION</b>	
Census 2010	10,211
2012 Pop. Estimate	10,174

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	109	116	117
Mother Reported Smoking while Pregnant	27	29	23

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	1	0	0
IDU and MSM <sup>1</sup>	*	0	0
IDU without MSM <sup>1</sup>	*	0	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	98	110	83
Suicides	0	0	0
Self-inflicted Injuries	3	2	5
Homicides	0	0	2
Assault Injuries	3	2	5
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	1	2	0
Smoking Attributable Deaths	18	22	13

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	28		
Alcohol Primary Diagnosis <sup>2</sup>	2		
Drug Primary Diagnosis <sup>2</sup>	0		
Alcohol Related Diagnosis	10	6	18
Drug Related Diagnosis	12	4	5
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	2		
Alcohol Primary Diagnosis <sup>2</sup>	0		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	3	7	36
Drug Related Diagnosis	1	3	20
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	16		
Alcohol Primary Diagnosis <sup>2</sup>	4		
Drug Primary Diagnosis <sup>2</sup>	0		
Alcohol Related Diagnosis	7	10	0
Drug Related Diagnosis	4	6	2

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	4	5	9
Fatal Crashes	0	1	2
Injury Crashes	4	3	3
Property Damage Crashes	0	1	4
Crash Fatalities	0	1	2
Crash Injuries	5	4	3
Drug Involved Crashes--Total	2	0	1
Fatal Crashes	0	0	0
Injury Crashes	0	0	1
Property Damage Crashes	2	0	0
Crash Fatalities	0	0	0
Crash Injuries	4	0	1

## EMPLOYMENT

	2012	2011	2010
Labor Force	5,492	5,627	5,424
Employed	5,183	5,264	4,965
Unemployed	309	363	459
Unemployment Rate	5.6%	6.5%	8.5%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	454	474	475
Drop-outs	5	8	9
Drop-out Rate	1.1%	1.7%	1.9%
School Suspensions:			
Alcohol Incidents	6	0	0
Drug Incidents	5	3	0
Tobacco Incidents	2	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	62	54	55
Liquor Law Arrests	10	40	42
Drug Arrests	47	26	39
Methamphetamine Lab Incidents	14	4	10
Violent Offenses	2	10	13
Property Offenses	174	149	135
Domestic Violence Reports	52	44	54

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	33	27	26
Violent Offenses	6	1	8
Alcohol Offenses	3	4	4
Drug Offenses	4	3	3
Status Offenses--Total	132	177	215
Truancy	9	39	25
Beyond Parental Control	11	13	30
Habitually Absent from Home	1	0	3
Injurious Behavior	93	101	87
Abuse/Neglect/Custody--Total	49	46	19
Abuse	6	5	1
Neglect	43	41	14
Custody Disputes	0	0	4

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	8	21	18
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	9	2
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	8	12	16

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	24	10	14
Probation/Parole Admissions--Total	68	54	56
Probation/Parole Admissions--Drug	28	14	27
Probation/Parole Admissions--DWI	10	6	2
Prison Admissions--Total	26	29	23
Prison Admissions--Drug	12	8	5
Prison Admissions--DWI	2	3	5

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	13	12	13
Alcohol Package Carry-out Licenses	11	10	10

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# LEWIS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	7	9	7
CSTAR Adolescent	5	*	5
CSTAR Women and Children	*	*	*
CSTAR General Adult	*	8	13
CSTAR Opioid	0	0	0
Primary Recovery Treatment	27	36	39
Clinical SATOP (CIP, YCIP, SROP)	11	8	12
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	46	37	56
- Adolescent Diversion Education Program	*	*	9
- Offender Education Program	16	7	13
- Weekend Intervention Program	10	10	13
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	*
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	49	55	63	Alcohol	26	28	37
AGE				Marijuana / Hashish	14	16	18
Under 18	*	*	*	Cocaine (total)	0	0	0
18 to 24	13	18	21	- Crack	0	0	0
25 to 29	5	12	9	Stimulant (total)	5	*	*
30 to 34	8	10	7	- Methamphetamine	5	*	*
35 to 39	5	*	*	Heroin	0	0	*
40 to 44	*	*	7	Analgesic except Heroin	*	*	*
45 to 54	10	6	9	- Non-Prescription Methadone	0	0	0
55 and Over	0	*	*	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	0	0	*
Male	35	45	54	Inhalant	0	0	0
Female	14	10	9	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	47	51	59	Average Age at First Use of Drug	15.9	16.5	15.9
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	*	- Daily Injection Use	*	*	*
Hispanic	*	*	0	- Weekly Injection Use	0	0	0
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	0	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	18	15	21	0	26	25	32
High School Graduate or G.E.D.	22	34	32	1 or 2	17	18	19
Associate Degree or Some College	8	6	9	3 or More	6	12	12
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	6	10	11
Employed	21	24	26	School	0	0	0
Unemployed	15	23	25	Mental Health Provider	0	0	0
Not in Labor Force	13	8	12	Health Care Provider	0	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	39	39	46
Independent Living	37	51	56	Other Referral Source	*	5	5
Dependent Living	5	*	*	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	7
Never Married	24	36	35	Special Education Services Needed	5	*	6
Married / Cohabiting	11	10	21	Co-Occurring Psychological Problem	23	16	18
Previously Married	14	9	7	Co-Occurring Developmental Problem	6	5	5

# LEWIS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 14  
**CENSUS 2010** 10,211  
**2012 POPULATION ESTIMATE** 10,174

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	*	*
Anxiety Disorder	13	13	12
Dementia	0	0	0
Developmental Disorder	0	0	*
Impulse Control Disorder	12	13	13
Mood Disorder	43	46	45
Personality Disorder	*	0	*
Psychotic Disorder	6	7	8
Sexual Disorder	0	0	0
Other Diagnosis	*	5	*
Diagnosis Unknown	6	*	10

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	67	64	75	Less than High School Diploma	10	10	5
<b>AGE</b>				High School Grad or G.E.D.	17	12	11
Under 6	0	0	*	Associate Degree or Some College	9	6	6
6 to 9	*	*	6	Bachelor or Advanced Degree	*	*	0
10 to 13	6	6	6	Education Level Unknown	29	35	53
14 to 17	7	12	9	<b>EMPLOYMENT</b>			
18 to 24	8	*	8	Employed	6	*	*
25 to 29	5	6	6	Unemployed	31	27	19
30 to 34	5	*	5	Not in Labor Force	6	0	0
35 to 39	8	7	7	Employment Status Unknown	24	35	53
40 to 44	*	*	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	6	5	6	Independent Living	41	26	20
50 to 54	10	9	9	Dependent Living	6	16	*
55 to 59	*	*	5	Homeless	0	0	0
60 and Over	*	*	*	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	20	20	52
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	25	22	32	Self / Family / Friend	18	12	14
Female	42	42	43	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	0	*	*
<b>RACE / ETHNICITY</b>				Health Care Provider	6	8	5
Caucasian	63	59	70	Court / Criminal Justice	*	*	*
African American	*	*	*	Other	39	39	47
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	66	61	70
Other Race	*	*	*	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	0	0	0	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

# LEWIS COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012


	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	38.3	44.0	Alcohol	72.9	74.3
Cigarettes	18.6	25.2	Cigarettes	78.3	75.1
Chewing Tobacco	11.4	8.6	Marijuana	82.4	65.8
Marijuana	7.2	13.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.7	92.6
Inhalants	3.6	6.1			
Prescription medications not prescribed for student	6.0	12.5	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	6.0	9.1	Were very sad	15.1	10.4
Methamphetamine	0.6	1.3	Were grouchy, irritable, or in a bad mood	20.4	13.4
Cocaine	1.2	3.5	Felt hopeless about the future	7.8	6.6
Heroin	1.8	0.0	Felt like not eating or eating more than usual	13.9	9.1
Hallucinogens	1.8	3.0	Slept a lot more or a lot less than usual	13.9	16.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.6	3.1	Had difficulty concentrating on school work	20.5	15.2
Steroids not prescribed for student	1.2	0.4			
Synthetic drugs (K2, bath salts, Spice, etc)	4.2		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	10.8	8.6
Alcohol	13.12	12.52	Made plan about how they would attempt suicide	8.4	7.4
Cigarettes	13.58	12.06	Attempted suicide	6.5	4.8
Marijuana	13.99	13.67	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.2	2.6
Inhalants	10.98	10.86			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	13.8	17.4	Were threatened/injured with weapon at school	9.6	8.3
Binge Alcohol (5 or more drinks on one occasion)	6.0	10.8	Were in a physical fight	21.1	30.6
Cigarettes	8.3	17.8	Were in a fight and had to be treated by a doctor or nurse	6.6	4.4
Chewing Tobacco	5.4	3.9			
Marijuana	3.0	6.0	<b>Percent of students in past 3 months who:</b>		
Inhalants	1.8	3.5	Were victims of mean rumors or lies spread at school	52.7	59.8
Prescription medications not prescribed for student	2.4	8.2	Had embarrassing or hurtful pictures/text of them posted on internet	15.0	15.7
Over-the-counter medications for non-medical use	1.8	7.4	Had embarrassing or hurtful pictures/text of them sent by cell phone	19.2	18.3
			Were made fun of by others	60.5	75.8
<b>Percent whose friends used in past 12 months:</b>			<b>Percent of students who, in the past 3 months:</b>		
Alcohol	49.7	50.4	Spread mean rumors or lies about other kids at school	33.1	32.0
Cigarettes	40.4	42.0	Posted on internet embarrassing or hurtful pictures/text of someone	6.0	9.9
Marijuana	26.3	25.5	Sent by cell phone embarrassing or hurtful pictures/text of someone	9.6	13.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.9	12.1	Made fun of other people	60.7	74.9
<b>Percent who would likely use, if offered by a best friend:</b>			<b>Percent of students who agree that:</b>		
Alcohol	33.5	37.0	Teachers notice and comment on student's good work	62.0	68.1
Cigarettes	12.0	17.4	School provides feedback to parents on positive student performance	22.9	32.2
Marijuana	8.4	12.6	Teachers praise student for hard work	42.5	45.5
			Rules are enforced fairly	39.2	53.7
<b>Percent who say it would be wrong to use:</b>			Students of all races/ethnicities are treated equally	76.6	77.7
Alcohol	60.0	52.0			
Cigarettes	84.2	79.6	<b>Percent of students who agree that:</b>		
Marijuana	88.6	85.2	Parents notice and comment on student's good work	83.1	83.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	94.3	Parents involve student in making family decisions	68.5	69.3
			It is important to be honest with parents regardless of consequences	83.2	84.9
<b>Percent whose parents would disapprove if they use:</b>			Student could ask parent for help with a personal problem	74.5	78.2
Alcohol	79.1	75.2			
Cigarettes	93.3	87.9			
Marijuana	96.4	94.8			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.6	98.3			
<b>Percent who say it would be easy to obtain:</b>					
Alcohol	54.2	57.4			
Cigarettes	50.0	53.0			
Marijuana	25.6	29.6			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.1	16.8			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# LINCOLN COUNTY



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	16
Adult Psychiatric	16
<b>FIPS COUNTY CODE</b>	113
<b>POPULATION</b>	
Census 2010	52,566
2012 Pop. Estimate	53,354

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	26,706	27,221	27,151
Employed	24,485	24,453	24,018
Unemployed	2,221	2,768	3,133
Unemployment Rate	8.3%	10.2%	11.5%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	2,724	2,838	2,838
Drop-outs	65	64	82
Drop-out Rate	2.4%	2.3%	2.9%
School Suspensions:			
Alcohol Incidents	1	2	19
Drug Incidents	52	74	48
Tobacco Incidents	0	0	1

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	725	731	806
Mother Reported Smoking while Pregnant	164	181	163

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	455	411	370
Suicides	14	16	3
Self-inflicted Injuries	82	84	54
Homicides	5	3	1
Assault Injuries	221	190	219
Alcohol Induced Deaths	1	2	2
Drug Induced Deaths	7	10	9
Smoking Attributable Deaths	85	77	69

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	407		
Alcohol Primary Diagnosis <sup>2</sup>	17		
Drug Primary Diagnosis <sup>2</sup>	37		
Alcohol Related Diagnosis	129	207	148
Drug Related Diagnosis	189	245	181
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	496		
Alcohol Primary Diagnosis <sup>2</sup>	26		
Drug Primary Diagnosis <sup>2</sup>	32		
Alcohol Related Diagnosis	262	122	190
Drug Related Diagnosis	302	183	146
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	585		
Alcohol Primary Diagnosis <sup>2</sup>	106		
Drug Primary Diagnosis <sup>2</sup>	153		
Alcohol Related Diagnosis	330	291	298
Drug Related Diagnosis	397	303	195

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	52	33	59
Fatal Crashes	3	2	2
Injury Crashes	26	10	34
Property Damage Crashes	23	21	23
Crash Fatalities	4	4	2
Crash Injuries	39	14	38
Drug Involved Crashes--Total	10	9	7
Fatal Crashes	0	0	0
Injury Crashes	6	5	4
Property Damage Crashes	4	4	3
Crash Fatalities	0	0	0
Crash Injuries	4	5	4

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	274	251	209
Liquor Law Arrests	37	80	42
Drug Arrests	374	373	477
Methamphetamine Lab Incidents	33	20	37
Violent Offenses	121	139	83
Property Offenses	785	714	649
Domestic Violence Reports	332	222	265

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	212	266	252
Violent Offenses	38	65	88
Alcohol Offenses	8	19	8
Drug Offenses	13	23	16
Status Offenses--Total	328	281	364
Truancy	217	137	246
Beyond Parental Control	13	21	16
Habitually Absent from Home	39	38	49
Injurious Behavior	59	85	53
Abuse/Neglect/Custody--Total	217	149	312
Abuse	15	11	12
Neglect	197	133	298
Custody Disputes	5	5	2

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	61	41	70
Parental Alcohol Use Related	0	1	1
Parental Drug Use Related	17	5	16
Parental Alcohol and Drug Use	0	0	1
Child Removed for Other Reason	44	35	52

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	90	72	63
Probation/Parole Admissions--Total	405	456	383
Probation/Parole Admissions--Drug	175	164	142
Probation/Parole Admissions--DWI	34	42	22
Prison Admissions--Total	175	157	173
Prison Admissions--Drug	81	65	78
Prison Admissions--DWI	6	11	14

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	47	47	48
Alcohol Package Carry-out Licenses	38	37	41

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# LINCOLN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	34	33	24
CSTAR Adolescent	42	44	27
CSTAR Women and Children	31	48	61
CSTAR General Adult	175	75	12
CSTAR Opioid	11	*	5
Primary Recovery Treatment	40	159	249
Clinical SATOP (CIP, YCIP, SROP)	96	53	87
Other Substance Abuse Treatment	*	*	0


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	271	235	299
- Adolescent Diversion Education Program	11	*	*
- Offender Education Program	77	71	86
- Weekend Intervention Program	48	46	54
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	*	7	6
Compulsive Gambling	*	*	*
Recovery Supports	0	*	10
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	376	362	412	Alcohol	163	143	203
<b>AGE</b>				Marijuana / Hashish	88	113	112
Under 18	49	44	25	Cocaine (total)	5	11	15
18 to 24	85	79	106	- Crack	*	9	11
25 to 29	60	71	70	Stimulant (total)	18	21	26
30 to 34	55	60	62	- Methamphetamine	18	19	22
35 to 39	30	32	40	Heroin	66	56	46
40 to 44	39	28	38	Analgesic except Heroin	16	13	6
45 to 54	43	35	53	- Non-Prescription Methadone	0	0	0
55 and Over	15	13	18	PCP, LSD, other Hallucinogen	5	*	*
<b>GENDER</b>				Tranquilizer	*	*	*
Male	241	239	291	Inhalant	*	0	0
Female	135	123	121	Sedative	*	0	*
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	10	0	*
Caucasian	349	328	381	Average Age at First Use of Drug	17.8	16.9	16.8
African American	12	17	21	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	68	52	44
Asian / Pacific Islander	0	0	0	- Daily Injection Use	18	17	14
Hispanic	9	7	*	- Weekly Injection Use	16	11	9
Other Race / Two or More Races	7	11	8	- Less than Weekly Injection Use	34	24	21
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	152	171	172	0	198	201	215
High School Graduate or G.E.D.	172	150	183	1 or 2	120	115	132
Associate Degree or Some College	50	36	53	3 or More	58	46	65
Bachelor or Advanced Degree	*	5	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	62	44	71
Employed	130	109	125	School	9	18	0
Unemployed	133	155	192	Mental Health Provider	*	*	*
Not in Labor Force	113	98	95	Health Care Provider	6	6	10
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	236	238	295
Independent Living	303	294	365	Other Referral Source	58	53	34
Dependent Living	58	57	34	<b>TREATMENT ACCOMMODATION</b>			
Homeless	10	7	*	Pregnant when Admitted to any Episode	8	8	7
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	9	7	10
Never Married	227	214	229	Special Education Services Needed	41	57	37
Married / Cohabiting	85	79	97	Co-Occurring Psychological Problem	134	158	119
Previously Married	64	69	86	Co-Occurring Developmental Problem	15	11	17

# LINCOLN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Eastern  
**PSYCHIATRIC SERVICE AREA** 16  
**CENSUS 2010** 52,566  
**2012 POPULATION ESTIMATE** 53,354

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	19	22	18
Anxiety Disorder	402	354	264
Dementia	*	*	*
Developmental Disorder	25	28	25
Impulse Control Disorder	192	194	159
Mood Disorder	625	616	471
Personality Disorder	134	127	103
Psychotic Disorder	176	170	157
Sexual Disorder	*	*	*
Other Diagnosis	61	62	57
Diagnosis Unknown	95	71	67

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	988	908	743	Less than High School Diploma	197	169	111
<b>AGE</b>				High School Grad or G.E.D.	158	181	118
Under 6	*	15	7	Associate Degree or Some College	65	88	51
6 to 9	66	51	37	Bachelor or Advanced Degree	10	13	5
10 to 13	85	89	74	Education Level Unknown	558	457	458
14 to 17	96	111	102	<b>EMPLOYMENT</b>			
18 to 24	106	94	66	Employed	59	65	44
25 to 29	78	72	57	Unemployed	311	352	220
30 to 34	94	65	38	Not in Labor Force	123	31	18
35 to 39	80	63	68	Employment Status Unknown	495	460	461
40 to 44	92	88	61	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	89	92	89	Independent Living	396	391	236
50 to 54	85	76	63	Dependent Living	137	195	61
55 to 59	52	43	39	Homeless	12	*	*
60 and Over	61	49	42	Other	*	*	*
Age Unknown	0	0	0	Housing Unknown	440	315	440
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	487	458	397	Self / Family / Friend	207	121	124
Female	501	450	346	School	94	79	79
Gender Unknown	0	0	0	Mental Health Provider	78	87	106
<b>RACE / ETHNICITY</b>				Health Care Provider	102	72	63
Caucasian	894	823	666	Court / Criminal Justice	48	26	34
African American	50	43	47	Other	454	517	329
Native American / Alaskan	7	5	5	Referral Source Unknown	5	6	8
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	13	10	8	Voluntary	972	890	713
Other Race	24	27	17	Civil	*	7	17
Race/Ethnicity Unknown	0	0	0	Criminal	*	5	5
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	14	11	8	Commitment Type Unknown	8	6	8
Past or Current Military Service	19	16	18				

# LINCOLN COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	51.2	45.6	Alcohol	67.8	74.4
Cigarettes	29.2	27.6	Cigarettes	80.3	78.1
Chewing Tobacco	14.8	12.7	Marijuana	71.3	68.2
Marijuana	17.2	13.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.6	91.4
Inhalants	3.7	6.4			
Prescription medications not prescribed for student	8.8	8.7	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	7.2	6.3	Were very sad	20.0	15.2
Methamphetamine	1.2	0.6	Were grouchy, irritable, or in a bad mood	25.1	21.7
Cocaine	1.4	1.5	Felt hopeless about the future	14.6	9.1
Heroin	0.4	0.6	Felt like not eating or eating more than usual	19.9	13.8
Hallucinogens	2.6	3.3	Slept a lot more or a lot less than usual	21.6	22.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.9	1.4	Had difficulty concentrating on school work	22.0	19.1
Steroids not prescribed for student	1.4	1.2			
Synthetic drugs (K2, bath salts, Spice, etc)	6.8		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	10.4	9.6
Alcohol	12.64	12.56	Made plan about how they would attempt suicide	6.0	7.4
Cigarettes	12.44	12.16	Attempted suicide	4.6	4.4
Marijuana	13.86	13.57	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.4	1.9
Inhalants	12.72	11.18			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	22.7	22.4	Were threatened/injured with weapon at school	5.2	11.6
Binge Alcohol (5 or more drinks on one occasion)	14.2	15.6	Were in a physical fight	19.0	25.8
Cigarettes	10.4	15.4	Were in a fight and had to be treated by a doctor or nurse	1.8	5.1
Chewing Tobacco	8.3	7.0			
Marijuana	6.7	6.7	<b>Percent of students in past 3 months who:</b>		
Inhalants	1.2	2.9	Were victims of mean rumors or lies spread at school	48.3	52.1
Prescription medications not prescribed for student	3.8	5.1	Had embarrassing or hurtful pictures/text of them posted on internet	15.8	11.6
Over-the-counter medications for non-medical use	3.3	4.0	Had embarrassing or hurtful pictures/text of them sent by cell phone	17.7	12.2
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	57.2	68.8
Alcohol	63.4	65.4			
Cigarettes	44.7	54.2	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	40.4	35.7	Spread mean rumors or lies about other kids at school	27.3	31.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.3	17.3	Posted on internet embarrassing or hurtful pictures/text of someone	9.9	9.8
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.6	11.0
Alcohol	39.9	37.1	Made fun of other people	64.8	71.7
Cigarettes	12.7	16.0			
Marijuana	14.4	10.0	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	64.3	67.1
Alcohol	53.1	56.6	School provides feedback to parents on positive student performance	31.0	33.8
Cigarettes	79.8	77.7	Teachers praise student for hard work	54.7	51.9
Marijuana	78.9	83.9	Rules are enforced fairly	58.8	58.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	94.6	Students of all races/ethnicities are treated equally	71.7	70.1
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	70.1	73.7	<b>Percent of students who agree that:</b>		
Cigarettes	88.9	87.5	Parents notice and comment on student's good work	80.0	83.1
Marijuana	93.3	92.6	Parents involve student in making family decisions	64.9	70.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.8	95.8	It is important to be honest with parents regardless of consequences	86.3	83.9
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	74.7	78.0
Alcohol	64.4	61.7			
Cigarettes	60.2	60.7			
Marijuana	37.7	37.1			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.1	19.9			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# LINN COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	13
Adult Psychiatric	13
<b>FIPS COUNTY CODE</b>	115
<b>POPULATION</b>	
Census 2010	12,761
2012 Pop. Estimate	12,484

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	5,703	5,867	6,024
Employed	5,231	5,232	5,353
Unemployed	472	635	671
Unemployment Rate	8.3%	10.8%	11.1%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	722	738	767
Drop-outs	11	14	9
Drop-out Rate	1.5%	1.9%	1.2%
School Suspensions:			
Alcohol Incidents	4	0	0
Drug Incidents	8	3	7
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	141	125	159
Mother Reported Smoking while Pregnant	34	29	43

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	1	0
IDU and MSM <sup>1</sup>	0	*	0
IDU without MSM <sup>1</sup>	0	*	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	175	167	176
Suicides	2	1	2
Self-inflicted Injuries	16	19	8
Homicides	0	0	0
Assault Injuries	35	45	25
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	1	0
Smoking Attributable Deaths	32	40	38

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	104		
Alcohol Primary Diagnosis <sup>2</sup>	11		
Drug Primary Diagnosis <sup>2</sup>	4		
Alcohol Related Diagnosis	67	40	40
Drug Related Diagnosis	32	41	21
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	30		
Alcohol Primary Diagnosis <sup>2</sup>	3		
Drug Primary Diagnosis <sup>2</sup>	6		
Alcohol Related Diagnosis	18	14	14
Drug Related Diagnosis	22	15	10
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	158		
Alcohol Primary Diagnosis <sup>2</sup>	18		
Drug Primary Diagnosis <sup>2</sup>	7		
Alcohol Related Diagnosis	64	44	38
Drug Related Diagnosis	28	46	20

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	13	13	13
Fatal Crashes	1	0	1
Injury Crashes	5	5	7
Property Damage Crashes	7	8	5
Crash Fatalities	2	0	1
Crash Injuries	5	11	7
Drug Involved Crashes--Total	2	2	0
Fatal Crashes	0	0	0
Injury Crashes	2	2	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	2	3	0

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	55	77	50
Liquor Law Arrests	18	32	25
Drug Arrests	37	35	33
Methamphetamine Lab Incidents	1	0	1
Violent Offenses	24	22	23
Property Offenses	254	238	220
Domestic Violence Reports	148	163	116

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	28	50	55
Violent Offenses	5	15	16
Alcohol Offenses	1	15	4
Drug Offenses	2	8	8
Status Offenses--Total	137	120	170
Truancy	92	78	135
Beyond Parental Control	15	14	11
Habitually Absent from Home	0	0	2
Injurious Behavior	30	28	22
Abuse/Neglect/Custody--Total	41	35	20
Abuse	3	2	2
Neglect	38	33	18
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	26	21	16
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	4	1	0
Parental Alcohol and Drug Use	0	1	0
Child Removed for Other Reason	22	19	16

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	44	42	35
Probation/Parole Admissions--Total	70	64	53
Probation/Parole Admissions--Drug	25	20	19
Probation/Parole Admissions--DWI	1	4	0
Prison Admissions--Total	34	44	37
Prison Admissions--Drug	12	19	13
Prison Admissions--DWI	0	2	0

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	19	18	20
Alcohol Package Carry-out Licenses	19	16	13

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# LINN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	5	8	10
CSTAR Adolescent	9	*	6
CSTAR Women and Children	*	*	*
CSTAR General Adult	98	76	25
CSTAR Opioid	*	0	0
Primary Recovery Treatment	10	23	69
Clinical SATOP (CIP, YCIP, SROP)	15	8	*
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	48	49	45
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	18	24	14
- Weekend Intervention Program	14	8	16
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	5	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	11
Early Intervention	6	7	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	123	97	98	Alcohol	49	37	38
AGE				Marijuana / Hashish	40	36	37
Under 18	9	6	6	Cocaine (total)	*	0	*
18 to 24	29	22	18	- Crack	0	0	*
25 to 29	21	20	22	Stimulant (total)	22	12	15
30 to 34	18	14	15	- Methamphetamine	21	10	14
35 to 39	10	9	10	Heroin	0	0	*
40 to 44	11	15	9	Analgesic except Heroin	11	9	*
45 to 54	20	9	15	- Non-Prescription Methadone	0	0	*
55 and Over	5	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	0
Male	89	69	58	Inhalant	0	0	0
Female	34	28	40	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	111	89	87	Average Age at First Use of Drug	17.1	17.0	16.0
African American	5	*	7	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	7	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	0
Hispanic	*	*	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	7	*	*	- Less than Weekly Injection Use	5	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	52	39	30	0	64	63	54
High School Graduate or G.E.D.	53	41	55	1 or 2	42	24	20
Associate Degree or Some College	18	16	13	3 or More	17	10	24
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	21	29	25
Employed	47	32	30	School	0	*	0
Unemployed	49	39	39	Mental Health Provider	0	0	*
Not in Labor Force	27	26	29	Health Care Provider	*	6	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	78	52	58
Independent Living	104	82	88	Other Referral Source	10	9	12
Dependent Living	10	7	9	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	9	*	7
Never Married	63	57	49	Special Education Services Needed	23	15	5
Married / Cohabiting	36	22	31	Co-Occurring Psychological Problem	65	23	24
Previously Married	24	18	18	Co-Occurring Developmental Problem	0	*	*

# LINN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 13  
**CENSUS 2010** 12,761  
**2012 POPULATION ESTIMATE** 12,484

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	5	8	14
Anxiety Disorder	106	99	100
Dementia	0	0	0
Developmental Disorder	6	9	7
Impulse Control Disorder	45	45	35
Mood Disorder	168	139	154
Personality Disorder	9	16	13
Psychotic Disorder	18	22	11
Sexual Disorder	*	0	0
Other Diagnosis	29	24	25
Diagnosis Unknown	15	9	22

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	229	207	226	Less than High School Diploma	39	21	6
<b>AGE</b>				High School Grad or G.E.D.	39	32	31
Under 6	0	0	0	Associate Degree or Some College	5	8	8
6 to 9	14	11	18	Bachelor or Advanced Degree	*	*	*
10 to 13	28	22	20	Education Level Unknown	142	143	179
14 to 17	20	18	19	<b>EMPLOYMENT</b>			
18 to 24	23	21	23	Employed	11	9	5
25 to 29	13	19	26	Unemployed	60	54	38
30 to 34	20	14	21	Not in Labor Force	33	*	*
35 to 39	25	22	20	Employment Status Unknown	125	143	179
40 to 44	29	28	19	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	10	9	15	Independent Living	86	62	47
50 to 54	17	20	20	Dependent Living	35	31	9
55 to 59	14	10	12	Homeless	0	*	0
60 and Over	16	13	13	Other	0	5	*
Age Unknown	0	0	0	Housing Unknown	108	108	169
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	113	90	86	Self / Family / Friend	92	81	99
Female	116	117	140	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	28	33	33
<b>RACE / ETHNICITY</b>				Health Care Provider	46	37	34
Caucasian	221	202	216	Court / Criminal Justice	31	22	18
African American	*	*	5	Other	29	31	38
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	226	202	219
Other Race	*	*	*	Civil	*	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	8	5	*	Commitment Type Unknown	0	0	*
Past or Current Military Service	5	*	*				




# LINN COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	51.5	50.0	Alcohol	69.3	85.6
Cigarettes	38.2	29.3	Cigarettes	81.2	78.8
Chewing Tobacco	18.6	21.7	Marijuana	75.2	68.0
Marijuana	15.3	9.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	93.5
Inhalants	4.4	4.7	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	9.8	7.7	Were very sad	20.2	21.7
Over-the-counter medications for non-medical use	6.9	6.1	Were grouchy, irritable, or in a bad mood	23.2	26.4
Methamphetamine	1.0	0.7	Felt hopeless about the future	10.3	13.0
Cocaine	1.5	0.4	Felt like not eating or eating more than usual	18.3	20.2
Heroin	1.0	0.4	Slept a lot more or a lot less than usual	17.3	26.0
Hallucinogens	2.0	1.5	Had difficulty concentrating on school work	19.6	27.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	0.7	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.5	0.7	Seriously considered attempting suicide	13.2	11.1
Synthetic drugs (K2, bath salts, Spice, etc)	6.9		Made plan about how they would attempt suicide	10.3	7.9
<b>Average age of students' first use of:</b>			Attempted suicide	5.9	5.0
Alcohol	12.64	12.37	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.5	1.1
Cigarettes	12.81	12.64	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.74	13.83	Were threatened/injured with weapon at school	5.4	7.2
Inhalants	12.19	12.54	Were in a physical fight	20.7	23.3
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	2.5	2.2
Alcohol	25.1	22.8	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	15.7	14.0	Were victims of mean rumors or lies spread at school	55.0	59.4
Cigarettes	19.7	15.6	Had embarrassing or hurtful pictures/text of them posted on internet	13.8	11.3
Chewing Tobacco	11.3	12.3	Had embarrassing or hurtful pictures/text of them sent by cell phone	17.3	13.7
Marijuana	7.9	4.3	Were made fun of by others	65.8	71.7
Inhalants	1.5	2.2	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	5.4	3.3	Spread mean rumors or lies about other kids at school	32.0	36.0
Over-the-counter medications for non-medical use	4.4	3.2	Posted on internet embarrassing or hurtful pictures/text of someone	10.8	10.1
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	10.3	14.4
Alcohol	58.9	63.7	Made fun of other people	66.5	73.8
Cigarettes	54.2	51.1	<b>Percent of students who agree that:</b>		
Marijuana	32.7	24.5	Teachers notice and comment on student's good work	64.5	76.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.9	14.4	School provides feedback to parents on positive student performance	35.5	48.6
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	51.5	61.5
Alcohol	39.2	40.7	Rules are enforced fairly	61.9	67.5
Cigarettes	23.5	19.9	Students of all races/ethnicities are treated equally	80.7	85.9
Marijuana	10.3	6.2	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	80.3	85.5
Alcohol	52.5	54.3	Parents involve student in making family decisions	71.1	70.7
Cigarettes	72.4	75.8	It is important to be honest with parents regardless of consequences	88.7	88.1
Marijuana	85.6	89.9	Student could ask parent for help with a personal problem	78.7	79.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.0	97.5	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	71.8	75.1	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	90.6	90.3	Percentages are estimates based on weighted data.		
Marijuana	94.0	98.2	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.0	98.9	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	63.9	62.9			
Cigarettes	63.7	58.1			
Marijuana	41.4	25.2			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	20.9	14.8			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# LIVINGSTON COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	13
Adult Psychiatric	13
<b>FIPS COUNTY CODE</b>	117
<b>POPULATION</b>	
Census 2010	15,195
2012 Pop. Estimate	15,037

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	6,996	6,945	7,004
Employed	6,542	6,386	6,438
Unemployed	454	559	566
Unemployment Rate	6.5%	8.0%	8.1%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	656	672	700
Drop-outs	10	20	26
Drop-out Rate	1.5%	3.0%	3.7%
School Suspensions:			
Alcohol Incidents	3	1	0
Drug Incidents	1	2	1
Tobacco Incidents	0	2	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	142	171	163
Mother Reported Smoking while Pregnant	42	36	37

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	208	175	192
Suicides	2	3	3
Self-inflicted Injuries	20	29	24
Homicides	2	1	0
Assault Injuries	34	37	55
Alcohol Induced Deaths	1	1	2
Drug Induced Deaths	1	3	3
Smoking Attributable Deaths	43	33	35

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	97		
Alcohol Primary Diagnosis <sup>2</sup>	5		
Drug Primary Diagnosis <sup>2</sup>	7		
Alcohol Related Diagnosis	38	52	55
Drug Related Diagnosis	45	53	53
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	21		
Alcohol Primary Diagnosis <sup>2</sup>	3		
Drug Primary Diagnosis <sup>2</sup>	4		
Alcohol Related Diagnosis	21	17	24
Drug Related Diagnosis	14	19	18
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	109		
Alcohol Primary Diagnosis <sup>2</sup>	24		
Drug Primary Diagnosis <sup>2</sup>	27		
Alcohol Related Diagnosis	53	59	58
Drug Related Diagnosis	58	47	33

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	9	24	18
Fatal Crashes	0	0	0
Injury Crashes	4	12	12
Property Damage Crashes	5	12	6
Crash Fatalities	0	0	0
Crash Injuries	6	12	17
Drug Involved Crashes--Total	1	1	4
Fatal Crashes	0	0	0
Injury Crashes	1	0	4
Property Damage Crashes	0	1	0
Crash Fatalities	0	0	0
Crash Injuries	1	0	4

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	80	95	117
Liquor Law Arrests	40	80	93
Drug Arrests	85	112	67
Methamphetamine Lab Incidents	3	0	0
Violent Offenses	42	25	39
Property Offenses	332	296	341
Domestic Violence Reports	57	49	75

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	59	69	94
Violent Offenses	22	12	29
Alcohol Offenses	0	11	2
Drug Offenses	3	7	5
Status Offenses--Total	20	56	90
Truancy	5	18	15
Beyond Parental Control	7	14	22
Habitually Absent from Home	1	10	21
Injurious Behavior	7	11	28
Abuse/Neglect/Custody--Total	17	15	6
Abuse	6	6	3
Neglect	11	9	2
Custody Disputes	0	0	1

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	11	11	10
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	2	6	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	9	5	10

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	155	151	134
Probation/Parole Admissions--Drug	57	52	34
Probation/Parole Admissions--DWI	9	3	7
Prison Admissions--Total	117	108	105
Prison Admissions--Drug	45	35	32
Prison Admissions--DWI	5	9	6

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	29	27	24
Alcohol Package Carry-out Licenses	17	20	16

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# LIVINGSTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	6	5	10
CSTAR Adolescent	12	*	9
CSTAR Women and Children	*	*	0
CSTAR General Adult	126	97	27
CSTAR Opioid	0	0	0
Primary Recovery Treatment	5	8	69
Clinical SATOP (CIP, YCIP, SROP)	16	8	7
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	49	37	54
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	20	11	22
- Weekend Intervention Program	9	13	11
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	0	0
Recovery Supports	5	0	16
Early Intervention	*	6	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	160	106	105	Alcohol	71	41	43
AGE				Marijuana / Hashish	43	26	35
Under 18	13	*	9	Cocaine (total)	7	*	*
18 to 24	26	26	28	- Crack	*	*	*
25 to 29	36	15	23	Stimulant (total)	19	17	11
30 to 34	31	20	16	- Methamphetamine	19	15	11
35 to 39	20	14	12	Heroin	*	*	*
40 to 44	18	13	7	Analgesic except Heroin	12	8	8
45 to 54	11	15	8	- Non-Prescription Methadone	0	0	0
55 and Over	5	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	104	62	76	Inhalant	0	0	0
Female	56	44	29	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	8	*
Caucasian	140	97	98	Average Age at First Use of Drug	16.6	17.4	16.5
African American	10	7	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	17	7	6
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	0
Hispanic	*	*	*	- Weekly Injection Use	5	0	0
Other Race / Two or More Races	7	*	*	- Less than Weekly Injection Use	11	5	6
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	67	35	38	0	92	80	54
High School Graduate or G.E.D.	76	50	50	1 or 2	50	15	26
Associate Degree or Some College	14	20	16	3 or More	18	11	25
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	22	26	22
Employed	60	32	31	School	0	0	0
Unemployed	76	56	54	Mental Health Provider	*	0	*
Not in Labor Force	24	18	20	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	101	65	66
Independent Living	140	93	88	Other Referral Source	28	12	12
Dependent Living	15	7	16	TREATMENT ACCOMMODATION			
Homeless	5	5	0	Pregnant when Admitted to any Episode	*	0	0
MARITAL / FAMILY STATUS				Military Veteran	11	*	*
Never Married	87	55	63	Special Education Services Needed	14	8	*
Married / Cohabiting	38	28	25	Co-Occurring Psychological Problem	73	31	23
Previously Married	35	23	17	Co-Occurring Developmental Problem	20	*	*

# LIVINGSTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 13  
**CENSUS 2010** 15,195  
**2012 POPULATION ESTIMATE** 15,037

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	12	23	26
Anxiety Disorder	190	185	194
Dementia	*	*	*
Developmental Disorder	8	6	6
Impulse Control Disorder	51	47	59
Mood Disorder	267	266	299
Personality Disorder	26	34	39
Psychotic Disorder	58	56	58
Sexual Disorder	0	0	*
Other Diagnosis	34	33	43
Diagnosis Unknown	22	21	48

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	402	400	474	Less than High School Diploma	67	43	31
<b>AGE</b>				High School Grad or G.E.D.	96	106	55
Under 6	*	*	*	Associate Degree or Some College	23	34	18
6 to 9	15	15	21	Bachelor or Advanced Degree	*	5	*
10 to 13	36	24	31	Education Level Unknown	214	212	367
14 to 17	28	31	49	<b>EMPLOYMENT</b>			
18 to 24	37	35	49	Employed	33	29	21
25 to 29	35	45	50	Unemployed	125	150	80
30 to 34	35	33	33	Not in Labor Force	62	10	6
35 to 39	21	25	40	Employment Status Unknown	182	211	367
40 to 44	36	32	38	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	35	31	33	Independent Living	133	139	91
50 to 54	41	36	44	Dependent Living	99	86	21
55 to 59	41	42	29	Homeless	*	0	*
60 and Over	40	50	56	Other	*	5	0
Age Unknown	0	0	0	Housing Unknown	167	170	361
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	152	134	162	Self / Family / Friend	172	166	198
Female	250	266	312	School	10	6	12
Gender Unknown	0	0	0	Mental Health Provider	43	60	75
<b>RACE / ETHNICITY</b>				Health Care Provider	85	83	82
Caucasian	382	378	455	Court / Criminal Justice	31	20	25
African American	7	8	7	Other	58	62	74
Native American / Alaskan	0	0	*	Referral Source Unknown	*	*	8
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	5	7	6	Voluntary	399	395	464
Other Race	8	7	5	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	6	*	*	Commitment Type Unknown	*	*	8
Past or Current Military Service	6	*	7				

# LIVINGSTON COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	46.7	54.2	Alcohol	63.0	77.7
Cigarettes	32.1	39.8	Cigarettes	78.9	72.0
Chewing Tobacco	13.7	21.4	Marijuana	74.9	68.5
Marijuana	15.1	14.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	91.4	97.3
Inhalants	5.7	5.0	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	8.0	11.3	Were very sad	20.8	31.0
Over-the-counter medications for non-medical use	6.6	8.5	Were grouchy, irritable, or in a bad mood	25.4	30.2
Methamphetamine	1.4	0.0	Felt hopeless about the future	11.8	17.2
Cocaine	1.4	0.4	Felt like not eating or eating more than usual	19.4	18.2
Heroin	1.0	0.0	Slept a lot more or a lot less than usual	26.4	26.8
Hallucinogens	2.4	0.8	Had difficulty concentrating on school work	23.8	18.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	0.8	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.9	0.0	Seriously considered attempting suicide	11.8	12.2
Synthetic drugs (K2, bath salts, Spice, etc)	8.0		Made plan about how they would attempt suicide	8.1	6.9
<b>Average age of students' first use of:</b>			Attempted suicide	5.2	6.5
Alcohol	12.24	12.87	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.9	0.8
Cigarettes	12.60	12.74	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.81	14.38	Were threatened/injured with weapon at school	10.9	9.9
Inhalants	12.36	12.39	Were in a physical fight	19.9	22.5
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	1.9	1.1
Alcohol	24.4	26.2	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	16.0	17.2	Were victims of mean rumors or lies spread at school	57.8	64.9
Cigarettes	17.5	22.7	Had embarrassing or hurtful pictures/text of them posted on internet	17.6	13.1
Chewing Tobacco	7.5	11.8	Had embarrassing or hurtful pictures/text of them sent by cell phone	20.6	18.4
Marijuana	8.0	6.1	Were made fun of by others	67.6	73.3
Inhalants	3.3	1.5	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	5.2	6.6	Spread mean rumors or lies about other kids at school	41.7	35.5
Over-the-counter medications for non-medical use	3.8	3.5	Posted on internet embarrassing or hurtful pictures/text of someone	13.3	12.6
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	14.7	11.5
Alcohol	65.4	65.5	Made fun of other people	76.3	76.3
Cigarettes	58.0	66.0	<b>Percent of students who agree that:</b>		
Marijuana	42.6	31.0	Teachers notice and comment on student's good work	64.6	78.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.4	13.5	School provides feedback to parents on positive student performance	35.1	43.0
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	50.0	63.8
Alcohol	36.3	44.4	Rules are enforced fairly	59.9	61.5
Cigarettes	18.0	25.2	Students of all races/ethnicities are treated equally	81.6	82.4
Marijuana	12.3	8.9	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	83.5	83.9
Alcohol	56.6	51.3	Parents involve student in making family decisions	67.8	64.6
Cigarettes	76.8	65.9	It is important to be honest with parents regardless of consequences	84.4	81.3
Marijuana	85.8	83.8	Student could ask parent for help with a personal problem	71.6	76.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.2	98.1	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	79.5	73.6	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	90.6	86.2	Percentages are estimates based on weighted data.		
Marijuana	96.2	98.1	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.0	99.6	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	67.0	64.0			
Cigarettes	59.7	61.3			
Marijuana	33.5	30.7			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.2	16.1			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# MC DONALD COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	9
Adult Psychiatric	9
<b>FIPS COUNTY CODE</b>	119
<b>POPULATION</b>	
Census 2010	23,083
2012 Pop. Estimate	22,876

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	296	296	343
Mother Reported Smoking while Pregnant	71	66	78

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	3	0
IDU and MSM <sup>1</sup>	0	*	0
IDU without MSM <sup>1</sup>	0	*	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	194	192	206
Suicides	5	4	6
Self-inflicted Injuries	23	29	19
Homicides	1	1	1
Assault Injuries	31	57	67
Alcohol Induced Deaths	1	2	3
Drug Induced Deaths	0	2	3
Smoking Attributable Deaths	42	41	48

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	182		
Alcohol Primary Diagnosis <sup>2</sup>	16		
Drug Primary Diagnosis <sup>2</sup>	14		
Alcohol Related Diagnosis	108	131	44
Drug Related Diagnosis	80	102	35
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	10		
Alcohol Primary Diagnosis <sup>2</sup>	3		
Drug Primary Diagnosis <sup>2</sup>	2		
Alcohol Related Diagnosis	12	34	88
Drug Related Diagnosis	7	24	41
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	118		
Alcohol Primary Diagnosis <sup>2</sup>	23		
Drug Primary Diagnosis <sup>2</sup>	8		
Alcohol Related Diagnosis	60	65	78
Drug Related Diagnosis	47	64	59

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	48	55	73
Fatal Crashes	1	3	3
Injury Crashes	27	26	38
Property Damage Crashes	20	26	32
Crash Fatalities	1	3	7
Crash Injuries	40	39	55
Drug Involved Crashes--Total	9	5	3
Fatal Crashes	1	0	0
Injury Crashes	4	1	2
Property Damage Crashes	4	4	1
Crash Fatalities	1	0	0
Crash Injuries	3	2	5

## EMPLOYMENT

	2012	2011	2010
Labor Force	10,843	11,030	10,844
Employed	10,167	10,182	9,845
Unemployed	676	848	999
Unemployment Rate	6.2%	7.7%	9.2%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	991	1,036	1,043
Drop-outs	19	18	28
Drop-out Rate	1.9%	1.7%	2.7%
School Suspensions:			
Alcohol Incidents	2	3	3
Drug Incidents	12	18	4
Tobacco Incidents	0	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	241	403	439
Liquor Law Arrests	17	116	74
Drug Arrests	77	136	154
Methamphetamine Lab Incidents	43	33	9
Violent Offenses	113	77	80
Property Offenses	473	398	449
Domestic Violence Reports	411	448	391

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	79	87	93
Violent Offenses	22	32	31
Alcohol Offenses	2	2	5
Drug Offenses	6	4	3
Status Offenses--Total	15	23	31
Truancy	0	6	3
Beyond Parental Control	5	7	12
Habitually Absent from Home	6	4	8
Injurious Behavior	3	5	7
Abuse/Neglect/Custody--Total	54	97	106
Abuse	21	26	34
Neglect	30	67	67
Custody Disputes	3	4	5

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	52	74	88
Parental Alcohol Use Related	0	7	6
Parental Drug Use Related	23	20	6
Parental Alcohol and Drug Use	0	0	2
Child Removed for Other Reason	29	47	74

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	18	8	11
Probation/Parole Admissions--Total	166	168	163
Probation/Parole Admissions--Drug	24	45	36
Probation/Parole Admissions--DWI	21	23	37
Prison Admissions--Total	86	101	92
Prison Admissions--Drug	9	20	11
Prison Admissions--DWI	20	20	13

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	20	17	17
Alcohol Package Carry-out Licenses	32	36	30

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# MC DONALD COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	11	7	18
CSTAR Adolescent	15	7	5
CSTAR Women and Children	18	12	16
CSTAR General Adult	26	26	7
CSTAR Opioid	0	0	0
Primary Recovery Treatment	6	48	139
Clinical SATOP (CIP, YCIP, SROP)	23	24	22
Other Substance Abuse Treatment	0	0	0


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	88	100	130
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	29	29	61
- Weekend Intervention Program	23	19	39
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	*	5	9
Compulsive Gambling	0	0	0
Recovery Supports	46	28	*
Early Intervention	9	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	133	138	202	Alcohol	62	72	94
<b>AGE</b>				Marijuana / Hashish	33	30	57
Under 18	16	6	*	Cocaine (total)	*	0	*
18 to 24	20	14	36	- Crack	*	0	*
25 to 29	22	23	27	Stimulant (total)	22	32	38
30 to 34	20	26	43	- Methamphetamine	21	30	36
35 to 39	17	14	29	Heroin	0	0	0
40 to 44	9	17	17	Analgesic except Heroin	5	*	9
45 to 54	23	30	38	- Non-Prescription Methadone	0	0	*
55 and Over	6	8	8	PCP, LSD, other Hallucinogen	*	0	0
<b>GENDER</b>				Tranquilizer	*	0	*
Male	96	104	156	Inhalant	*	0	0
Female	37	34	46	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	0	0
Caucasian	115	123	182	Average Age at First Use of Drug	17.4	18.1	17.1
African American	*	0	0	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	14	17	19
Asian / Pacific Islander	*	*	*	- Daily Injection Use	*	*	*
Hispanic	10	10	11	- Weekly Injection Use	*	*	9
Other Race / Two or More Races	*	*	6	- Less than Weekly Injection Use	10	12	9
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	55	76	88	0	65	53	83
High School Graduate or G.E.D.	59	46	97	1 or 2	40	47	58
Associate Degree or Some College	19	16	15	3 or More	28	38	61
Bachelor or Advanced Degree	0	0	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	30	29	157
Employed	50	53	88	School	*	0	*
Unemployed	45	43	64	Mental Health Provider	*	*	*
Not in Labor Force	38	42	50	Health Care Provider	5	9	15
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	78	88	21
Independent Living	107	123	179	Other Referral Source	18	11	6
Dependent Living	18	9	14	<b>TREATMENT ACCOMMODATION</b>			
Homeless	*	*	*	Pregnant when Admitted to any Episode	0	0	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	6	7	9
Never Married	56	50	77	Special Education Services Needed	17	18	19
Married / Cohabiting	46	43	66	Co-Occurring Psychological Problem	61	45	38
Previously Married	31	45	59	Co-Occurring Developmental Problem	7	*	7

# MC DONALD COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 9  
**CENSUS 2010** 23,083  
**2012 POPULATION ESTIMATE** 22,876

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	31	31	29
Anxiety Disorder	108	120	91
Dementia	*	*	5
Developmental Disorder	*	6	*
Impulse Control Disorder	79	72	57
Mood Disorder	159	165	127
Personality Disorder	70	68	53
Psychotic Disorder	24	19	16
Sexual Disorder	*	0	0
Other Diagnosis	33	32	28
Diagnosis Unknown	22	12	56

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	289	285	278	Less than High School Diploma	32	15	10
<b>AGE</b>				High School Grad or G.E.D.	18	19	15
Under 6	6	9	5	Associate Degree or Some College	7	11	*
6 to 9	24	21	17	Bachelor or Advanced Degree	*	*	*
10 to 13	35	35	31	Education Level Unknown	231	238	248
14 to 17	33	31	27	<b>EMPLOYMENT</b>			
18 to 24	26	25	26	Employed	6	*	*
25 to 29	16	20	25	Unemployed	41	42	28
30 to 34	31	22	24	Not in Labor Force	19	*	0
35 to 39	19	23	18	Employment Status Unknown	223	238	248
40 to 44	20	16	23	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	28	29	26	Independent Living	49	44	26
50 to 54	28	24	25	Dependent Living	19	29	*
55 to 59	10	15	14	Homeless	0	*	*
60 and Over	13	15	17	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	221	210	246
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	142	143	143	Self / Family / Friend	215	209	181
Female	147	142	135	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	14	20	17
<b>RACE / ETHNICITY</b>				Health Care Provider	12	11	10
Caucasian	270	270	262	Court / Criminal Justice	25	23	38
African American	0	0	0	Other	20	19	22
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	9
Asian / Pacific Islander	0	*	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	8	6	5	Voluntary	266	262	245
Other Race	10	7	9	Civil	19	21	20
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	9
Past or Current Military Service	*	*	*				

# MC DONALD COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

### Percent of students who have ever used:

2012 2010

Alcohol  
Cigarettes  
Chewing Tobacco  
Marijuana  
Inhalants  
Prescription medications not prescribed for student  
Over-the-counter medications for non-medical use  
Methamphetamine  
Cocaine  
Heroin  
Hallucinogens  
Club drugs (Ecstasy, GHB, roofie, Special K, etc)  
Steroids not prescribed for student  
Synthetic drugs (K2, bath salts, Spice, etc)

### Average age of students' first use of:

Alcohol  
Cigarettes  
Marijuana  
Inhalants

### Percent of students who used in past 30 days:

Alcohol  
Binge Alcohol (5 or more drinks on one occasion)  
Cigarettes  
Chewing Tobacco  
Marijuana  
Inhalants  
Prescription medications not prescribed for student  
Over-the-counter medications for non-medical use

### Percent whose friends used in past 12 months:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent who would likely use, if offered by a best friend:

Alcohol  
Cigarettes  
Marijuana

### Percent who say it would be wrong to use:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent whose parents would disapprove if they use:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent who say it would be easy to obtain:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent who believe they risk harm if they use:

2012 2010

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent of students who, in past 30 days:

Were very sad  
Were grouchy, irritable, or in a bad mood  
Felt hopeless about the future  
Felt like not eating or eating more than usual  
Slept a lot more or a lot less than usual  
Had difficulty concentrating on school work

### Percent of students who, in past 12 months:

Seriously considered attempting suicide  
Made plan about how they would attempt suicide  
Attempted suicide  
Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse

### Percent of students in past 12 months who:

Were threatened/injured with weapon at school  
Were in a physical fight  
Were in a fight and had to be treated by a doctor or nurse

### Percent of students in past 3 months who:

Were victims of mean rumors or lies spread at school  
Had embarrassing or hurtful pictures/text of them posted on internet  
Had embarrassing or hurtful pictures/text of them sent by cell phone  
Were made fun of by others

### Percent of students who, in the past 3 months:

Spread mean rumors or lies about other kids at school  
Posted on internet embarrassing or hurtful pictures/text of someone  
Sent by cell phone embarrassing or hurtful pictures/text of someone  
Made fun of other people

### Percent of students who agree that:

Teachers notice and comment on student's good work  
School provides feedback to parents on positive student performance  
Teachers praise student for hard work  
Rules are enforced fairly  
Students of all races/ethnicities are treated equally

### Percent of students who agree that:


Parents notice and comment on student's good work  
Parents involve student in making family decisions  
It is important to be honest with parents regardless of consequences  
Student could ask parent for help with a personal problem

#### Notes:

Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# MACON COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	14
Adult Psychiatric	14
<b>FIPS COUNTY CODE</b>	121
<b>POPULATION</b>	
Census 2010	15,566
2012 Pop. Estimate	15,573

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	184	178	194
Mother Reported Smoking while Pregnant	37	42	44

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	2
IDU and MSM <sup>1</sup>	0	0	*
IDU without MSM <sup>1</sup>	0	0	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	199	202	164
Suicides	1	5	4
Self-inflicted Injuries	15	18	23
Homicides	0	0	0
Assault Injuries	26	38	29
Alcohol Induced Deaths	0	2	0
Drug Induced Deaths	1	4	0
Smoking Attributable Deaths	32	35	24

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	83		
Alcohol Primary Diagnosis <sup>2</sup>	9		
Drug Primary Diagnosis <sup>2</sup>	3		
Alcohol Related Diagnosis	35	38	26
Drug Related Diagnosis	28	16	20
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	40		
Alcohol Primary Diagnosis <sup>2</sup>	5		
Drug Primary Diagnosis <sup>2</sup>	5		
Alcohol Related Diagnosis	20	17	21
Drug Related Diagnosis	17	13	18
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	96		
Alcohol Primary Diagnosis <sup>2</sup>	23		
Drug Primary Diagnosis <sup>2</sup>	13		
Alcohol Related Diagnosis	32	35	28
Drug Related Diagnosis	24	29	25

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	11	15	14
Fatal Crashes	0	0	0
Injury Crashes	7	8	5
Property Damage Crashes	4	7	9
Crash Fatalities	0	0	0
Crash Injuries	9	11	6
Drug Involved Crashes--Total	1	5	2
Fatal Crashes	0	1	0
Injury Crashes	0	1	1
Property Damage Crashes	1	3	1
Crash Fatalities	0	1	0
Crash Injuries	0	2	1

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	7,753	7,952	8,027
Employed	7,258	7,334	7,354
Unemployed	495	618	673
Unemployment Rate	6.4%	7.8%	8.4%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	716	731	769
Drop-outs	15	8	11
Drop-out Rate	2.1%	1.1%	1.4%
School Suspensions:			
Alcohol Incidents	0	1	0
Drug Incidents	2	3	2
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	73	109	117
Liquor Law Arrests	42	32	42
Drug Arrests	76	58	40
Methamphetamine Lab Incidents	5	5	3
Violent Offenses	33	27	29
Property Offenses	327	277	233
Domestic Violence Reports	95	86	72

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	83	74	101
Violent Offenses	23	19	26
Alcohol Offenses	2	2	4
Drug Offenses	3	5	6
Status Offenses--Total	103	135	117
Truancy	14	22	16
Beyond Parental Control	46	62	57
Habitually Absent from Home	3	7	11
Injurious Behavior	40	44	33
Abuse/Neglect/Custody--Total	164	124	150
Abuse	69	30	68
Neglect	95	89	79
Custody Disputes	0	5	3

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	31	36	11
Parental Alcohol Use Related	0	6	0
Parental Drug Use Related	5	3	4
Parental Alcohol and Drug Use	1	5	0
Child Removed for Other Reason	25	22	7

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	14	16	20
Probation/Parole Admissions--Total	96	90	99
Probation/Parole Admissions--Drug	24	18	20
Probation/Parole Admissions--DWI	13	10	15
Prison Admissions--Total	46	35	47
Prison Admissions--Drug	15	6	12
Prison Admissions--DWI	10	5	6

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	24	23	25
Alcohol Package Carry-out Licenses	21	21	19

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# MACON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	13	8	9
CSTAR Adolescent	7	9	10
CSTAR Women and Children	6	*	5
CSTAR General Adult	33	43	64
CSTAR Opioid	0	0	0
Primary Recovery Treatment	56	61	51
Clinical SATOP (CIP, YCIP, SROP)	15	10	19
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	71	62	101
- Adolescent Diversion Education Program	8	12	11
- Offender Education Program	18	18	38
- Weekend Intervention Program	17	13	20
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	0	*	5
Early Intervention	14	6	10

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	103	119	141	Alcohol	48	48	70
AGE				Marijuana / Hashish	33	39	49
Under 18	7	11	11	Cocaine (total)	*	12	*
18 to 24	26	30	39	- Crack	*	*	0
25 to 29	13	33	26	Stimulant (total)	13	11	15
30 to 34	18	13	16	- Methamphetamine	13	10	15
35 to 39	8	6	9	Heroin	0	0	0
40 to 44	10	6	9	Analgesic except Heroin	*	7	*
45 to 54	19	19	26	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	5	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	0	*	*
Male	70	87	94	Inhalant	0	0	0
Female	33	32	47	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	90	90	104	Average Age at First Use of Drug	16.8	16.2	16.5
African American	11	20	25	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	13	7	10
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	0
Hispanic	*	*	6	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	6	8	- Less than Weekly Injection Use	8	*	7
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	34	41	51	0	47	64	72
High School Graduate or G.E.D.	58	70	69	1 or 2	35	35	41
Associate Degree or Some College	10	8	19	3 or More	21	20	28
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	16	18	18
Employed	40	41	48	School	0	0	0
Unemployed	32	41	62	Mental Health Provider	0	*	*
Not in Labor Force	31	37	31	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	70	79	110
Independent Living	84	90	115	Other Referral Source	12	17	11
Dependent Living	11	14	14	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	6	5	6
Never Married	55	72	81	Special Education Services Needed	18	20	21
Married / Cohabiting	17	22	29	Co-Occurring Psychological Problem	28	30	51
Previously Married	31	25	31	Co-Occurring Developmental Problem	*	*	*

# MACON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 14  
**CENSUS 2010** 15,566  
**2012 POPULATION ESTIMATE** 15,573

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2012	FY2011	FY2010
Adjustment Disorder	*	11	11
Anxiety Disorder	22	25	23
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	11	12	11
Mood Disorder	74	78	64
Personality Disorder	*	*	*
Psychotic Disorder	11	16	10
Sexual Disorder	0	*	*
Other Diagnosis	*	*	6
Diagnosis Unknown	12	16	30

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2012	FY2011	FY2010	EDUCATION	FY2012	FY2011	FY2010
Total Individuals	117	136	134	Less than High School Diploma	28	22	15
<b>AGE</b>				High School Grad or G.E.D.	28	30	20
Under 6	0	0	0	Associate Degree or Some College	11	9	6
6 to 9	*	5	8	Bachelor or Advanced Degree	0	*	*
10 to 13	7	11	9	Education Level Unknown	50	74	92
14 to 17	17	20	18	<b>EMPLOYMENT</b>			
18 to 24	17	11	13	Employed	9	8	6
25 to 29	8	11	11	Unemployed	51	54	36
30 to 34	13	17	16	Not in Labor Force	13	0	0
35 to 39	8	11	8	Employment Status Unknown	44	74	92
40 to 44	9	10	14	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	12	15	13	Independent Living	62	60	39
50 to 54	11	9	11	Dependent Living	18	22	*
55 to 59	8	11	9	Homeless	*	0	0
60 and Over	5	5	*	Other	*	0	*
Age Unknown	0	0	0	Housing Unknown	35	54	92
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	52	63	65	Self / Family / Friend	35	36	34
Female	65	73	69	School	0	*	*
Gender Unknown	0	0	0	Mental Health Provider	*	6	6
<b>RACE / ETHNICITY</b>				Health Care Provider	17	12	11
Caucasian	102	124	123	Court / Criminal Justice	*	5	7
African American	12	10	9	Other	55	72	69
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	5
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	113	129	124
Other Race	*	*	0	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	0
Hearing Impaired	0	0	0	Commitment Type Unknown	*	*	5
Past or Current Military Service	*	*	5				




# MACON COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	50.8	58.3	Alcohol	57.9	84.6
Cigarettes	35.2	36.0	Cigarettes	76.3	78.9
Chewing Tobacco	17.4	28.6	Marijuana	74.4	62.9
Marijuana	15.0	12.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.0	95.7
Inhalants	4.9	8.4	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	10.5	7.9	Were very sad	19.9	17.5
Over-the-counter medications for non-medical use	5.7	5.5	Were grouchy, irritable, or in a bad mood	24.8	27.0
Methamphetamine	1.2	1.9	Felt hopeless about the future	12.2	7.3
Cocaine	1.6	2.8	Felt like not eating or eating more than usual	20.2	12.6
Heroin	0.4	1.8	Slept a lot more or a lot less than usual	20.7	20.8
Hallucinogens	1.6	1.0	Had difficulty concentrating on school work	25.4	13.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	1.0	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.6	0.9	Seriously considered attempting suicide	14.8	7.4
Synthetic drugs (K2, bath salts, Spice, etc)	10.9		Made plan about how they would attempt suicide	11.4	4.2
<b>Average age of students' first use of:</b>			Attempted suicide	6.1	2.1
Alcohol	12.28	12.21	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.0	0.0
Cigarettes	12.36	12.29	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.59	14.68	Were threatened/injured with weapon at school	6.5	9.6
Inhalants	11.18	12.21	Were in a physical fight	27.5	43.0
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	6.9	4.4
Alcohol	25.0	24.8	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	14.6	17.5	Were victims of mean rumors or lies spread at school	53.3	50.7
Cigarettes	18.8	24.2	Had embarrassing or hurtful pictures/text of them posted on internet	16.6	8.7
Chewing Tobacco	9.7	16.7	Had embarrassing or hurtful pictures/text of them sent by cell phone	19.9	14.4
Marijuana	6.5	6.2	Were made fun of by others	64.6	66.8
Inhalants	1.6	5.0	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	5.3	3.2	Spread mean rumors or lies about other kids at school	34.8	15.9
Over-the-counter medications for non-medical use	4.5	3.4	Posted on internet embarrassing or hurtful pictures/text of someone	11.7	4.7
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	12.2	7.4
Alcohol	66.0	60.7	Made fun of other people	68.3	66.5
Cigarettes	57.6	49.9	<b>Percent of students who agree that:</b>		
Marijuana	34.0	18.4	Teachers notice and comment on student's good work	64.0	82.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.4	9.9	School provides feedback to parents on positive student performance	31.6	60.8
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	47.2	57.0
Alcohol	38.2	41.9	Rules are enforced fairly	45.1	67.4
Cigarettes	22.8	22.6	Students of all races/ethnicities are treated equally	72.2	81.6
Marijuana	11.3	14.8	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	80.5	82.6
Alcohol	47.3	40.4	Parents involve student in making family decisions	64.0	64.6
Cigarettes	69.5	71.3	It is important to be honest with parents regardless of consequences	80.6	87.3
Marijuana	84.0	77.4	Student could ask parent for help with a personal problem	72.4	76.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7	94.8	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	69.0	74.7	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	86.1	84.7	Percentages are estimates based on weighted data.		
Marijuana	93.4	93.7	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.5	99.1	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	63.0	63.2			
Cigarettes	63.0	69.7			
Marijuana	27.8	18.3			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.8	7.2			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# MADISON COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	21
Adult Psychiatric	21
<b>FIPS COUNTY CODE</b>	123
<b>POPULATION</b>	
Census 2010	12,226
2012 Pop. Estimate	12,448

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	137	138	167
Mother Reported Smoking while Pregnant	54	57	45

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	1	0	0
IDU and MSM <sup>1</sup>	*	0	0
IDU without MSM <sup>1</sup>	*	0	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	162	161	186
Suicides	4	1	3
Self-inflicted Injuries	18	25	11
Homicides	0	0	2
Assault Injuries	29	47	48
Alcohol Induced Deaths	0	1	3
Drug Induced Deaths	3	1	2
Smoking Attributable Deaths	28	36	40

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	167		
Alcohol Primary Diagnosis <sup>2</sup>	3		
Drug Primary Diagnosis <sup>2</sup>	7		
Alcohol Related Diagnosis	42	38	38
Drug Related Diagnosis	65	47	23
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	15		
Alcohol Primary Diagnosis <sup>2</sup>	3		
Drug Primary Diagnosis <sup>2</sup>	3		
Alcohol Related Diagnosis	22	19	20
Drug Related Diagnosis	16	13	28
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	207		
Alcohol Primary Diagnosis <sup>2</sup>	27		
Drug Primary Diagnosis <sup>2</sup>	38		
Alcohol Related Diagnosis	72	50	48
Drug Related Diagnosis	112	80	32

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	20	13	15
Fatal Crashes	0	0	1
Injury Crashes	13	9	12
Property Damage Crashes	7	4	2
Crash Fatalities	0	0	1
Crash Injuries	16	14	20
Drug Involved Crashes--Total	6	1	2
Fatal Crashes	0	0	0
Injury Crashes	4	1	1
Property Damage Crashes	2	0	1
Crash Fatalities	0	0	0
Crash Injuries	4	1	1

## EMPLOYMENT

	2012	2011	2010
Labor Force	6,033	6,118	6,223
Employed	5,607	5,557	5,573
Unemployed	426	561	650
Unemployment Rate	7.1%	9.2%	10.4%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	612	624	642
Drop-outs	8	6	13
Drop-out Rate	1.3%	1.0%	2.0%
School Suspensions:			
Alcohol Incidents	2	17	6
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	89	88	108
Liquor Law Arrests	17	19	46
Drug Arrests	19	35	40
Methamphetamine Lab Incidents	1	4	1
Violent Offenses	19	5	35
Property Offenses	161	136	121
Domestic Violence Reports	111	94	87

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	90	57	67
Violent Offenses	28	29	24
Alcohol Offenses	4	0	6
Drug Offenses	4	0	2
Status Offenses--Total	47	50	60
Truancy	21	22	21
Beyond Parental Control	10	8	17
Habitually Absent from Home	9	8	1
Injurious Behavior	5	12	12
Abuse/Neglect/Custody--Total	22	23	11
Abuse	0	3	6
Neglect	15	20	4
Custody Disputes	7	0	1

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	18	13	8
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	3	5	0
Parental Alcohol and Drug Use	5	0	0
Child Removed for Other Reason	9	8	8

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	8	9	9
Probation/Parole Admissions--Total	96	71	63
Probation/Parole Admissions--Drug	21	22	15
Probation/Parole Admissions--DWI	11	7	8
Prison Admissions--Total	43	43	39
Prison Admissions--Drug	7	16	13
Prison Admissions--DWI	5	7	2

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	12	12	12
Alcohol Package Carry-out Licenses	13	13	14

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# MADISON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	14	*	*
CSTAR Adolescent	*	5	6
CSTAR Women and Children	*	*	*
CSTAR General Adult	19	26	12
CSTAR Opioid	*	0	*
Primary Recovery Treatment	35	26	46
Clinical SATOP (CIP, YCIP, SROP)	10	6	15
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	49	50	69
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	24	20	24
- Weekend Intervention Program	9	17	20
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	*	0	0
Recovery Supports	7	0	0
Early Intervention	5	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	59	58	68	Alcohol	19	26	36
AGE				Marijuana / Hashish	10	11	14
Under 18	*	*	5	Cocaine (total)	*	0	0
18 to 24	12	10	9	- Crack	*	0	0
25 to 29	15	12	14	Stimulant (total)	8	10	7
30 to 34	6	11	10	- Methamphetamine	7	9	5
35 to 39	6	5	7	Heroin	*	*	0
40 to 44	6	8	6	Analgesic except Heroin	13	7	10
45 to 54	7	7	13	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	37	30	45	Inhalant	*	0	0
Female	22	28	23	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	56	57	67	Average Age at First Use of Drug	17.6	17.0	15.9
African American	0	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	8	5	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	0
Hispanic	*	0	0	- Weekly Injection Use	5	*	*
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	21	27	27	0	33	34	30
High School Graduate or G.E.D.	30	23	35	1 or 2	18	14	21
Associate Degree or Some College	7	7	5	3 or More	8	10	17
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	21	20	19
Employed	9	10	17	School	0	0	0
Unemployed	33	34	28	Mental Health Provider	*	*	*
Not in Labor Force	17	14	23	Health Care Provider	5	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	28	27	40
Independent Living	52	52	56	Other Referral Source	*	7	5
Dependent Living	5	5	9	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	0	0	*
MARITAL / FAMILY STATUS				Military Veteran	5	*	6
Never Married	29	24	27	Special Education Services Needed	7	*	7
Married / Cohabiting	16	18	28	Co-Occurring Psychological Problem	30	21	24
Previously Married	14	16	13	Co-Occurring Developmental Problem	6	*	*

# MADISON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 21  
**CENSUS 2010** 12,226  
**2012 POPULATION ESTIMATE** 12,448

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	19	9	16
Anxiety Disorder	69	49	43
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	206	86	88
Mood Disorder	448	273	209
Personality Disorder	12	11	19
Psychotic Disorder	39	30	27
Sexual Disorder	*	*	*
Other Diagnosis	47	16	29
Diagnosis Unknown	98	15	123

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	819	402	450	Less than High School Diploma	58	35	13
<b>AGE</b>				High School Grad or G.E.D.	40	39	13
Under 6	*	*	6	Associate Degree or Some College	12	8	*
6 to 9	76	31	37	Bachelor or Advanced Degree	*	*	*
10 to 13	116	46	72	Education Level Unknown	706	318	420
14 to 17	123	39	67	<b>EMPLOYMENT</b>			
18 to 24	83	39	49	Employed	18	12	6
25 to 29	59	41	29	Unemployed	74	72	24
30 to 34	64	33	25	Not in Labor Force	34	*	0
35 to 39	50	25	27	Employment Status Unknown	693	317	420
40 to 44	49	40	35	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	67	39	41	Independent Living	105	78	25
50 to 54	55	29	33	Dependent Living	48	62	7
55 to 59	32	18	16	Homeless	*	*	0
60 and Over	42	21	13	Other	*	*	*
Age Unknown	0	0	0	Housing Unknown	660	256	416
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	388	185	218	Self / Family / Friend	537	260	265
Female	431	217	232	School	7	6	9
Gender Unknown	0	0	0	Mental Health Provider	36	24	23
<b>RACE / ETHNICITY</b>				Health Care Provider	80	34	36
Caucasian	753	370	405	Court / Criminal Justice	15	8	17
African American	9	5	5	Other	144	70	97
Native American / Alaskan	0	0	*	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	40	18	24	Voluntary	817	401	434
Other Race	17	9	14	Civil	0	0	11
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	0	*
Hearing Impaired	45	30	23	Commitment Type Unknown	0	0	*
Past or Current Military Service	12	9	12				

# MADISON COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	37.1	48.1	Alcohol	69.9	75.6
Cigarettes	29.2	37.8	Cigarettes	73.3	72.7
Chewing Tobacco	20.6	21.8	Marijuana	74.1	69.2
Marijuana	11.3	14.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.8	93.2
Inhalants	4.1	6.4	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	6.7	9.3	Were very sad	17.9	18.6
Over-the-counter medications for non-medical use	4.6	8.1	Were grouchy, irritable, or in a bad mood	24.0	27.5
Methamphetamine	2.1	0.4	Felt hopeless about the future	10.8	16.0
Cocaine	1.0	1.2	Felt like not eating or eating more than usual	18.6	19.8
Heroin	1.0	1.1	Slept a lot more or a lot less than usual	16.6	23.7
Hallucinogens	2.1	2.7	Had difficulty concentrating on school work	19.9	22.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.5	1.9	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	2.1	1.1	Seriously considered attempting suicide	10.4	12.9
Synthetic drugs (K2, bath salts, Spice, etc)	3.6		Made plan about how they would attempt suicide	9.3	12.8
<b>Average age of students' first use of:</b>			Attempted suicide	4.1	6.0
Alcohol	12.76	12.26	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.0	2.3
Cigarettes	12.37	12.03	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.49	13.14	Were threatened/injured with weapon at school	5.2	10.2
Inhalants	11.85	12.39	Were in a physical fight	17.6	21.5
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	1.5	5.3
Alcohol	15.5	28.7	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	8.2	17.0	Were victims of mean rumors or lies spread at school	41.5	59.4
Cigarettes	17.4	23.4	Had embarrassing or hurtful pictures/text of them posted on internet	11.5	12.6
Chewing Tobacco	13.4	14.5	Had embarrassing or hurtful pictures/text of them sent by cell phone	12.4	16.6
Marijuana	5.2	9.5	Were made fun of by others	53.9	66.7
Inhalants	1.5	2.3	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	4.6	5.8	Spread mean rumors or lies about other kids at school	22.2	35.6
Over-the-counter medications for non-medical use	2.6	6.9	Posted on internet embarrassing or hurtful pictures/text of someone	7.7	9.5
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.3	15.3
Alcohol	56.4	74.8	Made fun of other people	57.7	75.0
Cigarettes	55.2	67.2	<b>Percent of students who agree that:</b>		
Marijuana	30.3	38.9	Teachers notice and comment on student's good work	71.0	65.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.3	21.8	School provides feedback to parents on positive student performance	35.8	37.2
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	56.5	51.1
Alcohol	32.5	43.6	Rules are enforced fairly	66.5	68.4
Cigarettes	20.6	24.5	Students of all races/ethnicities are treated equally	66.8	75.3
Marijuana	10.3	12.2	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	82.5	80.5
Alcohol	56.5	48.7	Parents involve student in making family decisions	64.1	64.6
Cigarettes	75.8	65.4	It is important to be honest with parents regardless of consequences	83.5	84.8
Marijuana	85.9	82.9	Student could ask parent for help with a personal problem	72.5	70.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.8	94.3	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	79.8	72.1	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	87.6	85.5	Percentages are estimates based on weighted data.		
Marijuana	95.3	95.8	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4	98.5	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	52.8	66.4			
Cigarettes	58.2	66.9			
Marijuana	32.0	35.0			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.4	22.5			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# MARIES COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	17
Adult Psychiatric	17A
<b>FIPS COUNTY CODE</b>	125
<b>POPULATION</b>	
Census 2010	9,176
2012 Pop. Estimate	9,014

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	80	98	95
Mother Reported Smoking while Pregnant	17	34	28

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	102	110	90
Suicides	3	1	1
Self-inflicted Injuries	7	14	4
Homicides	0	0	0
Assault Injuries	17	11	11
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	2	4	1
Smoking Attributable Deaths	20	26	19

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	24		
Alcohol Primary Diagnosis <sup>2</sup>	0		
Drug Primary Diagnosis <sup>2</sup>	3		
Alcohol Related Diagnosis	10	17	15
Drug Related Diagnosis	14	23	7
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	32		
Alcohol Primary Diagnosis <sup>2</sup>	5		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	24	19	15
Drug Related Diagnosis	17	25	16
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	56		
Alcohol Primary Diagnosis <sup>2</sup>	5		
Drug Primary Diagnosis <sup>2</sup>	9		
Alcohol Related Diagnosis	18	11	16
Drug Related Diagnosis	23	16	14

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	7	9	13
Fatal Crashes	1	1	1
Injury Crashes	3	5	6
Property Damage Crashes	3	3	6
Crash Fatalities	1	1	1
Crash Injuries	5	9	7
Drug Involved Crashes--Total	1	0	1
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	1	0	1
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

## EMPLOYMENT

	2012	2011	2010
Labor Force	4,687	4,768	4,846
Employed	4,394	4,419	4,462
Unemployed	293	349	384
Unemployment Rate	6.3%	7.3%	7.9%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	398	394	382
Drop-outs	9	10	14
Drop-out Rate	2.3%	2.5%	3.7%
School Suspensions:			
Alcohol Incidents	1	0	0
Drug Incidents	1	0	5
Tobacco Incidents	1	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	42	25	24
Liquor Law Arrests	35	25	32
Drug Arrests	143	81	77
Methamphetamine Lab Incidents	17	14	16
Violent Offenses	58	12	12
Property Offenses	98	85	92
Domestic Violence Reports	53	33	33

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	31	9	18
Violent Offenses	19	5	3
Alcohol Offenses	0	0	0
Drug Offenses	1	1	1
Status Offenses--Total	28	21	28
Truancy	16	13	11
Beyond Parental Control	1	1	8
Habitually Absent from Home	0	0	0
Injurious Behavior	11	7	9
Abuse/Neglect/Custody--Total	90	106	63
Abuse	37	53	25
Neglect	50	52	36
Custody Disputes	3	1	2

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	1	6	6
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	1	4
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	1	5	2

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	43	27	33
Probation/Parole Admissions--Drug	21	12	15
Probation/Parole Admissions--DWI	3	0	1
Prison Admissions--Total	10	12	19
Prison Admissions--Drug	7	5	12
Prison Admissions--DWI	0	0	0

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	4	5	6
Alcohol Package Carry-out Licenses	13	11	10

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# MARIES COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	8	*	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	20	12	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	16	17	28
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	29	19	24
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	13	9	9
- Weekend Intervention Program	*	8	7
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	0	0	*
Early Intervention	0	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	39	33	40	Alcohol	17	8	11
<b>AGE</b>				Marijuana / Hashish	9	6	11
Under 18	*	*	*	Cocaine (total)	0	0	*
18 to 24	8	7	7	- Crack	0	0	0
25 to 29	10	*	9	Stimulant (total)	7	12	11
30 to 34	7	*	*	- Methamphetamine	7	11	11
35 to 39	5	7	5	Heroin	*	*	*
40 to 44	*	*	*	Analgesic except Heroin	*	5	*
45 to 54	5	5	9	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
<b>GENDER</b>				Tranquilizer	0	*	0
Male	28	20	21	Inhalant	0	0	0
Female	11	13	19	Sedative	0	0	*
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	0	0	0
Caucasian	39	32	38	Average Age at First Use of Drug	16.0	19.6	18.6
African American	0	0	*	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	7	5	6
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
Hispanic	0	*	0	- Weekly Injection Use	*	0	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	5	*
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	16	15	16	0	18	20	24
High School Graduate or G.E.D.	13	15	12	1 or 2	14	10	12
Associate Degree or Some College	9	*	12	3 or More	7	*	*
Bachelor or Advanced Degree	*	0	0	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	12	11	5
Employed	8	13	5	School	0	0	0
Unemployed	23	7	21	Mental Health Provider	0	0	*
Not in Labor Force	8	13	14	Health Care Provider	*	0	*
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	21	20	26
Independent Living	38	28	36	Other Referral Source	*	*	7
Dependent Living	*	*	*	<b>TREATMENT ACCOMMODATION</b>			
Homeless	0	*	*	Pregnant when Admitted to any Episode	*	*	0
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	*	0	*
Never Married	20	18	17	Special Education Services Needed	*	7	6
Married / Cohabiting	10	12	12	Co-Occurring Psychological Problem	15	10	16
Previously Married	9	*	11	Co-Occurring Developmental Problem	*	*	*

# MARIES COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 17A  
**CENSUS 2010** 9,176  
**2012 POPULATION ESTIMATE** 9,014

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	0	0	*
Anxiety Disorder	26	26	21
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	9	9	13
Mood Disorder	45	44	35
Personality Disorder	11	*	*
Psychotic Disorder	10	8	7
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	*	*	6

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	63	59	55	Less than High School Diploma	19	6	6
<b>AGE</b>				High School Grad or G.E.D.	9	6	*
Under 6	0	*	*	Associate Degree or Some College	*	*	*
6 to 9	*	*	5	Bachelor or Advanced Degree	*	0	*
10 to 13	10	6	*	Education Level Unknown	32	46	43
14 to 17	5	*	6	<b>EMPLOYMENT</b>			
18 to 24	*	*	*	Employed	*	*	*
25 to 29	*	*	6	Unemployed	22	12	10
30 to 34	6	7	*	Not in Labor Force	8	0	*
35 to 39	8	9	*	Employment Status Unknown	31	46	43
40 to 44	7	6	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	6	6	*	Independent Living	20	11	12
50 to 54	5	*	7	Dependent Living	15	14	0
55 to 59	*	*	*	Homeless	0	0	0
60 and Over	6	5	7	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	28	34	43
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	26	24	25	Self / Family / Friend	24	29	30
Female	37	35	30	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
<b>RACE / ETHNICITY</b>				Health Care Provider	13	9	6
Caucasian	60	57	53	Court / Criminal Justice	*	*	*
African American	*	*	*	Other	21	18	15
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	62	58	52
Other Race	*	0	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	0	0	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	*	*				

# MARIES COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

### Percent of students who have ever used:

2012 2010

Alcohol  
Cigarettes  
Chewing Tobacco  
Marijuana  
Inhalants  
Prescription medications not prescribed for student  
Over-the-counter medications for non-medical use  
Methamphetamine  
Cocaine  
Heroin  
Hallucinogens  
Club drugs (Ecstasy, GHB, roofie, Special K, etc)  
Steroids not prescribed for student  
Synthetic drugs (K2, bath salts, Spice, etc)

### Average age of students' first use of:

Alcohol  
Cigarettes  
Marijuana  
Inhalants

### Percent of students who used in past 30 days:

Alcohol  
Binge Alcohol (5 or more drinks on one occasion)  
Cigarettes  
Chewing Tobacco  
Marijuana  
Inhalants  
Prescription medications not prescribed for student  
Over-the-counter medications for non-medical use

### Percent whose friends used in past 12 months:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent who would likely use, if offered by a best friend:

Alcohol  
Cigarettes  
Marijuana

### Percent who say it would be wrong to use:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent whose parents would disapprove if they use:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent who say it would be easy to obtain:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent who believe they risk harm if they use:

2012 2010

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent of students who, in past 30 days:

Were very sad  
Were grouchy, irritable, or in a bad mood  
Felt hopeless about the future  
Felt like not eating or eating more than usual  
Slept a lot more or a lot less than usual  
Had difficulty concentrating on school work

### Percent of students who, in past 12 months:

Seriously considered attempting suicide  
Made plan about how they would attempt suicide  
Attempted suicide  
Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse

### Percent of students in past 12 months who:

Were threatened/injured with weapon at school  
Were in a physical fight  
Were in a fight and had to be treated by a doctor or nurse

### Percent of students in past 3 months who:

Were victims of mean rumors or lies spread at school  
Had embarrassing or hurtful pictures/text of them posted on internet  
Had embarrassing or hurtful pictures/text of them sent by cell phone  
Were made fun of by others

### Percent of students who, in the past 3 months:

Spread mean rumors or lies about other kids at school  
Posted on internet embarrassing or hurtful pictures/text of someone  
Sent by cell phone embarrassing or hurtful pictures/text of someone  
Made fun of other people

### Percent of students who agree that:

Teachers notice and comment on student's good work  
School provides feedback to parents on positive student performance  
Teachers praise student for hard work  
Rules are enforced fairly  
Students of all races/ethnicities are treated equally

### Percent of students who agree that:


Parents notice and comment on student's good work  
Parents involve student in making family decisions  
It is important to be honest with parents regardless of consequences  
Student could ask parent for help with a personal problem

#### Notes:

Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# MARION COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	14
Adult Psychiatric	14
<b>FIPS COUNTY CODE</b>	127
<b>POPULATION</b>	
Census 2010	28,781
2012 Pop. Estimate	28,745

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	14,122	14,556	14,856
Employed	13,262	13,464	13,536
Unemployed	860	1,092	1,320
Unemployment Rate	6.1%	7.5%	8.9%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	1,470	1,444	1,460
Drop-outs	17	24	28
Drop-out Rate	1.2%	1.7%	1.9%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	2	9	1
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	383	372	355
Mother Reported Smoking while Pregnant	114	112	104

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	1	1	1
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	335	325	297
Suicides	3	4	6
Self-inflicted Injuries	48	50	53
Homicides	0	1	1
Assault Injuries	118	111	114
Alcohol Induced Deaths	1	2	2
Drug Induced Deaths	4	2	7
Smoking Attributable Deaths	58	61	47

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	291		
Alcohol Primary Diagnosis <sup>2</sup>	26		
Drug Primary Diagnosis <sup>2</sup>	21		
Alcohol Related Diagnosis	154	99	65
Drug Related Diagnosis	100	113	74
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	40		
Alcohol Primary Diagnosis <sup>2</sup>	4		
Drug Primary Diagnosis <sup>2</sup>	2		
Alcohol Related Diagnosis	37	122	163
Drug Related Diagnosis	39	90	127
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	314		
Alcohol Primary Diagnosis <sup>2</sup>	61		
Drug Primary Diagnosis <sup>2</sup>	54		
Alcohol Related Diagnosis	115	129	118
Drug Related Diagnosis	106	64	53

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	36	40	45
Fatal Crashes	1	1	1
Injury Crashes	12	14	17
Property Damage Crashes	23	25	27
Crash Fatalities	1	1	1
Crash Injuries	24	18	15
Drug Involved Crashes--Total	12	8	6
Fatal Crashes	0	0	0
Injury Crashes	6	1	0
Property Damage Crashes	6	7	6
Crash Fatalities	0	0	0
Crash Injuries	8	1	0

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	257	271	238
Liquor Law Arrests	156	193	191
Drug Arrests	230	217	177
Methamphetamine Lab Incidents	48	29	33
Violent Offenses	65	69	118
Property Offenses	1,336	1,523	1,430
Domestic Violence Reports	256	244	231

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	131	126	164
Violent Offenses	24	32	41
Alcohol Offenses	8	16	15
Drug Offenses	15	4	9
Status Offenses--Total	76	98	90
Truancy	18	34	21
Beyond Parental Control	5	1	1
Habitually Absent from Home	3	10	9
Injurious Behavior	50	53	59
Abuse/Neglect/Custody--Total	38	60	29
Abuse	1	13	1
Neglect	36	46	28
Custody Disputes	1	1	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	15	48	20
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	10	5	1
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	5	42	19

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	27	21	23
Probation/Parole Admissions--Total	255	229	230
Probation/Parole Admissions--Drug	98	83	81
Probation/Parole Admissions--DWI	35	28	24
Prison Admissions--Total	158	164	171
Prison Admissions--Drug	81	68	68
Prison Admissions--DWI	15	12	13

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	53	51	54
Alcohol Package Carry-out Licenses	40	40	35

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# MARION COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	88	85	98
CSTAR Adolescent	19	27	24
CSTAR Women and Children	76	70	64
CSTAR General Adult	29	38	30
CSTAR Opioid	0	0	0
Primary Recovery Treatment	249	197	239
Clinical SATOP (CIP, YCIP, SROP)	16	21	27
Other Substance Abuse Treatment	*	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	167	147	175
- Adolescent Diversion Education Program	13	11	29
- Offender Education Program	61	55	49
- Weekend Intervention Program	35	26	43
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	31	29	24
Compulsive Gambling	0	0	0
Recovery Supports	0	11	67
Early Intervention	19	21	6

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	391	353	383	Alcohol	160	152	158
AGE				Marijuana / Hashish	120	102	139
Under 18	23	29	29	Cocaine (total)	27	31	18
18 to 24	100	92	102	- Crack	12	13	7
25 to 29	66	56	66	Stimulant (total)	47	43	41
30 to 34	48	50	52	- Methamphetamine	45	43	40
35 to 39	40	33	40	Heroin	27	15	10
40 to 44	37	28	30	Analgesic except Heroin	*	6	11
45 to 54	59	54	57	- Non-Prescription Methadone	0	0	*
55 and Over	18	11	7	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	*	*	*
Male	286	250	287	Inhalant	0	0	0
Female	105	103	96	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	5	0	*
Caucasian	328	297	322	Average Age at First Use of Drug	17.3	16.6	16.7
African American	45	39	50	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	47	38	21
Asian / Pacific Islander	*	*	0	- Daily Injection Use	7	9	8
Hispanic	*	8	5	- Weekly Injection Use	12	9	*
Other Race / Two or More Races	15	10	5	- Less than Weekly Injection Use	28	20	10
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	126	141	140	0	221	190	218
High School Graduate or G.E.D.	226	182	194	1 or 2	103	104	106
Associate Degree or Some College	36	27	48	3 or More	67	59	59
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	54	61	43
Employed	135	104	107	School	*	*	0
Unemployed	171	158	199	Mental Health Provider	*	*	6
Not in Labor Force	85	91	77	Health Care Provider	6	6	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	287	266	314
Independent Living	292	276	310	Other Referral Source	34	15	16
Dependent Living	83	57	60	TREATMENT ACCOMMODATION			
Homeless	12	16	9	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	15	15	17
Never Married	225	215	231	Special Education Services Needed	40	51	54
Married / Cohabiting	68	66	75	Co-Occurring Psychological Problem	93	131	145
Previously Married	98	72	77	Co-Occurring Developmental Problem	6	23	18

# MARION COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 14  
**CENSUS 2010** 28,781  
**2012 POPULATION ESTIMATE** 28,745

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	17	19	20
Anxiety Disorder	113	130	120
Dementia	*	*	*
Developmental Disorder	7	*	*
Impulse Control Disorder	159	138	72
Mood Disorder	476	486	462
Personality Disorder	18	22	37
Psychotic Disorder	211	203	185
Sexual Disorder	0	0	0
Other Diagnosis	74	80	54
Diagnosis Unknown	53	72	97

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	874	872	825	Less than High School Diploma	209	160	146
<b>AGE</b>				High School Grad or G.E.D.	231	252	206
Under 6	9	*	0	Associate Degree or Some College	51	66	59
6 to 9	53	44	20	Bachelor or Advanced Degree	10	17	14
10 to 13	72	71	39	Education Level Unknown	373	377	400
14 to 17	59	62	46	<b>EMPLOYMENT</b>			
18 to 24	93	95	90	Employed	78	80	85
25 to 29	84	94	98	Unemployed	367	414	332
30 to 34	85	80	81	Not in Labor Force	98	*	8
35 to 39	77	71	81	Employment Status Unknown	331	376	400
40 to 44	75	71	74	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	91	101	107	Independent Living	368	321	286
50 to 54	72	74	68	Dependent Living	210	300	136
55 to 59	51	53	56	Homeless	7	7	*
60 and Over	53	53	65	Other	5	11	6
Age Unknown	0	0	0	Housing Unknown	284	233	395
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	449	449	410	Self / Family / Friend	237	194	195
Female	425	423	415	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	69	76	83
<b>RACE / ETHNICITY</b>				Health Care Provider	59	50	47
Caucasian	743	752	718	Court / Criminal Justice	43	27	46
African American	96	93	85	Other	447	505	424
Native American / Alaskan	*	*	*	Referral Source Unknown	16	18	28
Asian / Pacific Islander	0	0	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	8	10	6	Voluntary	845	838	764
Other Race	24	16	13	Civil	*	*	22
Race/Ethnicity Unknown	0	0	0	Criminal	12	12	12
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	11	9	8	Commitment Type Unknown	16	18	27
Past or Current Military Service	29	29	35				




# MARION COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	34.0	53.9	Alcohol	64.4	82.0
Cigarettes	17.8	30.7	Cigarettes	79.5	81.8
Chewing Tobacco	8.4	15.7	Marijuana	83.6	67.6
Marijuana	7.3	11.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.0	94.8
Inhalants	3.6	6.7	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	6.0	11.6	Were very sad	22.9	14.7
Over-the-counter medications for non-medical use	6.0	9.8	Were grouchy, irritable, or in a bad mood	24.9	24.0
Methamphetamine	0.7	1.3	Felt hopeless about the future	13.6	11.7
Cocaine	1.4	0.7	Felt like not eating or eating more than usual	13.4	15.4
Heroin	0.0	0.5	Slept a lot more or a lot less than usual	22.8	22.7
Hallucinogens	2.7	1.6	Had difficulty concentrating on school work	25.3	25.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	1.8	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	0.4	1.3	Seriously considered attempting suicide	15.1	15.3
Synthetic drugs (K2, bath salts, Spice, etc)	3.3		Made plan about how they would attempt suicide	13.8	11.3
<b>Average age of students' first use of:</b>			Attempted suicide	7.6	6.1
Alcohol	11.97	12.11	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.4	1.5
Cigarettes	12.07	11.77	<b>Percent of students in past 12 months who:</b>		
Marijuana	12.81	12.75	Were threatened/injured with weapon at school	8.9	7.5
Inhalants	11.61	11.77	Were in a physical fight	18.8	25.4
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	2.4	3.7
Alcohol	17.1	24.6	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	8.2	12.0	Were victims of mean rumors or lies spread at school	49.9	63.0
Cigarettes	11.4	18.3	Had embarrassing or hurtful pictures/text of them posted on internet	15.9	15.4
Chewing Tobacco	4.4	9.6	Had embarrassing or hurtful pictures/text of them sent by cell phone	13.4	17.0
Marijuana	3.8	4.7	Were made fun of by others	63.2	75.0
Inhalants	1.3	3.4	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	2.4	6.4	Spread mean rumors or lies about other kids at school	30.9	40.5
Over-the-counter medications for non-medical use	4.9	5.5	Posted on internet embarrassing or hurtful pictures/text of someone	8.7	13.8
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	8.0	18.4
Alcohol	45.9	69.1	Made fun of other people	66.4	81.1
Cigarettes	37.5	54.9	<b>Percent of students who agree that:</b>		
Marijuana	21.1	35.9	Teachers notice and comment on student's good work	63.8	68.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.0	18.2	School provides feedback to parents on positive student performance	35.8	37.1
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	49.7	50.9
Alcohol	26.0	43.0	Rules are enforced fairly	56.3	60.9
Cigarettes	12.4	18.8	Students of all races/ethnicities are treated equally	78.8	77.3
Marijuana	6.5	10.7	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	78.4	79.1
Alcohol	66.4	49.0	Parents involve student in making family decisions	61.9	63.2
Cigarettes	82.3	73.4	It is important to be honest with parents regardless of consequences	86.4	82.5
Marijuana	88.2	83.7	Student could ask parent for help with a personal problem	76.7	72.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.2	94.0	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	84.2	71.3	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	91.5	90.2	Percentages are estimates based on weighted data.		
Marijuana	96.6	94.6	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.6	97.1	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	52.3	65.4			
Cigarettes	44.0	60.5			
Marijuana	18.7	31.6			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.0	17.5			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# MERCER COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	13
Adult Psychiatric	13
<b>FIPS COUNTY CODE</b>	129
<b>POPULATION</b>	
Census 2010	3,785
2012 Pop. Estimate	3,729

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	39	37	55
Mother Reported Smoking while Pregnant	9	8	17

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	47	48	37
Suicides	0	2	1
Self-inflicted Injuries	2	4	2
Homicides	3	0	0
Assault Injuries	3	3	2
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	7	11	8

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	16		
Alcohol Primary Diagnosis <sup>2</sup>	4		
Drug Primary Diagnosis <sup>2</sup>	2		
Alcohol Related Diagnosis	12	6	5
Drug Related Diagnosis	12	10	11
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	5		
Alcohol Primary Diagnosis <sup>2</sup>	1		
Drug Primary Diagnosis <sup>2</sup>	2		
Alcohol Related Diagnosis	7	5	5
Drug Related Diagnosis	7	0	2
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	27		
Alcohol Primary Diagnosis <sup>2</sup>	2		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	7	8	9
Drug Related Diagnosis	5	10	3

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	6	2	5
Fatal Crashes	1	0	0
Injury Crashes	3	1	2
Property Damage Crashes	2	1	3
Crash Fatalities	2	0	0
Crash Injuries	5	2	1
Drug Involved Crashes--Total	2	0	0
Fatal Crashes	1	0	0
Injury Crashes	0	0	0
Property Damage Crashes	1	0	0
Crash Fatalities	1	0	0
Crash Injuries	0	0	0

## EMPLOYMENT

	2012	2011	2010
Labor Force	1,932	1,919	1,838
Employed	1,839	1,797	1,695
Unemployed	93	122	143
Unemployment Rate	4.8%	6.4%	7.8%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	182	163	156
Drop-outs	0	0	1
Drop-out Rate	0.0%	0.0%	0.6%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	13	8	21
Liquor Law Arrests	3	7	7
Drug Arrests	4	12	5
Methamphetamine Lab Incidents	1	0	0
Violent Offenses	10	11	3
Property Offenses	14	21	16
Domestic Violence Reports	5	7	4

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	5	11	5
Violent Offenses	2	0	0
Alcohol Offenses	0	5	0
Drug Offenses	0	1	2
Status Offenses--Total	4	6	8
Truancy	0	0	0
Beyond Parental Control	2	2	1
Habitually Absent from Home	0	0	2
Injurious Behavior	2	4	5
Abuse/Neglect/Custody--Total	14	21	15
Abuse	1	5	10
Neglect	9	16	5
Custody Disputes	4	0	0

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	0	3	1
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	0	3	1

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	5	4	6
Probation/Parole Admissions--Total	19	35	36
Probation/Parole Admissions--Drug	0	1	2
Probation/Parole Admissions--DWI	2	2	1
Prison Admissions--Total	13	10	20
Prison Admissions--Drug	0	0	0
Prison Admissions--DWI	1	1	2

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	4	5	6
Alcohol Package Carry-out Licenses	7	6	5

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# MERCER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	*	*	*
CSTAR Adolescent	0	0	0
CSTAR Women and Children	0	0	0
CSTAR General Adult	15	23	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	0	0	17
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	10	7	15
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	*	*	8
- Weekend Intervention Program	*	0	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	5
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	19	26	20	Alcohol	15	13	12
AGE				Marijuana / Hashish	*	5	5
Under 18	0	0	0	Cocaine (total)	*	0	0
18 to 24	*	*	*	- Crack	0	0	0
25 to 29	*	*	5	Stimulant (total)	*	*	*
30 to 34	*	6	5	- Methamphetamine	*	*	*
35 to 39	*	*	0	Heroin	0	0	0
40 to 44	*	*	*	Analgesic except Heroin	*	*	*
45 to 54	*	7	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	15	18	16	Inhalant	0	0	0
Female	*	8	*	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	19	24	20	Average Age at First Use of Drug	15.5	19.5	17.5
African American	0	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	*	*	0
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	0	0	- Weekly Injection Use	0	*	0
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	0
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	*	6	*	0	10	16	14
High School Graduate or G.E.D.	13	15	16	1 or 2	9	6	5
Associate Degree or Some College	*	5	*	3 or More	0	*	*
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	5	5
Employed	8	12	10	School	0	0	0
Unemployed	8	10	8	Mental Health Provider	0	*	0
Not in Labor Force	*	*	*	Health Care Provider	*	0	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	12	15	14
Independent Living	18	25	19	Other Referral Source	*	5	*
Dependent Living	*	*	0	TREATMENT ACCOMMODATION			
Homeless	0	0	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	7	8	10	Special Education Services Needed	*	0	0
Married / Cohabiting	8	10	*	Co-Occurring Psychological Problem	7	11	*
Previously Married	*	8	6	Co-Occurring Developmental Problem	*	0	0

# MERCER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 13  
**CENSUS 2010** 3,785  
**2012 POPULATION ESTIMATE** 3,729

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	0	0
Anxiety Disorder	22	23	20
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	5	*	5
Mood Disorder	32	31	32
Personality Disorder	0	0	*
Psychotic Disorder	6	7	8
Sexual Disorder	0	0	0
Other Diagnosis	5	*	6
Diagnosis Unknown	*	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	44	46	47	Less than High School Diploma	7	*	5
<b>AGE</b>				High School Grad or G.E.D.	9	13	7
Under 6	0	0	0	Associate Degree or Some College	*	*	*
6 to 9	*	*	*	Bachelor or Advanced Degree	*	*	*
10 to 13	*	*	*	Education Level Unknown	23	27	32
14 to 17	5	*	*	<b>EMPLOYMENT</b>			
18 to 24	*	*	*	Employed	0	*	0
25 to 29	0	0	*	Unemployed	17	16	13
30 to 34	*	5	*	Not in Labor Force	5	*	*
35 to 39	*	*	5	Employment Status Unknown	22	27	32
40 to 44	*	*	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	5	8	11	Independent Living	14	16	13
50 to 54	5	7	*	Dependent Living	11	7	*
55 to 59	7	*	*	Homeless	0	0	0
60 and Over	6	8	9	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	19	23	32
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	15	12	16	Self / Family / Friend	18	15	14
Female	29	34	31	School	0	0	*
Gender Unknown	0	0	0	Mental Health Provider	6	5	7
<b>RACE / ETHNICITY</b>				Health Care Provider	14	16	14
Caucasian	44	46	47	Court / Criminal Justice	*	*	*
African American	0	0	0	Other	5	8	9
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	44	46	47
Other Race	0	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	0	0	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

# MERCER COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	43.3		Alcohol	61.2	
Cigarettes	31.3		Cigarettes	72.1	
Chewing Tobacco	20.6		Marijuana	77.6	
Marijuana	7.4		Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	88.2	
Inhalants	6.0				
Prescription medications not prescribed for student	7.4		<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	5.9		Were very sad	23.9	
Methamphetamine	1.5		Were grouchy, irritable, or in a bad mood	28.4	
Cocaine	1.5		Felt hopeless about the future	9.0	
Heroin	1.5		Felt like not eating or eating more than usual	13.2	
Hallucinogens	1.5		Slept a lot more or a lot less than usual	16.4	
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0		Had difficulty concentrating on school work	19.4	
Steroids not prescribed for student	0.0				
Synthetic drugs (K2, bath salts, Spice, etc)	0.0		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	10.4	
Alcohol	12.71		Made plan about how they would attempt suicide	4.5	
Cigarettes	13.69		Attempted suicide	4.4	
Marijuana	14.06		Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.0	
Inhalants					
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	19.1		Were threatened/injured with weapon at school	7.6	
Binge Alcohol (5 or more drinks on one occasion)	9.0		Were in a physical fight	19.1	
Cigarettes	13.4		Were in a fight and had to be treated by a doctor or nurse	3.0	
Chewing Tobacco	14.7				
Marijuana	1.5		<b>Percent of students in past 3 months who:</b>		
Inhalants	3.0		Were victims of mean rumors or lies spread at school	53.7	
Prescription medications not prescribed for student	1.5		Had embarrassing or hurtful pictures/text of them posted on internet	14.9	
Over-the-counter medications for non-medical use	2.9		Had embarrassing or hurtful pictures/text of them sent by cell phone	20.6	
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	63.2	
Alcohol	45.6				
Cigarettes	35.8		<b>Percent of students who, in the past 3 months:</b>		
Marijuana	14.9		Spread mean rumors or lies about other kids at school	28.4	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.5		Posted on internet embarrassing or hurtful pictures/text of someone	10.3	
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	17.6	
Alcohol	28.4		Made fun of other people	64.2	
Cigarettes	19.1				
Marijuana	6.1		<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	83.8	
Alcohol	56.7		School provides feedback to parents on positive student performance	58.2	
Cigarettes	75.8		Teachers praise student for hard work	71.6	
Marijuana	89.6		Rules are enforced fairly	74.6	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.1		Students of all races/ethnicities are treated equally	91.2	
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	81.5		<b>Percent of students who agree that:</b>		
Cigarettes	90.9		Parents notice and comment on student's good work	87.9	
Marijuana	98.5		Parents involve student in making family decisions	70.1	
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.5		It is important to be honest with parents regardless of consequences	86.6	
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	77.6	
Alcohol	52.2				
Cigarettes	52.2				
Marijuana	11.9				
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.0				


### Notes:

Blank data cell indicates estimate not available for survey item or geographic area. Survey is not conducted in every school district nor reported for every county. Percentages are estimates based on weighted data. Estimates are not provided for geographic areas with low numbers of respondents. Some year-to-year differences in percentages are not statistically significant. Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# MILLER COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	11
Adult Psychiatric	11
<b>FIPS COUNTY CODE</b>	131
<b>POPULATION</b>	
Census 2010	24,748
2012 Pop. Estimate	24,817

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	11,522	11,608	12,183
Employed	10,506	10,294	10,678
Unemployed	1,016	1,314	1,505
Unemployment Rate	8.8%	11.3%	12.4%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	1,456	1,507	1,532
Drop-outs	34	49	42
Drop-out Rate	2.3%	3.3%	2.7%
School Suspensions:			
Alcohol Incidents	2	1	2
Drug Incidents	12	15	14
Tobacco Incidents	0	2	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	273	288	337
Mother Reported Smoking while Pregnant	83	73	94

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	269	252	247
Suicides	0	2	1
Self-inflicted Injuries	25	18	25
Homicides	0	2	0
Assault Injuries	58	94	72
Alcohol Induced Deaths	0	2	5
Drug Induced Deaths	2	6	1
Smoking Attributable Deaths	53	44	45

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	106		
Alcohol Primary Diagnosis <sup>2</sup>	1		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	25	60	41
Drug Related Diagnosis	47	44	33
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	98		
Alcohol Primary Diagnosis <sup>2</sup>	25		
Drug Primary Diagnosis <sup>2</sup>	12		
Alcohol Related Diagnosis	137	85	121
Drug Related Diagnosis	92	57	70
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	186		
Alcohol Primary Diagnosis <sup>2</sup>	25		
Drug Primary Diagnosis <sup>2</sup>	35		
Alcohol Related Diagnosis	63	81	76
Drug Related Diagnosis	71	96	62

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	45	60	48
Fatal Crashes	4	2	2
Injury Crashes	21	29	24
Property Damage Crashes	20	29	22
Crash Fatalities	4	2	2
Crash Injuries	28	42	36
Drug Involved Crashes--Total	4	7	5
Fatal Crashes	0	0	0
Injury Crashes	1	3	3
Property Damage Crashes	3	4	2
Crash Fatalities	0	0	0
Crash Injuries	1	4	3

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	221	262	255
Liquor Law Arrests	60	58	83
Drug Arrests	182	107	155
Methamphetamine Lab Incidents	10	16	19
Violent Offenses	95	62	96
Property Offenses	513	406	400
Domestic Violence Reports	501	156	116

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	147	88	133
Violent Offenses	43	31	50
Alcohol Offenses	14	5	16
Drug Offenses	16	10	21
Status Offenses--Total	121	100	78
Truancy	44	22	19
Beyond Parental Control	17	14	12
Habitually Absent from Home	27	15	14
Injurious Behavior	24	46	33
Abuse/Neglect/Custody--Total	82	82	126
Abuse	18	7	34
Neglect	64	75	92
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	45	38	51
Parental Alcohol Use Related	0	1	1
Parental Drug Use Related	13	11	7
Parental Alcohol and Drug Use	0	2	3
Child Removed for Other Reason	32	24	40

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	234	233	250
Probation/Parole Admissions--Drug	75	76	91
Probation/Parole Admissions--DWI	21	24	23
Prison Admissions--Total	103	125	106
Prison Admissions--Drug	29	46	39
Prison Admissions--DWI	11	13	14

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	55	54	55
Alcohol Package Carry-out Licenses	38	38	33

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# MILLER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	16	14	18
CSTAR Adolescent	8	5	8
CSTAR Women and Children	13	16	18
CSTAR General Adult	70	68	13
CSTAR Opioid	0	*	0
Primary Recovery Treatment	17	41	98
Clinical SATOP (CIP, YCIP, SROP)	25	19	11
Other Substance Abuse Treatment	0	0	0


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	126	127	156
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	56	46	69
- Weekend Intervention Program	26	37	46
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	7	*	9
Compulsive Gambling	0	0	0
Recovery Supports	*	*	9
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	128	139	150	Alcohol	57	67	62
<b>AGE</b>				Marijuana / Hashish	20	29	44
Under 18	7	6	10	Cocaine (total)	*	*	*
18 to 24	20	24	36	- Crack	*	0	*
25 to 29	30	19	27	Stimulant (total)	25	21	20
30 to 34	22	18	21	- Methamphetamine	25	21	18
35 to 39	14	21	11	Heroin	*	*	*
40 to 44	15	16	17	Analgesic except Heroin	16	16	20
45 to 54	14	28	23	- Non-Prescription Methadone	0	0	0
55 and Over	6	7	5	PCP, LSD, other Hallucinogen	0	0	0
<b>GENDER</b>				Tranquilizer	*	*	*
Male	78	92	103	Inhalant	0	0	0
Female	50	47	47	Sedative	*	*	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	0	0
Caucasian	124	136	146	Average Age at First Use of Drug	17.9	17.7	16.8
African American	*	*	*	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	19	12	12
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	0	*	*	- Weekly Injection Use	5	*	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	11	5	8
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	53	50	70	0	55	62	78
High School Graduate or G.E.D.	40	60	64	1 or 2	46	45	42
Associate Degree or Some College	35	28	16	3 or More	27	32	30
Bachelor or Advanced Degree	0	*	0	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	41	34	43
Employed	38	41	37	School	*	0	0
Unemployed	52	59	63	Mental Health Provider	*	*	*
Not in Labor Force	38	39	50	Health Care Provider	*	6	6
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	69	90	91
Independent Living	106	125	133	Other Referral Source	11	8	9
Dependent Living	14	11	15	<b>TREATMENT ACCOMMODATION</b>			
Homeless	*	*	0	Pregnant when Admitted to any Episode	*	*	0
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	7	7	7
Never Married	65	66	71	Special Education Services Needed	11	13	19
Married / Cohabiting	36	38	35	Co-Occurring Psychological Problem	45	48	62
Previously Married	27	35	44	Co-Occurring Developmental Problem	*	*	7

# MILLER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 11  
**CENSUS 2010** 24,748  
**2012 POPULATION ESTIMATE** 24,817

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	10	7	5
Anxiety Disorder	150	123	111
Dementia	*	*	*
Developmental Disorder	*	6	7
Impulse Control Disorder	40	32	24
Mood Disorder	200	184	180
Personality Disorder	24	28	32
Psychotic Disorder	47	43	45
Sexual Disorder	*	*	*
Other Diagnosis	42	30	32
Diagnosis Unknown	12	10	27

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	298	272	269	Less than High School Diploma	87	59	58
<b>AGE</b>				High School Grad or G.E.D.	70	56	46
Under 6	*	*	*	Associate Degree or Some College	23	18	22
6 to 9	17	17	19	Bachelor or Advanced Degree	*	*	*
10 to 13	31	19	25	Education Level Unknown	115	135	141
14 to 17	28	19	21	<b>EMPLOYMENT</b>			
18 to 24	31	23	26	Employed	19	14	22
25 to 29	18	27	26	Unemployed	134	116	97
30 to 34	36	33	29	Not in Labor Force	49	7	9
35 to 39	31	34	29	Employment Status Unknown	96	135	141
40 to 44	21	17	17	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	33	38	27	Independent Living	167	131	125
50 to 54	20	22	28	Dependent Living	39	44	13
55 to 59	15	11	7	Homeless	*	0	*
60 and Over	13	10	12	Other	*	*	*
Age Unknown	0	0	0	Housing Unknown	85	95	129
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	133	114	123	Self / Family / Friend	193	167	162
Female	165	158	146	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	8	15	20
<b>RACE / ETHNICITY</b>				Health Care Provider	27	22	24
Caucasian	291	266	257	Court / Criminal Justice	23	22	25
African American	0	0	*	Other	46	44	36
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	5	6	Voluntary	297	272	269
Other Race	5	*	5	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

# MILLER COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	34.6	44.6	Alcohol	74.3	78.8
Cigarettes	21.4	29.5	Cigarettes	82.5	83.2
Chewing Tobacco	13.3	19.6	Marijuana	77.4	74.1
Marijuana	9.6	12.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.3	94.1
Inhalants	4.9	5.0			
Prescription medications not prescribed for student	7.6	10.0	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	4.4	6.9	Were very sad	19.2	24.0
Methamphetamine	1.0	0.4	Were grouchy, irritable, or in a bad mood	23.2	32.7
Cocaine	1.5	1.5	Felt hopeless about the future	9.4	14.2
Heroin	1.0	0.6	Felt like not eating or eating more than usual	15.6	23.3
Hallucinogens	2.7	2.1	Slept a lot more or a lot less than usual	19.5	28.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	2.1	Had difficulty concentrating on school work	23.9	28.9
Steroids not prescribed for student	1.2	1.7			
Synthetic drugs (K2, bath salts, Spice, etc)	5.4		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	10.1	10.4
Alcohol	12.54	12.17	Made plan about how they would attempt suicide	8.1	7.3
Cigarettes	12.17	12.22	Attempted suicide	5.7	3.5
Marijuana	12.97	13.19	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.3	1.3
Inhalants	12.55	12.51			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	12.1	19.7	Were threatened/injured with weapon at school	5.9	9.2
Binge Alcohol (5 or more drinks on one occasion)	7.4	12.8	Were in a physical fight	20.7	23.8
Cigarettes	8.9	14.5	Were in a fight and had to be treated by a doctor or nurse	4.0	4.3
Chewing Tobacco	6.4	11.7			
Marijuana	3.7	4.1	<b>Percent of students in past 3 months who:</b>		
Inhalants	2.0	2.4	Were victims of mean rumors or lies spread at school	49.6	53.7
Prescription medications not prescribed for student	4.2	5.4	Had embarrassing or hurtful pictures/text of them posted on internet	11.4	12.6
Over-the-counter medications for non-medical use	2.9	3.8	Had embarrassing or hurtful pictures/text of them sent by cell phone	12.6	12.7
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	59.9	67.3
Alcohol	51.4	59.0			
Cigarettes	42.4	47.3	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	27.2	28.1	Spread mean rumors or lies about other kids at school	26.4	29.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.6	15.3	Posted on internet embarrassing or hurtful pictures/text of someone	5.7	8.2
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	7.6	10.5
Alcohol	24.1	32.2	Made fun of other people	57.3	71.4
Cigarettes	11.1	15.1			
Marijuana	7.4	7.2	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	68.7	66.6
Alcohol	68.5	63.0	School provides feedback to parents on positive student performance	42.7	45.8
Cigarettes	84.7	80.3	Teachers praise student for hard work	57.5	51.6
Marijuana	89.1	86.8	Rules are enforced fairly	64.4	61.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.8	96.3	Students of all races/ethnicities are treated equally	80.2	81.7
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	81.3	80.2	<b>Percent of students who agree that:</b>		
Cigarettes	93.3	91.6	Parents notice and comment on student's good work	83.3	83.1
Marijuana	94.8	94.5	Parents involve student in making family decisions	68.7	70.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.3	96.4	It is important to be honest with parents regardless of consequences	85.2	85.3
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	77.7	77.6
Alcohol	53.2	58.6			
Cigarettes	50.1	57.5			
Marijuana	29.7	30.2			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.4	16.8			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# MISSISSIPPI COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	20
Adult Psychiatric	20
<b>FIPS COUNTY CODE</b>	133
<b>POPULATION</b>	
Census 2010	14,358
2012 Pop. Estimate	14,322

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	194	179	185
Mother Reported Smoking while Pregnant	59	53	50

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	1	0	1
IDU and MSM <sup>1</sup>	*	0	*
IDU without MSM <sup>1</sup>	*	0	*

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	193	199	197
Suicides	1	0	0
Self-inflicted Injuries	30	47	36
Homicides	0	2	0
Assault Injuries	56	81	68
Alcohol Induced Deaths	3	1	3
Drug Induced Deaths	0	0	3
Smoking Attributable Deaths	43	45	41

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	109		
Alcohol Primary Diagnosis <sup>2</sup>	11		
Drug Primary Diagnosis <sup>2</sup>	8		
Alcohol Related Diagnosis	60	74	31
Drug Related Diagnosis	78	94	52
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	17		
Alcohol Primary Diagnosis <sup>2</sup>	5		
Drug Primary Diagnosis <sup>2</sup>	3		
Alcohol Related Diagnosis	23	36	44
Drug Related Diagnosis	19	61	50
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	99		
Alcohol Primary Diagnosis <sup>2</sup>	18		
Drug Primary Diagnosis <sup>2</sup>	19		
Alcohol Related Diagnosis	50	49	26
Drug Related Diagnosis	67	51	39

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	7	15	15
Fatal Crashes	0	1	1
Injury Crashes	3	8	9
Property Damage Crashes	4	6	5
Crash Fatalities	0	1	1
Crash Injuries	3	15	15
Drug Involved Crashes--Total	1	1	4
Fatal Crashes	0	0	0
Injury Crashes	1	1	3
Property Damage Crashes	0	0	1
Crash Fatalities	0	0	0
Crash Injuries	1	1	5

## EMPLOYMENT

	2012	2011	2010
Labor Force	6,099	5,945	6,015
Employed	5,586	5,321	5,420
Unemployed	513	624	595
Unemployment Rate	8.4%	10.5%	9.9%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	542	589	603
Drop-outs	10	6	18
Drop-out Rate	1.8%	1.0%	3.0%
School Suspensions:			
Alcohol Incidents	1	0	1
Drug Incidents	1	4	6
Tobacco Incidents	0	0	4

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	80	94	95
Liquor Law Arrests	17	20	37
Drug Arrests	93	136	82
Methamphetamine Lab Incidents	4	11	8
Violent Offenses	64	71	63
Property Offenses	393	334	321
Domestic Violence Reports	235	208	274

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	137	200	234
Violent Offenses	51	77	78
Alcohol Offenses	3	6	31
Drug Offenses	11	10	17
Status Offenses--Total	41	58	44
Truancy	19	17	5
Beyond Parental Control	1	2	3
Habitually Absent from Home	2	3	0
Injurious Behavior	19	36	35
Abuse/Neglect/Custody--Total	43	26	12
Abuse	0	0	0
Neglect	43	26	11
Custody Disputes	0	0	1

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	16	19	7
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	5	8	1
Parental Alcohol and Drug Use	2	0	0
Child Removed for Other Reason	9	11	6

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	27	24	31
Probation/Parole Admissions--Total	161	171	160
Probation/Parole Admissions--Drug	62	67	64
Probation/Parole Admissions--DWI	4	14	10
Prison Admissions--Total	106	77	97
Prison Admissions--Drug	39	23	38
Prison Admissions--DWI	4	3	7

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	12	11	12
Alcohol Package Carry-out Licenses	14	13	12

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# MISSISSIPPI COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	34	33	28
CSTAR Adolescent	11	14	5
CSTAR Women and Children	30	12	23
CSTAR General Adult	12	10	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	100	93	105
Clinical SATOP (CIP, YCIP, SROP)	13	5	7
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	42	61	59
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	18	28	32
- Weekend Intervention Program	9	17	17
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	35	32	37
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	173	136	153	Alcohol	59	40	54
AGE				Marijuana / Hashish	57	48	49
Under 18	10	15	6	Cocaine (total)	13	17	12
18 to 24	32	27	34	- Crack	8	13	8
25 to 29	32	15	22	Stimulant (total)	26	14	19
30 to 34	19	23	25	- Methamphetamine	26	14	19
35 to 39	23	17	24	Heroin	5	*	*
40 to 44	14	10	15	Analgesic except Heroin	9	11	15
45 to 54	32	25	23	- Non-Prescription Methadone	0	0	0
55 and Over	11	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	0
Male	122	93	110	Inhalant	0	0	0
Female	51	43	43	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	127	100	106	Average Age at First Use of Drug	17.3	18.2	17.1
African American	44	34	47	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	12	9	10
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
Hispanic	0	*	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	5	5	7
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	79	68	57	0	122	98	76
High School Graduate or G.E.D.	71	57	79	1 or 2	36	25	53
Associate Degree or Some College	23	10	16	3 or More	15	13	24
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	36	18	32
Employed	55	31	43	School	0	0	0
Unemployed	61	61	59	Mental Health Provider	0	5	*
Not in Labor Force	57	44	51	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	116	100	106
Independent Living	139	107	132	Other Referral Source	19	10	9
Dependent Living	28	27	18	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	5	5	6
Never Married	81	76	77	Special Education Services Needed	10	7	9
Married / Cohabiting	45	30	41	Co-Occurring Psychological Problem	25	29	27
Previously Married	47	30	35	Co-Occurring Developmental Problem	*	*	*

# MISSISSIPPI COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 20  
**CENSUS 2010** 14,358  
**2012 POPULATION ESTIMATE** 14,322

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	11	24	27
Anxiety Disorder	57	42	43
Dementia	0	0	0
Developmental Disorder	*	0	*
Impulse Control Disorder	39	43	49
Mood Disorder	188	155	147
Personality Disorder	45	40	38
Psychotic Disorder	43	42	37
Sexual Disorder	0	0	*
Other Diagnosis	21	16	21
Diagnosis Unknown	27	22	42

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	325	295	307	Less than High School Diploma	62	31	26
<b>AGE</b>				High School Grad or G.E.D.	31	26	21
Under 6	*	*	13	Associate Degree or Some College	6	7	6
6 to 9	15	24	35	Bachelor or Advanced Degree	*	0	0
10 to 13	36	34	32	Education Level Unknown	225	231	254
14 to 17	44	42	36	<b>EMPLOYMENT</b>			
18 to 24	22	20	23	Employed	8	*	5
25 to 29	23	16	17	Unemployed	69	59	48
30 to 34	23	17	18	Not in Labor Force	31	*	0
35 to 39	23	19	21	Employment Status Unknown	217	231	254
40 to 44	25	21	20	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	35	30	32	Independent Living	93	61	52
50 to 54	28	26	24	Dependent Living	35	26	6
55 to 59	24	21	18	Homeless	*	0	0
60 and Over	25	22	18	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	195	205	249
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	141	131	142	Self / Family / Friend	136	132	113
Female	184	164	165	School	*	5	7
Gender Unknown	0	0	0	Mental Health Provider	35	34	41
<b>RACE / ETHNICITY</b>				Health Care Provider	37	39	45
Caucasian	259	230	236	Court / Criminal Justice	41	15	32
African American	52	53	58	Other	72	67	63
Native American / Alaskan	0	0	0	Referral Source Unknown	0	*	6
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	9	9	8	Voluntary	325	290	282
Other Race	5	*	5	Civil	0	*	17
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	6	5	6	Commitment Type Unknown	0	*	6
Past or Current Military Service	*	*	*				




# MISSISSIPPI COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	39.3	43.3	Alcohol	67.5	70.9
Cigarettes	41.8	33.4	Cigarettes	75.0	70.9
Chewing Tobacco	19.3	23.2	Marijuana	69.0	71.2
Marijuana	27.0	17.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	86.2	83.4
Inhalants	9.6	9.9	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	17.9	12.1	Were very sad	18.4	31.6
Over-the-counter medications for non-medical use	5.1	4.9	Were grouchy, irritable, or in a bad mood	36.0	41.6
Methamphetamine	0.0	1.4	Felt hopeless about the future	8.7	21.2
Cocaine	4.1	4.2	Felt like not eating or eating more than usual	17.9	35.1
Heroin	0.0	1.4	Slept a lot more or a lot less than usual	15.2	40.5
Hallucinogens	0.0	4.6	Had difficulty concentrating on school work	20.4	38.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.5	3.5	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.0	2.1	Seriously considered attempting suicide	19.4	13.9
Synthetic drugs (K2, bath salts, Spice, etc)	2.6		Made plan about how they would attempt suicide	21.5	9.5
<b>Average age of students' first use of:</b>			Attempted suicide	12.2	9.5
Alcohol	12.02	12.57	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	4.1	3.1
Cigarettes	10.90	11.91	<b>Percent of students in past 12 months who:</b>		
Marijuana	14.31	13.60	Were threatened/injured with weapon at school	8.9	11.8
Inhalants	11.05	11.86	Were in a physical fight	31.9	22.6
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	2.1	7.1
Alcohol	10.7	21.4	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	9.6	13.9	Were victims of mean rumors or lies spread at school	54.8	58.1
Cigarettes	25.0	18.3	Had embarrassing or hurtful pictures/text of them posted on internet	5.2	13.9
Chewing Tobacco	10.7	13.7	Had embarrassing or hurtful pictures/text of them sent by cell phone	12.8	13.7
Marijuana	18.4	7.9	Were made fun of by others	68.0	62.2
Inhalants	5.1	3.1	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	11.7	7.3	Spread mean rumors or lies about other kids at school	22.3	24.7
Over-the-counter medications for non-medical use	5.1	4.5	Posted on internet embarrassing or hurtful pictures/text of someone	7.1	7.8
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	4.2	11.9
Alcohol	48.0	56.1	Made fun of other people	67.3	62.2
Cigarettes	54.6	51.4	<b>Percent of students who agree that:</b>		
Marijuana	37.1	40.3	Teachers notice and comment on student's good work	82.7	75.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.2	15.2	School provides feedback to parents on positive student performance	51.3	41.1
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	58.2	52.9
Alcohol	33.0	41.1	Rules are enforced fairly	54.8	55.5
Cigarettes	24.9	19.7	Students of all races/ethnicities are treated equally	66.3	59.2
Marijuana	24.1	13.0	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	85.7	75.9
Alcohol	56.6	55.1	Parents involve student in making family decisions	74.0	64.9
Cigarettes	71.9	68.5	It is important to be honest with parents regardless of consequences	83.2	77.3
Marijuana	76.5	75.5	Student could ask parent for help with a personal problem	80.8	72.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.8	89.2	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	76.5	74.7	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	84.1	84.9	Percentages are estimates based on weighted data.		
Marijuana	88.7	86.6	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.5	95.6	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	43.1	60.5			
Cigarettes	49.7	66.1			
Marijuana	35.2	52.7			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.8	29.5			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# MONITEAU COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	11
Adult Psychiatric	12
<b>FIPS COUNTY CODE</b>	135
<b>POPULATION</b>	
Census 2010	15,607
2012 Pop. Estimate	15,625

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	7,391	7,584	7,419
Employed	6,907	7,006	6,808
Unemployed	484	578	611
Unemployment Rate	6.5%	7.6%	8.2%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	706	700	714
Drop-outs	19	10	20
Drop-out Rate	2.7%	1.4%	2.8%
School Suspensions:			
Alcohol Incidents	0	0	1
Drug Incidents	3	1	3
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	200	208	201
Mother Reported Smoking while Pregnant	33	58	42

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	139	150	157
Suicides	2	0	1
Self-inflicted Injuries	13	13	15
Homicides	2	1	0
Assault Injuries	44	34	31
Alcohol Induced Deaths	0	2	0
Drug Induced Deaths	0	1	0
Smoking Attributable Deaths	20	19	23

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	28		
Alcohol Primary Diagnosis <sup>2</sup>	1		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	10	21	9
Drug Related Diagnosis	12	24	14
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	51		
Alcohol Primary Diagnosis <sup>2</sup>	10		
Drug Primary Diagnosis <sup>2</sup>	10		
Alcohol Related Diagnosis	35	27	41
Drug Related Diagnosis	37	33	26
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	94		
Alcohol Primary Diagnosis <sup>2</sup>	5		
Drug Primary Diagnosis <sup>2</sup>	9		
Alcohol Related Diagnosis	26	39	22
Drug Related Diagnosis	24	33	22

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	13	11	21
Fatal Crashes	0	1	1
Injury Crashes	4	4	9
Property Damage Crashes	9	6	11
Crash Fatalities	0	1	1
Crash Injuries	5	4	10
Drug Involved Crashes--Total	2	1	3
Fatal Crashes	0	0	0
Injury Crashes	1	1	2
Property Damage Crashes	1	0	1
Crash Fatalities	0	0	0
Crash Injuries	1	1	2

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	52	48	50
Liquor Law Arrests	1	6	3
Drug Arrests	51	54	39
Methamphetamine Lab Incidents	5	9	17
Violent Offenses	14	19	28
Property Offenses	129	156	131
Domestic Violence Reports	29	31	29

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	27	21	36
Violent Offenses	3	6	10
Alcohol Offenses	4	6	5
Drug Offenses	0	2	3
Status Offenses--Total	18	16	13
Truancy	7	4	5
Beyond Parental Control	1	0	1
Habitually Absent from Home	0	2	2
Injurious Behavior	7	10	2
Abuse/Neglect/Custody--Total	16	26	47
Abuse	0	6	4
Neglect	16	20	43
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	6	10	13
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	3	2	4
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	3	8	9

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	81	64	75
Probation/Parole Admissions--Drug	20	8	21
Probation/Parole Admissions--DWI	4	8	5
Prison Admissions--Total	50	48	35
Prison Admissions--Drug	19	11	12
Prison Admissions--DWI	5	5	1

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	9	12	9
Alcohol Package Carry-out Licenses	18	20	19

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# MONITEAU COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	*	8	7
CSTAR Adolescent	*	*	*
CSTAR Women and Children	8	6	5
CSTAR General Adult	53	55	7
CSTAR Opioid	0	0	0
Primary Recovery Treatment	14	18	55
Clinical SATOP (CIP, YCIP, SROP)	8	11	7
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	45	56	54
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	18	16	21
- Weekend Intervention Program	13	18	11
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	0
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	73	81	72	Alcohol	24	36	37
AGE				Marijuana / Hashish	20	20	17
Under 18	5	*	*	Cocaine (total)	*	*	*
18 to 24	13	17	13	- Crack	0	0	*
25 to 29	16	17	13	Stimulant (total)	24	17	12
30 to 34	11	11	8	- Methamphetamine	22	17	12
35 to 39	13	8	10	Heroin	*	0	0
40 to 44	5	6	8	Analgesic except Heroin	*	5	*
45 to 54	9	15	14	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	*
Male	44	57	58	Inhalant	0	0	0
Female	29	24	14	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	66	72	60	Average Age at First Use of Drug	17.8	17.8	16.0
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	12	8	8
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	0	*
Hispanic	6	6	5	- Weekly Injection Use	0	*	*
Other Race / Two or More Races	*	*	5	- Less than Weekly Injection Use	11	7	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	26	28	28	0	45	40	37
High School Graduate or G.E.D.	36	39	32	1 or 2	19	25	21
Associate Degree or Some College	10	13	12	3 or More	9	16	14
Bachelor or Advanced Degree	*	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	9	15	11
Employed	20	26	28	School	0	0	0
Unemployed	24	32	29	Mental Health Provider	0	0	*
Not in Labor Force	29	23	15	Health Care Provider	*	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	57	63	53
Independent Living	67	68	63	Other Referral Source	5	*	5
Dependent Living	6	7	7	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	0	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	35	39	32	Special Education Services Needed	8	7	*
Married / Cohabiting	20	20	27	Co-Occurring Psychological Problem	36	29	29
Previously Married	18	22	13	Co-Occurring Developmental Problem	*	*	*

# MONITEAU COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 12  
**CENSUS 2010** 15,607  
**2012 POPULATION ESTIMATE** 15,625

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	0	*	*
Anxiety Disorder	46	39	39
Dementia	*	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	17	10	11
Mood Disorder	65	62	58
Personality Disorder	6	6	6
Psychotic Disorder	16	13	9
Sexual Disorder	0	0	0
Other Diagnosis	10	9	10
Diagnosis Unknown	*	*	6

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	85	87	84	Less than High School Diploma	23	15	9
<b>AGE</b>				High School Grad or G.E.D.	29	27	11
Under 6	0	0	0	Associate Degree or Some College	8	10	*
6 to 9	*	*	5	Bachelor or Advanced Degree	*	*	*
10 to 13	6	*	*	Education Level Unknown	23	31	60
14 to 17	*	*	6	<b>EMPLOYMENT</b>			
18 to 24	5	8	9	Employed	7	9	*
25 to 29	*	*	5	Unemployed	46	47	21
30 to 34	8	7	5	Not in Labor Force	13	0	0
35 to 39	*	7	7	Employment Status Unknown	19	31	60
40 to 44	9	7	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	13	13	14	Independent Living	59	52	23
50 to 54	8	7	7	Dependent Living	9	8	*
55 to 59	9	11	7	Homeless	0	0	0
60 and Over	17	15	13	Other	*	*	0
Age Unknown	0	0	0	Housing Unknown	15	26	58
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	24	25	21	Self / Family / Friend	43	46	50
Female	61	62	63	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	8	10	10
<b>RACE / ETHNICITY</b>				Health Care Provider	15	10	6
Caucasian	81	82	81	Court / Criminal Justice	0	*	*
African American	*	*	*	Other	19	20	17
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	0	Voluntary	85	86	84
Other Race	*	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

# MONITEAU COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012


	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	47.7	51.7	Alcohol	69.4	88.0
Cigarettes	19.2	24.6	Cigarettes	82.7	81.9
Chewing Tobacco	19.2	24.7	Marijuana	75.2	69.4
Marijuana	11.3	10.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.8	95.2
Inhalants	4.5	3.8			
Prescription medications not prescribed for student	6.4	5.1	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	4.9	3.5	Were very sad	15.4	16.5
Methamphetamine	1.2	1.3	Were grouchy, irritable, or in a bad mood	16.5	29.2
Cocaine	1.1	1.0	Felt hopeless about the future	7.5	12.1
Heroin	0.4	0.9	Felt like not eating or eating more than usual	13.2	19.9
Hallucinogens	0.4	1.6	Slept a lot more or a lot less than usual	15.4	28.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	0.3	Had difficulty concentrating on school work	17.7	31.1
Steroids not prescribed for student	1.5	1.9			
Synthetic drugs (K2, bath salts, Spice, etc)	3.4		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	12.8	9.8
Alcohol	12.19	12.06	Made plan about how they would attempt suicide	8.6	5.7
Cigarettes	11.63	12.64	Attempted suicide	6.7	3.5
Marijuana	13.25	13.83	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.2	0.6
Inhalants	11.08	10.26			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	20.3	21.9	Were threatened/injured with weapon at school	7.9	13.3
Binge Alcohol (5 or more drinks on one occasion)	9.8	15.5	Were in a physical fight	25.5	27.8
Cigarettes	8.6	11.1	Were in a fight and had to be treated by a doctor or nurse	4.9	1.9
Chewing Tobacco	5.6	15.1			
Marijuana	4.9	6.6	<b>Percent of students in past 3 months who:</b>		
Inhalants	2.6	1.6	Were victims of mean rumors or lies spread at school	47.7	60.4
Prescription medications not prescribed for student	2.3	2.6	Had embarrassing or hurtful pictures/text of them posted on internet	12.8	11.8
Over-the-counter medications for non-medical use	3.0	1.6	Had embarrassing or hurtful pictures/text of them sent by cell phone	19.0	14.2
			Were made fun of by others	63.5	77.6
<b>Percent whose friends used in past 12 months:</b>			<b>Percent of students who, in the past 3 months:</b>		
Alcohol	63.2	69.6	Spread mean rumors or lies about other kids at school	32.6	45.3
Cigarettes	32.5	42.6	Posted on internet embarrassing or hurtful pictures/text of someone	8.6	10.5
Marijuana	27.5	29.1	Sent by cell phone embarrassing or hurtful pictures/text of someone	10.9	12.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.0	18.1	Made fun of other people	68.6	82.3
<b>Percent who would likely use, if offered by a best friend:</b>			<b>Percent of students who agree that:</b>		
Alcohol	38.0	43.2	Teachers notice and comment on student's good work	64.3	74.1
Cigarettes	9.0	13.2	School provides feedback to parents on positive student performance	36.5	43.0
Marijuana	13.2	10.1	Teachers praise student for hard work	42.1	54.7
			Rules are enforced fairly	66.2	74.0
<b>Percent who say it would be wrong to use:</b>			Students of all races/ethnicities are treated equally	80.1	83.7
Alcohol	56.0	53.6			
Cigarettes	86.4	85.7	<b>Percent of students who agree that:</b>		
Marijuana	84.5	90.5	Parents notice and comment on student's good work	80.5	82.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.6	98.7	Parents involve student in making family decisions	69.3	74.2
			It is important to be honest with parents regardless of consequences	86.1	89.2
<b>Percent whose parents would disapprove if they use:</b>			Student could ask parent for help with a personal problem	77.1	78.7
Alcohol	73.2	72.8			
Cigarettes	95.1	93.2			
Marijuana	97.7	97.5			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.2	99.4			
<b>Percent who say it would be easy to obtain:</b>					
Alcohol	60.8	65.3			
Cigarettes	44.0	51.4			
Marijuana	31.2	28.5			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.8	15.6			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# MONROE COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	15
Adult Psychiatric	15
<b>FIPS COUNTY CODE</b>	137
<b>POPULATION</b>	
Census 2010	8,840
2012 Pop. Estimate	8,703

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	3,851	3,930	3,888
Employed	3,534	3,515	3,382
Unemployed	317	415	506
Unemployment Rate	8.2%	10.6%	13.0%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	498	508	551
Drop-outs	15	11	11
Drop-out Rate	3.0%	2.2%	2.0%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	4	4	2
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	96	97	99
Mother Reported Smoking while Pregnant	25	26	25

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	94	92	85
Suicides	3	1	1
Self-inflicted Injuries	21	8	9
Homicides	0	0	0
Assault Injuries	11	20	14
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	2	1
Smoking Attributable Deaths	13	21	16

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	58		
Alcohol Primary Diagnosis <sup>2</sup>	1		
Drug Primary Diagnosis <sup>2</sup>	3		
Alcohol Related Diagnosis	29	18	17
Drug Related Diagnosis	16	9	9
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	12		
Alcohol Primary Diagnosis <sup>2</sup>	2		
Drug Primary Diagnosis <sup>2</sup>	2		
Alcohol Related Diagnosis	11	22	34
Drug Related Diagnosis	13	11	16
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	53		
Alcohol Primary Diagnosis <sup>2</sup>	8		
Drug Primary Diagnosis <sup>2</sup>	7		
Alcohol Related Diagnosis	21	21	19
Drug Related Diagnosis	16	13	10

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	4	12	9
Fatal Crashes	1	2	0
Injury Crashes	3	5	2
Property Damage Crashes	0	5	7
Crash Fatalities	0	3	0
Crash Injuries	9	9	2
Drug Involved Crashes--Total	0	2	1
Fatal Crashes	0	0	0
Injury Crashes	0	1	1
Property Damage Crashes	0	1	0
Crash Fatalities	0	0	0
Crash Injuries	0	1	1

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	39	48	72
Liquor Law Arrests	25	17	22
Drug Arrests	28	24	34
Methamphetamine Lab Incidents	0	2	4
Violent Offenses	28	35	26
Property Offenses	122	150	142
Domestic Violence Reports	25	38	40

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	47	52	43
Violent Offenses	7	15	15
Alcohol Offenses	0	0	3
Drug Offenses	2	2	2
Status Offenses--Total	18	15	13
Truancy	1	1	2
Beyond Parental Control	1	1	0
Habitually Absent from Home	1	2	1
Injurious Behavior	15	11	10
Abuse/Neglect/Custody--Total	21	1	16
Abuse	1	0	0
Neglect	20	1	16
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	12	0	13
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	5	0	1
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	7	0	12

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	51	36	46
Probation/Parole Admissions--Drug	13	9	6
Probation/Parole Admissions--DWI	2	2	6
Prison Admissions--Total	26	23	21
Prison Admissions--Drug	5	5	4
Prison Admissions--DWI	1	0	1

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	10	9	10
Alcohol Package Carry-out Licenses	12	12	12

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# MONROE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	*	9	5
CSTAR Adolescent	7	10	*
CSTAR Women and Children	6	5	7
CSTAR General Adult	*	5	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	29	31	29
Clinical SATOP (CIP, YCIP, SROP)	6	6	11
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	43	35	51
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	13	14	13
- Weekend Intervention Program	15	11	12
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	*	0
Recovery Supports	0	*	5
Early Intervention	0	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	50	59	48	Alcohol	21	25	27
AGE				Marijuana / Hashish	19	27	16
Under 18	8	10	*	Cocaine (total)	*	*	*
18 to 24	13	18	11	- Crack	0	0	0
25 to 29	10	10	12	Stimulant (total)	*	*	*
30 to 34	8	9	7	- Methamphetamine	*	*	*
35 to 39	*	*	*	Heroin	0	*	*
40 to 44	*	*	*	Analgesic except Heroin	*	0	0
45 to 54	6	*	6	- Non-Prescription Methadone	0	0	0
55 and Over	0	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	40	46	35	Inhalant	0	0	0
Female	10	13	13	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	44	52	41	Average Age at First Use of Drug	16.3	16.4	15.2
African American	5	5	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	0
Hispanic	0	*	0	- Weekly Injection Use	0	*	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	*	0	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	18	19	6	0	21	31	20
High School Graduate or G.E.D.	25	31	34	1 or 2	21	18	16
Associate Degree or Some College	7	7	7	3 or More	8	10	12
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	12	8
Employed	20	24	14	School	0	0	0
Unemployed	18	21	23	Mental Health Provider	*	0	*
Not in Labor Force	12	14	11	Health Care Provider	*	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	35	45	37
Independent Living	34	45	41	Other Referral Source	6	*	*
Dependent Living	13	10	*	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	5	5
Never Married	31	43	26	Special Education Services Needed	*	*	5
Married / Cohabiting	10	9	11	Co-Occurring Psychological Problem	13	13	19
Previously Married	9	7	11	Co-Occurring Developmental Problem	*	*	*

# MONROE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 15  
**CENSUS 2010** 8,840  
**2012 POPULATION ESTIMATE** 8,703

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	*	*
Anxiety Disorder	19	18	13
Dementia	*	*	*
Developmental Disorder	0	0	0
Impulse Control Disorder	25	20	14
Mood Disorder	48	57	52
Personality Disorder	*	0	0
Psychotic Disorder	5	8	7
Sexual Disorder	0	0	0
Other Diagnosis	*	5	*
Diagnosis Unknown	10	7	10

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	97	101	89	Less than High School Diploma	16	12	6
<b>AGE</b>				High School Grad or G.E.D.	15	14	7
Under 6	*	*	*	Associate Degree or Some College	*	5	*
6 to 9	8	6	*	Bachelor or Advanced Degree	*	*	*
10 to 13	8	15	8	Education Level Unknown	61	69	70
14 to 17	24	16	6	<b>EMPLOYMENT</b>			
18 to 24	6	7	7	Employed	6	7	*
25 to 29	5	7	8	Unemployed	22	24	14
30 to 34	7	*	*	Not in Labor Force	12	*	*
35 to 39	6	8	13	Employment Status Unknown	57	69	70
40 to 44	5	*	9	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	9	10	10	Independent Living	31	19	12
50 to 54	*	12	8	Dependent Living	12	36	7
55 to 59	6	*	7	Homeless	0	*	0
60 and Over	8	8	*	Other	*	0	0
Age Unknown	0	0	0	Housing Unknown	53	44	70
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	46	45	35	Self / Family / Friend	50	59	66
Female	51	56	54	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	6	9	6
<b>RACE / ETHNICITY</b>				Health Care Provider	7	7	5
Caucasian	89	92	81	Court / Criminal Justice	7	*	*
African American	*	6	6	Other	25	21	8
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	*	*	Voluntary	94	99	86
Other Race	*	*	*	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	5				

# MONROE COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	52.2	40.1	Alcohol	62.2	82.6
Cigarettes	35.3	29.2	Cigarettes	77.0	75.6
Chewing Tobacco	15.6	15.3	Marijuana	74.8	72.4
Marijuana	14.1	9.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.3	92.7
Inhalants	3.7	3.7			
Prescription medications not prescribed for student	7.4	9.5	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	5.2	5.3	Were very sad	19.1	25.4
Methamphetamine	0.8	0.5	Were grouchy, irritable, or in a bad mood	26.7	33.0
Cocaine	0.7	0.5	Felt hopeless about the future	11.8	17.9
Heroin	0.0	0.0	Felt like not eating or eating more than usual	17.0	20.3
Hallucinogens	0.7	1.1	Slept a lot more or a lot less than usual	17.6	32.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	1.6	Had difficulty concentrating on school work	21.8	32.8
Steroids not prescribed for student	0.7	0.5			
Synthetic drugs (K2, bath salts, Spice, etc)	4.4		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	11.2	11.9
Alcohol	12.55	11.67	Made plan about how they would attempt suicide	9.0	8.8
Cigarettes	12.59	11.49	Attempted suicide	5.1	7.3
Marijuana	13.29	12.95	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	3.0	2.1
Inhalants	10.47	11.31			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	22.2	16.8	Were threatened/injured with weapon at school	3.7	14.0
Binge Alcohol (5 or more drinks on one occasion)	13.2	9.3	Were in a physical fight	22.8	26.8
Cigarettes	13.2	17.2	Were in a fight and had to be treated by a doctor or nurse	3.0	4.2
Chewing Tobacco	9.6	9.5			
Marijuana	5.1	4.7	<b>Percent of students in past 3 months who:</b>		
Inhalants	2.2	2.1	Were victims of mean rumors or lies spread at school	55.6	71.9
Prescription medications not prescribed for student	3.0	3.7	Had embarrassing or hurtful pictures/text of them posted on internet	13.4	17.2
Over-the-counter medications for non-medical use	3.7	2.1	Had embarrassing or hurtful pictures/text of them sent by cell phone	14.2	20.4
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	65.7	78.9
Alcohol	61.0	56.3			
Cigarettes	54.1	50.5	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	29.6	28.6	Spread mean rumors or lies about other kids at school	34.1	35.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.2	11.9	Posted on internet embarrassing or hurtful pictures/text of someone	9.6	9.3
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	15.6	13.5
Alcohol	40.4	28.8	Made fun of other people	71.9	76.8
Cigarettes	20.0	17.6			
Marijuana	8.9	7.8	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	71.3	76.4
Alcohol	51.9	60.4	School provides feedback to parents on positive student performance	44.8	49.2
Cigarettes	74.1	77.5	Teachers praise student for hard work	47.4	59.4
Marijuana	85.3	87.6	Rules are enforced fairly	65.7	64.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.6	96.8	Students of all races/ethnicities are treated equally	78.7	80.3
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	69.6	81.3	<b>Percent of students who agree that:</b>		
Cigarettes	88.1	91.5	Parents notice and comment on student's good work	80.0	86.8
Marijuana	94.8	96.8	Parents involve student in making family decisions	65.2	70.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.5	99.5	It is important to be honest with parents regardless of consequences	84.4	89.7
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	71.1	74.3
Alcohol	58.2	51.3			
Cigarettes	55.2	55.5			
Marijuana	31.3	27.7			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.3	13.0			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# MONTGOMERY COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	15
Adult Psychiatric	15
<b>FIPS COUNTY CODE</b>	139
<b>POPULATION</b>	
Census 2010	12,236
2012 Pop. Estimate	11,996

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	5,662	5,900	5,943
Employed	5,208	5,307	5,299
Unemployed	454	593	644
Unemployment Rate	8.0%	10.1%	10.8%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	514	517	526
Drop-outs	7	13	9
Drop-out Rate	1.4%	2.5%	1.7%
School Suspensions:			
Alcohol Incidents	0	1	0
Drug Incidents	3	2	0
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	167	142	131
Mother Reported Smoking while Pregnant	48	40	46

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	172	153	142
Suicides	0	1	2
Self-inflicted Injuries	18	19	13
Homicides	0	0	0
Assault Injuries	28	28	39
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	4	4	1
Smoking Attributable Deaths	35	32	22

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	73		
Alcohol Primary Diagnosis <sup>2</sup>	5		
Drug Primary Diagnosis <sup>2</sup>	2		
Alcohol Related Diagnosis	28	53	35
Drug Related Diagnosis	33	41	34
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	81		
Alcohol Primary Diagnosis <sup>2</sup>	9		
Drug Primary Diagnosis <sup>2</sup>	5		
Alcohol Related Diagnosis	44	26	36
Drug Related Diagnosis	38	30	20
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	73		
Alcohol Primary Diagnosis <sup>2</sup>	14		
Drug Primary Diagnosis <sup>2</sup>	18		
Alcohol Related Diagnosis	25	33	31
Drug Related Diagnosis	42	29	22

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	16	18	28
Fatal Crashes	0	1	2
Injury Crashes	6	5	10
Property Damage Crashes	10	12	16
Crash Fatalities	0	1	2
Crash Injuries	8	9	13
Drug Involved Crashes--Total	3	3	5
Fatal Crashes	0	0	1
Injury Crashes	2	0	2
Property Damage Crashes	1	3	2
Crash Fatalities	0	0	1
Crash Injuries	4	0	3

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	75	105	107
Liquor Law Arrests	9	2	8
Drug Arrests	36	63	81
Methamphetamine Lab Incidents	18	21	13
Violent Offenses	18	16	15
Property Offenses	209	164	192
Domestic Violence Reports	51	27	24

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	31	54	36
Violent Offenses	7	23	12
Alcohol Offenses	1	6	0
Drug Offenses	1	1	1
Status Offenses--Total	44	60	127
Truancy	10	3	10
Beyond Parental Control	5	7	7
Habitually Absent from Home	2	3	9
Injurious Behavior	9	10	76
Abuse/Neglect/Custody--Total	27	33	48
Abuse	1	9	21
Neglect	25	24	27
Custody Disputes	1	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	22	13	11
Parental Alcohol Use Related	4	0	0
Parental Drug Use Related	4	4	2
Parental Alcohol and Drug Use	1	0	0
Child Removed for Other Reason	13	9	9

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	12	15	8
Probation/Parole Admissions--Total	163	147	126
Probation/Parole Admissions--Drug	62	65	43
Probation/Parole Admissions--DWI	6	8	3
Prison Admissions--Total	73	68	79
Prison Admissions--Drug	34	29	38
Prison Admissions--DWI	3	2	3

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	22	27	27
Alcohol Package Carry-out Licenses	22	19	18

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# MONTGOMERY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	5	7	14
CSTAR Adolescent	*	7	6
CSTAR Women and Children	8	12	13
CSTAR General Adult	44	14	*
CSTAR Opioid	0	*	*
Primary Recovery Treatment	22	63	79
Clinical SATOP (CIP, YCIP, SROP)	17	12	11
Other Substance Abuse Treatment	*	0	0


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	57	55	102
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	15	7	38
- Weekend Intervention Program	13	23	20
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	*	0	*
Compulsive Gambling	0	*	0
Recovery Supports	*	*	0
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	86	105	112	Alcohol	37	44	53
<b>AGE</b>				Marijuana / Hashish	23	35	31
Under 18	*	5	5	Cocaine (total)	0	*	*
18 to 24	19	18	23	- Crack	0	*	*
25 to 29	20	18	18	Stimulant (total)	14	14	17
30 to 34	16	21	20	- Methamphetamine	12	14	16
35 to 39	8	12	10	Heroin	6	*	*
40 to 44	7	7	12	Analgesic except Heroin	*	8	5
45 to 54	11	20	21	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	*	0	0
<b>GENDER</b>				Tranquilizer	*	*	0
Male	60	70	78	Inhalant	0	0	0
Female	26	35	34	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	0	0	0
Caucasian	81	100	107	Average Age at First Use of Drug	16.9	17.3	16.8
African American	*	5	5	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	13	8	8
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	0
Hispanic	0	0	0	- Weekly Injection Use	*	*	5
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	8	*	*
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	24	40	43	0	41	52	58
High School Graduate or G.E.D.	49	55	57	1 or 2	28	38	33
Associate Degree or Some College	13	10	12	3 or More	17	15	21
Bachelor or Advanced Degree	0	0	0	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	11	17	10
Employed	30	33	37	School	0	0	0
Unemployed	39	48	54	Mental Health Provider	*	*	*
Not in Labor Force	17	24	21	Health Care Provider	*	*	*
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	67	80	93
Independent Living	70	94	104	Other Referral Source	5	5	*
Dependent Living	9	8	6	<b>TREATMENT ACCOMMODATION</b>			
Homeless	*	0	0	Pregnant when Admitted to any Episode	0	*	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	*	*	6
Never Married	49	50	58	Special Education Services Needed	9	6	10
Married / Cohabiting	21	26	25	Co-Occurring Psychological Problem	27	25	19
Previously Married	16	29	29	Co-Occurring Developmental Problem	*	*	5

# MONTGOMERY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 15  
**CENSUS 2010** 12,236  
**2012 POPULATION ESTIMATE** 11,996

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	17	10	9
Anxiety Disorder	16	14	7
Dementia	0	0	0
Developmental Disorder	*	*	0
Impulse Control Disorder	47	48	46
Mood Disorder	111	109	115
Personality Disorder	*	*	*
Psychotic Disorder	23	20	28
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	19	13	19

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	214	197	208	Less than High School Diploma	32	14	7
<b>AGE</b>				High School Grad or G.E.D.	22	21	10
Under 6	*	7	*	Associate Degree or Some College	6	*	*
6 to 9	22	13	17	Bachelor or Advanced Degree	0	*	*
10 to 13	29	27	25	Education Level Unknown	154	156	189
14 to 17	25	23	23	<b>EMPLOYMENT</b>			
18 to 24	19	16	16	Employed	*	*	*
25 to 29	19	19	23	Unemployed	47	37	15
30 to 34	14	17	23	Not in Labor Force	15	*	0
35 to 39	16	17	13	Employment Status Unknown	149	156	189
40 to 44	14	10	13	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	20	21	24	Independent Living	52	37	14
50 to 54	14	10	13	Dependent Living	24	32	9
55 to 59	11	10	*	Homeless	0	*	0
60 and Over	7	7	10	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	138	126	185
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	109	107	115	Self / Family / Friend	144	142	169
Female	105	90	93	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	8	9	5
<b>RACE / ETHNICITY</b>				Health Care Provider	29	17	9
Caucasian	199	183	193	Court / Criminal Justice	5	8	7
African American	7	6	7	Other	25	17	14
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	213	193	201
Other Race	6	6	5	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	0	Commitment Type Unknown	0	0	*
Past or Current Military Service	*	*	*				




# MONTGOMERY COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	48.9	68.4	Alcohol	64.0	73.2
Cigarettes	28.3	36.2	Cigarettes	77.0	77.7
Chewing Tobacco	16.6	19.3	Marijuana	76.2	64.5
Marijuana	13.9	18.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	91.9	94.3
Inhalants	3.7	3.5	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	9.0	14.1	Were very sad	17.1	21.9
Over-the-counter medications for non-medical use	6.9	8.0	Were grouchy, irritable, or in a bad mood	19.8	36.4
Methamphetamine	1.1	0.9	Felt hopeless about the future	8.0	15.7
Cocaine	1.6	2.6	Felt like not eating or eating more than usual	16.7	26.3
Heroin	1.1	0.4	Slept a lot more or a lot less than usual	16.0	34.8
Hallucinogens	3.2	3.1	Had difficulty concentrating on school work	21.5	30.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.2	1.8	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	0.5	3.0	Seriously considered attempting suicide	8.6	13.0
Synthetic drugs (K2, bath salts, Spice, etc)	7.4		Made plan about how they would attempt suicide	3.8	10.0
<b>Average age of students' first use of:</b>			Attempted suicide	3.2	9.6
Alcohol	12.36	12.57	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.2	3.5
Cigarettes	12.39	12.44	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.61	13.11	Were threatened/injured with weapon at school	4.3	7.4
Inhalants	11.79	12.54	Were in a physical fight	15.0	21.7
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	2.2	3.1
Alcohol	19.3	34.6	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	12.2	22.3	Were victims of mean rumors or lies spread at school	54.5	58.6
Cigarettes	12.8	19.7	Had embarrassing or hurtful pictures/text of them posted on internet	10.8	9.7
Chewing Tobacco	10.1	12.7	Had embarrassing or hurtful pictures/text of them sent by cell phone	15.1	17.5
Marijuana	5.3	7.5	Were made fun of by others	62.6	69.1
Inhalants	1.6	0.9	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	5.9	7.5	Spread mean rumors or lies about other kids at school	25.1	27.4
Over-the-counter medications for non-medical use	3.7	4.4	Posted on internet embarrassing or hurtful pictures/text of someone	5.9	9.2
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	10.2	13.5
Alcohol	62.6	83.8	Made fun of other people	66.5	75.2
Cigarettes	47.3	59.0	<b>Percent of students who agree that:</b>		
Marijuana	32.3	38.0	Teachers notice and comment on student's good work	74.5	72.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.0	16.2	School provides feedback to parents on positive student performance	37.2	31.0
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	62.0	49.6
Alcohol	36.4	60.9	Rules are enforced fairly	64.9	50.7
Cigarettes	12.4	22.4	Students of all races/ethnicities are treated equally	84.4	83.0
Marijuana	7.4	10.5	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	85.0	83.4
Alcohol	54.8	31.9	Parents involve student in making family decisions	70.3	74.7
Cigarettes	81.2	71.9	It is important to be honest with parents regardless of consequences	87.7	82.9
Marijuana	83.8	80.3	Student could ask parent for help with a personal problem	77.3	80.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.1	94.7	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	70.4	58.6	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	89.8	85.5	Percentages are estimates based on weighted data.		
Marijuana	95.1	94.3	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7	100.0	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	51.9	73.2			
Cigarettes	50.3	66.7			
Marijuana	28.6	35.5			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.8	15.9			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# MORGAN COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	12
Adult Psychiatric	12
<b>FIPS COUNTY CODE</b>	141
<b>POPULATION</b>	
Census 2010	20,565
2012 Pop. Estimate	20,117

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	8,695	8,767	8,895
Employed	7,931	7,761	7,769
Unemployed	764	1,006	1,126
Unemployment Rate	8.8%	11.5%	12.7%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	613	619	654
Drop-outs	1	1	12
Drop-out Rate	0.2%	0.2%	1.8%
School Suspensions:			
Alcohol Incidents	2	0	2
Drug Incidents	12	9	11
Tobacco Incidents	0	1	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	254	234	266
Mother Reported Smoking while Pregnant	69	55	76

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	326	272	291
Suicides	8	1	5
Self-inflicted Injuries	24	24	15
Homicides	0	1	1
Assault Injuries	36	34	47
Alcohol Induced Deaths	3	1	3
Drug Induced Deaths	3	3	1
Smoking Attributable Deaths	57	51	57

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	91		
Alcohol Primary Diagnosis <sup>2</sup>	13		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	49	47	60
Drug Related Diagnosis	24	27	27
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	74		
Alcohol Primary Diagnosis <sup>2</sup>	22		
Drug Primary Diagnosis <sup>2</sup>	11		
Alcohol Related Diagnosis	124	112	113
Drug Related Diagnosis	61	52	47
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	117		
Alcohol Primary Diagnosis <sup>2</sup>	26		
Drug Primary Diagnosis <sup>2</sup>	12		
Alcohol Related Diagnosis	66	60	37
Drug Related Diagnosis	43	55	44

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	32	35	31
Fatal Crashes	3	0	3
Injury Crashes	21	13	10
Property Damage Crashes	8	22	18
Crash Fatalities	3	0	3
Crash Injuries	33	20	15
Drug Involved Crashes--Total	1	2	2
Fatal Crashes	1	0	0
Injury Crashes	0	1	0
Property Damage Crashes	0	1	2
Crash Fatalities	1	0	0
Crash Injuries	0	2	0

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	90	78	61
Liquor Law Arrests	10	7	12
Drug Arrests	110	128	130
Methamphetamine Lab Incidents	13	5	5
Violent Offenses	63	47	49
Property Offenses	438	439	434
Domestic Violence Reports	202	157	201

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	70	80	96
Violent Offenses	26	26	36
Alcohol Offenses	6	1	14
Drug Offenses	9	9	7
Status Offenses--Total	25	22	36
Truancy	3	5	6
Beyond Parental Control	0	1	4
Habitually Absent from Home	3	1	4
Injurious Behavior	17	12	17
Abuse/Neglect/Custody--Total	30	37	48
Abuse	8	4	8
Neglect	22	33	40
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	17	20	10
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	2	4
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	16	18	6

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	142	117	138
Probation/Parole Admissions--Drug	60	46	46
Probation/Parole Admissions--DWI	11	8	13
Prison Admissions--Total	71	49	64
Prison Admissions--Drug	29	20	20
Prison Admissions--DWI	8	3	8

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	45	43	45
Alcohol Package Carry-out Licenses	36	34	33

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# MORGAN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	7	12	7
CSTAR Adolescent	*	0	0
CSTAR Women and Children	11	8	8
CSTAR General Adult	49	34	17
CSTAR Opioid	0	0	0
Primary Recovery Treatment	33	21	40
Clinical SATOP (CIP, YCIP, SROP)	14	9	*
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	61	50	73
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	15	24	25
- Weekend Intervention Program	13	12	27
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	13	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	99	73	62	Alcohol	45	33	23
AGE				Marijuana / Hashish	13	19	18
Under 18	*	0	*	Cocaine (total)	0	0	*
18 to 24	18	15	14	- Crack	0	0	*
25 to 29	18	12	15	Stimulant (total)	28	12	13
30 to 34	19	10	12	- Methamphetamine	28	12	13
35 to 39	16	14	6	Heroin	*	*	0
40 to 44	6	6	5	Analgesic except Heroin	9	8	*
45 to 54	17	10	6	- Non-Prescription Methadone	0	0	0
55 and Over	*	6	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	*
Male	58	44	38	Inhalant	0	0	0
Female	41	29	24	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	97	71	61	Average Age at First Use of Drug	17.4	17.1	17.5
African American	*	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	13	9	10
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	5
Hispanic	0	*	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	0	*	- Less than Weekly Injection Use	9	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	40	29	19	0	45	36	30
High School Graduate or G.E.D.	42	31	32	1 or 2	38	20	25
Associate Degree or Some College	17	12	10	3 or More	16	17	7
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	29	31	19
Employed	26	15	12	School	*	0	0
Unemployed	42	31	30	Mental Health Provider	*	*	*
Not in Labor Force	31	27	20	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	56	33	33
Independent Living	82	67	56	Other Referral Source	8	5	7
Dependent Living	8	*	5	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	0
Never Married	38	36	28	Special Education Services Needed	10	6	11
Married / Cohabiting	35	17	20	Co-Occurring Psychological Problem	28	28	32
Previously Married	26	20	14	Co-Occurring Developmental Problem	*	0	5

# MORGAN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 12  
**CENSUS 2010** 20,565  
**2012 POPULATION ESTIMATE** 20,117

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	7	*	0
Anxiety Disorder	136	111	91
Dementia	*	*	*
Developmental Disorder	5	6	*
Impulse Control Disorder	55	37	36
Mood Disorder	170	155	132
Personality Disorder	19	16	13
Psychotic Disorder	38	24	22
Sexual Disorder	*	*	0
Other Diagnosis	22	13	8
Diagnosis Unknown	7	9	9

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	229	192	165	Less than High School Diploma	68	41	27
<b>AGE</b>				High School Grad or G.E.D.	57	57	26
Under 6	*	*	*	Associate Degree or Some College	22	15	11
6 to 9	7	*	7	Bachelor or Advanced Degree	*	*	0
10 to 13	13	12	17	Education Level Unknown	81	77	101
14 to 17	19	12	12	<b>EMPLOYMENT</b>			
18 to 24	22	28	20	Employed	15	19	9
25 to 29	20	14	7	Unemployed	116	94	53
30 to 34	19	15	19	Not in Labor Force	41	*	*
35 to 39	22	17	15	Employment Status Unknown	57	77	101
40 to 44	17	15	17	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	33	29	14	Independent Living	156	108	61
50 to 54	21	13	13	Dependent Living	21	27	16
55 to 59	20	21	13	Homeless	*	0	*
60 and Over	13	11	10	Other	*	*	*
Age Unknown	0	0	0	Housing Unknown	48	53	86
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	93	72	66	Self / Family / Friend	113	84	83
Female	136	120	99	School	*	*	0
Gender Unknown	0	0	0	Mental Health Provider	17	23	24
<b>RACE / ETHNICITY</b>				Health Care Provider	50	37	16
Caucasian	216	184	158	Court / Criminal Justice	8	9	9
African American	*	*	*	Other	39	38	32
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	227	190	163
Other Race	6	*	*	Civil	*	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	*
Past or Current Military Service	5	*	*				

# MORGAN COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	51.6	47.4	Alcohol	67.9	76.2
Cigarettes	33.7	33.3	Cigarettes	76.9	81.1
Chewing Tobacco	21.8	20.8	Marijuana	64.7	74.4
Marijuana	22.4	18.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	89.1	94.3
Inhalants	6.7	7.9	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	10.6	10.8	Were very sad	19.9	21.1
Over-the-counter medications for non-medical use	9.3	7.5	Were grouchy, irritable, or in a bad mood	34.2	30.1
Methamphetamine	2.0	1.4	Felt hopeless about the future	14.9	16.9
Cocaine	2.3	1.0	Felt like not eating or eating more than usual	23.2	25.9
Heroin	1.0	0.5	Slept a lot more or a lot less than usual	21.5	29.3
Hallucinogens	5.5	2.9	Had difficulty concentrating on school work	26.9	28.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.9	2.1	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.9	1.0	Seriously considered attempting suicide	15.4	12.8
Synthetic drugs (K2, bath salts, Spice, etc)	7.7		Made plan about how they would attempt suicide	14.1	8.5
<b>Average age of students' first use of:</b>			Attempted suicide	4.2	5.4
Alcohol	12.41	12.50	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.0	1.7
Cigarettes	11.62	12.10	<b>Percent of students in past 12 months who:</b>		
Marijuana	12.87	13.76	Were threatened/injured with weapon at school	6.8	10.0
Inhalants	11.73	13.21	Were in a physical fight	27.9	24.6
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	4.2	4.7
Alcohol	25.3	23.4	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	14.7	16.4	Were victims of mean rumors or lies spread at school	56.6	54.5
Cigarettes	17.0	18.4	Had embarrassing or hurtful pictures/text of them posted on internet	18.3	11.7
Chewing Tobacco	13.5	13.2	Had embarrassing or hurtful pictures/text of them sent by cell phone	17.9	16.0
Marijuana	11.9	9.5	Were made fun of by others	69.1	69.7
Inhalants	3.5	3.3	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	6.1	6.5	Spread mean rumors or lies about other kids at school	35.9	30.0
Over-the-counter medications for non-medical use	6.7	3.8	Posted on internet embarrassing or hurtful pictures/text of someone	12.5	9.8
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	12.9	15.1
Alcohol	66.0	62.6	Made fun of other people	75.6	70.9
Cigarettes	57.7	53.1	<b>Percent of students who agree that:</b>		
Marijuana	48.7	39.7	Teachers notice and comment on student's good work	66.7	70.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.4	18.5	School provides feedback to parents on positive student performance	31.4	43.7
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	47.8	56.2
Alcohol	42.6	37.9	Rules are enforced fairly	57.1	56.7
Cigarettes	20.6	19.9	Students of all races/ethnicities are treated equally	74.3	78.4
Marijuana	17.6	13.9	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	81.7	85.9
Alcohol	48.2	56.5	Parents involve student in making family decisions	62.6	72.0
Cigarettes	70.5	73.3	It is important to be honest with parents regardless of consequences	85.6	83.7
Marijuana	71.9	81.4	Student could ask parent for help with a personal problem	74.9	77.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.3	94.2	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	74.9	73.4	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	91.0	84.9	Percentages are estimates based on weighted data.		
Marijuana	91.8	94.0	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.1	98.6	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	65.7	56.6			
Cigarettes	62.2	54.8			
Marijuana	42.9	36.1			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	21.0	19.3			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# NEW MADRID COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	20
Adult Psychiatric	20
<b>FIPS COUNTY CODE</b>	143
<b>POPULATION</b>	
Census 2010	18,956
2012 Pop. Estimate	18,488

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	8,417	8,484	8,508
Employed	7,771	7,683	7,751
Unemployed	646	801	757
Unemployment Rate	7.7%	9.4%	8.9%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	800	827	829
Drop-outs	11	12	30
Drop-out Rate	1.4%	1.5%	3.6%
School Suspensions:			
Alcohol Incidents	5	3	0
Drug Incidents	3	5	4
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	209	248	247
Mother Reported Smoking while Pregnant	65	73	71

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	1
IDU and MSM <sup>1</sup>	0	0	*
IDU without MSM <sup>1</sup>	0	0	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	256	257	238
Suicides	2	4	1
Self-inflicted Injuries	30	38	25
Homicides	0	2	2
Assault Injuries	70	94	73
Alcohol Induced Deaths	0	1	0
Drug Induced Deaths	0	1	1
Smoking Attributable Deaths	67	50	58

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	285		
Alcohol Primary Diagnosis <sup>2</sup>	17		
Drug Primary Diagnosis <sup>2</sup>	13		
Alcohol Related Diagnosis	78	72	29
Drug Related Diagnosis	99	98	46
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	22		
Alcohol Primary Diagnosis <sup>2</sup>	3		
Drug Primary Diagnosis <sup>2</sup>	6		
Alcohol Related Diagnosis	31	41	75
Drug Related Diagnosis	30	53	69
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	143		
Alcohol Primary Diagnosis <sup>2</sup>	32		
Drug Primary Diagnosis <sup>2</sup>	28		
Alcohol Related Diagnosis	71	67	53
Drug Related Diagnosis	67	67	52

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	21	29	25
Fatal Crashes	2	3	0
Injury Crashes	9	14	14
Property Damage Crashes	10	12	11
Crash Fatalities	4	3	0
Crash Injuries	18	24	23
Drug Involved Crashes--Total	9	12	8
Fatal Crashes	2	3	0
Injury Crashes	5	5	7
Property Damage Crashes	2	4	1
Crash Fatalities	4	3	0
Crash Injuries	6	11	10

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	160	187	174
Liquor Law Arrests	6	19	18
Drug Arrests	129	171	158
Methamphetamine Lab Incidents	25	49	17
Violent Offenses	42	33	29
Property Offenses	168	129	166
Domestic Violence Reports	90	114	89

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	85	75	101
Violent Offenses	4	5	10
Alcohol Offenses	12	5	9
Drug Offenses	5	6	9
Status Offenses--Total	93	76	67
Truancy	20	10	6
Beyond Parental Control	29	23	20
Habitually Absent from Home	4	5	3
Injurious Behavior	40	38	38
Abuse/Neglect/Custody--Total	32	34	45
Abuse	5	6	6
Neglect	27	28	39
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	30	26	25
Parental Alcohol Use Related	1	0	1
Parental Drug Use Related	16	14	10
Parental Alcohol and Drug Use	0	0	3
Child Removed for Other Reason	13	12	11

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	257	278	269
Probation/Parole Admissions--Drug	75	88	94
Probation/Parole Admissions--DWI	19	18	10
Prison Admissions--Total	139	131	145
Prison Admissions--Drug	47	41	44
Prison Admissions--DWI	13	5	13

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	15	15	17
Alcohol Package Carry-out Licenses	25	26	25

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# NEW MADRID COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	47	28	21
CSTAR Adolescent	15	13	16
CSTAR Women and Children	14	16	23
CSTAR General Adult	40	19	14
CSTAR Opioid	0	0	0
Primary Recovery Treatment	136	141	138
Clinical SATOP (CIP, YCIP, SROP)	14	12	11
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	61	70	83
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	26	29	36
- Weekend Intervention Program	15	18	21
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	*
Compulsive Gambling	0	0	0
Recovery Supports	27	25	21
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	215	211	202	Alcohol	60	70	62
AGE				Marijuana / Hashish	78	66	79
Under 18	15	13	16	Cocaine (total)	13	18	21
18 to 24	37	35	27	- Crack	8	13	15
25 to 29	48	44	40	Stimulant (total)	37	45	29
30 to 34	35	34	34	- Methamphetamine	34	43	28
35 to 39	27	31	25	Heroin	*	0	*
40 to 44	15	21	18	Analgesic except Heroin	21	7	8
45 to 54	29	32	32	- Non-Prescription Methadone	0	0	0
55 and Over	9	*	10	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	147	159	146	Inhalant	0	0	0
Female	68	52	56	Sedative	*	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	163	167	144	Average Age at First Use of Drug	18.2	17.6	17.3
African American	49	41	53	INJECTION DRUG USE			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	10	10	8
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	*	*	- Less than Weekly Injection Use	6	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	95	81	92	0	127	135	123
High School Graduate or G.E.D.	108	114	94	1 or 2	55	45	47
Associate Degree or Some College	12	15	14	3 or More	33	31	32
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	30	30	36
Employed	48	51	39	School	*	*	0
Unemployed	74	105	82	Mental Health Provider	*	*	5
Not in Labor Force	93	55	81	Health Care Provider	9	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	148	151	141
Independent Living	182	177	164	Other Referral Source	26	24	17
Dependent Living	26	28	31	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	5	*	8
Never Married	106	108	85	Special Education Services Needed	9	14	16
Married / Cohabiting	67	58	67	Co-Occurring Psychological Problem	46	34	38
Previously Married	42	45	50	Co-Occurring Developmental Problem	0	*	*

# NEW MADRID COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 20  
**CENSUS 2010** 18,956  
**2012 POPULATION ESTIMATE** 18,488

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	18	21	24
Anxiety Disorder	71	56	47
Dementia	*	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	38	36	37
Mood Disorder	177	132	134
Personality Disorder	41	34	30
Psychotic Disorder	48	45	45
Sexual Disorder	0	0	0
Other Diagnosis	12	11	16
Diagnosis Unknown	20	32	56

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	331	286	298	Less than High School Diploma	56	26	23
<b>AGE</b>				High School Grad or G.E.D.	30	29	22
Under 6	5	*	5	Associate Degree or Some College	8	8	8
6 to 9	19	17	16	Bachelor or Advanced Degree	0	0	*
10 to 13	29	27	36	Education Level Unknown	237	223	244
14 to 17	24	31	39	<b>EMPLOYMENT</b>			
18 to 24	27	24	25	Employed	9	*	*
25 to 29	21	17	14	Unemployed	62	59	52
30 to 34	36	24	20	Not in Labor Force	30	*	*
35 to 39	36	25	28	Employment Status Unknown	230	223	244
40 to 44	25	20	21	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	24	25	28	Independent Living	81	59	54
50 to 54	37	28	24	Dependent Living	35	26	*
55 to 59	22	26	22	Homeless	*	0	0
60 and Over	26	20	20	Other	*	0	0
Age Unknown	0	0	0	Housing Unknown	213	201	243
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	140	129	150	Self / Family / Friend	136	112	95
Female	191	157	148	School	6	*	*
Gender Unknown	0	0	0	Mental Health Provider	46	52	58
<b>RACE / ETHNICITY</b>				Health Care Provider	59	36	38
Caucasian	260	230	232	Court / Criminal Justice	10	14	28
African American	56	44	58	Other	72	68	71
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	5
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	5	*	*	Voluntary	327	282	279
Other Race	9	7	5	Civil	*	*	12
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	15	11	9	Commitment Type Unknown	*	*	5
Past or Current Military Service	6	6	6				

# NEW MADRID COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	46.4	42.0	Alcohol	73.8	81.6
Cigarettes	33.4	35.7	Cigarettes	82.5	80.4
Chewing Tobacco	14.3	12.8	Marijuana	76.0	74.0
Marijuana	17.7	10.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.5	91.7
Inhalants	6.5	4.9			
Prescription medications not prescribed for student	10.2	10.2	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	3.1	4.4	Were very sad	20.1	16.8
Methamphetamine	0.7	0.3	Were grouchy, irritable, or in a bad mood	32.9	27.8
Cocaine	1.7	0.8	Felt hopeless about the future	10.0	9.7
Heroin	0.7	0.5	Felt like not eating or eating more than usual	16.2	18.8
Hallucinogens	1.4	0.5	Slept a lot more or a lot less than usual	22.4	23.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	0.5	Had difficulty concentrating on school work	23.4	29.4
Steroids not prescribed for student	1.0	1.6			
Synthetic drugs (K2, bath salts, Spice, etc)	5.8		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	8.2	7.9
Alcohol	12.52	12.43	Made plan about how they would attempt suicide	6.2	4.9
Cigarettes	12.19	11.76	Attempted suicide	2.7	3.8
Marijuana	13.85	13.35	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.7	3.2
Inhalants	12.36	10.99			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	22.9	18.6	Were threatened/injured with weapon at school	4.5	8.0
Binge Alcohol (5 or more drinks on one occasion)	14.3	10.7	Were in a physical fight	22.3	25.8
Cigarettes	16.7	10.8	Were in a fight and had to be treated by a doctor or nurse	3.5	4.6
Chewing Tobacco	6.8	5.5			
Marijuana	8.2	3.6	<b>Percent of students in past 3 months who:</b>		
Inhalants	1.0	1.6	Were victims of mean rumors or lies spread at school	49.1	58.6
Prescription medications not prescribed for student	6.2	6.8	Had embarrassing or hurtful pictures/text of them posted on internet	12.2	13.4
Over-the-counter medications for non-medical use	2.0	2.6	Had embarrassing or hurtful pictures/text of them sent by cell phone	16.2	17.4
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	60.4	68.4
Alcohol	57.8	58.9			
Cigarettes	49.3	52.7	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	38.0	35.1	Spread mean rumors or lies about other kids at school	29.0	31.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.7	13.0	Posted on internet embarrassing or hurtful pictures/text of someone	9.7	11.9
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	13.4	12.9
Alcohol	36.9	31.6	Made fun of other people	67.9	73.1
Cigarettes	18.8	13.3			
Marijuana	11.9	5.1	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	72.1	72.5
Alcohol	60.1	63.7	School provides feedback to parents on positive student performance	47.9	41.5
Cigarettes	75.4	81.0	Teachers praise student for hard work	59.7	51.6
Marijuana	83.2	87.9	Rules are enforced fairly	63.6	56.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	96.6	Students of all races/ethnicities are treated equally	72.4	74.7
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	81.0	82.7	<b>Percent of students who agree that:</b>		
Cigarettes	90.3	92.3	Parents notice and comment on student's good work	85.0	82.8
Marijuana	96.1	96.3	Parents involve student in making family decisions	69.9	71.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.3	97.9	It is important to be honest with parents regardless of consequences	84.9	85.1
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	81.5	78.6
Alcohol	54.3	57.3			
Cigarettes	55.7	55.5			
Marijuana	35.9	32.3			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	20.1	15.5			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# NEWTON COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	9
Adult Psychiatric	9
<b>FIPS COUNTY CODE</b>	145
<b>POPULATION</b>	
Census 2010	58,114
2012 Pop. Estimate	59,069

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	28,754	29,310	27,953
Employed	26,971	26,995	25,449
Unemployed	1,783	2,315	2,504
Unemployment Rate	6.2%	7.9%	9.0%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	2,457	2,578	2,581
Drop-outs	57	64	54
Drop-out Rate	2.3%	2.5%	2.1%
School Suspensions:			
Alcohol Incidents	7	3	6
Drug Incidents	29	46	26
Tobacco Incidents	1	0	1

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	754	753	761
Mother Reported Smoking while Pregnant	144	176	144

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	1	0
IDU and MSM <sup>1</sup>	0	*	0
IDU without MSM <sup>1</sup>	0	*	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	581	571	557
Suicides	8	6	17
Self-inflicted Injuries	59	64	75
Homicides	2	1	2
Assault Injuries	131	167	174
Alcohol Induced Deaths	2	2	0
Drug Induced Deaths	10	11	13
Smoking Attributable Deaths	107	106	98

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	373		
Alcohol Primary Diagnosis <sup>2</sup>	50		
Drug Primary Diagnosis <sup>2</sup>	23		
Alcohol Related Diagnosis	232	220	99
Drug Related Diagnosis	179	208	86
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	45		
Alcohol Primary Diagnosis <sup>2</sup>	18		
Drug Primary Diagnosis <sup>2</sup>	11		
Alcohol Related Diagnosis	48	76	224
Drug Related Diagnosis	34	63	171
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	440		
Alcohol Primary Diagnosis <sup>2</sup>	70		
Drug Primary Diagnosis <sup>2</sup>	69		
Alcohol Related Diagnosis	187	206	196
Drug Related Diagnosis	214	197	226

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	76	68	60
Fatal Crashes	3	4	2
Injury Crashes	31	35	28
Property Damage Crashes	42	29	30
Crash Fatalities	3	4	1
Crash Injuries	37	49	37
Drug Involved Crashes--Total	21	8	13
Fatal Crashes	2	0	1
Injury Crashes	9	5	6
Property Damage Crashes	10	3	6
Crash Fatalities	2	0	1
Crash Injuries	12	6	10

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	370	326	349
Liquor Law Arrests	28	54	29
Drug Arrests	176	364	405
Methamphetamine Lab Incidents	36	45	52
Violent Offenses	73	126	106
Property Offenses	1,306	1,315	1,269
Domestic Violence Reports	352	422	502

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	254	267	377
Violent Offenses	68	67	100
Alcohol Offenses	12	24	12
Drug Offenses	20	11	17
Status Offenses--Total	105	107	109
Truancy	6	21	16
Beyond Parental Control	29	25	31
Habitually Absent from Home	25	29	25
Injurious Behavior	22	15	21
Abuse/Neglect/Custody--Total	229	291	250
Abuse	61	65	86
Neglect	133	173	134
Custody Disputes	35	53	30

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	173	192	191
Parental Alcohol Use Related	12	4	7
Parental Drug Use Related	51	50	32
Parental Alcohol and Drug Use	0	11	2
Child Removed for Other Reason	110	127	150

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	95	61	46
Probation/Parole Admissions--Total	236	295	302
Probation/Parole Admissions--Drug	65	121	92
Probation/Parole Admissions--DWI	37	28	23
Prison Admissions--Total	101	124	156
Prison Admissions--Drug	26	34	44
Prison Admissions--DWI	11	13	20

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	41	43	38
Alcohol Package Carry-out Licenses	59	59	55

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# NEWTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	29	36	26
CSTAR Adolescent	40	8	20
CSTAR Women and Children	52	53	57
CSTAR General Adult	104	124	33
CSTAR Opioid	0	0	0
Primary Recovery Treatment	15	120	214
Clinical SATOP (CIP, YCIP, SROP)	45	40	55
Other Substance Abuse Treatment	0	0	0

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	246	217	290
- Adolescent Diversion Education Program	*	17	18
- Offender Education Program	88	84	101
- Weekend Intervention Program	36	40	65
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	23	27	17
Compulsive Gambling	*	*	0
Recovery Supports	32	31	17
Early Intervention	26	7	5


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	302	354	348	Alcohol	136	159	153
<b>AGE</b>				Marijuana / Hashish	67	81	87
Under 18	39	8	22	Cocaine (total)	*	*	9
18 to 24	50	70	64	- Crack	*	*	*
25 to 29	53	64	67	Stimulant (total)	68	90	78
30 to 34	46	68	50	- Methamphetamine	64	86	75
35 to 39	39	43	31	Heroin	0	*	*
40 to 44	25	38	44	Analgesic except Heroin	16	14	15
45 to 54	39	48	57	- Non-Prescription Methadone	0	0	0
55 and Over	11	15	13	PCP, LSD, other Hallucinogen	*	0	*
<b>GENDER</b>				Tranquilizer	*	5	*
Male	190	240	245	Inhalant	0	0	*
Female	112	114	103	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	5	*	0
Caucasian	272	322	313	Average Age at First Use of Drug	16.8	17.5	17.3
African American	11	9	*	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	*	6	Any Injection Use at Admission	31	42	45
Asian / Pacific Islander	*	*	*	- Daily Injection Use	7	*	5
Hispanic	8	6	11	- Weekly Injection Use	8	11	10
Other Race / Two or More Races	10	14	11	- Less than Weekly Injection Use	16	27	30
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	121	129	121	0	145	160	150
High School Graduate or G.E.D.	109	159	148	1 or 2	98	124	118
Associate Degree or Some College	67	63	75	3 or More	59	70	80
Bachelor or Advanced Degree	5	*	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	104	92	86
Employed	87	117	131	School	*	0	*
Unemployed	94	145	112	Mental Health Provider	*	*	5
Not in Labor Force	121	92	105	Health Care Provider	14	15	14
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	133	200	204
Independent Living	234	310	260	Other Referral Source	45	44	37
Dependent Living	52	31	79	<b>TREATMENT ACCOMMODATION</b>			
Homeless	10	*	*	Pregnant when Admitted to any Episode	5	5	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	6	21	23
Never Married	153	163	169	Special Education Services Needed	40	36	25
Married / Cohabiting	81	92	86	Co-Occurring Psychological Problem	145	146	115
Previously Married	68	99	93	Co-Occurring Developmental Problem	9	7	7



# NEWTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 9  
**CENSUS 2010** 58,114  
**2012 POPULATION ESTIMATE** 59,069

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	81	82	76
Anxiety Disorder	362	327	265
Dementia	*	*	14
Developmental Disorder	13	15	11
Impulse Control Disorder	197	208	144
Mood Disorder	510	463	401
Personality Disorder	198	206	205
Psychotic Disorder	109	103	73
Sexual Disorder	*	*	6
Other Diagnosis	107	88	72
Diagnosis Unknown	75	50	261

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	908	825	893	Less than High School Diploma	91	53	55
<b>AGE</b>				High School Grad or G.E.D.	94	89	58
Under 6	11	9	20	Associate Degree or Some College	35	21	21
6 to 9	62	63	59	Bachelor or Advanced Degree	7	5	6
10 to 13	71	79	84	Education Level Unknown	681	657	753
14 to 17	93	97	72	<b>EMPLOYMENT</b>			
18 to 24	99	97	96	Employed	34	22	9
25 to 29	76	62	70	Unemployed	172	141	128
30 to 34	73	63	62	Not in Labor Force	62	5	*
35 to 39	82	69	83	Employment Status Unknown	640	657	753
40 to 44	81	62	80	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	93	82	105	Independent Living	195	124	109
50 to 54	92	68	69	Dependent Living	76	82	30
55 to 59	47	46	47	Homeless	*	6	*
60 and Over	28	28	46	Other	*	10	*
Age Unknown	0	0	0	Housing Unknown	632	603	749
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	448	404	409	Self / Family / Friend	694	629	575
Female	460	421	484	School	*	*	0
Gender Unknown	0	0	0	Mental Health Provider	34	45	66
<b>RACE / ETHNICITY</b>				Health Care Provider	39	32	35
Caucasian	848	776	836	Court / Criminal Justice	67	49	68
African American	11	7	6	Other	71	64	91
Native American / Alaskan	8	*	6	Referral Source Unknown	*	5	58
Asian / Pacific Islander	*	6	11	<b>TYPE OF COMMITMENT</b>			
Hispanic	17	10	12	Voluntary	841	773	778
Other Race	21	22	21	Civil	63	44	54
Race/Ethnicity Unknown	0	0	*	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	8	9	10	Commitment Type Unknown	*	5	58
Past or Current Military Service	17	14	14				




# NEWTON COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	32.3	40.2	Alcohol	74.2	77.6
Cigarettes	25.0	30.2	Cigarettes	81.1	80.8
Chewing Tobacco	14.5	17.7	Marijuana	79.4	73.8
Marijuana	10.9	12.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.1	93.8
Inhalants	5.9	7.2	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	7.8	9.6	Were very sad	20.0	19.4
Over-the-counter medications for non-medical use	6.3	8.5	Were grouchy, irritable, or in a bad mood	22.2	23.3
Methamphetamine	0.9	1.4	Felt hopeless about the future	11.7	9.7
Cocaine	1.2	1.4	Felt like not eating or eating more than usual	19.0	16.3
Heroin	0.5	0.7	Slept a lot more or a lot less than usual	19.7	26.8
Hallucinogens	2.5	2.0	Had difficulty concentrating on school work	23.7	25.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	1.4	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.5	1.3	Seriously considered attempting suicide	11.4	9.5
Synthetic drugs (K2, bath salts, Spice, etc)	6.6		Made plan about how they would attempt suicide	7.7	7.0
<b>Average age of students' first use of:</b>			Attempted suicide	4.9	5.2
Alcohol	12.11	12.33	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.7	0.8
Cigarettes	11.85	12.03	<b>Percent of students in past 12 months who:</b>		
Marijuana	12.37	13.13	Were threatened/injured with weapon at school	4.7	8.8
Inhalants	12.59	11.92	Were in a physical fight	19.7	25.8
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	2.8	4.2
Alcohol	11.2	19.4	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	4.6	10.1	Were victims of mean rumors or lies spread at school	50.0	56.6
Cigarettes	8.4	15.1	Had embarrassing or hurtful pictures/text of them posted on internet	12.3	10.9
Chewing Tobacco	7.8	9.5	Had embarrassing or hurtful pictures/text of them sent by cell phone	14.3	11.2
Marijuana	3.3	5.1	Were made fun of by others	59.5	66.5
Inhalants	2.3	2.3	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	4.3	5.2	Spread mean rumors or lies about other kids at school	23.4	31.0
Over-the-counter medications for non-medical use	4.4	5.1	Posted on internet embarrassing or hurtful pictures/text of someone	6.1	8.3
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	7.0	11.3
Alcohol	43.7	54.5	Made fun of other people	54.5	66.1
Cigarettes	38.1	47.0	<b>Percent of students who agree that:</b>		
Marijuana	23.7	30.5	Teachers notice and comment on student's good work	66.8	66.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.2	16.5	School provides feedback to parents on positive student performance	41.4	38.9
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	54.0	50.3
Alcohol	21.7	29.9	Rules are enforced fairly	62.9	61.2
Cigarettes	12.5	15.8	Students of all races/ethnicities are treated equally	72.7	81.6
Marijuana	8.6	10.6	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	84.1	83.6
Alcohol	69.7	63.5	Parents involve student in making family decisions	74.1	71.5
Cigarettes	82.0	77.4	It is important to be honest with parents regardless of consequences	89.6	86.3
Marijuana	87.1	84.6	Student could ask parent for help with a personal problem	77.7	77.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.9	94.7	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	85.3	80.3	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	94.0	92.3	Percentages are estimates based on weighted data.		
Marijuana	96.8	95.3	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.3	98.1	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	43.8	51.5			
Cigarettes	44.2	53.8			
Marijuana	25.7	31.1			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.1	15.4			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# NODAWAY COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	1
Adult Psychiatric	1
<b>FIPS COUNTY CODE</b>	147
<b>POPULATION</b>	
Census 2010	23,370
2012 Pop. Estimate	23,419

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	11,834	11,859	11,965
Employed	11,183	11,059	11,171
Unemployed	651	800	794
Unemployment Rate	5.5%	6.7%	6.6%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	820	867	900
Drop-outs	3	16	14
Drop-out Rate	0.4%	1.8%	1.6%
School Suspensions:			
Alcohol Incidents	0	0	2
Drug Incidents	1	3	1
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	206	260	230
Mother Reported Smoking while Pregnant	42	40	50

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	200	189	174
Suicides	0	2	5
Self-inflicted Injuries	6	7	10
Homicides	0	0	0
Assault Injuries	27	33	31
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	1	0	0
Smoking Attributable Deaths	40	31	29

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	146		
Alcohol Primary Diagnosis <sup>2</sup>	4		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	43	40	33
Drug Related Diagnosis	36	38	36
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	30		
Alcohol Primary Diagnosis <sup>2</sup>	7		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	20	16	21
Drug Related Diagnosis	20	14	16
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	127		
Alcohol Primary Diagnosis <sup>2</sup>	24		
Drug Primary Diagnosis <sup>2</sup>	11		
Alcohol Related Diagnosis	38	50	50
Drug Related Diagnosis	18	35	35

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	12	21	27
Fatal Crashes	1	1	4
Injury Crashes	5	12	12
Property Damage Crashes	6	8	11
Crash Fatalities	3	1	3
Crash Injuries	10	25	22
Drug Involved Crashes--Total	4	1	1
Fatal Crashes	0	0	0
Injury Crashes	0	0	1
Property Damage Crashes	4	1	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	160	181	166
Liquor Law Arrests	358	311	231
Drug Arrests	130	155	80
Methamphetamine Lab Incidents	1	0	4
Violent Offenses	70	36	42
Property Offenses	431	327	383
Domestic Violence Reports	88	62	46

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	48	51	60
Violent Offenses	6	10	7
Alcohol Offenses	9	5	9
Drug Offenses	4	2	3
Status Offenses--Total	67	102	86
Truancy	9	21	19
Beyond Parental Control	25	58	46
Habitually Absent from Home	2	1	2
Injurious Behavior	30	21	19
Abuse/Neglect/Custody--Total	102	139	107
Abuse	0	10	17
Neglect	102	125	90
Custody Disputes	0	4	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	49	32	21
Parental Alcohol Use Related	2	4	1
Parental Drug Use Related	7	9	3
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	40	19	17

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	14	6	11
Probation/Parole Admissions--Total	170	159	93
Probation/Parole Admissions--Drug	60	74	23
Probation/Parole Admissions--DWI	9	11	10
Prison Admissions--Total	78	71	63
Prison Admissions--Drug	25	25	15
Prison Admissions--DWI	5	8	10

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	24	28	27
Alcohol Package Carry-out Licenses	19	19	17

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# NODAWAY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	7	8	11
CSTAR Adolescent	*	8	7
CSTAR Women and Children	0	0	*
CSTAR General Adult	16	*	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	64	51	57
Clinical SATOP (CIP, YCIP, SROP)	12	11	5
Other Substance Abuse Treatment	0	0	0


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	161	150	218
- Adolescent Diversion Education Program	76	59	89
- Offender Education Program	46	39	72
- Weekend Intervention Program	26	27	25
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	*
Recovery Supports	*	*	*
Early Intervention	28	46	8

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	92	71	73	Alcohol	37	25	31
<b>AGE</b>				Marijuana / Hashish	24	25	21
Under 18	*	7	6	Cocaine (total)	0	*	*
18 to 24	35	27	24	- Crack	0	*	*
25 to 29	9	11	7	Stimulant (total)	16	14	15
30 to 34	19	7	10	- Methamphetamine	16	14	14
35 to 39	7	*	6	Heroin	0	0	*
40 to 44	5	6	6	Analgesic except Heroin	10	*	*
45 to 54	12	9	11	- Non-Prescription Methadone	0	0	0
55 and Over	*	0	*	PCP, LSD, other Hallucinogen	*	0	0
<b>GENDER</b>				Tranquilizer	0	0	0
Male	58	49	52	Inhalant	*	*	0
Female	34	22	21	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	*	0
Caucasian	88	69	71	Average Age at First Use of Drug	17.6	16.5	17.6
African American	0	*	0	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	7	9	7
Asian / Pacific Islander	*	*	0	- Daily Injection Use	*	*	0
Hispanic	*	0	*	- Weekly Injection Use	*	0	*
Other Race / Two or More Races	*	0	*	- Less than Weekly Injection Use	*	5	*
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	19	15	15	0	60	38	43
High School Graduate or G.E.D.	44	38	40	1 or 2	21	21	18
Associate Degree or Some College	26	16	15	3 or More	11	12	12
Bachelor or Advanced Degree	*	*	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	10	9	7
Employed	35	33	29	School	0	0	0
Unemployed	35	24	25	Mental Health Provider	*	*	*
Not in Labor Force	22	14	19	Health Care Provider	*	*	*
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	70	52	50
Independent Living	87	62	64	Other Referral Source	5	6	10
Dependent Living	*	7	7	<b>TREATMENT ACCOMMODATION</b>			
Homeless	*	0	*	Pregnant when Admitted to any Episode	0	*	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	*	*	*
Never Married	56	39	38	Special Education Services Needed	8	*	*
Married / Cohabiting	19	9	18	Co-Occurring Psychological Problem	30	27	24
Previously Married	17	23	17	Co-Occurring Developmental Problem	*	0	*

# NODAWAY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 1  
**CENSUS 2010** 23,370  
**2012 POPULATION ESTIMATE** 23,419

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	5	*	5
Anxiety Disorder	30	27	36
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	21	16	17
Mood Disorder	72	70	81
Personality Disorder	*	*	*
Psychotic Disorder	18	18	19
Sexual Disorder	0	0	0
Other Diagnosis	12	10	10
Diagnosis Unknown	11	16	8

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	121	123	131	Less than High School Diploma	11	9	0
<b>AGE</b>				High School Grad or G.E.D.	35	11	0
Under 6	*	*	*	Associate Degree or Some College	15	10	*
6 to 9	12	10	11	Bachelor or Advanced Degree	8	*	0
10 to 13	13	13	11	Education Level Unknown	52	91	129
14 to 17	10	8	8	<b>EMPLOYMENT</b>			
18 to 24	7	8	13	Employed	6	5	0
25 to 29	8	12	13	Unemployed	59	27	*
30 to 34	7	9	13	Not in Labor Force	5	0	0
35 to 39	10	10	9	Employment Status Unknown	51	91	129
40 to 44	5	*	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	14	15	13	Independent Living	66	32	*
50 to 54	13	15	14	Dependent Living	17	8	0
55 to 59	11	7	9	Homeless	*	0	0
60 and Over	10	11	12	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	37	83	129
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	56	55	56	Self / Family / Friend	40	42	41
Female	65	68	75	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	27	28	28
<b>RACE / ETHNICITY</b>				Health Care Provider	20	18	26
Caucasian	118	121	129	Court / Criminal Justice	6	9	10
African American	*	*	*	Other	25	21	21
Native American / Alaskan	*	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	*	*	Voluntary	119	122	127
Other Race	*	0	0	Civil	*	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	11	9	8	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	6				

# NODAWAY COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	46.8	38.8	Alcohol	63.3	86.8
Cigarettes	23.8	19.3	Cigarettes	80.2	84.0
Chewing Tobacco	16.2	14.7	Marijuana	72.9	75.0
Marijuana	10.0	5.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.6	95.8
Inhalants	3.0	2.1	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	7.4	5.3	Were very sad	17.0	13.7
Over-the-counter medications for non-medical use	4.7	3.6	Were grouchy, irritable, or in a bad mood	23.2	22.7
Methamphetamine	0.9	0.2	Felt hopeless about the future	10.1	12.0
Cocaine	0.6	0.6	Felt like not eating or eating more than usual	12.6	12.1
Heroin	0.4	0.0	Slept a lot more or a lot less than usual	18.5	20.6
Hallucinogens	2.8	0.8	Had difficulty concentrating on school work	22.4	30.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	0.6	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.7	0.6	Seriously considered attempting suicide	6.4	11.0
Synthetic drugs (K2, bath salts, Spice, etc)	3.4		Made plan about how they would attempt suicide	4.7	6.9
<b>Average age of students' first use of:</b>			Attempted suicide	2.1	3.9
Alcohol	13.68	12.74	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.7	2.0
Cigarettes	13.47	12.42	<b>Percent of students in past 12 months who:</b>		
Marijuana	14.62	13.64	Were threatened/injured with weapon at school	3.6	9.5
Inhalants	14.34	11.21	Were in a physical fight	14.1	16.6
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	1.7	2.1
Alcohol	20.1	14.2	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	11.3	10.3	Were victims of mean rumors or lies spread at school	43.8	56.6
Cigarettes	10.7	8.3	Had embarrassing or hurtful pictures/text of them posted on internet	11.7	13.0
Chewing Tobacco	9.1	7.6	Had embarrassing or hurtful pictures/text of them sent by cell phone	16.8	12.7
Marijuana	4.5	1.7	Were made fun of by others	63.5	74.8
Inhalants	1.1	1.1	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	3.4	3.6	Spread mean rumors or lies about other kids at school	26.7	32.9
Over-the-counter medications for non-medical use	3.0	2.5	Posted on internet embarrassing or hurtful pictures/text of someone	10.2	9.0
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	10.4	12.5
Alcohol	57.3	58.6	Made fun of other people	63.2	73.3
Cigarettes	35.5	39.6	<b>Percent of students who agree that:</b>		
Marijuana	28.8	17.5	Teachers notice and comment on student's good work	73.2	73.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.0	6.6	School provides feedback to parents on positive student performance	45.2	53.1
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	59.6	65.2
Alcohol	37.5	29.1	Rules are enforced fairly	55.6	72.0
Cigarettes	12.6	12.1	Students of all races/ethnicities are treated equally	86.4	90.4
Marijuana	9.8	4.6	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	87.6	87.1
Alcohol	54.5	63.6	Parents involve student in making family decisions	72.0	74.8
Cigarettes	77.8	84.1	It is important to be honest with parents regardless of consequences	87.0	87.3
Marijuana	85.2	91.7	Student could ask parent for help with a personal problem	85.3	82.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	97.9	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	71.9	82.0	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	88.1	91.5	Percentages are estimates based on weighted data.		
Marijuana	95.4	98.3	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	99.0	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	67.1	62.3			
Cigarettes	61.7	52.5			
Marijuana	35.6	22.9			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.4	9.9			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# OREGON COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	18
Adult Psychiatric	18
<b>FIPS COUNTY CODE</b>	149
<b>POPULATION</b>	
Census 2010	10,881
2012 Pop. Estimate	10,997

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	132	132	118
Mother Reported Smoking while Pregnant	46	41	33

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	137	131	142
Suicides	3	2	2
Self-inflicted Injuries	25	16	18
Homicides	0	1	0
Assault Injuries	29	14	25
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	24	26	20

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	124		
Alcohol Primary Diagnosis <sup>2</sup>	8		
Drug Primary Diagnosis <sup>2</sup>	10		
Alcohol Related Diagnosis	41	43	17
Drug Related Diagnosis	59	48	13
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1		
Alcohol Primary Diagnosis <sup>2</sup>	0		
Drug Primary Diagnosis <sup>2</sup>	0		
Alcohol Related Diagnosis	6	8	52
Drug Related Diagnosis	4	18	46
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	106		
Alcohol Primary Diagnosis <sup>2</sup>	8		
Drug Primary Diagnosis <sup>2</sup>	10		
Alcohol Related Diagnosis	28	38	24
Drug Related Diagnosis	28	39	24

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	17	17	21
Fatal Crashes	0	0	0
Injury Crashes	8	9	11
Property Damage Crashes	9	8	10
Crash Fatalities	0	0	0
Crash Injuries	9	11	15
Drug Involved Crashes--Total	6	3	0
Fatal Crashes	0	0	0
Injury Crashes	2	1	0
Property Damage Crashes	4	2	0
Crash Fatalities	0	0	0
Crash Injuries	2	1	0

## EMPLOYMENT

	2012	2011	2010
Labor Force	4,488	4,556	4,560
Employed	4,175	4,159	4,133
Unemployed	313	397	427
Unemployment Rate	7.0%	8.7%	9.4%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	632	695	774
Drop-outs	1	3	5
Drop-out Rate	0.2%	0.4%	0.6%
School Suspensions:			
Alcohol Incidents	1	0	1
Drug Incidents	8	3	4
Tobacco Incidents	0	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	66	47	60
Liquor Law Arrests	20	24	19
Drug Arrests	31	48	25
Methamphetamine Lab Incidents	1	3	3
Violent Offenses	11	19	27
Property Offenses	95	92	79
Domestic Violence Reports	7	22	14

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	26	30	18
Violent Offenses	2	6	0
Alcohol Offenses	4	0	0
Drug Offenses	1	0	0
Status Offenses--Total	39	53	54
Truancy	23	15	19
Beyond Parental Control	7	9	12
Habitually Absent from Home	0	3	1
Injurious Behavior	7	20	19
Abuse/Neglect/Custody--Total	39	23	10
Abuse	3	0	0
Neglect	31	20	6
Custody Disputes	5	3	4

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	6	7	4
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	2	0
Parental Alcohol and Drug Use	0	0	2
Child Removed for Other Reason	6	5	2

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	57	29	48
Probation/Parole Admissions--Drug	11	3	10
Probation/Parole Admissions--DWI	5	2	5
Prison Admissions--Total	19	20	18
Prison Admissions--Drug	6	3	4
Prison Admissions--DWI	2	1	1

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	7	7	6
Alcohol Package Carry-out Licenses	10	11	10

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# OREGON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	13	10	9
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	6
CSTAR General Adult	13	10	7
CSTAR Opioid	0	0	0
Primary Recovery Treatment	25	22	29
Clinical SATOP (CIP, YCIP, SROP)	6	6	5
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	40	24	28
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	22	8	11
- Weekend Intervention Program	5	5	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	0	8
Early Intervention	0	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	38	40	46	Alcohol	18	21	21
AGE				Marijuana / Hashish	7	9	8
Under 18	*	*	*	Cocaine (total)	0	0	0
18 to 24	10	6	10	- Crack	0	0	0
25 to 29	*	9	7	Stimulant (total)	6	5	5
30 to 34	5	*	*	- Methamphetamine	6	5	*
35 to 39	*	5	6	Heroin	0	0	0
40 to 44	*	*	5	Analgesic except Heroin	6	5	10
45 to 54	10	8	10	- Non-Prescription Methadone	0	0	0
55 and Over	*	5	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	24	27	32	Inhalant	0	0	*
Female	14	13	14	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	38	40	45	Average Age at First Use of Drug	15.9	16.8	17.8
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	5	5	7
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	*
Hispanic	0	0	0	- Weekly Injection Use	*	*	5
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	23	12	17	0	19	17	25
High School Graduate or G.E.D.	15	23	23	1 or 2	13	17	16
Associate Degree or Some College	0	*	*	3 or More	6	6	5
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	8	7	8
Employed	*	5	5	School	0	0	0
Unemployed	19	24	20	Mental Health Provider	0	*	*
Not in Labor Force	17	11	21	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	25	25	30
Independent Living	35	37	41	Other Referral Source	*	*	*
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	0	*	*	Pregnant when Admitted to any Episode	*	0	0
MARITAL / FAMILY STATUS				Military Veteran	0	*	*
Never Married	16	17	24	Special Education Services Needed	*	0	*
Married / Cohabiting	6	11	13	Co-Occurring Psychological Problem	10	12	19
Previously Married	16	12	9	Co-Occurring Developmental Problem	0	*	0

# OREGON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 18  
**CENSUS 2010** 10,881  
**2012 POPULATION ESTIMATE** 10,997

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	*	*
Anxiety Disorder	64	36	34
Dementia	*	*	0
Developmental Disorder	0	*	*
Impulse Control Disorder	22	19	16
Mood Disorder	109	71	70
Personality Disorder	*	*	*
Psychotic Disorder	9	*	5
Sexual Disorder	*	0	0
Other Diagnosis	8	*	7
Diagnosis Unknown	10	*	8

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	178	123	126	Less than High School Diploma	38	10	6
<b>AGE</b>				High School Grad or G.E.D.	20	24	15
Under 6	*	*	*	Associate Degree or Some College	*	8	*
6 to 9	7	10	*	Bachelor or Advanced Degree	0	*	*
10 to 13	6	7	5	Education Level Unknown	117	80	100
14 to 17	13	8	9	<b>EMPLOYMENT</b>			
18 to 24	24	13	17	Employed	5	*	*
25 to 29	13	8	16	Unemployed	47	42	24
30 to 34	8	12	14	Not in Labor Force	36	0	*
35 to 39	19	11	9	Employment Status Unknown	90	80	100
40 to 44	23	14	11	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	25	22	19	Independent Living	72	39	26
50 to 54	21	8	9	Dependent Living	19	14	8
55 to 59	10	6	6	Homeless	0	*	0
60 and Over	8	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	87	66	92
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	74	50	59	Self / Family / Friend	91	34	41
Female	104	73	67	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	14
<b>RACE / ETHNICITY</b>				Health Care Provider	44	46	35
Caucasian	171	118	121	Court / Criminal Justice	*	*	5
African American	*	*	*	Other	34	36	30
Native American / Alaskan	*	*	*	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	178	123	122
Other Race	*	*	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	11	9	7	Commitment Type Unknown	0	0	*
Past or Current Military Service	*	*	*				


# OREGON COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	37.6	37.2	Alcohol	78.0	81.7
Cigarettes	31.2	33.6	Cigarettes	80.3	78.4
Chewing Tobacco	23.1	22.8	Marijuana	81.4	80.3
Marijuana	12.7	10.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.0	94.5
Inhalants	5.8	5.7	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	12.6	8.2	Were very sad	20.2	12.8
Over-the-counter medications for non-medical use	8.1	6.5	Were grouchy, irritable, or in a bad mood	24.3	23.1
Methamphetamine	1.8	0.4	Felt hopeless about the future	11.0	11.1
Cocaine	1.8	0.4	Felt like not eating or eating more than usual	16.8	15.5
Heroin	1.2	0.0	Slept a lot more or a lot less than usual	20.8	21.6
Hallucinogens	3.5	2.2	Had difficulty concentrating on school work	23.3	27.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	2.2	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.7	1.3	Seriously considered attempting suicide	12.7	8.1
Synthetic drugs (K2, bath salts, Spice, etc)	10.3		Made plan about how they would attempt suicide	9.9	5.1
<b>Average age of students' first use of:</b>			Attempted suicide	5.7	2.1
Alcohol	12.60	12.47	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.7	0.9
Cigarettes	12.71	11.91	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.51	13.58	Were threatened/injured with weapon at school	7.5	7.6
Inhalants	11.79	11.83	Were in a physical fight	17.4	20.8
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	2.9	4.3
Alcohol	12.1	18.5	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	8.0	12.3	Were victims of mean rumors or lies spread at school	52.6	58.1
Cigarettes	14.5	19.4	Had embarrassing or hurtful pictures/text of them posted on internet	14.5	12.0
Chewing Tobacco	12.1	13.8	Had embarrassing or hurtful pictures/text of them sent by cell phone	18.6	14.5
Marijuana	5.8	6.8	Were made fun of by others	65.5	68.2
Inhalants	2.3	2.2	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	5.7	5.6	Spread mean rumors or lies about other kids at school	23.8	25.1
Over-the-counter medications for non-medical use	5.2	3.9	Posted on internet embarrassing or hurtful pictures/text of someone	6.9	4.7
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	7.6	9.4
Alcohol	45.9	57.0	Made fun of other people	60.1	64.8
Cigarettes	44.5	51.7	<b>Percent of students who agree that:</b>		
Marijuana	22.2	30.5	Teachers notice and comment on student's good work	79.1	78.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.6	12.4	School provides feedback to parents on positive student performance	46.8	49.6
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	58.6	59.8
Alcohol	23.1	29.4	Rules are enforced fairly	66.5	63.5
Cigarettes	14.5	20.2	Students of all races/ethnicities are treated equally	83.2	82.1
Marijuana	8.1	9.9	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	85.5	88.5
Alcohol	70.2	64.2	Parents involve student in making family decisions	74.3	76.1
Cigarettes	82.1	74.7	It is important to be honest with parents regardless of consequences	88.4	88.6
Marijuana	88.5	84.5	Student could ask parent for help with a personal problem	77.3	82.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.9	94.4	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	83.1	83.2	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	91.3	90.0	Percentages are estimates based on weighted data.		
Marijuana	94.7	95.7	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.8	98.3	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	50.3	52.8			
Cigarettes	52.9	60.3			
Marijuana	31.6	35.7			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.5	19.9			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# OSAGE COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	11
Adult Psychiatric	11
<b>FIPS COUNTY CODE</b>	151
<b>POPULATION</b>	
Census 2010	13,878
2012 Pop. Estimate	13,858

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	144	151	177
Mother Reported Smoking while Pregnant	22	24	36

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	131	119	117
Suicides	2	4	5
Self-inflicted Injuries	6	15	7
Homicides	0	0	0
Assault Injuries	28	30	22
Alcohol Induced Deaths	1	0	2
Drug Induced Deaths	0	2	0
Smoking Attributable Deaths	27	20	14

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	23		
Alcohol Primary Diagnosis <sup>2</sup>	3		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	15	17	20
Drug Related Diagnosis	7	24	14
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	47		
Alcohol Primary Diagnosis <sup>2</sup>	9		
Drug Primary Diagnosis <sup>2</sup>	6		
Alcohol Related Diagnosis	35	38	43
Drug Related Diagnosis	29	18	22
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	90		
Alcohol Primary Diagnosis <sup>2</sup>	15		
Drug Primary Diagnosis <sup>2</sup>	10		
Alcohol Related Diagnosis	37	33	18
Drug Related Diagnosis	22	25	13

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	12	15	19
Fatal Crashes	1	2	0
Injury Crashes	3	6	9
Property Damage Crashes	8	7	10
Crash Fatalities	1	2	0
Crash Injuries	7	10	10
Drug Involved Crashes--Total	0	3	2
Fatal Crashes	0	0	0
Injury Crashes	0	2	1
Property Damage Crashes	0	1	1
Crash Fatalities	0	0	0
Crash Injuries	0	2	1

## EMPLOYMENT

	2012	2011	2010
Labor Force	7,190	7,409	7,295
Employed	6,819	6,939	6,795
Unemployed	371	470	500
Unemployment Rate	5.2%	6.3%	6.9%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	660	652	705
Drop-outs	4	6	5
Drop-out Rate	0.6%	0.9%	0.7%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	1	1
Tobacco Incidents	0	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	46	48	58
Liquor Law Arrests	38	53	12
Drug Arrests	21	23	20
Methamphetamine Lab Incidents	2	2	0
Violent Offenses	42	23	12
Property Offenses	110	143	119
Domestic Violence Reports	16	7	5

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	12	26	17
Violent Offenses	4	7	6
Alcohol Offenses	0	1	2
Drug Offenses	0	0	4
Status Offenses--Total	26	55	27
Truancy	15	20	6
Beyond Parental Control	0	1	1
Habitually Absent from Home	0	0	0
Injurious Behavior	11	32	20
Abuse/Neglect/Custody--Total	5	8	0
Abuse	0	0	0
Neglect	5	8	0
Custody Disputes	0	0	0

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	4	6	0
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	2	2	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	2	4	0

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	16	17	8
Probation/Parole Admissions--Total	32	30	43
Probation/Parole Admissions--Drug	7	7	5
Probation/Parole Admissions--DWI	3	6	6
Prison Admissions--Total	10	16	18
Prison Admissions--Drug	2	4	2
Prison Admissions--DWI	1	0	3

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	20	24	23
Alcohol Package Carry-out Licenses	13	14	12

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# OSAGE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	*	8	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	5	9
CSTAR General Adult	25	38	6
CSTAR Opioid	0	0	0
Primary Recovery Treatment	10	11	33
Clinical SATOP (CIP, YCIP, SROP)	15	8	10
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	62	47	32
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	25	20	12
- Weekend Intervention Program	12	7	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	5
Compulsive Gambling	*	0	0
Recovery Supports	0	*	*
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	59	57	61	Alcohol	27	30	27
AGE				Marijuana / Hashish	17	10	16
Under 18	*	*	*	Cocaine (total)	*	*	*
18 to 24	16	12	11	- Crack	0	*	*
25 to 29	8	9	17	Stimulant (total)	8	9	9
30 to 34	12	12	10	- Methamphetamine	7	9	8
35 to 39	10	6	7	Heroin	*	*	*
40 to 44	*	*	5	Analgesic except Heroin	*	*	5
45 to 54	8	9	9	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	0	0	*
Male	38	40	40	Inhalant	0	0	0
Female	21	17	21	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	59	57	59	Average Age at First Use of Drug	16.7	16.5	17.2
African American	0	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	7	5	6
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	0	0	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	5	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	18	12	22	0	30	27	32
High School Graduate or G.E.D.	27	29	26	1 or 2	19	15	16
Associate Degree or Some College	13	15	12	3 or More	10	15	13
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	15	19	14
Employed	29	19	16	School	0	*	0
Unemployed	15	22	32	Mental Health Provider	0	*	0
Not in Labor Force	15	16	13	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	38	29	45
Independent Living	51	47	57	Other Referral Source	*	6	*
Dependent Living	7	7	*	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	0	*	*
Never Married	30	34	35	Special Education Services Needed	6	5	5
Married / Cohabiting	17	15	14	Co-Occurring Psychological Problem	29	20	31
Previously Married	12	8	12	Co-Occurring Developmental Problem	*	*	*

# OSAGE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 11  
**CENSUS 2010** 13,878  
**2012 POPULATION ESTIMATE** 13,858

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	0	*	*
Anxiety Disorder	25	23	19
Dementia	0	0	0
Developmental Disorder	*	0	0
Impulse Control Disorder	*	7	8
Mood Disorder	31	29	21
Personality Disorder	8	9	8
Psychotic Disorder	15	18	21
Sexual Disorder	0	0	0
Other Diagnosis	*	10	8
Diagnosis Unknown	*	*	6

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	58	61	58	Less than High School Diploma	10	8	*
<b>AGE</b>				High School Grad or G.E.D.	17	20	5
Under 6	0	*	*	Associate Degree or Some College	9	7	*
6 to 9	*	*	*	Bachelor or Advanced Degree	0	*	0
10 to 13	*	6	*	Education Level Unknown	22	25	51
14 to 17	*	*	*	<b>EMPLOYMENT</b>			
18 to 24	5	*	*	Employed	*	*	0
25 to 29	5	10	8	Unemployed	32	34	7
30 to 34	8	*	*	Not in Labor Force	6	*	0
35 to 39	*	*	*	Employment Status Unknown	17	23	51
40 to 44	*	5	7	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	10	9	7	Independent Living	27	21	*
50 to 54	5	*	7	Dependent Living	17	24	5
55 to 59	7	7	*	Homeless	0	0	0
60 and Over	*	5	5	Other	*	0	0
Age Unknown	0	0	0	Housing Unknown	13	16	49
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	30	35	32	Self / Family / Friend	30	28	23
Female	28	26	26	School	0	*	*
Gender Unknown	0	0	0	Mental Health Provider	11	12	14
<b>RACE / ETHNICITY</b>				Health Care Provider	9	7	*
Caucasian	56	58	53	Court / Criminal Justice	0	*	*
African American	*	*	*	Other	8	12	15
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	*	Voluntary	58	61	56
Other Race	0	0	0	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	0	0	*	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				



# OSAGE COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	47.9	64.1	Alcohol	62.3	90.4
Cigarettes	22.3	41.3	Cigarettes	82.8	90.1
Chewing Tobacco	17.7	11.5	Marijuana	83.5	53.9
Marijuana	5.5	23.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	91.9	98.3
Inhalants	3.8	3.8			
Prescription medications not prescribed for student	9.7	7.8	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	5.1	10.1	Were very sad	19.6	30.7
Methamphetamine	0.0	2.2	Were grouchy, irritable, or in a bad mood	22.6	32.1
Cocaine	0.8	0.0	Felt hopeless about the future	14.8	21.8
Heroin	0.0	0.0	Felt like not eating or eating more than usual	24.3	26.7
Hallucinogens	0.8	0.0	Slept a lot more or a lot less than usual	23.1	33.1
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	1.0	Had difficulty concentrating on school work	25.6	33.4
Steroids not prescribed for student	0.8	1.1			
Synthetic drugs (K2, bath salts, Spice, etc)	5.9		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	12.4	12.6
Alcohol	12.81	11.98	Made plan about how they would attempt suicide	10.2	6.5
Cigarettes	13.12	12.25	Attempted suicide	3.8	6.5
Marijuana	14.18	14.02	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.7	2.8
Inhalants	12.16	10.00			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	24.9	42.9	Were threatened/injured with weapon at school	3.8	19.1
Binge Alcohol (5 or more drinks on one occasion)	12.2	32.9	Were in a physical fight	21.4	51.9
Cigarettes	10.1	9.3	Were in a fight and had to be treated by a doctor or nurse	3.8	12.6
Chewing Tobacco	10.9	7.7			
Marijuana	3.0	2.4	<b>Percent of students in past 3 months who:</b>		
Inhalants	2.1	2.8	Were victims of mean rumors or lies spread at school	52.3	50.9
Prescription medications not prescribed for student	4.6	5.7	Had embarrassing or hurtful pictures/text of them posted on internet	13.2	11.0
Over-the-counter medications for non-medical use	3.4	7.3	Had embarrassing or hurtful pictures/text of them sent by cell phone	17.7	17.1
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	65.1	59.4
Alcohol	60.3	57.0			
Cigarettes	42.6	51.2	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	20.7	34.8	Spread mean rumors or lies about other kids at school	18.7	32.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.9	6.8	Posted on internet embarrassing or hurtful pictures/text of someone	5.1	11.1
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	8.1	9.3
Alcohol	35.0	48.3	Made fun of other people	62.9	77.8
Cigarettes	13.9	7.5			
Marijuana	5.5	4.2	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	73.8	82.9
Alcohol	54.9	49.8	School provides feedback to parents on positive student performance	39.8	37.2
Cigarettes	81.4	64.8	Teachers praise student for hard work	60.0	46.2
Marijuana	92.0	95.9	Rules are enforced fairly	67.2	71.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.1	99.0	Students of all races/ethnicities are treated equally	84.3	84.1
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	69.9	62.9	<b>Percent of students who agree that:</b>		
Cigarettes	89.4	92.9	Parents notice and comment on student's good work	82.3	79.9
Marijuana	97.0	100.0	Parents involve student in making family decisions	68.4	68.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.7	100.0	It is important to be honest with parents regardless of consequences	91.6	83.6
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	73.5	81.1
Alcohol	63.0	67.9			
Cigarettes	59.3	53.9			
Marijuana	30.6	15.1			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	22.3	10.9			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# OZARK COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	18
Adult Psychiatric	18
<b>FIPS COUNTY CODE</b>	153
<b>POPULATION</b>	
Census 2010	9,723
2012 Pop. Estimate	9,601

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	82	84	93
Mother Reported Smoking while Pregnant	19	23	27

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	0	2
IDU and MSM <sup>1</sup>	0	0	*
IDU without MSM <sup>1</sup>	0	0	*

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	128	114	132
Suicides	3	2	4
Self-inflicted Injuries	9	4	15
Homicides	0	0	0
Assault Injuries	9	11	9
Alcohol Induced Deaths	1	1	1
Drug Induced Deaths	0	4	2
Smoking Attributable Deaths	26	25	26

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	65		
Alcohol Primary Diagnosis <sup>2</sup>	13		
Drug Primary Diagnosis <sup>2</sup>	6		
Alcohol Related Diagnosis	40	44	11
Drug Related Diagnosis	46	29	24
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	8		
Alcohol Primary Diagnosis <sup>2</sup>	4		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	13	15	34
Drug Related Diagnosis	5	12	38
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	48		
Alcohol Primary Diagnosis <sup>2</sup>	6		
Drug Primary Diagnosis <sup>2</sup>	4		
Alcohol Related Diagnosis	24	29	11
Drug Related Diagnosis	19	18	21

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	20	20	21
Fatal Crashes	1	0	1
Injury Crashes	10	9	8
Property Damage Crashes	9	11	12
Crash Fatalities	1	0	1
Crash Injuries	10	16	9
Drug Involved Crashes--Total	2	3	1
Fatal Crashes	0	0	0
Injury Crashes	2	1	0
Property Damage Crashes	0	2	1
Crash Fatalities	0	0	0
Crash Injuries	3	3	0

## EMPLOYMENT

	2012	2011	2010
Labor Force	4,287	4,388	4,342
Employed	3,940	3,968	3,944
Unemployed	347	420	398
Unemployment Rate	8.1%	9.6%	9.2%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	546	533	536
Drop-outs	9	5	3
Drop-out Rate	1.6%	0.9%	0.6%
School Suspensions:			
Alcohol Incidents	0	3	0
Drug Incidents	5	6	1
Tobacco Incidents	0	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	55	48	37
Liquor Law Arrests	4	21	15
Drug Arrests	56	47	24
Methamphetamine Lab Incidents	2	3	1
Violent Offenses	12	22	16
Property Offenses	149	128	116
Domestic Violence Reports	21	32	32

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	10	25	8
Violent Offenses	1	9	1
Alcohol Offenses	1	0	1
Drug Offenses	1	3	2
Status Offenses--Total	7	12	4
Truancy	0	2	1
Beyond Parental Control	4	8	3
Habitually Absent from Home	2	1	0
Injurious Behavior	1	1	0
Abuse/Neglect/Custody--Total	12	11	11
Abuse	1	1	1
Neglect	9	6	10
Custody Disputes	2	4	0

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	12	10	10
Parental Alcohol Use Related	2	1	0
Parental Drug Use Related	3	2	0
Parental Alcohol and Drug Use	3	0	2
Child Removed for Other Reason	4	7	8

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	13	9	13
Probation/Parole Admissions--Total	50	37	37
Probation/Parole Admissions--Drug	16	9	8
Probation/Parole Admissions--DWI	3	2	3
Prison Admissions--Total	14	28	18
Prison Admissions--Drug	2	6	5
Prison Admissions--DWI	1	1	1

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	13	14	15
Alcohol Package Carry-out Licenses	20	20	21

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# OZARK COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	13	10	6
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	0	*
CSTAR General Adult	*	*	11
CSTAR Opioid	0	0	0
Primary Recovery Treatment	20	33	18
Clinical SATOP (CIP, YCIP, SROP)	8	9	8
Other Substance Abuse Treatment	0	0	0


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	40	37	32
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	7	12	11
- Weekend Intervention Program	10	5	6
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	*
Recovery Supports	*	*	*
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	45	51	44	Alcohol	28	30	20
<b>AGE</b>				Marijuana / Hashish	8	7	12
Under 18	*	*	*	Cocaine (total)	0	0	0
18 to 24	9	9	11	- Crack	0	0	0
25 to 29	6	7	6	Stimulant (total)	5	6	5
30 to 34	5	5	7	- Methamphetamine	5	6	5
35 to 39	*	8	6	Heroin	0	*	0
40 to 44	6	6	6	Analgesic except Heroin	*	7	7
45 to 54	8	9	5	- Non-Prescription Methadone	0	0	0
55 and Over	5	*	*	PCP, LSD, other Hallucinogen	0	0	0
<b>GENDER</b>				Tranquilizer	0	0	0
Male	35	35	28	Inhalant	0	0	0
Female	10	16	16	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	0	0
Caucasian	44	48	43	Average Age at First Use of Drug	16.6	16.8	18.8
African American	*	*	0	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	7	*
Asian / Pacific Islander	0	0	*	- Daily Injection Use	0	*	*
Hispanic	0	*	0	- Weekly Injection Use	0	*	*
Other Race / Two or More Races	0	*	0	- Less than Weekly Injection Use	*	*	*
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	15	19	15	0	22	20	23
High School Graduate or G.E.D.	22	23	24	1 or 2	13	16	12
Associate Degree or Some College	8	9	*	3 or More	10	15	9
Bachelor or Advanced Degree	0	0	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	16	10	11
Employed	8	8	*	School	0	0	0
Unemployed	24	30	23	Mental Health Provider	0	*	*
Not in Labor Force	13	13	18	Health Care Provider	0	*	*
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	28	36	23
Independent Living	39	47	42	Other Referral Source	*	0	6
Dependent Living	*	*	*	<b>TREATMENT ACCOMMODATION</b>			
Homeless	0	*	0	Pregnant when Admitted to any Episode	*	0	0
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	0	*	*
Never Married	19	18	21	Special Education Services Needed	0	0	*
Married / Cohabiting	12	11	8	Co-Occurring Psychological Problem	11	10	13
Previously Married	14	22	15	Co-Occurring Developmental Problem	0	0	0

# OZARK COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 18  
**CENSUS 2010** 9,723  
**2012 POPULATION ESTIMATE** 9,601

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2012	FY2011	FY2010
Adjustment Disorder	*	*	6
Anxiety Disorder	41	24	18
Dementia	0	*	0
Developmental Disorder	0	0	0
Impulse Control Disorder	8	*	*
Mood Disorder	65	49	49
Personality Disorder	0	0	*
Psychotic Disorder	8	6	8
Sexual Disorder	*	*	0
Other Diagnosis	*	0	0
Diagnosis Unknown	7	*	8

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2012	FY2011	FY2010	EDUCATION	FY2012	FY2011	FY2010
Total Individuals	106	74	81	Less than High School Diploma	21	7	6
<b>AGE</b>				High School Grad or G.E.D.	9	15	6
Under 6	0	0	0	Associate Degree or Some College	*	*	*
6 to 9	*	0	0	Bachelor or Advanced Degree	*	0	0
10 to 13	*	*	*	Education Level Unknown	70	49	65
14 to 17	*	*	5	<b>EMPLOYMENT</b>			
18 to 24	11	6	12	Employed	*	0	*
25 to 29	17	9	11	Unemployed	28	25	14
30 to 34	11	7	10	Not in Labor Force	15	0	0
35 to 39	7	5	8	Employment Status Unknown	60	49	65
40 to 44	13	12	9	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	13	13	8	Independent Living	42	24	14
50 to 54	11	10	8	Dependent Living	5	*	*
55 to 59	12	6	6	Homeless	0	*	*
60 and Over	*	0	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	59	46	64
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	49	30	38	Self / Family / Friend	55	23	19
Female	57	44	43	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	5	*	8
<b>RACE / ETHNICITY</b>				Health Care Provider	21	24	21
Caucasian	104	72	77	Court / Criminal Justice	*	*	11
African American	0	0	0	Other	21	19	21
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	106	72	76
Other Race	0	*	*	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	*
Past or Current Military Service	*	*	*				

# OZARK COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012


	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	33.8	45.4	Alcohol	66.9	74.9
Cigarettes	20.3	33.9	Cigarettes	80.5	75.9
Chewing Tobacco	16.5	24.0	Marijuana	68.4	71.1
Marijuana	16.5	13.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.3	91.9
Inhalants	3.0	6.9			
Prescription medications not prescribed for student	4.5	10.4	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	5.3	8.0	Were very sad	20.3	24.1
Methamphetamine	0.0	1.2	Were grouchy, irritable, or in a bad mood	25.8	27.6
Cocaine	0.0	1.7	Felt hopeless about the future	9.0	12.1
Heroin	0.0	0.0	Felt like not eating or eating more than usual	12.8	23.4
Hallucinogens	3.1	3.5	Slept a lot more or a lot less than usual	18.8	29.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.8	3.4	Had difficulty concentrating on school work	20.9	24.9
Steroids not prescribed for student	0.0	0.6			
Synthetic drugs (K2, bath salts, Spice, etc)	6.8		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	9.0	10.9
Alcohol	12.34	12.12	Made plan about how they would attempt suicide	6.1	7.4
Cigarettes	12.16	11.44	Attempted suicide	3.1	4.0
Marijuana	12.61	13.59	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	3.1	1.8
Inhalants		13.38			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	8.3	17.7	Were threatened/injured with weapon at school	10.6	8.7
Binge Alcohol (5 or more drinks on one occasion)	5.3	8.6	Were in a physical fight	22.0	25.3
Cigarettes	6.0	14.9	Were in a fight and had to be treated by a doctor or nurse	3.1	6.3
Chewing Tobacco	7.6	10.9			
Marijuana	7.5	6.3	<b>Percent of students in past 3 months who:</b>		
Inhalants	1.5	2.9	Were victims of mean rumors or lies spread at school	52.6	65.3
Prescription medications not prescribed for student	3.0	4.6	Had embarrassing or hurtful pictures/text of them posted on internet	11.3	10.9
Over-the-counter medications for non-medical use	4.5	4.6	Had embarrassing or hurtful pictures/text of them sent by cell phone	15.3	14.5
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	60.2	73.7
Alcohol	50.4	55.4			
Cigarettes	45.5	45.7	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	35.3	31.6	Spread mean rumors or lies about other kids at school	28.0	36.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.3	14.9	Posted on internet embarrassing or hurtful pictures/text of someone	9.8	8.0
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	6.9	13.3
Alcohol	27.3	36.4	Made fun of other people	56.4	69.1
Cigarettes	10.4	21.1			
Marijuana	13.0	10.4	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	76.7	67.0
Alcohol	55.4	58.0	School provides feedback to parents on positive student performance	35.9	39.7
Cigarettes	78.9	76.9	Teachers praise student for hard work	63.9	53.2
Marijuana	81.2	83.3	Rules are enforced fairly	56.4	55.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.7	94.8	Students of all races/ethnicities are treated equally	85.7	84.5
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	87.0	85.0	<b>Percent of students who agree that:</b>		
Cigarettes	94.7	91.9	Parents notice and comment on student's good work	78.8	78.7
Marijuana	94.5	94.7	Parents involve student in making family decisions	64.7	69.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.5	97.7	It is important to be honest with parents regardless of consequences	83.5	83.3
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	71.8	77.0
Alcohol	61.1	57.5			
Cigarettes	57.1	60.1			
Marijuana	36.2	35.3			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.9	18.6			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# PEMISCOT COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	20
Adult Psychiatric	19
<b>FIPS COUNTY CODE</b>	155
<b>POPULATION</b>	
Census 2010	18,296
2012 Pop. Estimate	18,111

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	8,205	8,256	8,303
Employed	7,541	7,416	7,430
Unemployed	664	840	873
Unemployment Rate	8.1%	10.2%	10.5%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	990	1,046	1,050
Drop-outs	56	43	40
Drop-out Rate	5.7%	4.1%	3.8%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	1	4
Tobacco Incidents	0	0	2

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	288	289	313
Mother Reported Smoking while Pregnant	64	79	91

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	1	1	4
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	218	218	233
Suicides	3	3	1
Self-inflicted Injuries	42	34	43
Homicides	2	3	0
Assault Injuries	126	121	150
Alcohol Induced Deaths	0	1	2
Drug Induced Deaths	4	11	10
Smoking Attributable Deaths	45	43	52

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	395		
Alcohol Primary Diagnosis <sup>2</sup>	13		
Drug Primary Diagnosis <sup>2</sup>	16		
Alcohol Related Diagnosis	122	86	45
Drug Related Diagnosis	153	135	78
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	37		
Alcohol Primary Diagnosis <sup>2</sup>	6		
Drug Primary Diagnosis <sup>2</sup>	10		
Alcohol Related Diagnosis	29	63	77
Drug Related Diagnosis	33	79	123
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	182		
Alcohol Primary Diagnosis <sup>2</sup>	56		
Drug Primary Diagnosis <sup>2</sup>	33		
Alcohol Related Diagnosis	110	138	63
Drug Related Diagnosis	106	75	85

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	25	32	35
Fatal Crashes	1	1	1
Injury Crashes	12	12	12
Property Damage Crashes	12	19	22
Crash Fatalities	1	1	1
Crash Injuries	15	17	15
Drug Involved Crashes--Total	4	19	16
Fatal Crashes	0	1	1
Injury Crashes	3	8	9
Property Damage Crashes	1	10	6
Crash Fatalities	0	1	1
Crash Injuries	2	16	10

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	190	231	191
Liquor Law Arrests	47	51	37
Drug Arrests	365	323	247
Methamphetamine Lab Incidents	1	8	14
Violent Offenses	144	102	154
Property Offenses	690	773	670
Domestic Violence Reports	128	154	135

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	20	29	65
Violent Offenses	7	11	28
Alcohol Offenses	0	1	3
Drug Offenses	1	3	6
Status Offenses--Total	4	4	33
Truancy	0	0	0
Beyond Parental Control	4	2	14
Habitually Absent from Home	0	0	4
Injurious Behavior	0	2	15
Abuse/Neglect/Custody--Total	14	40	14
Abuse	2	5	3
Neglect	12	35	10
Custody Disputes	0	0	1

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	45	62	27
Parental Alcohol Use Related	9	4	0
Parental Drug Use Related	7	26	5
Parental Alcohol and Drug Use	1	4	0
Child Removed for Other Reason	28	28	22

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	403	354	309
Probation/Parole Admissions--Drug	146	128	111
Probation/Parole Admissions--DWI	25	22	14
Prison Admissions--Total	182	172	226
Prison Admissions--Drug	67	62	75
Prison Admissions--DWI	20	16	19

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	19	21	24
Alcohol Package Carry-out Licenses	28	29	30

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# PEMISCOT COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	99	58	34
CSTAR Adolescent	17	20	14
CSTAR Women and Children	12	35	44
CSTAR General Adult	47	29	32
CSTAR Opioid	0	0	0
Primary Recovery Treatment	233	263	250
Clinical SATOP (CIP, YCIP, SROP)	17	15	15
Other Substance Abuse Treatment	0	0	*


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	81	79	121
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	27	26	48
- Weekend Intervention Program	16	5	28
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	*	*	0
Compulsive Gambling	0	0	0
Recovery Supports	6	*	7
Early Intervention	*	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	342	354	345	Alcohol	98	119	112
<b>AGE</b>				Marijuana / Hashish	124	126	130
Under 18	19	22	13	Cocaine (total)	47	48	49
18 to 24	71	64	77	- Crack	28	35	33
25 to 29	59	68	74	Stimulant (total)	43	25	16
30 to 34	45	40	33	- Methamphetamine	42	25	15
35 to 39	41	34	34	Heroin	*	*	*
40 to 44	40	40	33	Analgesic except Heroin	18	21	21
45 to 54	42	61	64	- Non-Prescription Methadone	0	*	0
55 and Over	25	25	17	PCP, LSD, other Hallucinogen	0	0	0
<b>GENDER</b>				Tranquilizer	10	12	13
Male	255	241	261	Inhalant	0	0	*
Female	87	113	84	Sedative	0	0	*
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	0	*	0
Caucasian	202	206	181	Average Age at First Use of Drug	18.4	18.2	18.5
African American	133	140	152	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	7	5	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	0
Hispanic	*	*	*	- Weekly Injection Use	*	0	*
Other Race / Two or More Races	*	5	11	- Less than Weekly Injection Use	5	*	*
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	167	167	164	0	255	271	254
High School Graduate or G.E.D.	155	162	152	1 or 2	67	51	70
Associate Degree or Some College	18	24	27	3 or More	20	32	21
Bachelor or Advanced Degree	*	*	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	55	42	44
Employed	86	90	69	School	0	0	0
Unemployed	102	129	153	Mental Health Provider	*	*	6
Not in Labor Force	154	135	123	Health Care Provider	16	10	5
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	246	259	257
Independent Living	305	306	303	Other Referral Source	24	41	33
Dependent Living	25	40	34	<b>TREATMENT ACCOMMODATION</b>			
Homeless	*	7	*	Pregnant when Admitted to any Episode	*	7	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	8	5	9
Never Married	167	188	186	Special Education Services Needed	19	30	19
Married / Cohabiting	107	88	98	Co-Occurring Psychological Problem	65	75	76
Previously Married	68	78	61	Co-Occurring Developmental Problem	7	6	*

# PEMISCOT COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 19  
**CENSUS 2010** 18,296  
**2012 POPULATION ESTIMATE** 18,111

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	*	7
Anxiety Disorder	17	16	16
Dementia	0	0	0
Developmental Disorder	0	*	*
Impulse Control Disorder	27	30	19
Mood Disorder	92	79	74
Personality Disorder	30	33	43
Psychotic Disorder	34	32	26
Sexual Disorder	0	*	*
Other Diagnosis	18	16	25
Diagnosis Unknown	23	10	23

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	180	157	159	Less than High School Diploma	34	15	5
<b>AGE</b>				High School Grad or G.E.D.	21	19	11
Under 6	0	*	*	Associate Degree or Some College	5	6	*
6 to 9	16	10	5	Bachelor or Advanced Degree	0	0	0
10 to 13	20	25	27	Education Level Unknown	120	117	141
14 to 17	12	6	10	<b>EMPLOYMENT</b>			
18 to 24	10	8	19	Employed	*	*	0
25 to 29	21	21	15	Unemployed	47	39	18
30 to 34	20	18	17	Not in Labor Force	19	0	0
35 to 39	16	18	19	Employment Status Unknown	113	117	141
40 to 44	16	12	15	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	14	14	11	Independent Living	51	36	16
50 to 54	15	7	5	Dependent Living	17	16	*
55 to 59	12	9	8	Homeless	*	0	*
60 and Over	8	8	6	Other	5	5	0
Age Unknown	0	0	0	Housing Unknown	106	100	141
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	96	89	96	Self / Family / Friend	33	26	25
Female	84	68	63	School	9	13	16
Gender Unknown	0	0	0	Mental Health Provider	19	19	30
<b>RACE / ETHNICITY</b>				Health Care Provider	35	24	12
Caucasian	102	86	95	Court / Criminal Justice	63	56	54
African American	72	70	61	Other	19	15	11
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	11
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	0	0	Voluntary	173	147	135
Other Race	5	*	*	Civil	0	*	10
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	11
Past or Current Military Service	*	*	5				

# PEMISCOT COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	44.1	49.0	Alcohol	79.3	76.8
Cigarettes	30.8	37.9	Cigarettes	85.4	77.5
Chewing Tobacco	11.7	16.7	Marijuana	77.1	74.8
Marijuana	15.3	20.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.3	91.9
Inhalants	5.7	10.2			
Prescription medications not prescribed for student	14.6	21.0	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	8.0	10.9	Were very sad	19.1	15.7
Methamphetamine	1.3	0.7	Were grouchy, irritable, or in a bad mood	32.8	20.8
Cocaine	1.3	2.2	Felt hopeless about the future	8.6	10.1
Heroin	1.0	1.3	Felt like not eating or eating more than usual	20.3	16.4
Hallucinogens	1.0	1.8	Slept a lot more or a lot less than usual	22.4	23.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	2.7	Had difficulty concentrating on school work	23.9	19.3
Steroids not prescribed for student	1.6	1.6			
Synthetic drugs (K2, bath salts, Spice, etc)	8.3		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	13.0	13.0
Alcohol	12.85	12.77	Made plan about how they would attempt suicide	11.3	10.9
Cigarettes	12.02	12.42	Attempted suicide	7.3	8.0
Marijuana	14.02	14.02	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.9	3.8
Inhalants	12.62	12.62			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	17.8	25.4	Were threatened/injured with weapon at school	6.7	9.4
Binge Alcohol (5 or more drinks on one occasion)	12.4	16.3	Were in a physical fight	28.0	29.6
Cigarettes	12.4	22.2	Were in a fight and had to be treated by a doctor or nurse	3.8	5.2
Chewing Tobacco	5.4	10.1			
Marijuana	5.7	9.9	<b>Percent of students in past 3 months who:</b>		
Inhalants	1.6	4.9	Were victims of mean rumors or lies spread at school	58.3	63.4
Prescription medications not prescribed for student	8.6	14.3	Had embarrassing or hurtful pictures/text of them posted on internet	14.4	13.7
Over-the-counter medications for non-medical use	3.5	7.2	Had embarrassing or hurtful pictures/text of them sent by cell phone	17.6	15.5
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	61.0	72.0
Alcohol	57.6	60.1			
Cigarettes	52.2	56.6	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	36.5	36.2	Spread mean rumors or lies about other kids at school	27.6	33.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.8	13.0	Posted on internet embarrassing or hurtful pictures/text of someone	11.5	12.9
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	14.4	16.4
Alcohol	29.3	37.5	Made fun of other people	67.2	77.3
Cigarettes	10.5	21.2			
Marijuana	9.2	14.1	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	68.6	73.1
Alcohol	66.7	60.3	School provides feedback to parents on positive student performance	40.7	44.5
Cigarettes	80.5	73.9	Teachers praise student for hard work	53.2	53.9
Marijuana	84.3	81.1	Rules are enforced fairly	51.8	53.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.8	95.8	Students of all races/ethnicities are treated equally	61.8	68.0
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	85.0	82.3	<b>Percent of students who agree that:</b>		
Cigarettes	90.7	88.7	Parents notice and comment on student's good work	83.2	82.4
Marijuana	95.8	94.5	Parents involve student in making family decisions	67.7	73.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	97.1	It is important to be honest with parents regardless of consequences	88.4	84.9
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	77.6	76.5
Alcohol	59.6	58.5			
Cigarettes	60.3	62.3			
Marijuana	46.9	41.9			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	25.0	24.1			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# PERRY COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	21
Adult Psychiatric	21
<b>FIPS COUNTY CODE</b>	157
<b>POPULATION</b>	
Census 2010	18,971
2012 Pop. Estimate	19,018

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	10,625	10,663	10,524
Employed	10,124	10,007	9,831
Unemployed	501	656	693
Unemployment Rate	4.7%	6.2%	6.6%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	751	764	750
Drop-outs	18	20	32
Drop-out Rate	2.4%	2.6%	4.3%
School Suspensions:			
Alcohol Incidents	1	0	1
Drug Incidents	2	8	12
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	211	251	204
Mother Reported Smoking while Pregnant	47	47	35

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	1	0
IDU and MSM <sup>1</sup>	0	*	0
IDU without MSM <sup>1</sup>	0	*	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	183	203	220
Suicides	1	6	3
Self-inflicted Injuries	28	15	16
Homicides	1	0	2
Assault Injuries	40	55	69
Alcohol Induced Deaths	1	1	1
Drug Induced Deaths	2	1	2
Smoking Attributable Deaths	27	44	34

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	144		
Alcohol Primary Diagnosis <sup>2</sup>	16		
Drug Primary Diagnosis <sup>2</sup>	13		
Alcohol Related Diagnosis	59	43	55
Drug Related Diagnosis	61	44	30
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	12		
Alcohol Primary Diagnosis <sup>2</sup>	0		
Drug Primary Diagnosis <sup>2</sup>	2		
Alcohol Related Diagnosis	15	13	25
Drug Related Diagnosis	19	10	7
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	216		
Alcohol Primary Diagnosis <sup>2</sup>	45		
Drug Primary Diagnosis <sup>2</sup>	32		
Alcohol Related Diagnosis	102	66	53
Drug Related Diagnosis	104	73	30

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	24	27	29
Fatal Crashes	0	2	0
Injury Crashes	8	12	11
Property Damage Crashes	16	13	18
Crash Fatalities	0	2	0
Crash Injuries	12	15	14
Drug Involved Crashes--Total	8	1	2
Fatal Crashes	0	0	0
Injury Crashes	4	0	1
Property Damage Crashes	4	1	1
Crash Fatalities	0	0	0
Crash Injuries	5	0	0

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	140	126	108
Liquor Law Arrests	25	17	15
Drug Arrests	78	109	103
Methamphetamine Lab Incidents	1	1	0
Violent Offenses	18	50	22
Property Offenses	313	330	337
Domestic Violence Reports	90	81	84

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	74	166	133
Violent Offenses	15	31	29
Alcohol Offenses	10	8	11
Drug Offenses	7	6	10
Status Offenses--Total	38	40	37
Truancy	3	2	2
Beyond Parental Control	24	30	19
Habitually Absent from Home	6	4	14
Injurious Behavior	5	4	2
Abuse/Neglect/Custody--Total	95	90	46
Abuse	22	9	10
Neglect	71	80	36
Custody Disputes	2	1	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	19	32	24
Parental Alcohol Use Related	1	0	1
Parental Drug Use Related	2	8	4
Parental Alcohol and Drug Use	1	0	0
Child Removed for Other Reason	15	24	19

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	6	10	13
Probation/Parole Admissions--Total	143	134	138
Probation/Parole Admissions--Drug	43	40	28
Probation/Parole Admissions--DWI	8	9	8
Prison Admissions--Total	65	64	64
Prison Admissions--Drug	19	13	23
Prison Admissions--DWI	6	2	4

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	30	33	31
Alcohol Package Carry-out Licenses	21	21	19

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# PERRY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	17	14	8
CSTAR Adolescent	9	5	5
CSTAR Women and Children	11	*	6
CSTAR General Adult	36	25	10
CSTAR Opioid	*	0	0
Primary Recovery Treatment	43	48	72
Clinical SATOP (CIP, YCIP, SROP)	13	9	6
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	112	89	105
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	59	56	57
- Weekend Intervention Program	33	23	20
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	45	16	*
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	129	99	94	Alcohol	58	43	44
AGE				Marijuana / Hashish	35	28	24
Under 18	9	6	6	Cocaine (total)	*	*	*
18 to 24	28	30	27	- Crack	*	*	*
25 to 29	23	21	12	Stimulant (total)	10	7	6
30 to 34	22	11	17	- Methamphetamine	10	7	6
35 to 39	14	8	6	Heroin	5	9	*
40 to 44	*	12	10	Analgesic except Heroin	12	6	11
45 to 54	25	8	10	- Non-Prescription Methadone	0	0	0
55 and Over	5	*	6	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	5	*	*
Male	89	73	66	Inhalant	0	*	0
Female	40	26	28	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	122	90	91	Average Age at First Use of Drug	17.5	16.5	17.4
African American	*	*	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	11	10	8
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	0	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	6	*	- Less than Weekly Injection Use	5	5	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	50	40	38	0	75	49	51
High School Graduate or G.E.D.	53	48	42	1 or 2	34	26	24
Associate Degree or Some College	25	11	14	3 or More	20	24	19
Bachelor or Advanced Degree	*	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	25	15	14
Employed	44	26	23	School	0	0	0
Unemployed	49	47	45	Mental Health Provider	0	*	*
Not in Labor Force	36	26	26	Health Care Provider	9	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	90	70	72
Independent Living	109	86	80	Other Referral Source	5	8	*
Dependent Living	18	11	12	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran	6	5	*
Never Married	70	62	56	Special Education Services Needed	21	6	12
Married / Cohabiting	31	20	22	Co-Occurring Psychological Problem	62	45	48
Previously Married	28	17	16	Co-Occurring Developmental Problem	5	*	7

# PERRY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 21  
**CENSUS 2010** 18,971  
**2012 POPULATION ESTIMATE** 19,018

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	47	14	7
Anxiety Disorder	102	50	35
Dementia	0	0	0
Developmental Disorder	*	*	0
Impulse Control Disorder	147	59	48
Mood Disorder	376	224	143
Personality Disorder	14	14	14
Psychotic Disorder	26	23	18
Sexual Disorder	0	0	0
Other Diagnosis	21	11	12
Diagnosis Unknown	81	25	73

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	717	370	302	Less than High School Diploma	39	36	36
<b>AGE</b>				High School Grad or G.E.D.	37	45	27
Under 6	*	0	5	Associate Degree or Some College	5	7	6
6 to 9	58	23	25	Bachelor or Advanced Degree	*	0	0
10 to 13	76	34	36	Education Level Unknown	634	282	233
14 to 17	75	32	31	<b>EMPLOYMENT</b>			
18 to 24	82	30	31	Employed	8	10	9
25 to 29	60	38	32	Unemployed	69	74	57
30 to 34	75	38	25	Not in Labor Force	13	5	*
35 to 39	63	30	18	Employment Status Unknown	627	281	233
40 to 44	51	37	26	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	55	30	30	Independent Living	80	84	62
50 to 54	52	42	21	Dependent Living	46	58	6
55 to 59	28	17	10	Homeless	*	0	0
60 and Over	39	19	12	Other	*	*	*
Age Unknown	0	0	0	Housing Unknown	587	225	233
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	302	155	131	Self / Family / Friend	525	270	212
Female	415	215	171	School	9	*	6
Gender Unknown	0	0	0	Mental Health Provider	31	13	14
<b>RACE / ETHNICITY</b>				Health Care Provider	72	35	21
Caucasian	627	326	259	Court / Criminal Justice	15	6	14
African American	8	5	*	Other	65	43	35
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	63	27	30	Voluntary	716	370	294
Other Race	19	12	11	Civil	0	0	8
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	30	22	15	Commitment Type Unknown	0	0	0
Past or Current Military Service	8	7	5				



# PERRY COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	44.1	42.8	Alcohol	62.4	79.1
Cigarettes	27.8	28.4	Cigarettes	75.6	76.5
Chewing Tobacco	17.7	17.0	Marijuana	76.1	63.7
Marijuana	12.7	9.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	89.0	89.7
Inhalants	4.0	5.1	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	5.4	9.4	Were very sad	18.5	17.7
Over-the-counter medications for non-medical use	5.0	3.6	Were grouchy, irritable, or in a bad mood	24.7	26.0
Methamphetamine	2.0	0.0	Felt hopeless about the future	12.2	13.9
Cocaine	1.4	1.0	Felt like not eating or eating more than usual	19.9	16.0
Heroin	0.7	0.5	Slept a lot more or a lot less than usual	21.2	27.1
Hallucinogens	2.4	1.3	Had difficulty concentrating on school work	20.3	27.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.4	0.3	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.3	0.0	Seriously considered attempting suicide	12.4	10.9
Synthetic drugs (K2, bath salts, Spice, etc)	5.7		Made plan about how they would attempt suicide	7.5	8.0
<b>Average age of students' first use of:</b>			Attempted suicide	6.0	5.4
Alcohol	12.51	12.24	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.7	1.7
Cigarettes	12.54	12.78	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.78	13.60	Were threatened/injured with weapon at school	6.0	7.6
Inhalants	12.61	11.05	Were in a physical fight	16.9	18.0
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.7	3.2
Alcohol	23.1	22.8	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	15.7	14.6	Were victims of mean rumors or lies spread at school	53.5	55.5
Cigarettes	11.7	16.5	Had embarrassing or hurtful pictures/text of them posted on internet	13.0	10.3
Chewing Tobacco	8.7	8.3	Had embarrassing or hurtful pictures/text of them sent by cell phone	18.8	12.4
Marijuana	7.3	3.3	Were made fun of by others	58.6	68.6
Inhalants	2.0	2.0	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	3.3	5.0	Spread mean rumors or lies about other kids at school	30.4	36.0
Over-the-counter medications for non-medical use	3.7	2.6	Posted on internet embarrassing or hurtful pictures/text of someone	8.1	6.9
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	11.1	12.0
Alcohol	54.9	59.2	Made fun of other people	53.2	70.6
Cigarettes	43.1	44.7	<b>Percent of students who agree that:</b>		
Marijuana	34.2	30.0	Teachers notice and comment on student's good work	63.5	70.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.0	15.2	School provides feedback to parents on positive student performance	34.2	37.2
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	48.5	53.2
Alcohol	36.1	37.0	Rules are enforced fairly	50.0	49.5
Cigarettes	14.3	14.0	Students of all races/ethnicities are treated equally	64.1	66.1
Marijuana	11.0	7.0	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	76.1	84.3
Alcohol	54.5	57.3	Parents involve student in making family decisions	67.0	68.9
Cigarettes	79.7	78.1	It is important to be honest with parents regardless of consequences	80.9	83.2
Marijuana	84.6	87.4	Student could ask parent for help with a personal problem	75.3	76.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.9	96.1	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	71.6	72.3	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	88.9	90.5	Percentages are estimates based on weighted data.		
Marijuana	94.5	95.0	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.2	97.6	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	57.2	59.0			
Cigarettes	50.8	55.6			
Marijuana	34.7	25.7			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.9	16.7			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# 



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	12
Adult Psychiatric	12
<b>FIPS COUNTY CODE</b>	159
<b>POPULATION</b>	
Census 2010	42,201
2012 Pop. Estimate	42,319

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	19,869	20,006	20,055
Employed	18,486	18,337	18,268
Unemployed	1,383	1,669	1,787
Unemployment Rate	7.0%	8.3%	8.9%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	1,848	1,803	1,806
Drop-outs	15	22	16
Drop-out Rate	0.8%	1.2%	0.9%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	1	2	3
Tobacco Incidents	0	0	2

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	599	601	598
Mother Reported Smoking while Pregnant	145	132	128

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	3	0	0
IDU and MSM <sup>1</sup>	*	0	0
IDU without MSM <sup>1</sup>	*	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	441	401	388
Suicides	4	1	5
Self-inflicted Injuries	48	51	48
Homicides	3	2	3
Assault Injuries	174	140	140
Alcohol Induced Deaths	2	2	2
Drug Induced Deaths	7	4	4
Smoking Attributable Deaths	72	73	68

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	376		
Alcohol Primary Diagnosis <sup>2</sup>	42		
Drug Primary Diagnosis <sup>2</sup>	19		
Alcohol Related Diagnosis	252	101	96
Drug Related Diagnosis	199	113	84
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	70		
Alcohol Primary Diagnosis <sup>2</sup>	20		
Drug Primary Diagnosis <sup>2</sup>	16		
Alcohol Related Diagnosis	53	194	161
Drug Related Diagnosis	55	123	76
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	364		
Alcohol Primary Diagnosis <sup>2</sup>	69		
Drug Primary Diagnosis <sup>2</sup>	43		
Alcohol Related Diagnosis	261	283	198
Drug Related Diagnosis	352	292	213

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	52	60	82
Fatal Crashes	2	2	3
Injury Crashes	16	27	34
Property Damage Crashes	34	31	45
Crash Fatalities	2	2	3
Crash Injuries	23	39	38
Drug Involved Crashes--Total	9	11	9
Fatal Crashes	2	1	0
Injury Crashes	3	5	6
Property Damage Crashes	4	5	3
Crash Fatalities	2	1	0
Crash Injuries	4	9	7

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	172	251	315
Liquor Law Arrests	66	51	55
Drug Arrests	266	252	232
Methamphetamine Lab Incidents	10	18	18
Violent Offenses	159	177	218
Property Offenses	1,916	1,621	1,685
Domestic Violence Reports	500	527	518

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	315	272	304
Violent Offenses	84	90	83
Alcohol Offenses	8	5	10
Drug Offenses	44	22	29
Status Offenses--Total	129	187	137
Truancy	17	10	4
Beyond Parental Control	43	51	37
Habitually Absent from Home	30	37	36
Injurious Behavior	37	83	60
Abuse/Neglect/Custody--Total	34	23	35
Abuse	7	4	1
Neglect	8	6	2
Custody Disputes	19	13	32

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	60	26	45
Parental Alcohol Use Related	8	0	0
Parental Drug Use Related	24	9	15
Parental Alcohol and Drug Use	4	0	2
Child Removed for Other Reason	24	17	28

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	18	22	25
Probation/Parole Admissions--Total	292	260	275
Probation/Parole Admissions--Drug	112	100	93
Probation/Parole Admissions--DWI	19	25	22
Prison Admissions--Total	223	212	168
Prison Admissions--Drug	92	88	60
Prison Admissions--DWI	8	16	26

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	53	53	43
Alcohol Package Carry-out Licenses	41	41	38


\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



<b>DBH REGION</b>	Central
<b>PSYCHIATRIC SERVICE AREA</b>	12
<b>CENSUS 2010</b>	42,201
<b>2012 POPULATION ESTIMATE</b>	42,319

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2012	FY2011	FY2010
Adjustment Disorder	*	*	*
Anxiety Disorder	259	215	198
Dementia	*	*	0
Developmental Disorder	*	*	0
Impulse Control Disorder	61	57	39
Mood Disorder	355	351	315
Personality Disorder	21	23	17
Psychotic Disorder	80	83	64
Sexual Disorder	0	0	*
Other Diagnosis	23	25	14
Diagnosis Unknown	43	59	65

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

	FY2012	FY2011	FY2010		FY2012	FY2011	FY2010
<b>NUMBER SERVED</b>				<b>EDUCATION</b>			
Total Individuals	517	525	473	Less than High School Diploma	104	88	61
<b>AGE</b>				High School Grad or G.E.D.	112	117	77
Under 6	0	*	0	Associate Degree or Some College	60	53	42
6 to 9	11	5	6	Bachelor or Advanced Degree	9	*	*
10 to 13	17	16	11	Education Level Unknown	232	264	289
14 to 17	26	23	19	<b>EMPLOYMENT</b>			
18 to 24	52	54	51	Employed	46	43	38
25 to 29	51	59	54	Unemployed	231	212	149
30 to 34	61	67	63	Not in Labor Force	49	10	0
35 to 39	63	59	47	Employment Status Unknown	191	260	286
40 to 44	66	71	62	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	69	66	68	Independent Living	275	225	158
50 to 54	48	49	50	Dependent Living	51	48	31
55 to 59	40	37	29	Homeless	6	*	*
60 and Over	13	18	13	Other	6	8	*
Age Unknown	0	0	0	Housing Unknown	179	241	280
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	218	213	188	Self / Family / Friend	309	336	334
Female	299	312	285	School	0	*	*
Gender Unknown	0	0	0	Mental Health Provider	65	79	41
<b>RACE / ETHNICITY</b>				Health Care Provider	70	37	12
Caucasian	467	468	428	Court / Criminal Justice	30	24	21
African American	31	29	25	Other	37	42	51
Native American / Alaskan	*	*	*	Referral Source Unknown	6	6	13
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	10	7	Voluntary	506	513	453
Other Race	13	17	12	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	5
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	0
Hearing Impaired	12	14	10	Commitment Type Unknown	6	6	13
Past or Current Military Service	13	10	14				

# **PETTIS COUNTY**


## **MISSOURI STUDENT SURVEY 2010 AND 2012**

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	39.6	41.8	Alcohol	67.9	75.7
Cigarettes	24.0	29.0	Cigarettes	78.2	80.2
Chewing Tobacco	11.6	12.1	Marijuana	71.3	70.8
Marijuana	16.5	17.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.5	92.9
Inhalants	6.5	6.9	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	10.9	13.7	Were very sad	19.4	17.6
Over-the-counter medications for non-medical use	6.9	8.8	Were grouchy, irritable, or in a bad mood	24.8	22.9
Methamphetamine	1.6	0.7	Felt hopeless about the future	12.6	11.3
Cocaine	2.6	3.7	Felt like not eating or eating more than usual	16.3	16.6
Heroin	0.7	0.7	Slept a lot more or a lot less than usual	20.1	23.6
Hallucinogens	2.6	3.0	Had difficulty concentrating on school work	21.1	21.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.8	3.3	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.5	2.0	Seriously considered attempting suicide	11.4	10.3
Synthetic drugs (K2, bath salts, Spice, etc)	7.4		Made plan about how they would attempt suicide	8.9	6.6
<b>Average age of students' first use of:</b>			Attempted suicide	4.9	5.2
Alcohol	12.49	12.87	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.5	1.5
Cigarettes	12.64	12.53	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.80	13.50	Were threatened/injured with weapon at school	6.2	9.4
Inhalants	11.40	11.72	Were in a physical fight	21.7	23.4
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.3	3.9
Alcohol	18.9	21.4	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	11.5	13.0	Were victims of mean rumors or lies spread at school	49.6	57.2
Cigarettes	11.7	15.7	Had embarrassing or hurtful pictures/text of them posted on internet	12.8	12.9
Chewing Tobacco	7.2	7.5	Had embarrassing or hurtful pictures/text of them sent by cell phone	18.4	14.5
Marijuana	8.0	9.6	Were made fun of by others	61.1	66.0
Inhalants	3.4	3.2	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	5.0	9.1	Spread mean rumors or lies about other kids at school	27.7	29.9
Over-the-counter medications for non-medical use	3.0	5.4	Posted on internet embarrassing or hurtful pictures/text of someone	8.7	9.0
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.9	12.2
Alcohol	49.3	56.8	Made fun of other people	61.2	68.3
Cigarettes	40.8	46.4	<b>Percent of students who agree that:</b>		
Marijuana	34.4	33.9	Teachers notice and comment on student's good work	69.1	72.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.8	18.5	School provides feedback to parents on positive student performance	37.0	44.3
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	55.7	56.5
Alcohol	33.6	32.8	Rules are enforced fairly	60.7	66.1
Cigarettes	13.4	18.4	Students of all races/ethnicities are treated equally	74.6	80.5
Marijuana	13.1	12.7	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	84.6	82.5
Alcohol	58.9	59.1	Parents involve student in making family decisions	66.4	70.6
Cigarettes	81.1	79.3	It is important to be honest with parents regardless of consequences	87.2	84.3
Marijuana	80.6	82.5	Student could ask parent for help with a personal problem	76.9	78.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.5	94.6	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	80.2	78.4	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	91.9	88.9	Percentages are estimates based on weighted data.		
Marijuana	93.2	94.2	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.8	98.5	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	52.7	53.7			
Cigarettes	49.9	54.1			
Marijuana	35.5	37.5			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.8	20.1			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# PHELPS COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	17
Adult Psychiatric	17A
<b>FIPS COUNTY CODE</b>	161
<b>POPULATION</b>	
Census 2010	45,156
2012 Pop. Estimate	44,987

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	573	551	517
Mother Reported Smoking while Pregnant	118	116	102

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	1	1
IDU and MSM <sup>1</sup>	0	*	*
IDU without MSM <sup>1</sup>	0	*	*

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	420	414	400
Suicides	9	7	6
Self-inflicted Injuries	55	85	84
Homicides	2	2	1
Assault Injuries	210	227	164
Alcohol Induced Deaths	0	0	3
Drug Induced Deaths	16	12	6
Smoking Attributable Deaths	74	64	70

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	304		
Alcohol Primary Diagnosis <sup>2</sup>	19		
Drug Primary Diagnosis <sup>2</sup>	46		
Alcohol Related Diagnosis	89	107	87
Drug Related Diagnosis	127	157	135
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	218		
Alcohol Primary Diagnosis <sup>2</sup>	33		
Drug Primary Diagnosis <sup>2</sup>	27		
Alcohol Related Diagnosis	157	135	116
Drug Related Diagnosis	187	151	120
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	454		
Alcohol Primary Diagnosis <sup>2</sup>	131		
Drug Primary Diagnosis <sup>2</sup>	118		
Alcohol Related Diagnosis	246	213	154
Drug Related Diagnosis	224	229	144

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	60	49	74
Fatal Crashes	2	1	1
Injury Crashes	25	21	32
Property Damage Crashes	33	27	41
Crash Fatalities	2	1	1
Crash Injuries	31	29	38
Drug Involved Crashes--Total	18	23	22
Fatal Crashes	0	0	0
Injury Crashes	9	8	14
Property Damage Crashes	9	15	8
Crash Fatalities	0	0	0
Crash Injuries	9	10	17

## EMPLOYMENT

	2012	2011	2010
Labor Force	21,427	21,854	21,743
Employed	20,058	20,175	20,076
Unemployed	1,369	1,679	1,667
Unemployment Rate	6.4%	7.7%	7.7%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	1,925	2,033	2,019
Drop-outs	77	67	58
Drop-out Rate	4.0%	3.3%	2.9%
School Suspensions:			
Alcohol Incidents	5	8	6
Drug Incidents	1	15	27
Tobacco Incidents	0	0	2

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	314	320	387
Liquor Law Arrests	76	45	42
Drug Arrests	284	244	243
Methamphetamine Lab Incidents	39	35	11
Violent Offenses	139	171	120
Property Offenses	1,451	1,570	1,560
Domestic Violence Reports	149	162	171

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	276	236	191
Violent Offenses	132	107	84
Alcohol Offenses	1	7	3
Drug Offenses	24	17	24
Status Offenses--Total	265	357	272
Truancy	118	203	135
Beyond Parental Control	34	31	30
Habitually Absent from Home	29	12	37
Injurious Behavior	84	111	66
Abuse/Neglect/Custody--Total	639	600	443
Abuse	272	234	183
Neglect	355	355	239
Custody Disputes	12	11	21

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	48	60	45
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	13	7	18
Parental Alcohol and Drug Use	4	5	5
Child Removed for Other Reason	30	48	22

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	34	24	26
Probation/Parole Admissions--Total	379	262	256
Probation/Parole Admissions--Drug	168	87	96
Probation/Parole Admissions--DWI	15	10	2
Prison Admissions--Total	174	116	116
Prison Admissions--Drug	68	41	31
Prison Admissions--DWI	7	0	3

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	51	50	48
Alcohol Package Carry-out Licenses	39	41	40

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# PHELPS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	38	47	27
CSTAR Adolescent	24	27	36
CSTAR Women and Children	14	11	20
CSTAR General Adult	122	132	58
CSTAR Opioid	0	*	0
Primary Recovery Treatment	177	265	235
Clinical SATOP (CIP, YCIP, SROP)	42	29	38
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	220	201	220
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	86	90	89
- Weekend Intervention Program	42	65	53
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	7	5	12
Compulsive Gambling	*	0	*
Recovery Supports	*	*	5
Early Intervention	12	7	8

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	376	437	374	Alcohol	141	121	126
AGE				Marijuana / Hashish	78	143	120
Under 18	27	30	37	Cocaine (total)	5	5	7
18 to 24	69	107	92	- Crack	*	*	5
25 to 29	72	89	78	Stimulant (total)	37	52	45
30 to 34	65	69	54	- Methamphetamine	37	51	45
35 to 39	35	32	26	Heroin	28	31	13
40 to 44	33	41	37	Analgesic except Heroin	70	78	57
45 to 54	60	60	41	- Non-Prescription Methadone	*	*	0
55 and Over	15	9	9	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	12	6	5
Male	239	282	253	Inhalant	0	0	*
Female	137	155	121	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	353	395	356	Average Age at First Use of Drug	18.4	17.7	17.0
African American	12	21	8	INJECTION DRUG USE			
Native American / Alaskan	5	*	*	Any Injection Use at Admission	36	59	49
Asian / Pacific Islander	0	*	*	- Daily Injection Use	10	13	12
Hispanic	7	8	*	- Weekly Injection Use	9	20	9
Other Race / Two or More Races	5	9	7	- Less than Weekly Injection Use	17	26	28
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	106	183	132	0	213	277	223
High School Graduate or G.E.D.	188	176	184	1 or 2	105	108	85
Associate Degree or Some College	79	69	54	3 or More	58	52	66
Bachelor or Advanced Degree	*	9	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	96	82	64
Employed	93	121	98	School	0	0	0
Unemployed	170	164	155	Mental Health Provider	*	*	6
Not in Labor Force	113	152	121	Health Care Provider	25	21	9
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	222	302	258
Independent Living	332	377	321	Other Referral Source	30	30	37
Dependent Living	31	48	49	TREATMENT ACCOMMODATION			
Homeless	8	12	*	Pregnant when Admitted to any Episode	6	*	10
MARITAL / FAMILY STATUS				Military Veteran	19	21	20
Never Married	168	233	204	Special Education Services Needed	52	71	46
Married / Cohabiting	105	118	98	Co-Occurring Psychological Problem	148	142	186
Previously Married	103	86	72	Co-Occurring Developmental Problem	20	22	20

# PHELPS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 17A  
**CENSUS 2010** 45,156  
**2012 POPULATION ESTIMATE** 44,987

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	7	*	6
Anxiety Disorder	225	199	173
Dementia	*	*	*
Developmental Disorder	12	10	10
Impulse Control Disorder	92	72	57
Mood Disorder	329	303	279
Personality Disorder	35	46	50
Psychotic Disorder	69	61	62
Sexual Disorder	0	0	0
Other Diagnosis	46	47	38
Diagnosis Unknown	18	18	45

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	497	434	430	Less than High School Diploma	110	48	34
<b>AGE</b>				High School Grad or G.E.D.	153	82	37
Under 6	0	*	*	Associate Degree or Some College	48	32	10
6 to 9	26	16	15	Bachelor or Advanced Degree	8	*	*
10 to 13	28	18	18	Education Level Unknown	178	268	345
14 to 17	45	38	40	<b>EMPLOYMENT</b>			
18 to 24	47	53	57	Employed	38	19	17
25 to 29	51	47	47	Unemployed	265	142	66
30 to 34	44	41	32	Not in Labor Force	23	6	*
35 to 39	36	30	37	Employment Status Unknown	171	267	345
40 to 44	53	36	35	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	55	56	58	Independent Living	267	142	71
50 to 54	44	38	31	Dependent Living	80	68	12
55 to 59	35	31	33	Homeless	5	*	*
60 and Over	33	28	25	Other	*	6	*
Age Unknown	0	0	0	Housing Unknown	144	217	341
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	211	184	177	Self / Family / Friend	287	241	234
Female	286	250	253	School	*	*	6
Gender Unknown	0	0	0	Mental Health Provider	6	6	9
<b>RACE / ETHNICITY</b>				Health Care Provider	63	46	34
Caucasian	460	401	404	Court / Criminal Justice	19	20	20
African American	24	22	17	Other	120	119	122
Native American / Alaskan	*	0	0	Referral Source Unknown	0	0	5
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	5	6	Voluntary	492	424	411
Other Race	8	6	*	Civil	0	*	9
Race/Ethnicity Unknown	0	0	0	Criminal	5	6	5
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	12	16	18	Commitment Type Unknown	0	0	5
Past or Current Military Service	8	7	7				


# PHELPS COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	41.0	41.4	Alcohol	69.4	74.8
Cigarettes	24.6	22.8	Cigarettes	81.9	77.8
Chewing Tobacco	16.8	21.2	Marijuana	75.7	72.7
Marijuana	15.7	18.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.9	93.9
Inhalants	4.5	10.4	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	8.7	15.2	Were very sad	17.0	29.6
Over-the-counter medications for non-medical use	5.9	10.3	Were grouchy, irritable, or in a bad mood	21.8	34.0
Methamphetamine	1.0	1.0	Felt hopeless about the future	10.9	19.4
Cocaine	1.7	2.0	Felt like not eating or eating more than usual	17.3	30.0
Heroin	0.9	1.4	Slept a lot more or a lot less than usual	20.8	31.5
Hallucinogens	2.5	3.3	Had difficulty concentrating on school work	23.7	32.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.9	1.6	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.9	1.8	Seriously considered attempting suicide	11.3	14.4
Synthetic drugs (K2, bath salts, Spice, etc)	6.1		Made plan about how they would attempt suicide	8.3	9.2
<b>Average age of students' first use of:</b>			Attempted suicide	3.9	5.4
Alcohol	12.88	11.76	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.0	1.4
Cigarettes	12.55	11.27	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.87	12.98	Were threatened/injured with weapon at school	5.8	10.4
Inhalants	12.58	11.17	Were in a physical fight	19.4	19.8
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.6	1.8
Alcohol	20.5	21.6	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	12.3	15.6	Were victims of mean rumors or lies spread at school	48.1	58.6
Cigarettes	12.3	13.4	Had embarrassing or hurtful pictures/text of them posted on internet	14.8	12.8
Chewing Tobacco	9.8	12.5	Had embarrassing or hurtful pictures/text of them sent by cell phone	15.1	14.7
Marijuana	8.5	11.0	Were made fun of by others	59.1	68.4
Inhalants	2.1	5.6	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	5.4	7.6	Spread mean rumors or lies about other kids at school	28.4	32.7
Over-the-counter medications for non-medical use	4.1	7.9	Posted on internet embarrassing or hurtful pictures/text of someone	9.2	9.7
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	10.4	9.7
Alcohol	54.5	58.5	Made fun of other people	63.2	73.9
Cigarettes	42.9	43.9	<b>Percent of students who agree that:</b>		
Marijuana	34.2	39.4	Teachers notice and comment on student's good work	71.4	71.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.1	21.9	School provides feedback to parents on positive student performance	48.7	55.8
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	58.4	59.4
Alcohol	32.2	34.3	Rules are enforced fairly	62.3	61.3
Cigarettes	13.8	16.8	Students of all races/ethnicities are treated equally	78.7	74.9
Marijuana	13.2	18.8	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	84.5	88.0
Alcohol	58.6	62.3	Parents involve student in making family decisions	71.1	73.2
Cigarettes	80.7	82.1	It is important to be honest with parents regardless of consequences	88.4	79.2
Marijuana	80.7	79.6	Student could ask parent for help with a personal problem	75.2	78.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.7	93.9	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	78.4	76.6	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	91.4	95.1	Percentages are estimates based on weighted data.		
Marijuana	93.9	97.2	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.4	99.3	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	56.7	60.1			
Cigarettes	51.1	54.1			
Marijuana	32.7	38.8			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.0	25.7			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# PIKE COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	15
Adult Psychiatric	15
<b>FIPS COUNTY CODE</b>	163
<b>POPULATION</b>	
Census 2010	18,516
2012 Pop. Estimate	18,565

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	219	221	238
Mother Reported Smoking while Pregnant	59	56	69

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	178	179	198
Suicides	4	3	2
Self-inflicted Injuries	51	48	18
Homicides	0	0	1
Assault Injuries	56	54	73
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	30	39	35

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	127		
Alcohol Primary Diagnosis <sup>2</sup>	6		
Drug Primary Diagnosis <sup>2</sup>	8		
Alcohol Related Diagnosis	76	58	44
Drug Related Diagnosis	48	47	33
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	48		
Alcohol Primary Diagnosis <sup>2</sup>	4		
Drug Primary Diagnosis <sup>2</sup>	2		
Alcohol Related Diagnosis	24	31	58
Drug Related Diagnosis	27	25	28
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	132		
Alcohol Primary Diagnosis <sup>2</sup>	20		
Drug Primary Diagnosis <sup>2</sup>	22		
Alcohol Related Diagnosis	79	88	86
Drug Related Diagnosis	67	62	72

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	10	11	12
Fatal Crashes	0	2	0
Injury Crashes	7	3	11
Property Damage Crashes	3	6	1
Crash Fatalities	0	2	0
Crash Injuries	9	3	13
Drug Involved Crashes--Total	7	4	0
Fatal Crashes	0	2	0
Injury Crashes	3	2	0
Property Damage Crashes	4	0	0
Crash Fatalities	0	2	0
Crash Injuries	3	3	0

## EMPLOYMENT

	2012	2011	2010
Labor Force	8,862	9,023	9,022
Employed	8,272	8,291	8,176
Unemployed	590	732	846
Unemployment Rate	6.7%	8.1%	9.4%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	760	842	902
Drop-outs	20	31	27
Drop-out Rate	2.6%	3.7%	3.0%
School Suspensions:			
Alcohol Incidents	0	0	1
Drug Incidents	3	11	1
Tobacco Incidents	1	0	1

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	79	112	111
Liquor Law Arrests	17	35	68
Drug Arrests	48	77	80
Methamphetamine Lab Incidents	0	0	6
Violent Offenses	45	45	40
Property Offenses	208	255	208
Domestic Violence Reports	138	138	143

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	72	82	94
Violent Offenses	24	33	38
Alcohol Offenses	3	6	5
Drug Offenses	6	6	1
Status Offenses--Total	48	47	39
Truancy	31	19	15
Beyond Parental Control	7	6	8
Habitually Absent from Home	2	10	10
Injurious Behavior	8	11	6
Abuse/Neglect/Custody--Total	77	50	59
Abuse	11	3	10
Neglect	64	45	40
Custody Disputes	2	2	9

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	34	17	29
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	11	3	3
Parental Alcohol and Drug Use	6	0	0
Child Removed for Other Reason	16	14	26

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	149	150	156
Probation/Parole Admissions--Drug	51	53	41
Probation/Parole Admissions--DWI	5	6	3
Prison Admissions--Total	79	90	64
Prison Admissions--Drug	23	28	14
Prison Admissions--DWI	2	1	2

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	30	25	26
Alcohol Package Carry-out Licenses	25	22	20

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# PIKE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	19	22	16
CSTAR Adolescent	10	10	9
CSTAR Women and Children	12	26	19
CSTAR General Adult	16	17	*
CSTAR Opioid	0	*	0
Primary Recovery Treatment	120	53	66
Clinical SATOP (CIP, YCIP, SROP)	12	17	20
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	70	78	91
- Adolescent Diversion Education Program	*	6	7
- Offender Education Program	22	29	29
- Weekend Intervention Program	16	17	18
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	*	5
Early Intervention	11	7	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	164	115	118	Alcohol	77	51	66
AGE				Marijuana / Hashish	53	34	30
Under 18	11	7	8	Cocaine (total)	8	*	8
18 to 24	32	26	25	- Crack	*	*	*
25 to 29	36	26	23	Stimulant (total)	*	5	*
30 to 34	21	18	14	- Methamphetamine	*	5	*
35 to 39	8	7	7	Heroin	12	16	5
40 to 44	17	9	13	Analgesic except Heroin	7	*	5
45 to 54	30	19	23	- Non-Prescription Methadone	0	0	0
55 and Over	9	*	5	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	116	72	85	Inhalant	0	0	0
Female	48	43	33	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	134	102	102	Average Age at First Use of Drug	16.7	16.6	16.5
African American	24	8	13	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	11	19	7
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	8	*
Hispanic	*	0	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	6	5	*	- Less than Weekly Injection Use	7	7	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	48	48	41	0	83	55	48
High School Graduate or G.E.D.	93	45	58	1 or 2	53	41	45
Associate Degree or Some College	22	20	17	3 or More	28	19	25
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	17	23	18
Employed	53	29	42	School	0	*	0
Unemployed	74	62	49	Mental Health Provider	*	0	*
Not in Labor Force	37	24	27	Health Care Provider	*	*	5
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	127	77	85
Independent Living	139	103	99	Other Referral Source	14	12	9
Dependent Living	20	10	14	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	6	*	5
Never Married	97	63	65	Special Education Services Needed	16	21	18
Married / Cohabiting	43	29	32	Co-Occurring Psychological Problem	42	40	35
Previously Married	24	23	21	Co-Occurring Developmental Problem	11	9	10

# PIKE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 15  
**CENSUS 2010** 18,516  
**2012 POPULATION ESTIMATE** 18,565

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	6	6	10
Anxiety Disorder	16	17	19
Dementia	0	0	*
Developmental Disorder	*	*	*
Impulse Control Disorder	31	23	24
Mood Disorder	104	109	124
Personality Disorder	*	*	9
Psychotic Disorder	24	21	23
Sexual Disorder	0	0	0
Other Diagnosis	*	6	6
Diagnosis Unknown	11	9	25

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	182	169	207	Less than High School Diploma	25	25	14
<b>AGE</b>				High School Grad or G.E.D.	31	37	24
Under 6	*	0	0	Associate Degree or Some College	14	15	7
6 to 9	11	10	13	Bachelor or Advanced Degree	*	0	0
10 to 13	14	11	6	Education Level Unknown	111	92	162
14 to 17	17	20	23	<b>EMPLOYMENT</b>			
18 to 24	23	13	24	Employed	7	12	6
25 to 29	16	11	22	Unemployed	58	61	36
30 to 34	15	25	22	Not in Labor Force	18	*	*
35 to 39	8	8	16	Employment Status Unknown	99	92	162
40 to 44	16	17	19	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	17	16	20	Independent Living	64	60	33
50 to 54	17	21	20	Dependent Living	30	32	14
55 to 59	14	7	11	Homeless	0	*	*
60 and Over	10	10	11	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	88	75	159
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	88	78	94	Self / Family / Friend	105	99	145
Female	94	91	113	School	7	6	5
Gender Unknown	0	0	0	Mental Health Provider	10	14	7
<b>RACE / ETHNICITY</b>				Health Care Provider	17	10	6
Caucasian	169	156	188	Court / Criminal Justice	*	*	17
African American	9	9	15	Other	39	37	26
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	181	168	188
Other Race	*	*	*	Civil	*	*	18
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	0	*
Past or Current Military Service	9	8	9				




# PIKE COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	50.0	56.0	Alcohol	62.7	75.5
Cigarettes	24.0	31.9	Cigarettes	71.1	78.8
Chewing Tobacco	17.8	19.7	Marijuana	70.4	67.2
Marijuana	14.5	13.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	88.6	93.1
Inhalants	8.4	4.7	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	9.1	10.5	Were very sad	18.6	9.6
Over-the-counter medications for non-medical use	8.0	8.6	Were grouchy, irritable, or in a bad mood	23.7	17.9
Methamphetamine	3.0	1.1	Felt hopeless about the future	11.0	8.0
Cocaine	2.6	1.1	Felt like not eating or eating more than usual	15.0	12.4
Heroin	2.2	0.3	Slept a lot more or a lot less than usual	15.3	19.7
Hallucinogens	3.3	2.8	Had difficulty concentrating on school work	22.0	25.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	3.3	1.7	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	3.7	1.7	Seriously considered attempting suicide	10.2	11.0
Synthetic drugs (K2, bath salts, Spice, etc)	8.8		Made plan about how they would attempt suicide	8.4	6.6
<b>Average age of students' first use of:</b>			Attempted suicide	6.2	5.5
Alcohol	12.12	12.52	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.2	2.3
Cigarettes	12.00	12.64	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.07	14.13	Were threatened/injured with weapon at school	11.0	10.2
Inhalants	11.09	11.06	Were in a physical fight	27.4	24.9
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	5.1	2.5
Alcohol	24.8	31.1	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	17.5	22.0	Were victims of mean rumors or lies spread at school	50.9	53.2
Cigarettes	14.0	15.2	Had embarrassing or hurtful pictures/text of them posted on internet	15.4	12.7
Chewing Tobacco	9.1	11.4	Had embarrassing or hurtful pictures/text of them sent by cell phone	19.0	13.3
Marijuana	8.0	6.3	Were made fun of by others	59.6	67.1
Inhalants	2.9	1.7	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	7.7	6.4	Spread mean rumors or lies about other kids at school	30.9	30.3
Over-the-counter medications for non-medical use	5.1	6.4	Posted on internet embarrassing or hurtful pictures/text of someone	8.0	11.6
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	12.5	12.2
Alcohol	59.5	66.8	Made fun of other people	64.6	72.3
Cigarettes	47.3	50.4	<b>Percent of students who agree that:</b>		
Marijuana	27.0	32.5	Teachers notice and comment on student's good work	62.4	73.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.9	14.9	School provides feedback to parents on positive student performance	33.6	29.0
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	53.8	49.4
Alcohol	36.5	47.5	Rules are enforced fairly	55.7	63.3
Cigarettes	15.3	14.8	Students of all races/ethnicities are treated equally	73.6	78.2
Marijuana	9.5	8.3	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	83.6	78.6
Alcohol	52.9	43.4	Parents involve student in making family decisions	71.7	67.6
Cigarettes	75.2	73.8	It is important to be honest with parents regardless of consequences	84.1	82.6
Marijuana	84.7	85.3	Student could ask parent for help with a personal problem	76.4	75.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.6	94.8	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	73.8	64.2	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	90.4	87.2	Percentages are estimates based on weighted data.		
Marijuana	94.1	94.1	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.3	97.2	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	57.5	69.3			
Cigarettes	52.6	64.9			
Marijuana	29.7	35.6			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.8	16.5			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# PLATTE COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	6
Adult Psychiatric	6
<b>FIPS COUNTY CODE</b>	165
<b>POPULATION</b>	
Census 2010	89,322
2012 Pop. Estimate	92,054

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	50,773	50,849	49,214
Employed	47,913	47,191	45,217
Unemployed	2,860	3,658	3,997
Unemployment Rate	5.6%	7.2%	8.1%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	4,748	4,690	4,596
Drop-outs	94	76	129
Drop-out Rate	2.0%	1.6%	2.8%
School Suspensions:			
Alcohol Incidents	8	13	4
Drug Incidents	40	35	69
Tobacco Incidents	0	0	1

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	1,158	1,157	1,091
Mother Reported Smoking while Pregnant	131	128	115

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	8	5	5
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	573	575	551
Suicides	14	9	14
Self-inflicted Injuries	124	113	107
Homicides	4	4	1
Assault Injuries	234	185	225
Alcohol Induced Deaths	4	3	6
Drug Induced Deaths	7	11	10
Smoking Attributable Deaths	107	101	109

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	590		
Alcohol Primary Diagnosis <sup>2</sup>	54		
Drug Primary Diagnosis <sup>2</sup>	29		
Alcohol Related Diagnosis	248	259	163
Drug Related Diagnosis	203	259	157
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	113		
Alcohol Primary Diagnosis <sup>2</sup>	45		
Drug Primary Diagnosis <sup>2</sup>	25		
Alcohol Related Diagnosis	241	186	223
Drug Related Diagnosis	155	134	154
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	680		
Alcohol Primary Diagnosis <sup>2</sup>	186		
Drug Primary Diagnosis <sup>2</sup>	99		
Alcohol Related Diagnosis	397	341	318
Drug Related Diagnosis	262	221	168

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	73	83	82
Fatal Crashes	1	6	2
Injury Crashes	24	27	29
Property Damage Crashes	48	50	51
Crash Fatalities	1	6	2
Crash Injuries	34	35	31
Drug Involved Crashes--Total	14	14	10
Fatal Crashes	1	2	1
Injury Crashes	6	1	5
Property Damage Crashes	7	11	4
Crash Fatalities	1	2	0
Crash Injuries	7	2	4

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	483	412	506
Liquor Law Arrests	121	145	169
Drug Arrests	287	349	270
Methamphetamine Lab Incidents	1	2	2
Violent Offenses	93	69	77
Property Offenses	852	1,031	905
Domestic Violence Reports	218	150	205

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	223	208	245
Violent Offenses	48	48	50
Alcohol Offenses	15	6	8
Drug Offenses	25	19	30
Status Offenses--Total	47	36	56
Truancy	16	11	19
Beyond Parental Control	20	17	26
Habitually Absent from Home	4	0	1
Injurious Behavior	7	8	10
Abuse/Neglect/Custody--Total	17	16	11
Abuse	7	6	2
Neglect	9	8	7
Custody Disputes	1	2	2

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	13	14	11
Parental Alcohol Use Related	1	0	6
Parental Drug Use Related	3	2	0
Parental Alcohol and Drug Use	1	0	0
Child Removed for Other Reason	8	12	5

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	38	13	0
Probation/Parole Admissions--Total	326	297	269
Probation/Parole Admissions--Drug	81	61	69
Probation/Parole Admissions--DWI	42	47	31
Prison Admissions--Total	145	147	132
Prison Admissions--Drug	23	22	20
Prison Admissions--DWI	19	10	14

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	129	131	122
Alcohol Package Carry-out Licenses	56	59	55

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# PLATTE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	19	34	47
CSTAR Adolescent	8	14	8
CSTAR Women and Children	9	17	*
CSTAR General Adult	222	167	96
CSTAR Opioid	*	*	*
Primary Recovery Treatment	6	28	77
Clinical SATOP (CIP, YCIP, SROP)	82	49	57
Other Substance Abuse Treatment	*	*	*


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	367	305	393
- Adolescent Diversion Education Program	*	*	8
- Offender Education Program	161	122	182
- Weekend Intervention Program	106	85	117
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	*	7	*
Compulsive Gambling	*	12	7
Recovery Supports	9	*	24
Early Intervention	5	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	332	283	241	Alcohol	171	151	139
<b>AGE</b>				Marijuana / Hashish	79	54	49
Under 18	7	12	14	Cocaine (total)	13	16	17
18 to 24	78	56	50	- Crack	8	10	11
25 to 29	65	44	44	Stimulant (total)	38	34	14
30 to 34	51	42	33	- Methamphetamine	38	31	14
35 to 39	30	33	24	Heroin	*	6	6
40 to 44	36	35	19	Analgesic except Heroin	21	16	11
45 to 54	49	51	49	- Non-Prescription Methadone	0	0	0
55 and Over	16	10	8	PCP, LSD, other Hallucinogen	*	*	*
<b>GENDER</b>				Tranquilizer	*	*	*
Male	231	175	171	Inhalant	*	0	0
Female	101	108	70	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	0	*
Caucasian	288	244	214	Average Age at First Use of Drug	18.0	17.8	16.8
African American	19	20	14	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	20	18	9
Asian / Pacific Islander	*	0	*	- Daily Injection Use	5	5	*
Hispanic	19	16	*	- Weekly Injection Use	5	6	*
Other Race / Two or More Races	7	7	6	- Less than Weekly Injection Use	10	7	*
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	59	58	52	0	144	122	90
High School Graduate or G.E.D.	153	135	127	1 or 2	123	99	77
Associate Degree or Some College	108	75	56	3 or More	65	62	74
Bachelor or Advanced Degree	12	15	6	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	57	71	59
Employed	164	92	84	School	0	0	0
Unemployed	108	123	97	Mental Health Provider	38	37	22
Not in Labor Force	60	68	60	Health Care Provider	9	10	7
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	188	145	131
Independent Living	300	244	205	Other Referral Source	27	20	22
Dependent Living	12	21	19	<b>TREATMENT ACCOMMODATION</b>			
Homeless	10	11	8	Pregnant when Admitted to any Episode	7	5	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	17	19	14
Never Married	192	161	141	Special Education Services Needed	7	5	*
Married / Cohabiting	68	52	47	Co-Occurring Psychological Problem	113	114	75
Previously Married	72	70	53	Co-Occurring Developmental Problem	0	5	*

# PLATTE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 6  
**CENSUS 2010** 89,322  
**2012 POPULATION ESTIMATE** 92,054

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	22	23	20
Anxiety Disorder	292	232	228
Dementia	0	*	*
Developmental Disorder	17	11	10
Impulse Control Disorder	137	109	100
Mood Disorder	502	410	381
Personality Disorder	97	60	52
Psychotic Disorder	107	88	78
Sexual Disorder	*	*	0
Other Diagnosis	49	46	35
Diagnosis Unknown	77	89	197

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	739	640	725	Less than High School Diploma	32	16	13
<b>AGE</b>				High School Grad or G.E.D.	25	43	19
Under 6	*	*	5	Associate Degree or Some College	9	9	11
6 to 9	20	20	22	Bachelor or Advanced Degree	5	*	0
10 to 13	34	28	38	Education Level Unknown	668	568	682
14 to 17	66	44	62	<b>EMPLOYMENT</b>			
18 to 24	73	66	89	Employed	26	12	7
25 to 29	67	78	79	Unemployed	51	60	35
30 to 34	91	63	77	Not in Labor Force	36	*	*
35 to 39	75	64	71	Employment Status Unknown	626	567	682
40 to 44	80	65	71	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	72	70	71	Independent Living	63	50	31
50 to 54	70	53	60	Dependent Living	55	50	9
55 to 59	53	44	31	Homeless	*	*	*
60 and Over	37	42	49	Other	*	*	*
Age Unknown	0	0	0	Housing Unknown	615	538	682
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	303	242	275	Self / Family / Friend	678	566	625
Female	436	398	450	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	18	18	20
<b>RACE / ETHNICITY</b>				Health Care Provider	19	21	25
Caucasian	637	552	623	Court / Criminal Justice	*	*	*
African American	55	44	53	Other	15	23	26
Native American / Alaskan	*	*	*	Referral Source Unknown	5	7	26
Asian / Pacific Islander	6	5	6	<b>TYPE OF COMMITMENT</b>			
Hispanic	16	16	14	Voluntary	731	629	696
Other Race	22	20	25	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	0
Hearing Impaired	15	9	9	Commitment Type Unknown	5	8	27
Past or Current Military Service	11	6	8				

# PLATTE COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	37.1	37.7	Alcohol	70.6	72.8
Cigarettes	19.3	20.2	Cigarettes	83.3	83.7
Chewing Tobacco	7.4	7.5	Marijuana	65.8	73.6
Marijuana	17.9	16.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.1	93.2
Inhalants	4.3	4.1	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	8.3	9.9	Were very sad	16.9	18.0
Over-the-counter medications for non-medical use	6.5	6.3	Were grouchy, irritable, or in a bad mood	22.7	25.2
Methamphetamine	1.3	0.5	Felt hopeless about the future	11.2	12.8
Cocaine	2.0	1.8	Felt like not eating or eating more than usual	17.8	17.4
Heroin	0.9	0.4	Slept a lot more or a lot less than usual	23.5	25.7
Hallucinogens	3.6	2.6	Had difficulty concentrating on school work	23.9	26.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.5	2.4	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.6	0.8	Seriously considered attempting suicide	11.6	9.5
Synthetic drugs (K2, bath salts, Spice, etc)	5.8		Made plan about how they would attempt suicide	9.3	6.4
<b>Average age of students' first use of:</b>			Attempted suicide	5.3	3.9
Alcohol	13.13	13.16	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.0	1.6
Cigarettes	13.16	12.94	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.80	13.87	Were threatened/injured with weapon at school	5.3	7.5
Inhalants	11.85	12.32	Were in a physical fight	13.5	16.4
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	2.6	2.8
Alcohol	18.0	18.4	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	10.3	10.0	Were victims of mean rumors or lies spread at school	42.2	47.9
Cigarettes	8.8	9.9	Had embarrassing or hurtful pictures/text of them posted on internet	13.5	13.0
Chewing Tobacco	4.0	3.3	Had embarrassing or hurtful pictures/text of them sent by cell phone	15.8	13.9
Marijuana	10.2	8.3	Were made fun of by others	56.3	64.3
Inhalants	2.0	1.3	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	4.9	5.6	Spread mean rumors or lies about other kids at school	28.5	30.4
Over-the-counter medications for non-medical use	4.0	3.7	Posted on internet embarrassing or hurtful pictures/text of someone	9.9	10.8
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	12.4	13.2
Alcohol	54.5	55.0	Made fun of other people	61.7	70.0
Cigarettes	39.6	41.7	<b>Percent of students who agree that:</b>		
Marijuana	45.8	39.7	Teachers notice and comment on student's good work	73.0	72.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.9	19.8	School provides feedback to parents on positive student performance	39.4	44.3
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	61.0	58.6
Alcohol	30.3	28.9	Rules are enforced fairly	63.9	65.3
Cigarettes	11.6	11.4	Students of all races/ethnicities are treated equally	75.6	76.1
Marijuana	15.7	13.4	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	82.6	83.7
Alcohol	60.6	62.7	Parents involve student in making family decisions	70.2	72.1
Cigarettes	82.4	80.7	It is important to be honest with parents regardless of consequences	83.4	81.8
Marijuana	77.0	79.7	Student could ask parent for help with a personal problem	78.1	78.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.7	94.0	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	79.7	80.7	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	92.2	90.5	Percentages are estimates based on weighted data.		
Marijuana	92.9	93.2	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.0	97.0	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	64.1	61.0			
Cigarettes	53.2	53.9			
Marijuana	45.4	40.8			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.5	19.2			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# POLK COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	10
Adult Psychiatric	10
<b>FIPS COUNTY CODE</b>	167
<b>POPULATION</b>	
Census 2010	31,137
2012 Pop. Estimate	31,017

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	424	342	398
Mother Reported Smoking while Pregnant	83	93	77

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	3	1
IDU and MSM <sup>1</sup>	0	*	*
IDU without MSM <sup>1</sup>	0	*	*

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	352	351	378
Suicides	6	4	6
Self-inflicted Injuries	47	57	60
Homicides	2	1	1
Assault Injuries	93	91	93
Alcohol Induced Deaths	3	2	2
Drug Induced Deaths	9	10	12
Smoking Attributable Deaths	53	71	60

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	287		
Alcohol Primary Diagnosis <sup>2</sup>	7		
Drug Primary Diagnosis <sup>2</sup>	9		
Alcohol Related Diagnosis	57	67	76
Drug Related Diagnosis	94	136	92
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	127		
Alcohol Primary Diagnosis <sup>2</sup>	11		
Drug Primary Diagnosis <sup>2</sup>	27		
Alcohol Related Diagnosis	86	55	67
Drug Related Diagnosis	117	89	55
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	313		
Alcohol Primary Diagnosis <sup>2</sup>	72		
Drug Primary Diagnosis <sup>2</sup>	61		
Alcohol Related Diagnosis	149	109	121
Drug Related Diagnosis	174	170	156

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	27	27	28
Fatal Crashes	4	1	0
Injury Crashes	14	17	18
Property Damage Crashes	9	9	10
Crash Fatalities	4	1	0
Crash Injuries	23	20	20
Drug Involved Crashes--Total	19	11	8
Fatal Crashes	0	2	0
Injury Crashes	11	5	6
Property Damage Crashes	8	4	2
Crash Fatalities	0	3	0
Crash Injuries	13	8	6

## EMPLOYMENT

	2012	2011	2010
Labor Force	14,282	14,524	14,115
Employed	13,224	13,227	12,724
Unemployed	1,058	1,297	1,391
Unemployment Rate	7.4%	8.9%	9.9%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	1,574	1,706	1,675
Drop-outs	37	30	21
Drop-out Rate	2.3%	1.8%	1.3%
School Suspensions:			
Alcohol Incidents	9	1	1
Drug Incidents	13	12	8
Tobacco Incidents	0	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	124	116	89
Liquor Law Arrests	39	46	22
Drug Arrests	152	219	125
Methamphetamine Lab Incidents	6	5	5
Violent Offenses	142	104	144
Property Offenses	657	758	684
Domestic Violence Reports	243	243	234

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	163	171	201
Violent Offenses	46	46	60
Alcohol Offenses	4	13	8
Drug Offenses	16	19	13
Status Offenses--Total	78	76	67
Truancy	19	9	3
Beyond Parental Control	29	23	16
Habitually Absent from Home	10	27	33
Injurious Behavior	17	17	15
Abuse/Neglect/Custody--Total	119	212	115
Abuse	24	58	44
Neglect	91	154	69
Custody Disputes	4	0	2

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	22	40	26
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	7	18	2
Parental Alcohol and Drug Use	0	2	0
Child Removed for Other Reason	15	19	24

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	24	17	23
Probation/Parole Admissions--Total	245	196	189
Probation/Parole Admissions--Drug	104	55	73
Probation/Parole Admissions--DWI	13	6	10
Prison Admissions--Total	94	92	84
Prison Admissions--Drug	43	29	41
Prison Admissions--DWI	3	4	3

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	18	15	14
Alcohol Package Carry-out Licenses	26	24	25

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# POLK COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	25	32	22
CSTAR Adolescent	9	11	12
CSTAR Women and Children	8	6	8
CSTAR General Adult	101	69	69
CSTAR Opioid	0	0	0
Primary Recovery Treatment	31	34	46
Clinical SATOP (CIP, YCIP, SROP)	14	11	16
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	109	78	93
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	46	35	41
- Weekend Intervention Program	23	16	21
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	6
Compulsive Gambling	0	0	0
Recovery Supports	5	*	12
Early Intervention	12	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	170	132	141	Alcohol	54	48	71
AGE				Marijuana / Hashish	45	34	28
Under 18	9	11	12	Cocaine (total)	*	*	*
18 to 24	34	39	23	- Crack	*	*	*
25 to 29	41	34	29	Stimulant (total)	37	19	14
30 to 34	19	13	22	- Methamphetamine	33	19	13
35 to 39	20	9	13	Heroin	*	*	0
40 to 44	14	7	15	Analgesic except Heroin	23	25	20
45 to 54	24	16	25	- Non-Prescription Methadone	0	0	*
55 and Over	9	*	*	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	*	0	0
Male	120	86	99	Inhalant	0	0	*
Female	50	46	42	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	166	126	138	Average Age at First Use of Drug	17.7	16.1	16.9
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	42	29	23
Asian / Pacific Islander	0	0	*	- Daily Injection Use	6	8	5
Hispanic	*	*	0	- Weekly Injection Use	9	8	8
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	27	13	10
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	74	56	57	0	97	71	70
High School Graduate or G.E.D.	64	59	67	1 or 2	43	40	39
Associate Degree or Some College	32	16	16	3 or More	30	21	32
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	36	42	34
Employed	45	25	37	School	*	0	0
Unemployed	71	63	54	Mental Health Provider	0	*	*
Not in Labor Force	54	44	50	Health Care Provider	8	*	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	119	82	92
Independent Living	143	112	118	Other Referral Source	6	*	7
Dependent Living	19	16	19	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	7	*	*
Never Married	75	69	70	Special Education Services Needed	28	19	8
Married / Cohabiting	54	31	37	Co-Occurring Psychological Problem	43	44	39
Previously Married	41	32	34	Co-Occurring Developmental Problem	5	*	*

# POLK COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 10  
**CENSUS 2010** 31,137  
**2012 POPULATION ESTIMATE** 31,017

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	9	14	11
Anxiety Disorder	71	77	56
Dementia	*	*	*
Developmental Disorder	9	6	5
Impulse Control Disorder	33	41	23
Mood Disorder	132	170	126
Personality Disorder	40	47	44
Psychotic Disorder	69	76	71
Sexual Disorder	0	*	*
Other Diagnosis	27	31	15
Diagnosis Unknown	38	41	65

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	250	306	279	Less than High School Diploma	35	22	8
<b>AGE</b>				High School Grad or G.E.D.	53	63	10
Under 6	5	5	7	Associate Degree or Some College	20	13	5
6 to 9	11	10	14	Bachelor or Advanced Degree	5	*	0
10 to 13	15	25	25	Education Level Unknown	137	206	256
14 to 17	19	30	26	<b>EMPLOYMENT</b>			
18 to 24	24	32	29	Employed	12	11	5
25 to 29	18	21	17	Unemployed	97	89	17
30 to 34	22	23	15	Not in Labor Force	25	*	*
35 to 39	19	23	24	Employment Status Unknown	116	204	256
40 to 44	28	32	25	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	25	25	24	Independent Living	71	47	15
50 to 54	23	29	31	Dependent Living	69	73	7
55 to 59	22	28	19	Homeless	*	*	0
60 and Over	19	23	23	Other	*	*	*
Age Unknown	0	0	0	Housing Unknown	108	182	256
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	132	165	150	Self / Family / Friend	146	203	184
Female	118	141	129	School	*	0	*
Gender Unknown	0	0	0	Mental Health Provider	8	8	12
<b>RACE / ETHNICITY</b>				Health Care Provider	33	20	11
Caucasian	227	281	253	Court / Criminal Justice	9	12	6
African American	*	*	*	Other	45	54	53
Native American / Alaskan	*	*	0	Referral Source Unknown	7	9	12
Asian / Pacific Islander	*	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	237	288	263
Other Race	14	17	22	Civil	*	6	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	5	5	Commitment Type Unknown	7	9	12
Past or Current Military Service	5	8	7				


# POLK COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	36.5	39.0	Alcohol	72.4	78.4
Cigarettes	29.0	28.6	Cigarettes	79.3	79.4
Chewing Tobacco	18.8	21.7	Marijuana	74.8	71.7
Marijuana	10.6	15.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.5	93.5
Inhalants	8.7	6.5	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	9.5	11.9	Were very sad	20.0	23.7
Over-the-counter medications for non-medical use	5.8	7.2	Were grouchy, irritable, or in a bad mood	25.8	22.7
Methamphetamine	2.2	1.0	Felt hopeless about the future	12.5	11.2
Cocaine	1.0	1.5	Felt like not eating or eating more than usual	17.6	22.0
Heroin	0.8	0.6	Slept a lot more or a lot less than usual	19.5	24.6
Hallucinogens	3.0	2.6	Had difficulty concentrating on school work	20.6	18.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.2	1.5	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.5	1.0	Seriously considered attempting suicide	10.8	10.4
Synthetic drugs (K2, bath salts, Spice, etc)	4.8		Made plan about how they would attempt suicide	9.2	6.7
<b>Average age of students' first use of:</b>			Attempted suicide	7.0	5.4
Alcohol	12.35	12.56	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.7	1.9
Cigarettes	12.27	12.29	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.30	13.69	Were threatened/injured with weapon at school	5.8	10.1
Inhalants	11.43	12.45	Were in a physical fight	21.6	24.5
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	4.6	3.4
Alcohol	18.0	16.8	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	11.8	11.3	Were victims of mean rumors or lies spread at school	53.1	57.2
Cigarettes	12.2	14.6	Had embarrassing or hurtful pictures/text of them posted on internet	14.2	11.8
Chewing Tobacco	11.2	11.1	Had embarrassing or hurtful pictures/text of them sent by cell phone	16.0	14.4
Marijuana	5.3	7.9	Were made fun of by others	64.7	71.6
Inhalants	2.7	3.2	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	6.5	7.9	Spread mean rumors or lies about other kids at school	29.3	32.5
Over-the-counter medications for non-medical use	4.3	4.7	Posted on internet embarrassing or hurtful pictures/text of someone	6.3	8.3
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	8.9	11.1
Alcohol	45.7	58.0	Made fun of other people	67.2	69.6
Cigarettes	38.9	50.1	<b>Percent of students who agree that:</b>		
Marijuana	28.0	32.8	Teachers notice and comment on student's good work	71.0	75.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.1	16.7	School provides feedback to parents on positive student performance	41.8	42.5
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	55.3	61.2
Alcohol	31.2	31.7	Rules are enforced fairly	59.9	66.2
Cigarettes	13.5	16.6	Students of all races/ethnicities are treated equally	77.1	79.9
Marijuana	10.4	12.0	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	80.1	84.6
Alcohol	67.2	59.9	Parents involve student in making family decisions	64.5	69.8
Cigarettes	80.5	76.8	It is important to be honest with parents regardless of consequences	86.6	85.7
Marijuana	84.1	82.4	Student could ask parent for help with a personal problem	69.8	76.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.5	94.1	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	80.8	79.1	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	87.5	88.6	Percentages are estimates based on weighted data.		
Marijuana	92.6	94.3	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.3	97.5	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	52.6	56.9			
Cigarettes	57.2	59.8			
Marijuana	28.6	36.7			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.0	19.5			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# PULASKI COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	11
Adult Psychiatric	11
<b>FIPS COUNTY CODE</b>	169
<b>POPULATION</b>	
Census 2010	52,274
2012 Pop. Estimate	53,259

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	834	918	868
Mother Reported Smoking while Pregnant	150	156	170

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	2	2	0
IDU and MSM <sup>1</sup>	*	*	0
IDU without MSM <sup>1</sup>	*	*	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	297	262	270
Suicides	8	11	7
Self-inflicted Injuries	53	30	57
Homicides	9	0	1
Assault Injuries	114	111	107
Alcohol Induced Deaths	4	1	3
Drug Induced Deaths	14	6	7
Smoking Attributable Deaths	57	46	54

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	270		
Alcohol Primary Diagnosis <sup>2</sup>	6		
Drug Primary Diagnosis <sup>2</sup>	19		
Alcohol Related Diagnosis	60	121	96
Drug Related Diagnosis	106	118	108
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	102		
Alcohol Primary Diagnosis <sup>2</sup>	17		
Drug Primary Diagnosis <sup>2</sup>	28		
Alcohol Related Diagnosis	105	80	63
Drug Related Diagnosis	121	87	78
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	255		
Alcohol Primary Diagnosis <sup>2</sup>	66		
Drug Primary Diagnosis <sup>2</sup>	82		
Alcohol Related Diagnosis	127	101	79
Drug Related Diagnosis	136	139	109

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	66	58	78
Fatal Crashes	5	0	3
Injury Crashes	25	21	30
Property Damage Crashes	36	37	45
Crash Fatalities	5	0	2
Crash Injuries	39	26	40
Drug Involved Crashes--Total	13	12	10
Fatal Crashes	1	0	0
Injury Crashes	1	3	5
Property Damage Crashes	11	9	5
Crash Fatalities	1	0	0
Crash Injuries	1	3	7

## EMPLOYMENT

	2012	2011	2010
Labor Force	19,316	20,982	20,870
Employed	17,721	19,154	19,221
Unemployed	1,595	1,828	1,649
Unemployment Rate	8.3%	8.7%	7.9%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	2,598	2,619	2,615
Drop-outs	49	51	58
Drop-out Rate	1.9%	1.9%	2.2%
School Suspensions:			
Alcohol Incidents	11	6	5
Drug Incidents	44	21	37
Tobacco Incidents	0	0	1

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	396	354	340
Liquor Law Arrests	55	90	123
Drug Arrests	306	276	180
Methamphetamine Lab Incidents	17	27	12
Violent Offenses	162	136	179
Property Offenses	1,052	966	1,042
Domestic Violence Reports	303	282	337

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	199	219	288
Violent Offenses	61	68	114
Alcohol Offenses	3	10	12
Drug Offenses	11	17	33
Status Offenses--Total	407	558	472
Truancy	85	270	240
Beyond Parental Control	13	12	12
Habitually Absent from Home	23	21	13
Injurious Behavior	286	255	207
Abuse/Neglect/Custody--Total	894	562	382
Abuse	405	298	248
Neglect	486	257	132
Custody Disputes	3	7	2

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	87	66	70
Parental Alcohol Use Related	3	1	6
Parental Drug Use Related	30	23	9
Parental Alcohol and Drug Use	0	0	9
Child Removed for Other Reason	54	42	46

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	15	11	1
Probation/Parole Admissions--Total	228	193	190
Probation/Parole Admissions--Drug	64	66	56
Probation/Parole Admissions--DWI	11	2	2
Prison Admissions--Total	130	92	98
Prison Admissions--Drug	38	24	23
Prison Admissions--DWI	4	3	2

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	52	55	54
Alcohol Package Carry-out Licenses	38	40	37

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# PULASKI COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	25	21	20
CSTAR Adolescent	8	8	12
CSTAR Women and Children	17	15	23
CSTAR General Adult	43	34	21
CSTAR Opioid	0	0	0
Primary Recovery Treatment	33	40	68
Clinical SATOP (CIP, YCIP, SROP)	28	29	28
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	219	219	241
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	110	106	101
- Weekend Intervention Program	51	41	60
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	6	9	8
Compulsive Gambling	0	0	0
Recovery Supports	0	*	7
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	129	126	148	Alcohol	52	54	60
AGE				Marijuana / Hashish	16	13	26
Under 18	9	8	12	Cocaine (total)	*	*	7
18 to 24	18	17	27	- Crack	0	*	*
25 to 29	29	28	40	Stimulant (total)	15	17	17
30 to 34	19	27	25	- Methamphetamine	13	16	16
35 to 39	17	11	18	Heroin	33	21	23
40 to 44	9	6	8	Analgesic except Heroin	5	15	13
45 to 54	19	22	16	- Non-Prescription Methadone	0	*	0
55 and Over	9	7	*	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	*	*	*
Male	80	83	92	Inhalant	0	0	*
Female	49	43	56	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	103	109	124	Average Age at First Use of Drug	19.3	19.2	17.8
African American	14	7	14	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	36	26	34
Asian / Pacific Islander	*	0	*	- Daily Injection Use	15	12	11
Hispanic	6	*	*	- Weekly Injection Use	13	9	13
Other Race / Two or More Races	5	8	7	- Less than Weekly Injection Use	8	5	10
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	31	31	53	0	62	56	84
High School Graduate or G.E.D.	66	68	68	1 or 2	42	42	42
Associate Degree or Some College	29	25	26	3 or More	25	28	22
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	41	35	41
Employed	32	35	45	School	0	*	0
Unemployed	48	43	56	Mental Health Provider	*	*	*
Not in Labor Force	49	48	47	Health Care Provider	6	6	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	72	68	84
Independent Living	106	103	126	Other Referral Source	7	14	16
Dependent Living	13	16	18	TREATMENT ACCOMMODATION			
Homeless	*	5	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	7	15	11
Never Married	67	64	80	Special Education Services Needed	10	10	11
Married / Cohabiting	32	32	38	Co-Occurring Psychological Problem	45	35	53
Previously Married	30	30	29	Co-Occurring Developmental Problem	*	*	8

# PULASKI COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 11  
**CENSUS 2010** 52,274  
**2012 POPULATION ESTIMATE** 53,259

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	6	*	5
Anxiety Disorder	84	81	85
Dementia	0	0	*
Developmental Disorder	*	*	*
Impulse Control Disorder	31	32	34
Mood Disorder	165	172	187
Personality Disorder	*	6	17
Psychotic Disorder	24	22	31
Sexual Disorder	0	0	*
Other Diagnosis	28	34	33
Diagnosis Unknown	22	29	26

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	275	276	278	Less than High School Diploma	67	30	27
<b>AGE</b>				High School Grad or G.E.D.	58	28	26
Under 6	*	*	*	Associate Degree or Some College	19	11	10
6 to 9	18	13	13	Bachelor or Advanced Degree	*	*	*
10 to 13	29	33	26	Education Level Unknown	128	203	212
14 to 17	25	31	29	<b>EMPLOYMENT</b>			
18 to 24	35	26	31	Employed	18	*	9
25 to 29	26	20	23	Unemployed	114	70	55
30 to 34	15	20	26	Not in Labor Force	27	*	*
35 to 39	18	23	17	Employment Status Unknown	116	201	212
40 to 44	21	15	19	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	28	32	31	Independent Living	135	70	59
50 to 54	23	26	24	Dependent Living	45	55	12
55 to 59	23	20	17	Homeless	*	0	0
60 and Over	13	15	19	Other	*	*	*
Age Unknown	0	0	0	Housing Unknown	92	148	205
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	122	114	118	Self / Family / Friend	195	186	164
Female	153	162	160	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	16	20	20
<b>RACE / ETHNICITY</b>				Health Care Provider	30	30	31
Caucasian	236	238	245	Court / Criminal Justice	7	6	24
African American	17	15	19	Other	26	29	33
Native American / Alaskan	*	*	0	Referral Source Unknown	0	*	*
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	5	5	*	Voluntary	271	270	253
Other Race	10	12	8	Civil	*	*	20
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	0	0
Hearing Impaired	8	15	17	Commitment Type Unknown	0	*	*
Past or Current Military Service	*	7	7				



# PULASKI COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	55.2	47.4	Alcohol	62.0	78.2
Cigarettes	36.9	31.4	Cigarettes	76.8	81.9
Chewing Tobacco	24.7	11.5	Marijuana	65.6	73.1
Marijuana	22.7	14.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	91.6	94.2
Inhalants	7.7	9.1			
Prescription medications not prescribed for student	15.2	14.1	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	13.3	9.6	Were very sad	23.7	22.5
Methamphetamine	2.0	1.5	Were grouchy, irritable, or in a bad mood	30.5	27.3
Cocaine	4.4	2.4	Felt hopeless about the future	12.9	11.5
Heroin	4.2	0.7	Felt like not eating or eating more than usual	22.4	21.8
Hallucinogens	3.5	2.7	Slept a lot more or a lot less than usual	24.5	31.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	5.7	3.1	Had difficulty concentrating on school work	30.3	28.5
Steroids not prescribed for student	2.6	2.1			
Synthetic drugs (K2, bath salts, Spice, etc)	9.4		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	13.6	17.1
Alcohol	12.43	12.18	Made plan about how they would attempt suicide	10.0	12.7
Cigarettes	12.47	11.99	Attempted suicide	7.2	8.3
Marijuana	13.32	13.35	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	3.6	4.0
Inhalants	12.40	12.65			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	25.9	20.0	Were threatened/injured with weapon at school	10.2	10.9
Binge Alcohol (5 or more drinks on one occasion)	16.9	11.8	Were in a physical fight	29.2	28.1
Cigarettes	18.9	13.0	Were in a fight and had to be treated by a doctor or nurse	6.8	5.6
Chewing Tobacco	12.5	6.7			
Marijuana	12.5	7.2	<b>Percent of students in past 3 months who:</b>		
Inhalants	3.9	4.6	Were victims of mean rumors or lies spread at school	54.9	56.0
Prescription medications not prescribed for student	8.5	8.7	Had embarrassing or hurtful pictures/text of them posted on internet	18.4	11.7
Over-the-counter medications for non-medical use	10.5	5.7	Had embarrassing or hurtful pictures/text of them sent by cell phone	20.0	12.5
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	59.0	69.9
Alcohol	64.5	62.2			
Cigarettes	60.6	48.2	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	44.1	36.9	Spread mean rumors or lies about other kids at school	26.9	30.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	23.1	23.7	Posted on internet embarrassing or hurtful pictures/text of someone	10.8	9.6
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	14.8	13.4
Alcohol	42.4	35.9	Made fun of other people	64.6	73.2
Cigarettes	23.2	15.0			
Marijuana	17.5	13.3	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	59.4	66.0
Alcohol	47.9	58.1	School provides feedback to parents on positive student performance	31.4	34.5
Cigarettes	69.2	76.0	Teachers praise student for hard work	43.5	50.5
Marijuana	72.9	81.5	Rules are enforced fairly	49.3	61.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	89.7	93.3	Students of all races/ethnicities are treated equally	72.9	76.0
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	70.5	77.6	<b>Percent of students who agree that:</b>		
Cigarettes	84.8	89.6	Parents notice and comment on student's good work	74.4	83.3
Marijuana	87.9	95.1	Parents involve student in making family decisions	65.4	67.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.3	96.9	It is important to be honest with parents regardless of consequences	81.2	84.0
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	70.7	75.4
Alcohol	64.4	62.9			
Cigarettes	65.9	60.8			
Marijuana	51.0	36.4			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	29.3	23.6			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# PUTNAM COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	13
Adult Psychiatric	13
<b>FIPS COUNTY CODE</b>	171
<b>POPULATION</b>	
Census 2010	4,979
2012 Pop. Estimate	4,931

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	2,338	2,385	2,390
Employed	2,204	2,224	2,209
Unemployed	134	161	181
Unemployment Rate	5.7%	6.8%	7.6%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	212	228	231
Drop-outs	0	3	4
Drop-out Rate	0.0%	1.3%	1.7%
School Suspensions:			
Alcohol Incidents	0	1	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	49	57	55
Mother Reported Smoking while Pregnant	7	13	20

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	1	0
IDU and MSM <sup>1</sup>	0	*	0
IDU without MSM <sup>1</sup>	0	*	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	58	56	51
Suicides	2	2	1
Self-inflicted Injuries	7	0	0
Homicides	0	0	0
Assault Injuries	11	8	8
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	1	0
Smoking Attributable Deaths	10	9	10

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	26		
Alcohol Primary Diagnosis <sup>2</sup>	1		
Drug Primary Diagnosis <sup>2</sup>	4		
Alcohol Related Diagnosis	20	14	5
Drug Related Diagnosis	9	12	3
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	8		
Alcohol Primary Diagnosis <sup>2</sup>	1		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	2	4	6
Drug Related Diagnosis	5	6	2
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	27		
Alcohol Primary Diagnosis <sup>2</sup>	5		
Drug Primary Diagnosis <sup>2</sup>	3		
Alcohol Related Diagnosis	14	15	2
Drug Related Diagnosis	9	10	10

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	5	2	4
Fatal Crashes	0	0	0
Injury Crashes	4	1	2
Property Damage Crashes	1	1	2
Crash Fatalities	0	0	0
Crash Injuries	4	2	1
Drug Involved Crashes--Total	0	0	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	35	23	6
Liquor Law Arrests	7	5	3
Drug Arrests	27	7	7
Methamphetamine Lab Incidents	3	1	1
Violent Offenses	0	8	1
Property Offenses	33	22	20
Domestic Violence Reports	10	13	1

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	38	11	10
Violent Offenses	5	6	3
Alcohol Offenses	8	1	0
Drug Offenses	1	0	0
Status Offenses--Total	8	8	11
Truancy	0	3	2
Beyond Parental Control	2	1	1
Habitually Absent from Home	0	0	2
Injurious Behavior	6	4	6
Abuse/Neglect/Custody--Total	38	36	23
Abuse	14	19	9
Neglect	21	17	14
Custody Disputes	3	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	7	9	5
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	3	0	2
Parental Alcohol and Drug Use	0	0	2
Child Removed for Other Reason	4	8	1

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	8	8	10
Probation/Parole Admissions--Total	45	36	34
Probation/Parole Admissions--Drug	13	8	7
Probation/Parole Admissions--DWI	2	1	2
Prison Admissions--Total	23	23	21
Prison Admissions--Drug	6	1	5
Prison Admissions--DWI	1	1	1

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	2	3	2
Alcohol Package Carry-out Licenses	6	8	7

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# PUTNAM COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	0	*	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	0	0
CSTAR General Adult	38	31	14
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	24
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	13	13	11
- Adolescent Diversion Education Program	*	*	0
- Offender Education Program	*	*	*
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	*
Compulsive Gambling	0	0	0
Recovery Supports	0	0	7
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	46	37	39	Alcohol	23	17	22
AGE				Marijuana / Hashish	15	10	11
Under 18	*	*	*	Cocaine (total)	0	0	*
18 to 24	18	13	14	- Crack	0	0	0
25 to 29	5	*	7	Stimulant (total)	*	6	*
30 to 34	*	6	*	- Methamphetamine	*	5	*
35 to 39	*	*	*	Heroin	0	0	0
40 to 44	*	*	*	Analgesic except Heroin	*	*	*
45 to 54	6	6	6	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	*	*	*
Male	35	20	28	Inhalant	0	0	0
Female	11	17	11	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	44	36	37	Average Age at First Use of Drug	16.8	15.7	17.1
African American	*	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	5	*	*
Asian / Pacific Islander	*	*	0	- Daily Injection Use	0	*	0
Hispanic	0	0	0	- Weekly Injection Use	*	*	0
Other Race / Two or More Races	0	0	*	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	24	17	11	0	22	24	28
High School Graduate or G.E.D.	20	16	24	1 or 2	19	11	7
Associate Degree or Some College	*	*	*	3 or More	5	*	*
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	12	*
Employed	18	10	13	School	0	0	0
Unemployed	13	15	20	Mental Health Provider	0	*	*
Not in Labor Force	15	12	6	Health Care Provider	*	0	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	29	16	32
Independent Living	42	33	37	Other Referral Source	10	7	*
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	0	0	*	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	26	21	22	Special Education Services Needed	*	*	*
Married / Cohabiting	9	7	11	Co-Occurring Psychological Problem	14	9	10
Previously Married	11	9	6	Co-Occurring Developmental Problem	*	*	0

# PUTNAM COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 13  
**CENSUS 2010** 4,979  
**2012 POPULATION ESTIMATE** 4,931

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	*	*
Anxiety Disorder	18	15	20
Dementia	*	0	0
Developmental Disorder	*	0	0
Impulse Control Disorder	5	5	6
Mood Disorder	30	29	27
Personality Disorder	5	7	10
Psychotic Disorder	8	9	8
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	*	5	10

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	41	45	49	Less than High School Diploma	5	*	*
<b>AGE</b>				High School Grad or G.E.D.	14	15	11
Under 6	0	0	0	Associate Degree or Some College	*	*	*
6 to 9	0	*	*	Bachelor or Advanced Degree	*	*	*
10 to 13	*	*	*	Education Level Unknown	18	21	32
14 to 17	*	*	*	<b>EMPLOYMENT</b>			
18 to 24	*	*	6	Employed	*	*	*
25 to 29	*	5	6	Unemployed	18	19	14
30 to 34	7	6	9	Not in Labor Force	*	*	*
35 to 39	*	*	*	Employment Status Unknown	17	21	32
40 to 44	5	6	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	*	*	6	Independent Living	22	23	16
50 to 54	*	6	*	Dependent Living	*	*	*
55 to 59	8	5	*	Homeless	0	0	0
60 and Over	*	*	*	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	17	18	31
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	19	22	23	Self / Family / Friend	14	18	21
Female	22	23	26	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	7	10	13
<b>RACE / ETHNICITY</b>				Health Care Provider	8	7	7
Caucasian	40	44	47	Court / Criminal Justice	6	5	*
African American	0	0	0	Other	6	*	*
Native American / Alaskan	*	0	0	Referral Source Unknown	0	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	*	Voluntary	41	43	48
Other Race	0	*	*	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	0	Commitment Type Unknown	0	*	*
Past or Current Military Service	*	*	*				

# PUTNAM COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	61.4	51.1	Alcohol	56.5	80.6
Cigarettes	38.6	26.6	Cigarettes	48.6	81.7
Chewing Tobacco	22.9	17.0	Marijuana	59.4	68.5
Marijuana	11.4	10.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	81.2	94.7
Inhalants	10.0	8.5	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	24.6	14.1	Were very sad	31.4	31.9
Over-the-counter medications for non-medical use	14.5	6.5	Were grouchy, irritable, or in a bad mood	33.3	46.2
Methamphetamine	1.4	1.1	Felt hopeless about the future	15.9	23.4
Cocaine	1.5	2.2	Felt like not eating or eating more than usual	28.6	37.6
Heroin	1.4	1.1	Slept a lot more or a lot less than usual	36.2	47.8
Hallucinogens	5.9	3.2	Had difficulty concentrating on school work	32.9	39.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	2.2	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	4.3	4.3	Seriously considered attempting suicide	17.1	4.3
Synthetic drugs (K2, bath salts, Spice, etc)	5.8		Made plan about how they would attempt suicide	15.9	3.2
<b>Average age of students' first use of:</b>			Attempted suicide	5.8	1.1
Alcohol	11.77	11.78	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.0	1.1
Cigarettes	12.00	11.84	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.27	13.35	Were threatened/injured with weapon at school	8.7	9.6
Inhalants	13.05	10.48	Were in a physical fight	21.4	16.1
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	4.3	3.2
Alcohol	24.3	22.6	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	14.3	19.1	Were victims of mean rumors or lies spread at school	54.3	65.2
Cigarettes	15.9	14.0	Had embarrassing or hurtful pictures/text of them posted on internet	26.1	18.3
Chewing Tobacco	22.9	7.5	Had embarrassing or hurtful pictures/text of them sent by cell phone	33.3	17.0
Marijuana	4.3	5.3	Were made fun of by others	60.0	76.6
Inhalants	2.9	4.3	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	14.5	9.9	Spread mean rumors or lies about other kids at school	26.1	25.8
Over-the-counter medications for non-medical use	12.9	5.3	Posted on internet embarrassing or hurtful pictures/text of someone	20.3	16.1
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	17.1	13.8
Alcohol	84.3	60.6	Made fun of other people	58.0	72.3
Cigarettes	78.6	54.3	<b>Percent of students who agree that:</b>		
Marijuana	50.7	31.2	Teachers notice and comment on student's good work	68.6	78.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	26.1	19.6	School provides feedback to parents on positive student performance	34.8	46.8
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	55.1	62.8
Alcohol	48.6	41.9	Rules are enforced fairly	52.9	64.5
Cigarettes	28.6	14.9	Students of all races/ethnicities are treated equally	94.1	89.4
Marijuana	15.9	7.4	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	78.3	81.7
Alcohol	37.7	52.7	Parents involve student in making family decisions	51.4	67.0
Cigarettes	62.3	83.9	It is important to be honest with parents regardless of consequences	74.3	81.9
Marijuana	78.3	88.0	Student could ask parent for help with a personal problem	62.3	74.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	87.0	96.7	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	66.7	73.9	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	80.9	89.4	Percentages are estimates based on weighted data.		
Marijuana	91.4	96.7	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.6	96.7	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	77.9	67.7			
Cigarettes	88.2	67.0			
Marijuana	63.8	33.0			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	39.7	27.7			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# RALLS COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	15
Adult Psychiatric	15
<b>FIPS COUNTY CODE</b>	173
<b>POPULATION</b>	
Census 2010	10,167
2012 Pop. Estimate	10,277

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	5,652	5,725	5,576
Employed	5,294	5,303	5,111
Unemployed	358	422	465
Unemployment Rate	6.3%	7.4%	8.3%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	223	247	256
Drop-outs	7	11	3
Drop-out Rate	3.1%	4.5%	1.2%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	1	0
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	103	101	105
Mother Reported Smoking while Pregnant	26	20	25

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	85	78	77
Suicides	0	2	0
Self-inflicted Injuries	9	10	5
Homicides	0	0	1
Assault Injuries	15	10	11
Alcohol Induced Deaths	0	4	1
Drug Induced Deaths	1	1	0
Smoking Attributable Deaths	20	15	15

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	38		
Alcohol Primary Diagnosis <sup>2</sup>	2		
Drug Primary Diagnosis <sup>2</sup>	5		
Alcohol Related Diagnosis	21	28	15
Drug Related Diagnosis	14	15	9
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	3		
Alcohol Primary Diagnosis <sup>2</sup>	0		
Drug Primary Diagnosis <sup>2</sup>	0		
Alcohol Related Diagnosis	2	20	21
Drug Related Diagnosis	0	10	19
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	35		
Alcohol Primary Diagnosis <sup>2</sup>	4		
Drug Primary Diagnosis <sup>2</sup>	9		
Alcohol Related Diagnosis	8	12	8
Drug Related Diagnosis	16	5	5

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	11	16	14
Fatal Crashes	1	0	0
Injury Crashes	9	6	7
Property Damage Crashes	1	10	7
Crash Fatalities	1	0	0
Crash Injuries	12	8	8
Drug Involved Crashes--Total	2	0	1
Fatal Crashes	0	0	0
Injury Crashes	1	0	1
Property Damage Crashes	1	0	0
Crash Fatalities	0	0	0
Crash Injuries	1	0	1

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	50	36	34
Liquor Law Arrests	3	2	1
Drug Arrests	15	10	9
Methamphetamine Lab Incidents	20	23	14
Violent Offenses	9	11	21
Property Offenses	197	186	136
Domestic Violence Reports	37	46	40

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	28	47	37
Violent Offenses	7	10	5
Alcohol Offenses	3	2	2
Drug Offenses	2	1	1
Status Offenses--Total	19	35	30
Truancy	4	10	13
Beyond Parental Control	0	0	0
Habitually Absent from Home	1	2	3
Injurious Behavior	14	23	14
Abuse/Neglect/Custody--Total	17	17	14
Abuse	1	3	1
Neglect	16	14	13
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	8	5	5
Parental Alcohol Use Related	0	0	3
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	8	5	2

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	62	38	41
Probation/Parole Admissions--Drug	19	11	9
Probation/Parole Admissions--DWI	0	3	1
Prison Admissions--Total	43	28	19
Prison Admissions--Drug	17	10	4
Prison Admissions--DWI	1	1	0

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	15	14	15
Alcohol Package Carry-out Licenses	20	20	19

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# RALLS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	6	7	8
CSTAR Adolescent	0	8	6
CSTAR Women and Children	9	*	*
CSTAR General Adult	*	*	*
CSTAR Opioid	0	0	0
Primary Recovery Treatment	41	34	30
Clinical SATOP (CIP, YCIP, SROP)	5	*	10
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	44	31	34
- Adolescent Diversion Education Program	7	6	5
- Offender Education Program	16	12	10
- Weekend Intervention Program	9	10	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	0	*	6
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	58	49	55	Alcohol	28	20	22
AGE				Marijuana / Hashish	17	17	23
Under 18	*	9	8	Cocaine (total)	*	*	*
18 to 24	14	11	16	- Crack	0	*	0
25 to 29	14	7	9	Stimulant (total)	7	5	*
30 to 34	12	7	7	- Methamphetamine	7	5	*
35 to 39	*	*	6	Heroin	*	*	*
40 to 44	*	*	*	Analgesic except Heroin	*	*	*
45 to 54	8	8	6	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	*	*
Male	50	42	39	Inhalant	0	*	0
Female	8	7	16	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	*
Caucasian	57	45	53	Average Age at First Use of Drug	16.9	15.7	16.3
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	*	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	10	21	19	0	31	23	33
High School Graduate or G.E.D.	40	23	30	1 or 2	15	16	16
Associate Degree or Some College	7	*	5	3 or More	12	10	6
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	10	6
Employed	23	12	20	School	0	0	0
Unemployed	26	21	19	Mental Health Provider	0	0	0
Not in Labor Force	9	16	16	Health Care Provider	0	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	38	31	48
Independent Living	46	38	40	Other Referral Source	14	7	0
Dependent Living	6	11	14	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	30	28	33	Special Education Services Needed	9	5	11
Married / Cohabiting	15	12	9	Co-Occurring Psychological Problem	11	15	18
Previously Married	13	9	13	Co-Occurring Developmental Problem	0	*	*

# RALLS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 15  
**CENSUS 2010** 10,167  
**2012 POPULATION ESTIMATE** 10,277

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	0	*	0
Anxiety Disorder	9	9	10
Dementia	0	0	0
Developmental Disorder	0	*	*
Impulse Control Disorder	13	15	9
Mood Disorder	47	40	47
Personality Disorder	*	*	*
Psychotic Disorder	10	14	15
Sexual Disorder	0	0	0
Other Diagnosis	0	0	*
Diagnosis Unknown	11	7	15

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.


<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	84	79	88	Less than High School Diploma	15	10	13
<b>AGE</b>				High School Grad or G.E.D.	17	20	20
Under 6	*	*	*	Associate Degree or Some College	*	5	5
6 to 9	7	5	*	Bachelor or Advanced Degree	*	*	0
10 to 13	6	8	*	Education Level Unknown	47	43	50
14 to 17	*	*	6	<b>EMPLOYMENT</b>			
18 to 24	11	8	8	Employed	6	9	7
25 to 29	8	9	15	Unemployed	30	24	31
30 to 34	6	8	10	Not in Labor Force	*	*	0
35 to 39	*	5	7	Employment Status Unknown	44	43	50
40 to 44	11	10	10	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	14	13	12	Independent Living	30	24	23
50 to 54	5	*	8	Dependent Living	13	20	13
55 to 59	6	*	*	Homeless	0	0	*
60 and Over	*	*	5	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	41	33	50
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	41	41	40	Self / Family / Friend	28	28	44
Female	43	38	48	School	*	*	0
Gender Unknown	0	0	0	Mental Health Provider	9	9	9
<b>RACE / ETHNICITY</b>				Health Care Provider	5	*	*
Caucasian	81	78	82	Court / Criminal Justice	*	*	*
African American	*	*	*	Other	36	36	27
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	82	77	84
Other Race	*	0	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

# RALLS COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol			Alcohol		
Cigarettes			Cigarettes		
Chewing Tobacco			Marijuana		
Marijuana			Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		
Inhalants					
Prescription medications not prescribed for student			<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use			Were very sad		
Methamphetamine			Were grouchy, irritable, or in a bad mood		
Cocaine			Felt hopeless about the future		
Heroin			Felt like not eating or eating more than usual		
Hallucinogens			Slept a lot more or a lot less than usual		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)			Had difficulty concentrating on school work		
Steroids not prescribed for student					
Synthetic drugs (K2, bath salts, Spice, etc)			<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide		
Alcohol			Made plan about how they would attempt suicide		
Cigarettes			Attempted suicide		
Marijuana			Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse		
Inhalants					
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol			Were threatened/injured with weapon at school		
Binge Alcohol (5 or more drinks on one occasion)			Were in a physical fight		
Cigarettes			Were in a fight and had to be treated by a doctor or nurse		
Chewing Tobacco					
Marijuana			<b>Percent of students in past 3 months who:</b>		
Inhalants			Were victims of mean rumors or lies spread at school		
Prescription medications not prescribed for student			Had embarrassing or hurtful pictures/text of them posted on internet		
Over-the-counter medications for non-medical use			Had embarrassing or hurtful pictures/text of them sent by cell phone		
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others		
Alcohol					
Cigarettes			<b>Percent of students who, in the past 3 months:</b>		
Marijuana			Spread mean rumors or lies about other kids at school		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			Posted on internet embarrassing or hurtful pictures/text of someone		
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone		
Alcohol			Made fun of other people		
Cigarettes					
Marijuana			<b>Percent of students who agree that:</b>		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			Teachers notice and comment on student's good work		
<b>Percent who say it would be wrong to use:</b>			School provides feedback to parents on positive student performance		
Alcohol			Teachers praise student for hard work		
Cigarettes			Rules are enforced fairly		
Marijuana			Students of all races/ethnicities are treated equally		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)					
<b>Percent whose parents would disapprove if they use:</b>			<b>Percent of students who agree that:</b>		
Alcohol			Parents notice and comment on student's good work		
Cigarettes			Parents involve student in making family decisions		
Marijuana			It is important to be honest with parents regardless of consequences		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			Student could ask parent for help with a personal problem		
<b>Percent who say it would be easy to obtain:</b>					
Alcohol					
Cigarettes					
Marijuana					
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)					
Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.			Notes:		
			Blank data cell indicates estimate not available for survey item or geographic area.		
			Survey is not conducted in every school district nor reported for every county.		
			Percentages are estimates based on weighted data.		
			Estimates are not provided for geographic areas with low numbers of respondents.		
			Some year-to-year differences in percentages are not statistically significant.		
			Responses to some questions combine similar answer choices.		

# RANDOLPH COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	12
Adult Psychiatric	12
<b>FIPS COUNTY CODE</b>	175
<b>POPULATION</b>	
Census 2010	25,414
2012 Pop. Estimate	25,330

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	12,424	12,640	12,660
Employed	11,500	11,459	11,400
Unemployed	924	1,181	1,260
Unemployment Rate	7.4%	9.3%	10.0%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	1,099	1,211	1,164
Drop-outs	32	21	21
Drop-out Rate	2.9%	1.7%	1.8%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	6	12
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	267	323	320
Mother Reported Smoking while Pregnant	70	102	87

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	252	257	247
Suicides	0	3	5
Self-inflicted Injuries	40	28	46
Homicides	0	1	0
Assault Injuries	137	97	122
Alcohol Induced Deaths	2	1	1
Drug Induced Deaths	1	1	5
Smoking Attributable Deaths	47	47	36

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	245		
Alcohol Primary Diagnosis <sup>2</sup>	18		
Drug Primary Diagnosis <sup>2</sup>	5		
Alcohol Related Diagnosis	102	69	64
Drug Related Diagnosis	74	62	56
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	81		
Alcohol Primary Diagnosis <sup>2</sup>	18		
Drug Primary Diagnosis <sup>2</sup>	5		
Alcohol Related Diagnosis	44	68	69
Drug Related Diagnosis	41	49	57
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	228		
Alcohol Primary Diagnosis <sup>2</sup>	19		
Drug Primary Diagnosis <sup>2</sup>	41		
Alcohol Related Diagnosis	81	111	97
Drug Related Diagnosis	118	110	100

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	15	20	28
Fatal Crashes	0	0	1
Injury Crashes	6	10	18
Property Damage Crashes	9	10	9
Crash Fatalities	0	0	1
Crash Injuries	9	10	19
Drug Involved Crashes--Total	1	7	9
Fatal Crashes	0	0	0
Injury Crashes	0	3	5
Property Damage Crashes	1	4	4
Crash Fatalities	0	0	0
Crash Injuries	0	5	7

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	171	181	205
Liquor Law Arrests	21	44	73
Drug Arrests	208	129	113
Methamphetamine Lab Incidents	4	8	8
Violent Offenses	40	34	35
Property Offenses	624	704	661
Domestic Violence Reports	131	170	145

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	217	336	402
Violent Offenses	56	75	77
Alcohol Offenses	9	9	5
Drug Offenses	11	12	16
Status Offenses--Total	302	389	363
Truancy	116	140	97
Beyond Parental Control	36	46	52
Habitually Absent from Home	19	33	27
Injurious Behavior	131	170	187
Abuse/Neglect/Custody--Total	162	135	161
Abuse	65	56	50
Neglect	97	79	109
Custody Disputes	0	0	2

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	54	42	62
Parental Alcohol Use Related	3	1	0
Parental Drug Use Related	9	9	15
Parental Alcohol and Drug Use	3	0	0
Child Removed for Other Reason	39	32	47

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	37	30	22
Probation/Parole Admissions--Total	368	325	314
Probation/Parole Admissions--Drug	109	95	94
Probation/Parole Admissions--DWI	33	29	29
Prison Admissions--Total	180	180	177
Prison Admissions--Drug	60	53	69
Prison Admissions--DWI	11	15	16

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	29	33	30
Alcohol Package Carry-out Licenses	24	23	24

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# RANDOLPH COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	20	22	26
CSTAR Adolescent	33	29	24
CSTAR Women and Children	21	17	14
CSTAR General Adult	112	92	129
CSTAR Opioid	0	0	0
Primary Recovery Treatment	112	141	192
Clinical SATOP (CIP, YCIP, SROP)	27	23	23
Other Substance Abuse Treatment	0	0	*


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	105	117	165
- Adolescent Diversion Education Program	*	*	5
- Offender Education Program	44	36	69
- Weekend Intervention Program	29	25	42
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	5	9
Compulsive Gambling	0	0	0
Recovery Supports	*	16	68
Early Intervention	13	11	10

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	280	282	355	Alcohol	100	101	144
AGE				Marijuana / Hashish	115	116	143
Under 18	41	35	23	Cocaine (total)	13	17	26
18 to 24	48	58	75	- Crack	5	9	14
25 to 29	45	51	84	Stimulant (total)	38	29	23
30 to 34	37	39	57	- Methamphetamine	37	29	22
35 to 39	33	31	33	Heroin	*	0	*
40 to 44	29	26	39	Analgesic except Heroin	6	7	12
45 to 54	41	35	33	- Non-Prescription Methadone	0	0	0
55 and Over	6	6	11	PCP, LSD, other Hallucinogen	0	6	0
GENDER				Tranquilizer	5	*	*
Male	183	201	264	Inhalant	0	*	*
Female	97	80	91	Sedative	*	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	236	237	302	Average Age at First Use of Drug	16.5	16.2	15.8
African American	28	28	36	INJECTION DRUG USE			
Native American / Alaskan	0	0	*	Any Injection Use at Admission	19	10	18
Asian / Pacific Islander	*	*	0	- Daily Injection Use	*	*	*
Hispanic	10	7	9	- Weekly Injection Use	5	0	7
Other Race / Two or More Races	9	12	15	- Less than Weekly Injection Use	11	7	8
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	130	131	124	0	148	143	180
High School Graduate or G.E.D.	115	116	179	1 or 2	89	84	110
Associate Degree or Some College	32	29	49	3 or More	43	54	65
Bachelor or Advanced Degree	*	5	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	42	53	52
Employed	80	73	122	School	0	0	*
Unemployed	108	120	144	Mental Health Provider	*	*	*
Not in Labor Force	92	88	89	Health Care Provider	5	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	192	199	284
Independent Living	211	198	301	Other Referral Source	34	26	15
Dependent Living	58	69	38	TREATMENT ACCOMMODATION			
Homeless	5	5	*	Pregnant when Admitted to any Episode	5	*	*
MARITAL / FAMILY STATUS				Military Veteran	10	7	10
Never Married	147	162	190	Special Education Services Needed	28	37	65
Married / Cohabiting	66	59	82	Co-Occurring Psychological Problem	95	103	113
Previously Married	67	60	83	Co-Occurring Developmental Problem	10	13	15

# RANDOLPH COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 12  
**CENSUS 2010** 25,414  
**2012 POPULATION ESTIMATE** 25,330

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	15	8	*
Anxiety Disorder	115	105	71
Dementia	*	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	31	28	19
Mood Disorder	221	176	125
Personality Disorder	18	11	17
Psychotic Disorder	57	46	40
Sexual Disorder	0	*	*
Other Diagnosis	8	8	11
Diagnosis Unknown	48	28	36

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	412	314	243	Less than High School Diploma	93	44	22
<b>AGE</b>				High School Grad or G.E.D.	105	93	33
Under 6	*	*	0	Associate Degree or Some College	36	25	6
6 to 9	16	13	7	Bachelor or Advanced Degree	*	*	*
10 to 13	32	22	13	Education Level Unknown	174	151	180
14 to 17	41	24	27	<b>EMPLOYMENT</b>			
18 to 24	49	44	20	Employed	35	26	5
25 to 29	44	30	26	Unemployed	186	133	57
30 to 34	37	23	21	Not in Labor Force	68	10	*
35 to 39	33	23	17	Employment Status Unknown	123	145	179
40 to 44	29	19	19	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	35	44	35	Independent Living	202	132	49
50 to 54	39	29	21	Dependent Living	84	67	24
55 to 59	27	21	14	Homeless	*	*	*
60 and Over	29	21	23	Other	*	7	*
Age Unknown	0	0	0	Housing Unknown	121	107	167
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	177	134	103	Self / Family / Friend	273	206	161
Female	235	180	140	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	29	27	34
<b>RACE / ETHNICITY</b>				Health Care Provider	63	36	13
Caucasian	371	276	216	Court / Criminal Justice	21	26	17
African American	27	22	17	Other	23	17	14
Native American / Alaskan	0	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	0	Voluntary	404	309	236
Other Race	11	13	9	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	8	7	*	Commitment Type Unknown	*	*	5
Past or Current Military Service	8	8	5				



# RANDOLPH COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	37.8	46.6	Alcohol	64.9	78.8
Cigarettes	25.2	30.5	Cigarettes	74.1	75.8
Chewing Tobacco	7.8	12.8	Marijuana	71.6	67.6
Marijuana	13.4	12.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	89.5	91.7
Inhalants	8.3	6.8			
Prescription medications not prescribed for student	9.4	9.8	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	8.0	8.8	Were very sad	21.0	28.8
Methamphetamine	1.6	0.8	Were grouchy, irritable, or in a bad mood	26.8	30.4
Cocaine	1.6	1.4	Felt hopeless about the future	12.9	17.4
Heroin	0.5	0.2	Felt like not eating or eating more than usual	16.8	23.9
Hallucinogens	2.7	2.1	Slept a lot more or a lot less than usual	21.2	29.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.4	1.2	Had difficulty concentrating on school work	24.9	27.4
Steroids not prescribed for student	1.4	0.8			
Synthetic drugs (K2, bath salts, Spice, etc)	5.9		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	13.7	9.7
Alcohol	11.82	12.15	Made plan about how they would attempt suicide	10.9	6.8
Cigarettes	11.84	11.83	Attempted suicide	9.1	5.8
Marijuana	13.21	13.52	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.9	1.6
Inhalants	11.21	11.88			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	14.0	22.6	Were threatened/injured with weapon at school	7.8	11.1
Binge Alcohol (5 or more drinks on one occasion)	9.7	14.1	Were in a physical fight	24.2	31.3
Cigarettes	11.5	15.0	Were in a fight and had to be treated by a doctor or nurse	4.6	5.2
Chewing Tobacco	4.3	8.6			
Marijuana	7.2	6.4	<b>Percent of students in past 3 months who:</b>		
Inhalants	3.2	3.1	Were victims of mean rumors or lies spread at school	55.5	55.1
Prescription medications not prescribed for student	5.1	5.5	Had embarrassing or hurtful pictures/text of them posted on internet	16.4	9.2
Over-the-counter medications for non-medical use	4.8	6.6	Had embarrassing or hurtful pictures/text of them sent by cell phone	18.5	12.3
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	65.3	66.6
Alcohol	51.9	60.9			
Cigarettes	48.9	51.2	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	35.5	34.1	Spread mean rumors or lies about other kids at school	28.2	30.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.9	17.9	Posted on internet embarrassing or hurtful pictures/text of someone	10.8	9.9
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	11.3	12.0
Alcohol	28.8	36.5	Made fun of other people	64.6	70.3
Cigarettes	14.5	16.4			
Marijuana	11.9	10.2	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	64.1	68.4
Alcohol	61.8	57.3	School provides feedback to parents on positive student performance	43.4	40.6
Cigarettes	78.8	78.1	Teachers praise student for hard work	52.0	52.3
Marijuana	80.9	85.2	Rules are enforced fairly	60.6	62.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.7	95.0	Students of all races/ethnicities are treated equally	73.2	77.0
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	78.7	72.8	<b>Percent of students who agree that:</b>		
Cigarettes	90.5	89.2	Parents notice and comment on student's good work	80.4	82.4
Marijuana	94.9	94.7	Parents involve student in making family decisions	65.1	69.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5	97.0	It is important to be honest with parents regardless of consequences	84.8	81.0
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	75.3	77.4
Alcohol	56.9	60.0			
Cigarettes	54.8	53.7			
Marijuana	39.0	34.4			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	20.4	20.0			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# RAY COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	6
Adult Psychiatric	6
<b>FIPS COUNTY CODE</b>	177
<b>POPULATION</b>	
Census 2010	23,494
2012 Pop. Estimate	23,064

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	11,299	11,571	11,035
Employed	10,285	10,426	9,783
Unemployed	1,014	1,145	1,252
Unemployment Rate	9.0%	9.9%	11.3%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	1,054	1,094	1,142
Drop-outs	19	10	20
Drop-out Rate	1.8%	0.9%	1.8%
School Suspensions:			
Alcohol Incidents	1	2	0
Drug Incidents	5	9	15
Tobacco Incidents	2	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	236	263	301
Mother Reported Smoking while Pregnant	54	75	75

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	1
IDU and MSM <sup>1</sup>	0	0	*
IDU without MSM <sup>1</sup>	0	0	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	223	241	259
Suicides	4	6	5
Self-inflicted Injuries	36	40	23
Homicides	0	0	0
Assault Injuries	65	71	63
Alcohol Induced Deaths	0	4	1
Drug Induced Deaths	5	0	8
Smoking Attributable Deaths	43	48	53

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	153		
Alcohol Primary Diagnosis <sup>2</sup>	3		
Drug Primary Diagnosis <sup>2</sup>	7		
Alcohol Related Diagnosis	47	67	39
Drug Related Diagnosis	51	84	59
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	28		
Alcohol Primary Diagnosis <sup>2</sup>	8		
Drug Primary Diagnosis <sup>2</sup>	6		
Alcohol Related Diagnosis	56	62	43
Drug Related Diagnosis	47	53	38
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	197		
Alcohol Primary Diagnosis <sup>2</sup>	14		
Drug Primary Diagnosis <sup>2</sup>	21		
Alcohol Related Diagnosis	56	80	57
Drug Related Diagnosis	83	44	48

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	27	24	25
Fatal Crashes	1	0	4
Injury Crashes	12	12	11
Property Damage Crashes	14	12	10
Crash Fatalities	1	0	4
Crash Injuries	16	16	16
Drug Involved Crashes--Total	12	3	10
Fatal Crashes	1	0	0
Injury Crashes	6	1	6
Property Damage Crashes	5	2	4
Crash Fatalities	1	0	0
Crash Injuries	8	1	6

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	89	184	108
Liquor Law Arrests	65	61	85
Drug Arrests	54	58	71
Methamphetamine Lab Incidents	0	0	1
Violent Offenses	43	42	49
Property Offenses	537	452	447
Domestic Violence Reports	224	182	208

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	184	162	216
Violent Offenses	75	60	103
Alcohol Offenses	15	17	16
Drug Offenses	9	15	28
Status Offenses--Total	71	84	57
Truancy	18	15	14
Beyond Parental Control	20	27	12
Habitually Absent from Home	18	16	13
Injurious Behavior	15	26	18
Abuse/Neglect/Custody--Total	30	36	35
Abuse	21	30	26
Neglect	9	5	9
Custody Disputes	0	1	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	11	14	4
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	1	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	11	13	4

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	39	39	33
Probation/Parole Admissions--Total	255	197	241
Probation/Parole Admissions--Drug	71	52	60
Probation/Parole Admissions--DWI	12	11	16
Prison Admissions--Total	149	135	130
Prison Admissions--Drug	51	37	31
Prison Admissions--DWI	15	7	7

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	14	16	17
Alcohol Package Carry-out Licenses	19	19	19

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# RAY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	7	16	14
CSTAR Adolescent	6	7	13
CSTAR Women and Children	5	0	*
CSTAR General Adult	131	95	35
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	8	113
Clinical SATOP (CIP, YCIP, SROP)	13	11	15
Other Substance Abuse Treatment	*	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	76	72	108
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	19	25	38
- Weekend Intervention Program	21	27	28
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	8
Compulsive Gambling	0	*	*
Recovery Supports	12	6	19
Early Intervention	7	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	160	123	163	Alcohol	58	49	70
AGE				Marijuana / Hashish	44	47	52
Under 18	6	11	11	Cocaine (total)	*	0	*
18 to 24	41	38	35	- Crack	*	0	*
25 to 29	25	13	21	Stimulant (total)	42	19	31
30 to 34	34	17	19	- Methamphetamine	42	18	31
35 to 39	19	19	26	Heroin	0	0	0
40 to 44	8	7	14	Analgesic except Heroin	13	*	5
45 to 54	26	15	30	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	7	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	0
Male	104	80	117	Inhalant	0	0	0
Female	56	43	46	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	150	118	159	Average Age at First Use of Drug	17.4	16.1	16.4
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	19	9	11
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	0
Hispanic	*	0	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	6	*	0	- Less than Weekly Injection Use	14	*	8
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	43	37	49	0	99	62	90
High School Graduate or G.E.D.	87	66	88	1 or 2	40	43	43
Associate Degree or Some College	30	20	23	3 or More	21	18	30
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	44	34	36
Employed	51	42	40	School	0	0	0
Unemployed	72	45	75	Mental Health Provider	0	7	*
Not in Labor Force	37	36	48	Health Care Provider	6	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	91	70	115
Independent Living	146	107	138	Other Referral Source	14	11	7
Dependent Living	8	13	21	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	14
Never Married	89	73	81	Special Education Services Needed	15	*	8
Married / Cohabiting	41	32	37	Co-Occurring Psychological Problem	70	54	64
Previously Married	30	18	45	Co-Occurring Developmental Problem	*	*	*

# RAY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 6  
**CENSUS 2010** 23,494  
**2012 POPULATION ESTIMATE** 23,064

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	9	8	7
Anxiety Disorder	122	97	85
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	52	44	39
Mood Disorder	188	159	159
Personality Disorder	42	21	22
Psychotic Disorder	33	35	28
Sexual Disorder	0	*	*
Other Diagnosis	34	26	30
Diagnosis Unknown	28	41	100

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	274	257	309	Less than High School Diploma	19	12	8
<b>AGE</b>				High School Grad or G.E.D.	13	8	7
Under 6	*	*	*	Associate Degree or Some College	*	5	*
6 to 9	8	*	*	Bachelor or Advanced Degree	*	0	*
10 to 13	17	10	14	Education Level Unknown	238	232	291
14 to 17	23	27	45	<b>EMPLOYMENT</b>			
18 to 24	29	35	35	Employed	9	*	*
25 to 29	26	21	34	Unemployed	20	21	17
30 to 34	30	23	29	Not in Labor Force	24	*	0
35 to 39	28	31	39	Employment Status Unknown	221	232	291
40 to 44	22	25	30	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	32	30	29	Independent Living	34	24	14
50 to 54	25	21	21	Dependent Living	16	14	*
55 to 59	16	13	14	Homeless	*	0	*
60 and Over	17	16	14	Other	*	*	*
Age Unknown	0	0	0	Housing Unknown	220	218	289
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	113	117	147	Self / Family / Friend	252	233	252
Female	161	140	162	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	0	*	*
<b>RACE / ETHNICITY</b>				Health Care Provider	6	*	12
Caucasian	260	243	289	Court / Criminal Justice	*	*	8
African American	6	6	7	Other	11	9	20
Native American / Alaskan	*	*	*	Referral Source Unknown	*	5	15
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	272	250	290
Other Race	6	6	9	Civil	0	0	0
Race/Ethnicity Unknown	0	0	*	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	*
Hearing Impaired	9	7	11	Commitment Type Unknown	*	5	15
Past or Current Military Service	*	*	5				

# RAY COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	41.3	42.4	Alcohol	72.1	83.7
Cigarettes	27.1	27.7	Cigarettes	83.8	82.6
Chewing Tobacco	17.3	18.9	Marijuana	78.2	75.5
Marijuana	15.0	13.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.7	94.5
Inhalants	7.4	7.7	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	12.1	14.2	Were very sad	22.3	21.3
Over-the-counter medications for non-medical use	8.6	8.5	Were grouchy, irritable, or in a bad mood	27.1	22.4
Methamphetamine	2.4	0.4	Felt hopeless about the future	14.0	10.8
Cocaine	3.6	1.1	Felt like not eating or eating more than usual	20.8	19.4
Heroin	1.7	0.6	Slept a lot more or a lot less than usual	21.3	27.0
Hallucinogens	4.3	1.8	Had difficulty concentrating on school work	25.9	18.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.9	0.9	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.9	0.9	Seriously considered attempting suicide	14.6	10.9
Synthetic drugs (K2, bath salts, Spice, etc)	8.1		Made plan about how they would attempt suicide	11.5	10.4
<b>Average age of students' first use of:</b>			Attempted suicide	4.5	5.1
Alcohol	12.50	12.13	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.7	1.9
Cigarettes	12.70	12.25	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.37	13.29	Were threatened/injured with weapon at school	7.2	9.1
Inhalants	12.25	11.93	Were in a physical fight	20.7	24.4
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	1.7	4.7
Alcohol	16.2	16.8	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	11.0	10.0	Were victims of mean rumors or lies spread at school	51.2	57.0
Cigarettes	14.3	11.7	Had embarrassing or hurtful pictures/text of them posted on internet	13.5	11.4
Chewing Tobacco	9.5	10.1	Had embarrassing or hurtful pictures/text of them sent by cell phone	18.7	15.2
Marijuana	7.1	6.7	Were made fun of by others	61.2	68.3
Inhalants	2.4	3.7	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	6.9	7.7	Spread mean rumors or lies about other kids at school	21.9	30.1
Over-the-counter medications for non-medical use	5.7	4.8	Posted on internet embarrassing or hurtful pictures/text of someone	6.9	11.5
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	10.2	14.7
Alcohol	57.5	56.5	Made fun of other people	62.4	71.1
Cigarettes	50.1	45.5	<b>Percent of students who agree that:</b>		
Marijuana	35.8	32.0	Teachers notice and comment on student's good work	68.3	72.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.3	14.3	School provides feedback to parents on positive student performance	36.7	46.4
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	50.6	55.8
Alcohol	31.5	28.8	Rules are enforced fairly	63.1	65.3
Cigarettes	16.3	14.1	Students of all races/ethnicities are treated equally	81.5	84.2
Marijuana	11.2	10.3	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	77.8	87.2
Alcohol	60.9	64.1	Parents involve student in making family decisions	65.7	69.0
Cigarettes	78.2	81.0	It is important to be honest with parents regardless of consequences	83.7	84.6
Marijuana	84.4	88.0	Student could ask parent for help with a personal problem	72.2	75.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.0	96.5	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	79.1	80.3	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	90.4	91.8	Percentages are estimates based on weighted data.		
Marijuana	94.2	96.7	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.6	98.9	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	57.9	54.3			
Cigarettes	55.0	53.5			
Marijuana	31.9	32.1			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.6	14.5			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# REYNOLDS COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	19
Adult Psychiatric	19
<b>FIPS COUNTY CODE</b>	179
<b>POPULATION</b>	
Census 2010	6,696
2012 Pop. Estimate	6,667

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	2,458	2,393	2,524
Employed	2,213	2,085	2,182
Unemployed	245	308	342
Unemployment Rate	10.0%	12.9%	13.5%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	337	317	329
Drop-outs	1	2	6
Drop-out Rate	0.3%	0.6%	1.8%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	63	74	66
Mother Reported Smoking while Pregnant	16	25	20

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	85	83	76
Suicides	0	1	0
Self-inflicted Injuries	9	8	10
Homicides	1	0	0
Assault Injuries	26	17	26
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	2	1
Smoking Attributable Deaths	21	17	18

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	41		
Alcohol Primary Diagnosis <sup>2</sup>	3		
Drug Primary Diagnosis <sup>2</sup>	2		
Alcohol Related Diagnosis	19	25	26
Drug Related Diagnosis	28	15	29
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	8		
Alcohol Primary Diagnosis <sup>2</sup>	2		
Drug Primary Diagnosis <sup>2</sup>	0		
Alcohol Related Diagnosis	11	12	13
Drug Related Diagnosis	5	7	5
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	49		
Alcohol Primary Diagnosis <sup>2</sup>	8		
Drug Primary Diagnosis <sup>2</sup>	5		
Alcohol Related Diagnosis	40	38	23
Drug Related Diagnosis	33	36	19

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	16	10	11
Fatal Crashes	1	0	1
Injury Crashes	9	8	5
Property Damage Crashes	6	2	5
Crash Fatalities	1	0	1
Crash Injuries	12	8	6
Drug Involved Crashes--Total	1	0	0
Fatal Crashes	0	0	0
Injury Crashes	1	0	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	1	0	0

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	47	28	15
Liquor Law Arrests	13	4	59
Drug Arrests	65	41	23
Methamphetamine Lab Incidents	43	9	0
Violent Offenses	31	14	16
Property Offenses	92	71	45
Domestic Violence Reports	11	9	20

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	12	10	13
Violent Offenses	3	2	4
Alcohol Offenses	0	1	0
Drug Offenses	0	1	0
Status Offenses--Total	19	18	9
Truancy	0	2	2
Beyond Parental Control	10	10	5
Habitually Absent from Home	0	0	0
Injurious Behavior	9	2	2
Abuse/Neglect/Custody--Total	51	41	35
Abuse	20	6	3
Neglect	31	35	32
Custody Disputes	0	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	10	9	10
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	2	3	1
Child Removed for Other Reason	8	6	8

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	13	9	0
Probation/Parole Admissions--Total	53	41	24
Probation/Parole Admissions--Drug	26	13	2
Probation/Parole Admissions--DWI	2	0	2
Prison Admissions--Total	15	20	23
Prison Admissions--Drug	4	4	2
Prison Admissions--DWI	0	0	2

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	8	7	7
Alcohol Package Carry-out Licenses	11	10	10

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# REYNOLDS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	*	*	5
CSTAR Adolescent	0	0	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	7	10	10
CSTAR Opioid	0	0	0
Primary Recovery Treatment	15	17	14
Clinical SATOP (CIP, YCIP, SROP)	7	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	21	8	17
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	8	*	12
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	0
Early Intervention	*	0	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	28	25	29	Alcohol	11	8	9
AGE				Marijuana / Hashish	9	*	11
Under 18	*	0	*	Cocaine (total)	0	0	0
18 to 24	*	8	7	- Crack	0	0	0
25 to 29	5	7	7	Stimulant (total)	5	6	*
30 to 34	*	*	5	- Methamphetamine	5	5	*
35 to 39	5	*	*	Heroin	0	0	0
40 to 44	5	0	*	Analgesic except Heroin	*	7	7
45 to 54	7	5	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	0	0	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	0	*	0
Male	21	10	17	Inhalant	0	0	0
Female	7	15	12	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	26	25	29	Average Age at First Use of Drug	19.8	18.8	18.6
African American	*	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	*
Hispanic	0	0	0	- Weekly Injection Use	0	*	*
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	0	0
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	10	11	14	0	16	16	21
High School Graduate or G.E.D.	9	10	11	1 or 2	10	6	6
Associate Degree or Some College	9	*	*	3 or More	*	*	*
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	7	11	*
Employed	12	*	5	School	0	0	0
Unemployed	10	15	14	Mental Health Provider	*	0	*
Not in Labor Force	6	6	10	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	18	7	16
Independent Living	27	25	26	Other Referral Source	0	5	5
Dependent Living	*	0	*	TREATMENT ACCOMMODATION			
Homeless	0	0	*	Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	0
Never Married	9	9	13	Special Education Services Needed	*	*	*
Married / Cohabiting	9	11	10	Co-Occurring Psychological Problem	7	12	11
Previously Married	10	5	6	Co-Occurring Developmental Problem	*	6	*

# REYNOLDS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 19  
**CENSUS 2010** 6,696  
**2012 POPULATION ESTIMATE** 6,667

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	0	0	*
Anxiety Disorder	10	7	9
Dementia	0	0	0
Developmental Disorder	0	0	*
Impulse Control Disorder	*	*	5
Mood Disorder	23	20	28
Personality Disorder	*	5	11
Psychotic Disorder	5	*	8
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	*	*	7

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	29	27	43	Less than High School Diploma	8	*	*
<b>AGE</b>				High School Grad or G.E.D.	6	7	*
Under 6	0	0	0	Associate Degree or Some College	0	*	0
6 to 9	0	0	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	15	18	38
14 to 17	*	*	*	<b>EMPLOYMENT</b>			
18 to 24	*	*	*	Employed	0	*	0
25 to 29	*	0	*	Unemployed	15	7	5
30 to 34	0	*	*	Not in Labor Force	*	*	0
35 to 39	*	*	9	Employment Status Unknown	12	18	38
40 to 44	*	5	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	10	6	7	Independent Living	17	8	5
50 to 54	*	*	5	Dependent Living	*	5	0
55 to 59	*	*	7	Homeless	0	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	10	14	38
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	14	16	25	Self / Family / Friend	9	10	18
Female	15	11	18	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	5	6	7
<b>RACE / ETHNICITY</b>				Health Care Provider	10	6	9
Caucasian	29	26	43	Court / Criminal Justice	*	*	5
African American	0	0	0	Other	*	*	*
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	26	25	36
Other Race	0	*	0	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	*	*	5	Commitment Type Unknown	0	0	*
Past or Current Military Service	*	*	*				


# REYNOLDS COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	17.0	53.8	Alcohol	82.1	78.3
Cigarettes	17.0	42.6	Cigarettes	71.4	76.2
Chewing Tobacco	8.0	26.9	Marijuana	88.4	69.2
Marijuana	0.0	19.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.5	90.7
Inhalants	1.8	5.4	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	1.8	14.1	Were very sad	8.0	22.1
Over-the-counter medications for non-medical use	1.8	8.5	Were grouchy, irritable, or in a bad mood	8.9	26.7
Methamphetamine	0.0	1.6	Felt hopeless about the future	6.3	11.5
Cocaine	0.0	2.3	Felt like not eating or eating more than usual	12.6	20.0
Heroin	0.0	0.0	Slept a lot more or a lot less than usual	17.7	22.3
Hallucinogens	0.0	3.8	Had difficulty concentrating on school work	10.7	30.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.0	3.8	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	0.0	1.6	Seriously considered attempting suicide	5.4	9.9
Synthetic drugs (K2, bath salts, Spice, etc)	0.0		Made plan about how they would attempt suicide	4.4	5.3
<b>Average age of students' first use of:</b>			Attempted suicide	6.4	4.6
Alcohol	13.88	11.96	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	5.8	3.1
Cigarettes	12.39	12.19	<b>Percent of students in past 12 months who:</b>		
Marijuana		14.04	Were threatened/injured with weapon at school	0.0	6.9
Inhalants		13.43	Were in a physical fight	8.0	29.8
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	0.0	4.6
Alcohol	3.6	24.6	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	1.8	17.7	Were victims of mean rumors or lies spread at school	34.5	63.1
Cigarettes	0.0	20.3	Had embarrassing or hurtful pictures/text of them posted on internet	6.2	12.3
Chewing Tobacco	5.4	15.5	Had embarrassing or hurtful pictures/text of them sent by cell phone	9.8	10.0
Marijuana	0.0	8.5	Were made fun of by others	39.3	71.8
Inhalants	1.8	2.3	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	1.8	9.4	Spread mean rumors or lies about other kids at school	10.7	35.4
Over-the-counter medications for non-medical use	1.8	6.2	Posted on internet embarrassing or hurtful pictures/text of someone	0.0	10.1
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	0.0	7.7
Alcohol	14.2	72.9	Made fun of other people	46.3	72.5
Cigarettes	12.4	64.1	<b>Percent of students who agree that:</b>		
Marijuana	6.3	40.5	Teachers notice and comment on student's good work	83.6	73.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	1.8	17.6	School provides feedback to parents on positive student performance	71.8	43.1
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	73.0	57.7
Alcohol	14.3	48.5	Rules are enforced fairly	83.5	54.3
Cigarettes	1.8	27.9	Students of all races/ethnicities are treated equally	91.9	80.9
Marijuana	0.0	11.5	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	89.4	86.3
Alcohol	75.9	45.8	Parents involve student in making family decisions	83.9	72.3
Cigarettes	88.4	66.9	It is important to be honest with parents regardless of consequences	95.6	86.2
Marijuana	95.6	82.3	Student could ask parent for help with a personal problem	87.2	81.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0	94.6	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	89.7	70.0	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	95.5	89.1	Percentages are estimates based on weighted data.		
Marijuana	100.0	97.6	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.2	100.0	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	33.9	65.4			
Cigarettes	37.5	67.7			
Marijuana	8.0	41.7			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	3.7	19.7			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# RIPLEY COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	19
Adult Psychiatric	19
<b>FIPS COUNTY CODE</b>	181
<b>POPULATION</b>	
Census 2010	14,100
2012 Pop. Estimate	14,036

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	174	201	203
Mother Reported Smoking while Pregnant	46	66	66

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	0	1
IDU and MSM <sup>1</sup>	0	0	*
IDU without MSM <sup>1</sup>	0	0	*

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	195	182	201
Suicides	1	3	0
Self-inflicted Injuries	40	41	37
Homicides	0	4	1
Assault Injuries	55	70	58
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	4	4	3
Smoking Attributable Deaths	43	41	50

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	149		
Alcohol Primary Diagnosis <sup>2</sup>	3		
Drug Primary Diagnosis <sup>2</sup>	14		
Alcohol Related Diagnosis	59	42	22
Drug Related Diagnosis	63	52	41
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	36		
Alcohol Primary Diagnosis <sup>2</sup>	1		
Drug Primary Diagnosis <sup>2</sup>	4		
Alcohol Related Diagnosis	28	24	34
Drug Related Diagnosis	25	34	77
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	230		
Alcohol Primary Diagnosis <sup>2</sup>	18		
Drug Primary Diagnosis <sup>2</sup>	34		
Alcohol Related Diagnosis	35	65	56
Drug Related Diagnosis	90	69	31

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	28	24	39
Fatal Crashes	2	2	4
Injury Crashes	15	13	17
Property Damage Crashes	11	9	18
Crash Fatalities	2	2	7
Crash Injuries	22	16	19
Drug Involved Crashes--Total	8	7	4
Fatal Crashes	1	0	0
Injury Crashes	6	6	1
Property Damage Crashes	1	1	3
Crash Fatalities	1	0	0
Crash Injuries	8	7	0

## EMPLOYMENT

	2012	2011	2010
Labor Force	6,773	6,672	6,618
Employed	6,218	6,020	5,960
Unemployed	555	652	658
Unemployment Rate	8.2%	9.8%	9.9%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	573	598	594
Drop-outs	14	17	32
Drop-out Rate	2.4%	2.8%	5.4%
School Suspensions:			
Alcohol Incidents	0	2	0
Drug Incidents	7	5	9
Tobacco Incidents	1	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	79	70	61
Liquor Law Arrests	14	25	34
Drug Arrests	81	58	45
Methamphetamine Lab Incidents	41	6	38
Violent Offenses	32	21	27
Property Offenses	453	311	293
Domestic Violence Reports	85	92	58

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	64	71	87
Violent Offenses	31	34	41
Alcohol Offenses	0	0	4
Drug Offenses	4	6	6
Status Offenses--Total	61	60	41
Truancy	43	34	3
Beyond Parental Control	13	12	25
Habitually Absent from Home	5	11	6
Injurious Behavior	0	2	5
Abuse/Neglect/Custody--Total	51	30	40
Abuse	3	5	9
Neglect	48	25	25
Custody Disputes	0	0	6

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	14	31	26
Parental Alcohol Use Related	0	12	0
Parental Drug Use Related	1	2	5
Parental Alcohol and Drug Use	4	1	0
Child Removed for Other Reason	9	16	21

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	20	15	10
Probation/Parole Admissions--Total	72	61	76
Probation/Parole Admissions--Drug	31	15	27
Probation/Parole Admissions--DWI	1	2	5
Prison Admissions--Total	29	33	46
Prison Admissions--Drug	10	11	14
Prison Admissions--DWI	0	1	2

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	14	13	13
Alcohol Package Carry-out Licenses	17	17	15

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# RIPLEY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	17	15	5
CSTAR Adolescent	6	*	*
CSTAR Women and Children	8	6	*
CSTAR General Adult	42	29	15
CSTAR Opioid	0	0	0
Primary Recovery Treatment	57	40	49
Clinical SATOP (CIP, YCIP, SROP)	15	9	9
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	49	36	41
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	11	7	9
- Weekend Intervention Program	7	13	16
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	5	*
Compulsive Gambling	0	*	0
Recovery Supports	*	7	*
Early Intervention	0	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	121	94	73	Alcohol	35	23	27
AGE				Marijuana / Hashish	35	22	22
Under 18	7	*	*	Cocaine (total)	*	*	*
18 to 24	27	22	16	- Crack	*	*	*
25 to 29	26	21	22	Stimulant (total)	22	18	12
30 to 34	22	14	9	- Methamphetamine	21	17	11
35 to 39	8	11	*	Heroin	*	*	*
40 to 44	10	7	11	Analgesic except Heroin	21	20	8
45 to 54	19	14	6	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	5	0
Male	67	59	45	Inhalant	0	0	0
Female	54	35	28	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	120	91	70	Average Age at First Use of Drug	18.3	18.2	17.1
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	13	15	6
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	8	0
Hispanic	*	*	*	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	0	*	- Less than Weekly Injection Use	8	5	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	52	48	33	0	86	60	41
High School Graduate or G.E.D.	53	35	25	1 or 2	33	27	22
Associate Degree or Some College	16	10	15	3 or More	*	7	10
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	24	27	14
Employed	34	19	21	School	0	*	0
Unemployed	45	44	15	Mental Health Provider	*	*	*
Not in Labor Force	42	31	37	Health Care Provider	9	6	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	65	48	46
Independent Living	103	76	62	Other Referral Source	21	10	9
Dependent Living	13	14	8	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	8	*	*
Never Married	43	28	25	Special Education Services Needed	18	16	5
Married / Cohabiting	45	44	30	Co-Occurring Psychological Problem	53	39	32
Previously Married	33	22	18	Co-Occurring Developmental Problem	10	*	5

# RIPLEY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 19  
**CENSUS 2010** 14,100  
**2012 POPULATION ESTIMATE** 14,036

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2012	FY2011	FY2010
Adjustment Disorder	*	*	5
Anxiety Disorder	38	32	47
Dementia	*	0	0
Developmental Disorder	0	*	*
Impulse Control Disorder	8	7	14
Mood Disorder	89	81	104
Personality Disorder	8	12	13
Psychotic Disorder	17	17	20
Sexual Disorder	*	*	*
Other Diagnosis	8	7	14
Diagnosis Unknown	15	*	32

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2012	FY2011	FY2010	EDUCATION	FY2012	FY2011	FY2010
Total Individuals	129	104	170	Less than High School Diploma	18	22	14
<b>AGE</b>				High School Grad or G.E.D.	35	21	9
Under 6	0	0	*	Associate Degree or Some College	6	*	*
6 to 9	*	*	*	Bachelor or Advanced Degree	*	*	0
10 to 13	*	*	9	Education Level Unknown	68	58	146
14 to 17	*	*	16	<b>EMPLOYMENT</b>			
18 to 24	19	11	20	Employed	*	*	*
25 to 29	14	10	13	Unemployed	56	44	23
30 to 34	9	12	20	Not in Labor Force	6	0	0
35 to 39	7	7	11	Employment Status Unknown	64	58	146
40 to 44	21	15	18	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	14	13	22	Independent Living	56	38	19
50 to 54	14	11	8	Dependent Living	9	10	5
55 to 59	9	7	10	Homeless	*	0	0
60 and Over	12	11	19	Other	*	*	0
Age Unknown	0	0	0	Housing Unknown	62	55	146
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	45	40	74	Self / Family / Friend	37	34	82
Female	84	64	96	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	19	17	29
<b>RACE / ETHNICITY</b>				Health Care Provider	36	29	20
Caucasian	127	102	164	Court / Criminal Justice	17	12	7
African American	0	*	*	Other	19	12	20
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	12
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	0	*	Voluntary	126	101	158
Other Race	*	*	*	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	8	9	8	Commitment Type Unknown	0	0	12
Past or Current Military Service	*	*	5				



# RIPLEY COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	41.7	46.5	Alcohol	73.0	72.3
Cigarettes	22.2	36.5	Cigarettes	90.1	80.8
Chewing Tobacco	17.5	22.2	Marijuana	80.6	74.1
Marijuana	15.5	19.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.8	94.0
Inhalants	4.0	9.1			
Prescription medications not prescribed for student	11.1	15.1	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	10.7	7.4	Were very sad	23.7	12.2
Methamphetamine	1.6	0.7	Were grouchy, irritable, or in a bad mood	21.8	18.6
Cocaine	3.2	2.1	Felt hopeless about the future	6.5	10.6
Heroin	0.8	0.7	Felt like not eating or eating more than usual	15.8	12.9
Hallucinogens	2.4	2.1	Slept a lot more or a lot less than usual	13.0	23.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.4	1.4	Had difficulty concentrating on school work	18.7	23.6
Steroids not prescribed for student	0.8	0.7			
Synthetic drugs (K2, bath salts, Spice, etc)	7.1		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	6.4	10.8
Alcohol	12.96	12.09	Made plan about how they would attempt suicide	4.8	10.5
Cigarettes	11.73	11.81	Attempted suicide	1.6	4.9
Marijuana	13.46	12.92	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.4	1.8
Inhalants	13.83	12.89			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	13.1	21.2	Were threatened/injured with weapon at school	5.2	7.7
Binge Alcohol (5 or more drinks on one occasion)	7.5	14.9	Were in a physical fight	25.0	24.0
Cigarettes	11.9	17.5	Were in a fight and had to be treated by a doctor or nurse	0.8	4.2
Chewing Tobacco	10.7	12.0			
Marijuana	11.5	10.2	<b>Percent of students in past 3 months who:</b>		
Inhalants	0.0	3.9	Were victims of mean rumors or lies spread at school	55.2	58.8
Prescription medications not prescribed for student	4.3	8.8	Had embarrassing or hurtful pictures/text of them posted on internet	11.5	12.4
Over-the-counter medications for non-medical use	5.6	4.3	Had embarrassing or hurtful pictures/text of them sent by cell phone	16.0	9.4
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	62.6	67.6
Alcohol	48.4	62.1			
Cigarettes	42.5	53.0	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	35.5	39.0	Spread mean rumors or lies about other kids at school	26.1	31.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.9	17.5	Posted on internet embarrassing or hurtful pictures/text of someone	9.9	9.8
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	6.9	9.1
Alcohol	31.0	33.9	Made fun of other people	66.9	75.3
Cigarettes	11.5	16.9			
Marijuana	12.7	14.0	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	60.7	68.1
Alcohol	61.1	59.1	School provides feedback to parents on positive student performance	41.5	33.3
Cigarettes	86.1	76.7	Teachers praise student for hard work	52.2	50.9
Marijuana	87.7	81.9	Rules are enforced fairly	59.3	52.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	95.4	Students of all races/ethnicities are treated equally	83.3	78.9
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	79.8	76.9	<b>Percent of students who agree that:</b>		
Cigarettes	92.1	90.5	Parents notice and comment on student's good work	76.6	84.5
Marijuana	95.5	93.6	Parents involve student in making family decisions	68.3	68.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.4	98.6	It is important to be honest with parents regardless of consequences	88.9	85.2
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	80.2	75.2
Alcohol	50.2	56.5			
Cigarettes	54.8	62.5			
Marijuana	42.3	42.8			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.3	17.2			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# SAINT CHARLES COUNTY



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	16
Adult Psychiatric	16
<b>FIPS COUNTY CODE</b>	183
<b>POPULATION</b>	
Census 2010	360,485
2012 Pop. Estimate	368,666

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	4,539	4,596	4,657
Mother Reported Smoking while Pregnant	507	510	417

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	11	15	18
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	2,286	2,292	2,096
Suicides	44	41	47
Self-inflicted Injuries	347	360	318
Homicides	3	9	7
Assault Injuries	757	773	738
Alcohol Induced Deaths	10	9	15
Drug Induced Deaths	64	50	37
Smoking Attributable Deaths	391	386	375

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,687		
Alcohol Primary Diagnosis <sup>2</sup>	163		
Drug Primary Diagnosis <sup>2</sup>	212		
Alcohol Related Diagnosis	637	1,009	661
Drug Related Diagnosis	714	956	669
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,998		
Alcohol Primary Diagnosis <sup>2</sup>	163		
Drug Primary Diagnosis <sup>2</sup>	124		
Alcohol Related Diagnosis	1,386	880	1,183
Drug Related Diagnosis	1,132	668	776
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	2,163		
Alcohol Primary Diagnosis <sup>2</sup>	440		
Drug Primary Diagnosis <sup>2</sup>	551		
Alcohol Related Diagnosis	965	910	842
Drug Related Diagnosis	1,269	1,303	818

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	325	388	348
Fatal Crashes	7	8	9
Injury Crashes	115	120	133
Property Damage Crashes	203	260	206
Crash Fatalities	7	8	7
Crash Injuries	164	174	162
Drug Involved Crashes--Total	56	57	50
Fatal Crashes	3	4	3
Injury Crashes	17	18	18
Property Damage Crashes	36	35	29
Crash Fatalities	3	4	3
Crash Injuries	22	20	22

## EMPLOYMENT

	2012	2011	2010
Labor Force	199,262	201,253	195,009
Employed	187,399	186,556	178,111
Unemployed	11,863	14,697	16,898
Unemployment Rate	6.0%	7.3%	8.7%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	17,364	17,320	17,558
Drop-outs	312	316	325
Drop-out Rate	1.8%	1.8%	1.9%
School Suspensions:			
Alcohol Incidents	51	41	52
Drug Incidents	296	228	190
Tobacco Incidents	1	2	6

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	1,973	2,013	2,288
Liquor Law Arrests	616	688	721
Drug Arrests	1,550	1,730	1,754
Methamphetamine Lab Incidents	111	90	64
Violent Offenses	580	548	584
Property Offenses	6,888	6,774	7,037
Domestic Violence Reports	1,286	1,307	1,545

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	1,869	1,567	1,752
Violent Offenses	360	358	347
Alcohol Offenses	86	108	115
Drug Offenses	233	163	249
Status Offenses--Total	340	451	427
Truancy	62	136	112
Beyond Parental Control	4	4	11
Habitually Absent from Home	231	262	253
Injurious Behavior	42	48	49
Abuse/Neglect/Custody--Total	181	172	149
Abuse	26	21	10
Neglect	151	132	117
Custody Disputes	4	19	22

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	160	105	99
Parental Alcohol Use Related	5	6	9
Parental Drug Use Related	76	28	24
Parental Alcohol and Drug Use	1	2	4
Child Removed for Other Reason	78	69	62

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	315	413	415
Probation/Parole Admissions--Total	1,485	1,609	1,524
Probation/Parole Admissions--Drug	435	473	421
Probation/Parole Admissions--DWI	146	151	164
Prison Admissions--Total	746	656	689
Prison Admissions--Drug	242	219	210
Prison Admissions--DWI	70	59	63

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	465	454	443
Alcohol Package Carry-out Licenses	227	218	217

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SAINT CHARLES COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	102	128	107
CSTAR Adolescent	74	75	92
CSTAR Women and Children	128	151	170
CSTAR General Adult	234	101	38
CSTAR Opioid	47	52	42
Primary Recovery Treatment	77	297	591
Clinical SATOP (CIP, YCIP, SROP)	471	425	460
Other Substance Abuse Treatment	6	*	5


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	1,883	1,828	2,304
- Adolescent Diversion Education Program	61	48	196
- Offender Education Program	744	693	859
- Weekend Intervention Program	432	385	494
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	30	25	18
Compulsive Gambling	24	27	32
Recovery Supports	5	*	44
Early Intervention	5	11	7

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	1,024	1,058	1,325	Alcohol	581	561	712
<b>AGE</b>				Marijuana / Hashish	132	148	217
Under 18	77	76	109	Cocaine (total)	28	24	51
18 to 24	196	280	374	- Crack	23	17	31
25 to 29	207	211	263	Stimulant (total)	24	29	35
30 to 34	162	154	156	- Methamphetamine	19	22	29
35 to 39	94	88	139	Heroin	194	243	245
40 to 44	106	76	91	Analgesic except Heroin	47	35	46
45 to 54	132	133	152	- Non-Prescription Methadone	*	*	*
55 and Over	50	40	41	PCP, LSD, other Hallucinogen	6	*	*
<b>GENDER</b>				Tranquilizer	*	10	14
Male	664	703	876	Inhalant	*	*	*
Female	360	355	449	Sedative	0	*	*
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	6	*	*
Caucasian	945	977	1,231	Average Age at First Use of Drug	17.5	17.6	17.2
African American	44	48	55	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	183	215	229
Asian / Pacific Islander	5	*	5	- Daily Injection Use	84	86	93
Hispanic	21	10	15	- Weekly Injection Use	42	75	84
Other Race / Two or More Races	12	22	23	- Less than Weekly Injection Use	57	54	52
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	236	245	339	0	372	419	549
High School Graduate or G.E.D.	434	428	566	1 or 2	432	440	523
Associate Degree or Some College	328	313	357	3 or More	220	199	253
Bachelor or Advanced Degree	26	72	63	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	280	305	372
Employed	390	405	478	School	5	*	*
Unemployed	347	383	493	Mental Health Provider	*	11	16
Not in Labor Force	287	270	354	Health Care Provider	31	34	28
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	625	635	820
Independent Living	853	897	1,102	Other Referral Source	73	69	85
Dependent Living	109	104	150	<b>TREATMENT ACCOMMODATION</b>			
Homeless	48	39	43	Pregnant when Admitted to any Episode	21	37	28
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	45	48	46
Never Married	610	695	883	Special Education Services Needed	46	53	52
Married / Cohabiting	203	187	205	Co-Occurring Psychological Problem	353	339	401
Previously Married	211	176	236	Co-Occurring Developmental Problem	25	11	27

# SAINT CHARLES COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Eastern  
**PSYCHIATRIC SERVICE AREA** 16  
**CENSUS 2010** 360,485  
**2012 POPULATION ESTIMATE** 368,666

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	34	25	31
Anxiety Disorder	930	741	562
Dementia	8	10	5
Developmental Disorder	63	58	47
Impulse Control Disorder	598	472	368
Mood Disorder	1,576	1,360	1,027
Personality Disorder	269	255	256
Psychotic Disorder	308	276	262
Sexual Disorder	*	*	*
Other Diagnosis	163	160	148
Diagnosis Unknown	166	141	166

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	2,330	1,901	1,564	Less than High School Diploma	430	259	184
<b>AGE</b>				High School Grad or G.E.D.	309	380	255
Under 6	7	7	11	Associate Degree or Some College	225	269	159
6 to 9	183	142	99	Bachelor or Advanced Degree	64	74	38
10 to 13	228	168	148	Education Level Unknown	1,302	919	928
14 to 17	247	197	158	<b>EMPLOYMENT</b>			
18 to 24	239	198	165	Employed	180	162	123
25 to 29	216	178	143	Unemployed	697	766	482
30 to 34	182	139	114	Not in Labor Force	337	49	32
35 to 39	146	123	108	Employment Status Unknown	1,116	924	927
40 to 44	189	152	145	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	216	205	164	Independent Living	987	918	589
50 to 54	220	181	150	Dependent Living	291	337	115
55 to 59	154	120	81	Homeless	29	18	7
60 and Over	103	91	78	Other	24	15	8
Age Unknown	0	0	0	Housing Unknown	999	613	845
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,116	918	785	Self / Family / Friend	474	241	265
Female	1,214	983	779	School	276	171	192
Gender Unknown	0	0	0	Mental Health Provider	241	257	275
<b>RACE / ETHNICITY</b>				Health Care Provider	229	135	111
Caucasian	1,992	1,645	1,336	Court / Criminal Justice	67	39	47
African American	192	159	140	Other	1,025	1,030	630
Native American / Alaskan	*	*	*	Referral Source Unknown	18	28	44
Asian / Pacific Islander	8	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	40	19	20	Voluntary	2,283	1,844	1,468
Other Race	96	72	62	Civil	6	10	35
Race/Ethnicity Unknown	0	0	0	Criminal	19	18	16
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	*	*
Hearing Impaired	39	31	22	Commitment Type Unknown	22	28	44
Past or Current Military Service	34	31	31				

# SAINT CHARLES COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012


	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	32.1	44.0	Alcohol	70.2	76.5
Cigarettes	14.6	22.5	Cigarettes	86.3	83.1
Chewing Tobacco	3.9	7.6	Marijuana	76.5	68.7
Marijuana	11.9	16.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.2	93.6
Inhalants	4.5	6.7			
Prescription medications not prescribed for student	7.0	10.5	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	5.7	7.9	Were very sad	15.8	14.5
Methamphetamine	0.9	0.6	Were grouchy, irritable, or in a bad mood	19.9	21.3
Cocaine	1.2	1.8	Felt hopeless about the future	10.6	11.0
Heroin	0.6	0.7	Felt like not eating or eating more than usual	14.5	15.8
Hallucinogens	2.0	3.6	Slept a lot more or a lot less than usual	18.7	23.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	2.4	Had difficulty concentrating on school work	24.3	25.5
Steroids not prescribed for student	0.9	1.0			
Synthetic drugs (K2, bath salts, Spice, etc)	5.2		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	9.6	11.1
Alcohol	12.84	12.42	Made plan about how they would attempt suicide	7.2	7.7
Cigarettes	12.86	12.53	Attempted suicide	4.2	5.0
Marijuana	13.75	13.47	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.5	1.6
Inhalants	11.14	11.66			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	14.5	21.7	Were threatened/injured with weapon at school	5.2	8.9
Binge Alcohol (5 or more drinks on one occasion)	7.8	12.5	Were in a physical fight	15.4	22.7
Cigarettes	7.1	12.1	Were in a fight and had to be treated by a doctor or nurse	2.9	4.0
Chewing Tobacco	2.1	4.0			
Marijuana	6.7	9.0	<b>Percent of students in past 3 months who:</b>		
Inhalants	2.0	3.4	Were victims of mean rumors or lies spread at school	41.9	52.2
Prescription medications not prescribed for student	3.8	6.4	Had embarrassing or hurtful pictures/text of them posted on internet	13.3	14.7
Over-the-counter medications for non-medical use	3.6	5.0	Had embarrassing or hurtful pictures/text of them sent by cell phone	15.1	15.7
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	58.7	70.6
Alcohol	47.2	59.0			
Cigarettes	36.9	47.3	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	34.4	39.4	Spread mean rumors or lies about other kids at school	29.1	37.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.2	20.5	Posted on internet embarrassing or hurtful pictures/text of someone	8.8	12.5
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.4	15.9
Alcohol	24.5	33.5	Made fun of other people	58.2	76.0
Cigarettes	8.6	13.5			
Marijuana	10.1	13.5	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	65.0	65.7
Alcohol	66.1	56.5	School provides feedback to parents on positive student performance	37.1	38.8
Cigarettes	87.4	80.8	Teachers praise student for hard work	53.4	52.1
Marijuana	84.6	81.1	Rules are enforced fairly	67.7	67.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5	94.3	Students of all races/ethnicities are treated equally	75.3	78.2
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	82.6	78.1	<b>Percent of students who agree that:</b>		
Cigarettes	94.6	91.7	Parents notice and comment on student's good work	84.2	83.1
Marijuana	95.5	94.1	Parents involve student in making family decisions	69.3	69.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.9	97.5	It is important to be honest with parents regardless of consequences	85.3	79.6
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	78.6	76.6
Alcohol	57.5	63.4			
Cigarettes	46.3	55.2			
Marijuana	33.6	37.5			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.2	17.9			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# SAINT CLAIR COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	8
Adult Psychiatric	8B
<b>FIPS COUNTY CODE</b>	185
<b>POPULATION</b>	
Census 2010	9,805
2012 Pop. Estimate	9,474

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	3,851	4,005	4,041
Employed	3,542	3,593	3,599
Unemployed	309	412	442
Unemployment Rate	8.0%	10.3%	10.9%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	420	427	467
Drop-outs	9	15	22
Drop-out Rate	2.1%	3.5%	4.7%
School Suspensions:			
Alcohol Incidents	1	1	0
Drug Incidents	2	0	5
Tobacco Incidents	2	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	86	115	71
Mother Reported Smoking while Pregnant	22	36	21

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	1
IDU and MSM <sup>1</sup>	0	0	*
IDU without MSM <sup>1</sup>	0	0	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	138	139	143
Suicides	3	2	2
Self-inflicted Injuries	20	8	15
Homicides	0	1	0
Assault Injuries	28	26	42
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	1	0
Smoking Attributable Deaths	26	28	31

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	67		
Alcohol Primary Diagnosis <sup>2</sup>	4		
Drug Primary Diagnosis <sup>2</sup>	2		
Alcohol Related Diagnosis	33	24	35
Drug Related Diagnosis	20	39	31
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	20		
Alcohol Primary Diagnosis <sup>2</sup>	4		
Drug Primary Diagnosis <sup>2</sup>	0		
Alcohol Related Diagnosis	25	13	11
Drug Related Diagnosis	19	10	12
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	71		
Alcohol Primary Diagnosis <sup>2</sup>	23		
Drug Primary Diagnosis <sup>2</sup>	9		
Alcohol Related Diagnosis	50	34	39
Drug Related Diagnosis	46	31	33

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	8	15	7
Fatal Crashes	0	1	2
Injury Crashes	3	11	2
Property Damage Crashes	5	3	3
Crash Fatalities	0	1	4
Crash Injuries	4	21	5
Drug Involved Crashes--Total	2	2	1
Fatal Crashes	0	0	1
Injury Crashes	2	2	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	3
Crash Injuries	2	2	2

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	30	34	18
Liquor Law Arrests	1	1	3
Drug Arrests	17	18	30
Methamphetamine Lab Incidents	1	7	9
Violent Offenses	11	19	18
Property Offenses	193	156	161
Domestic Violence Reports	10	22	30

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	13	23	20
Violent Offenses	2	12	7
Alcohol Offenses	2	4	2
Drug Offenses	0	1	1
Status Offenses--Total	23	19	24
Truancy	5	8	8
Beyond Parental Control	5	7	5
Habitually Absent from Home	0	0	2
Injurious Behavior	13	4	9
Abuse/Neglect/Custody--Total	69	48	36
Abuse	11	12	7
Neglect	52	26	17
Custody Disputes	6	10	12

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	18	24	15
Parental Alcohol Use Related	0	0	2
Parental Drug Use Related	11	15	3
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	7	9	10

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	8	5	4
Probation/Parole Admissions--Total	52	60	46
Probation/Parole Admissions--Drug	11	14	12
Probation/Parole Admissions--DWI	2	5	2
Prison Admissions--Total	31	31	33
Prison Admissions--Drug	4	8	6
Prison Admissions--DWI	1	1	2

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	5	6	5
Alcohol Package Carry-out Licenses	17	17	16

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# SAINT CLAIR COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	*	14	10
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	43	45	48
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	14	33
Clinical SATOP (CIP, YCIP, SROP)	5	7	6
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	28	20	41
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	13	7	16
- Weekend Intervention Program	7	*	11
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	7	13
Early Intervention	*	0	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	55	79	77	Alcohol	19	31	28
AGE				Marijuana / Hashish	16	16	20
Under 18	*	*	*	Cocaine (total)	*	*	0
18 to 24	12	13	11	- Crack	*	*	0
25 to 29	11	20	17	Stimulant (total)	15	25	18
30 to 34	10	6	10	- Methamphetamine	14	24	18
35 to 39	5	16	13	Heroin	0	0	5
40 to 44	7	8	8	Analgesic except Heroin	*	*	6
45 to 54	6	11	13	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	0
Male	36	52	54	Inhalant	0	0	0
Female	19	27	23	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	53	71	73	Average Age at First Use of Drug	16.6	18.1	17.4
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	11	10	14
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	*
Hispanic	0	*	0	- Weekly Injection Use	*	*	6
Other Race / Two or More Races	0	*	*	- Less than Weekly Injection Use	8	5	6
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	22	29	30	0	36	47	44
High School Graduate or G.E.D.	22	37	40	1 or 2	11	19	18
Associate Degree or Some College	11	11	5	3 or More	8	13	15
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	18	25	28
Employed	17	19	20	School	0	0	0
Unemployed	15	37	39	Mental Health Provider	0	0	0
Not in Labor Force	23	23	18	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	15	50	45
Independent Living	41	68	67	Other Referral Source	20	*	*
Dependent Living	*	*	7	TREATMENT ACCOMMODATION			
Homeless	*	6	*	Pregnant when Admitted to any Episode	0	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	0
Never Married	27	38	35	Special Education Services Needed	*	*	*
Married / Cohabiting	18	25	27	Co-Occurring Psychological Problem	10	19	27
Previously Married	10	16	15	Co-Occurring Developmental Problem	0	0	0

# SAINT CLAIR COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8B  
**CENSUS 2010** 9,805  
**2012 POPULATION ESTIMATE** 9,474

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	7	6
Anxiety Disorder	41	27	30
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	13	17	21
Mood Disorder	67	61	54
Personality Disorder	5	*	6
Psychotic Disorder	10	12	10
Sexual Disorder	0	0	0
Other Diagnosis	13	11	11
Diagnosis Unknown	8	10	20

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	107	102	100	Less than High School Diploma	23	20	15
<b>AGE</b>				High School Grad or G.E.D.	21	16	17
Under 6	*	*	*	Associate Degree or Some College	7	*	5
6 to 9	8	9	8	Bachelor or Advanced Degree	*	*	0
10 to 13	8	5	10	Education Level Unknown	55	61	63
14 to 17	9	7	8	<b>EMPLOYMENT</b>			
18 to 24	5	8	9	Employed	*	5	5
25 to 29	10	11	5	Unemployed	40	35	32
30 to 34	12	6	9	Not in Labor Force	16	*	0
35 to 39	6	6	9	Employment Status Unknown	47	61	63
40 to 44	11	12	14	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	11	15	10	Independent Living	47	40	34
50 to 54	18	15	9	Dependent Living	13	10	*
55 to 59	5	5	5	Homeless	*	*	*
60 and Over	*	*	*	Other	*	0	*
Age Unknown	0	0	0	Housing Unknown	45	51	60
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	51	46	52	Self / Family / Friend	77	70	70
Female	56	56	48	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	6	*
<b>RACE / ETHNICITY</b>				Health Care Provider	12	9	5
Caucasian	104	99	95	Court / Criminal Justice	*	*	6
African American	*	*	*	Other	12	12	12
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	*	Voluntary	104	95	92
Other Race	*	*	*	Civil	0	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

# SAINT CLAIR COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	73.8	72.2	Alcohol	50.3	73.7
Cigarettes	32.9	44.6	Cigarettes	90.6	76.7
Chewing Tobacco	12.8	30.1	Marijuana	67.1	63.8
Marijuana	28.2	32.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.0	91.4
Inhalants	6.0	6.3			
Prescription medications not prescribed for student	6.0	10.8	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	3.4	12.8	Were very sad	15.4	16.5
Methamphetamine	2.0	4.5	Were grouchy, irritable, or in a bad mood	19.5	19.3
Cocaine	0.7	2.9	Felt hopeless about the future	1.3	10.3
Heroin	0.7	2.3	Felt like not eating or eating more than usual	9.4	24.4
Hallucinogens	0.7	1.2	Slept a lot more or a lot less than usual	22.8	25.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.7	4.1	Had difficulty concentrating on school work	22.4	23.9
Steroids not prescribed for student	2.7	0.0			
Synthetic drugs (K2, bath salts, Spice, etc)	21.5		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	2.7	11.4
Alcohol	12.60	12.26	Made plan about how they would attempt suicide	2.7	13.6
Cigarettes	11.51	13.35	Attempted suicide	2.7	5.7
Marijuana	13.11	13.73	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.8	2.9
Inhalants	14.06	14.11			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	34.9	37.3	Were threatened/injured with weapon at school	5.4	10.2
Binge Alcohol (5 or more drinks on one occasion)	13.4	23.2	Were in a physical fight	24.8	32.4
Cigarettes	20.8	23.9	Were in a fight and had to be treated by a doctor or nurse	1.3	7.3
Chewing Tobacco	6.7	11.6			
Marijuana	6.7	12.6	<b>Percent of students in past 3 months who:</b>		
Inhalants	0.7	4.0	Were victims of mean rumors or lies spread at school	28.2	58.4
Prescription medications not prescribed for student	3.4	5.6	Had embarrassing or hurtful pictures/text of them posted on internet	10.1	17.3
Over-the-counter medications for non-medical use	3.4	5.2	Had embarrassing or hurtful pictures/text of them sent by cell phone	12.2	23.2
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	67.3	76.1
Alcohol	78.7	84.1			
Cigarettes	71.8	74.6	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	53.7	52.8	Spread mean rumors or lies about other kids at school	17.4	35.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.1	25.6	Posted on internet embarrassing or hurtful pictures/text of someone	8.1	9.7
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	12.1	11.4
Alcohol	57.0	55.1	Made fun of other people	48.3	88.1
Cigarettes	13.4	27.8			
Marijuana	6.7	19.9	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	84.6	75.0
Alcohol	25.5	42.9	School provides feedback to parents on positive student performance	53.7	41.5
Cigarettes	81.9	72.2	Teachers praise student for hard work	75.0	61.4
Marijuana	82.6	77.3	Rules are enforced fairly	60.8	66.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.0	94.9	Students of all races/ethnicities are treated equally	88.5	80.7
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	79.2	57.4	<b>Percent of students who agree that:</b>		
Cigarettes	93.3	80.5	Parents notice and comment on student's good work	87.9	79.7
Marijuana	96.0	88.7	Parents involve student in making family decisions	83.8	58.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7	94.8	It is important to be honest with parents regardless of consequences	87.2	81.8
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	74.3	72.7
Alcohol	89.9	68.2			
Cigarettes	63.1	69.9			
Marijuana	45.0	47.7			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.8	29.4			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# SAINTE GENEVIEVE COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	21
Adult Psychiatric	21
<b>FIPS COUNTY CODE</b>	186
<b>POPULATION</b>	
Census 2010	18,145
2012 Pop. Estimate	17,740

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	175	184	182
Mother Reported Smoking while Pregnant	53	46	46

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	1	0
IDU and MSM <sup>1</sup>	0	*	0
IDU without MSM <sup>1</sup>	0	*	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	196	169	177
Suicides	1	0	3
Self-inflicted Injuries	16	8	20
Homicides	0	0	2
Assault Injuries	33	43	56
Alcohol Induced Deaths	1	2	3
Drug Induced Deaths	8	2	1
Smoking Attributable Deaths	34	30	35

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	146		
Alcohol Primary Diagnosis <sup>2</sup>	5		
Drug Primary Diagnosis <sup>2</sup>	4		
Alcohol Related Diagnosis	50	44	45
Drug Related Diagnosis	50	32	23
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	29		
Alcohol Primary Diagnosis <sup>2</sup>	2		
Drug Primary Diagnosis <sup>2</sup>	3		
Alcohol Related Diagnosis	24	15	34
Drug Related Diagnosis	22	16	13
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	185		
Alcohol Primary Diagnosis <sup>2</sup>	21		
Drug Primary Diagnosis <sup>2</sup>	23		
Alcohol Related Diagnosis	50	53	35
Drug Related Diagnosis	46	44	29

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	22	37	26
Fatal Crashes	0	0	0
Injury Crashes	8	12	11
Property Damage Crashes	14	18	15
Crash Fatalities	0	0	0
Crash Injuries	10	13	12
Drug Involved Crashes--Total	5	4	3
Fatal Crashes	0	0	0
Injury Crashes	2	3	0
Property Damage Crashes	3	1	3
Crash Fatalities	0	0	0
Crash Injuries	2	4	0

## EMPLOYMENT

	2012	2011	2010
Labor Force	9,340	9,775	9,787
Employed	8,695	8,918	8,852
Unemployed	645	857	935
Unemployment Rate	6.9%	8.8%	9.6%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	606	673	722
Drop-outs	17	11	19
Drop-out Rate	2.8%	1.6%	2.6%
School Suspensions:			
Alcohol Incidents	0	5	0
Drug Incidents	6	8	5
Tobacco Incidents	0	0	1

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	129	144	154
Liquor Law Arrests	18	30	38
Drug Arrests	99	104	142
Methamphetamine Lab Incidents	11	12	13
Violent Offenses	66	35	68
Property Offenses	209	224	218
Domestic Violence Reports	104	92	76

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	115	94	83
Violent Offenses	35	27	29
Alcohol Offenses	9	8	2
Drug Offenses	9	6	5
Status Offenses--Total	47	68	43
Truancy	14	24	10
Beyond Parental Control	10	4	4
Habitually Absent from Home	0	4	0
Injurious Behavior	6	2	2
Abuse/Neglect/Custody--Total	4	6	17
Abuse	0	1	11
Neglect	3	2	5
Custody Disputes	1	3	1

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	2	4	11
Parental Alcohol Use Related	1	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	1	0
Child Removed for Other Reason	1	3	11

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	10	13	12
Probation/Parole Admissions--Total	152	139	93
Probation/Parole Admissions--Drug	74	66	34
Probation/Parole Admissions--DWI	15	20	10
Prison Admissions--Total	68	70	41
Prison Admissions--Drug	26	19	22
Prison Admissions--DWI	7	10	3

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	41	43	40
Alcohol Package Carry-out Licenses	19	19	21

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SAINTE GENEVIEVE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	7	11	12
CSTAR Adolescent	11	6	6
CSTAR Women and Children	5	*	*
CSTAR General Adult	23	22	7
CSTAR Opioid	*	0	0
Primary Recovery Treatment	55	90	73
Clinical SATOP (CIP, YCIP, SROP)	20	16	13
Other Substance Abuse Treatment	0	*	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	90	83	102
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	36	44	44
- Weekend Intervention Program	19	22	27
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	5	*	*
Early Intervention	6	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	113	133	100	Alcohol	54	54	55
AGE				Marijuana / Hashish	26	34	17
Under 18	13	7	5	Cocaine (total)	*	*	*
18 to 24	22	28	19	- Crack	0	*	*
25 to 29	18	30	19	Stimulant (total)	12	11	7
30 to 34	12	17	13	- Methamphetamine	10	10	6
35 to 39	8	14	10	Heroin	9	21	14
40 to 44	13	6	13	Analgesic except Heroin	7	6	5
45 to 54	25	29	17	- Non-Prescription Methadone	0	0	*
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	*	*	0
Male	84	102	72	Inhalant	0	0	0
Female	29	31	28	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	104	125	94	Average Age at First Use of Drug	16.3	17.5	17.4
African American	*	8	5	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	7	20	12
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	6	*
Hispanic	*	*	0	- Weekly Injection Use	*	6	*
Other Race / Two or More Races	*	0	*	- Less than Weekly Injection Use	*	8	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	38	41	28	0	56	76	46
High School Graduate or G.E.D.	49	71	48	1 or 2	28	22	33
Associate Degree or Some College	24	20	23	3 or More	29	35	21
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	22	26	17
Employed	47	32	35	School	0	*	*
Unemployed	41	82	43	Mental Health Provider	0	0	*
Not in Labor Force	25	19	22	Health Care Provider	*	*	5
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	84	96	65
Independent Living	91	115	88	Other Referral Source	*	8	9
Dependent Living	15	14	7	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	6	6	6
Never Married	75	80	50	Special Education Services Needed	12	20	7
Married / Cohabiting	22	25	30	Co-Occurring Psychological Problem	39	44	25
Previously Married	16	28	20	Co-Occurring Developmental Problem	7	8	6

# SAINTE GENEVIEVE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 21  
**CENSUS 2010** 18,145  
**2012 POPULATION ESTIMATE** 17,740

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	37	12	11
Anxiety Disorder	69	45	33
Dementia	*	0	0
Developmental Disorder	*	*	0
Impulse Control Disorder	80	36	38
Mood Disorder	277	164	109
Personality Disorder	11	14	18
Psychotic Disorder	45	44	39
Sexual Disorder	0	0	0
Other Diagnosis	14	6	11
Diagnosis Unknown	121	26	77

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	586	290	286	Less than High School Diploma	37	26	25
<b>AGE</b>				High School Grad or G.E.D.	36	45	28
Under 6	5	0	*	Associate Degree or Some College	15	11	6
6 to 9	24	17	17	Bachelor or Advanced Degree	*	*	*
10 to 13	36	11	17	Education Level Unknown	497	204	226
14 to 17	32	8	18	<b>EMPLOYMENT</b>			
18 to 24	72	34	44	Employed	9	7	6
25 to 29	51	17	12	Unemployed	75	68	46
30 to 34	49	27	19	Not in Labor Force	23	13	8
35 to 39	60	24	25	Employment Status Unknown	479	202	226
40 to 44	48	23	32	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	60	48	30	Independent Living	62	59	40
50 to 54	58	30	25	Dependent Living	47	40	22
55 to 59	43	26	19	Homeless	*	*	0
60 and Over	48	25	26	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	476	188	224
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	275	151	157	Self / Family / Friend	377	167	157
Female	311	139	129	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	28	19	13
<b>RACE / ETHNICITY</b>				Health Care Provider	83	36	35
Caucasian	528	258	254	Court / Criminal Justice	22	8	12
African American	16	12	13	Other	70	54	61
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	31	13	9	Voluntary	578	284	274
Other Race	11	7	10	Civil	*	*	7
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	0
Hearing Impaired	31	16	16	Commitment Type Unknown	*	*	*
Past or Current Military Service	14	13	15				



# SAINTE GENEVIEVE COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

### Percent of students who have ever used:

2012 2010

Alcohol  
Cigarettes  
Chewing Tobacco  
Marijuana  
Inhalants  
Prescription medications not prescribed for student  
Over-the-counter medications for non-medical use  
Methamphetamine  
Cocaine  
Heroin  
Hallucinogens  
Club drugs (Ecstasy, GHB, roofie, Special K, etc)  
Steroids not prescribed for student  
Synthetic drugs (K2, bath salts, Spice, etc)

### Average age of students' first use of:

Alcohol  
Cigarettes  
Marijuana  
Inhalants

### Percent of students who used in past 30 days:

Alcohol  
Binge Alcohol (5 or more drinks on one occasion)  
Cigarettes  
Chewing Tobacco  
Marijuana  
Inhalants  
Prescription medications not prescribed for student  
Over-the-counter medications for non-medical use

### Percent whose friends used in past 12 months:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent who would likely use, if offered by a best friend:

Alcohol  
Cigarettes  
Marijuana

### Percent who say it would be wrong to use:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent whose parents would disapprove if they use:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent who say it would be easy to obtain:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent who believe they risk harm if they use:

2012 2010

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent of students who, in past 30 days:

Were very sad  
Were grouchy, irritable, or in a bad mood  
Felt hopeless about the future  
Felt like not eating or eating more than usual  
Slept a lot more or a lot less than usual  
Had difficulty concentrating on school work

### Percent of students who, in past 12 months:

Seriously considered attempting suicide  
Made plan about how they would attempt suicide  
Attempted suicide  
Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse

### Percent of students in past 12 months who:

Were threatened/injured with weapon at school  
Were in a physical fight  
Were in a fight and had to be treated by a doctor or nurse

### Percent of students in past 3 months who:

Were victims of mean rumors or lies spread at school  
Had embarrassing or hurtful pictures/text of them posted on internet  
Had embarrassing or hurtful pictures/text of them sent by cell phone  
Were made fun of by others

### Percent of students who, in the past 3 months:

Spread mean rumors or lies about other kids at school  
Posted on internet embarrassing or hurtful pictures/text of someone  
Sent by cell phone embarrassing or hurtful pictures/text of someone  
Made fun of other people

### Percent of students who agree that:

Teachers notice and comment on student's good work  
School provides feedback to parents on positive student performance  
Teachers praise student for hard work  
Rules are enforced fairly  
Students of all races/ethnicities are treated equally

### Percent of students who agree that:


Parents notice and comment on student's good work  
Parents involve student in making family decisions  
It is important to be honest with parents regardless of consequences  
Student could ask parent for help with a personal problem

#### Notes:

Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# SAINT FRANCOIS COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	17
Adult Psychiatric	17B
<b>FIPS COUNTY CODE</b>	187
<b>POPULATION</b>	
Census 2010	65,359
2012 Pop. Estimate	65,917

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	762	751	806
Mother Reported Smoking while Pregnant	268	231	221

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	1	1	1
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	719	674	727
Suicides	12	9	8
Self-inflicted Injuries	162	172	136
Homicides	2	5	1
Assault Injuries	261	296	324
Alcohol Induced Deaths	3	2	6
Drug Induced Deaths	18	14	21
Smoking Attributable Deaths	140	131	144

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,090		
Alcohol Primary Diagnosis <sup>2</sup>	45		
Drug Primary Diagnosis <sup>2</sup>	84		
Alcohol Related Diagnosis	304	274	155
Drug Related Diagnosis	495	407	191
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	288		
Alcohol Primary Diagnosis <sup>2</sup>	21		
Drug Primary Diagnosis <sup>2</sup>	21		
Alcohol Related Diagnosis	145	148	199
Drug Related Diagnosis	158	141	234
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,302		
Alcohol Primary Diagnosis <sup>2</sup>	160		
Drug Primary Diagnosis <sup>2</sup>	220		
Alcohol Related Diagnosis	417	324	310
Drug Related Diagnosis	826	646	450

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	68	543	68
Fatal Crashes	5	6	2
Injury Crashes	25	26	29
Property Damage Crashes	38	25	37
Crash Fatalities	7	6	4
Crash Injuries	36	34	40
Drug Involved Crashes--Total	27	2	12
Fatal Crashes	2	0	0
Injury Crashes	8	0	4
Property Damage Crashes	17	2	8
Crash Fatalities	2	0	0
Crash Injuries	8	0	3

## EMPLOYMENT

	2012	2011	2010
Labor Force	28,124	29,261	29,675
Employed	25,733	26,197	26,310
Unemployed	2,391	3,064	3,365
Unemployment Rate	8.5%	10.5%	11.3%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	3,081	3,199	3,364
Drop-outs	67	50	68
Drop-out Rate	2.2%	1.6%	2.0%
School Suspensions:			
Alcohol Incidents	0	3	2
Drug Incidents	19	12	10
Tobacco Incidents	2	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	411	427	415
Liquor Law Arrests	96	112	153
Drug Arrests	423	392	372
Methamphetamine Lab Incidents	97	88	73
Violent Offenses	182	137	138
Property Offenses	1,751	1,355	2,346
Domestic Violence Reports	327	161	278

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	378	382	442
Violent Offenses	145	188	215
Alcohol Offenses	5	17	16
Drug Offenses	23	23	16
Status Offenses--Total	234	228	170
Truancy	133	108	53
Beyond Parental Control	50	68	73
Habitually Absent from Home	9	8	8
Injurious Behavior	23	26	20
Abuse/Neglect/Custody--Total	41	54	38
Abuse	10	6	4
Neglect	31	25	26
Custody Disputes	0	23	8

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	49	59	40
Parental Alcohol Use Related	1	0	4
Parental Drug Use Related	16	19	14
Parental Alcohol and Drug Use	2	4	0
Child Removed for Other Reason	30	36	22

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	23	30	23
Probation/Parole Admissions--Total	560	556	477
Probation/Parole Admissions--Drug	171	168	166
Probation/Parole Admissions--DWI	30	26	27
Prison Admissions--Total	339	267	296
Prison Admissions--Drug	128	96	109
Prison Admissions--DWI	19	8	12

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	68	66	62
Alcohol Package Carry-out Licenses	53	55	52

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SAINT FRANCOIS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	76	81	117
CSTAR Adolescent	23	18	43
CSTAR Women and Children	15	24	20
CSTAR General Adult	233	232	169
CSTAR Opioid	*	*	5
Primary Recovery Treatment	391	526	612
Clinical SATOP (CIP, YCIP, SROP)	53	57	67
Other Substance Abuse Treatment	5	*	*


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	308	363	419
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	151	181	179
- Weekend Intervention Program	71	101	105
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	8	*	33
Compulsive Gambling	*	*	*
Recovery Supports	5	*	15
Early Intervention	36	*	18

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	686	801	848	Alcohol	188	228	291
<b>AGE</b>				Marijuana / Hashish	166	237	211
Under 18	27	22	45	Cocaine (total)	14	16	20
18 to 24	140	153	191	- Crack	7	8	12
25 to 29	149	167	188	Stimulant (total)	100	119	101
30 to 34	105	151	110	- Methamphetamine	94	115	96
35 to 39	92	90	100	Heroin	89	58	99
40 to 44	56	84	79	Analgesic except Heroin	116	123	114
45 to 54	91	113	108	- Non-Prescription Methadone	0	*	*
55 and Over	26	21	27	PCP, LSD, other Hallucinogen	*	0	*
<b>GENDER</b>				Tranquilizer	8	17	10
Male	476	527	586	Inhalant	*	*	0
Female	210	274	262	Sedative	*	*	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	*	*
Caucasian	643	761	804	Average Age at First Use of Drug	18.6	18.3	18.0
African American	38	32	36	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	121	98	136
Asian / Pacific Islander	0	0	*	- Daily Injection Use	35	29	44
Hispanic	9	8	7	- Weekly Injection Use	32	29	33
Other Race / Two or More Races	*	5	*	- Less than Weekly Injection Use	54	40	59
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	257	285	335	0	444	528	545
High School Graduate or G.E.D.	330	399	410	1 or 2	152	175	215
Associate Degree or Some College	97	112	95	3 or More	90	98	88
Bachelor or Advanced Degree	*	5	8	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	178	212	182
Employed	162	198	189	School	*	*	*
Unemployed	379	442	463	Mental Health Provider	9	10	36
Not in Labor Force	145	161	196	Health Care Provider	24	16	36
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	426	482	512
Independent Living	585	692	695	Other Referral Source	47	80	80
Dependent Living	77	96	120	<b>TREATMENT ACCOMMODATION</b>			
Homeless	17	12	24	Pregnant when Admitted to any Episode	8	12	11
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	33	37	49
Never Married	369	417	467	Special Education Services Needed	80	90	97
Married / Cohabiting	169	213	189	Co-Occurring Psychological Problem	274	250	263
Previously Married	148	171	192	Co-Occurring Developmental Problem	82	77	68

# SAINT FRANCOIS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 17B  
**CENSUS 2010** 65,359  
**2012 POPULATION ESTIMATE** 65,917

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	30	33	65
Anxiety Disorder	279	253	275
Dementia	11	16	21
Developmental Disorder	34	34	30
Impulse Control Disorder	197	182	173
Mood Disorder	768	743	852
Personality Disorder	359	379	484
Psychotic Disorder	452	441	485
Sexual Disorder	59	55	60
Other Diagnosis	116	144	238
Diagnosis Unknown	209	166	222

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	1,676	1,562	1,779	Less than High School Diploma	341	205	151
<b>AGE</b>				High School Grad or G.E.D.	308	235	167
Under 6	6	*	*	Associate Degree or Some College	69	63	42
6 to 9	38	43	29	Bachelor or Advanced Degree	33	8	9
10 to 13	84	70	57	Education Level Unknown	925	1,051	1,410
14 to 17	86	96	73	<b>EMPLOYMENT</b>			
18 to 24	136	128	191	Employed	58	27	22
25 to 29	122	108	156	Unemployed	639	476	339
30 to 34	142	125	143	Not in Labor Force	111	10	8
35 to 39	133	125	151	Employment Status Unknown	868	1,049	1,410
40 to 44	159	134	157	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	188	186	238	Independent Living	512	328	228
50 to 54	207	205	211	Dependent Living	311	275	152
55 to 59	166	151	163	Homeless	*	8	10
60 and Over	209	189	207	Other	19	14	*
Age Unknown	0	0	0	Housing Unknown	830	937	1,388
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,008	946	1,069	Self / Family / Friend	507	504	635
Female	668	616	710	School	12	16	6
Gender Unknown	0	0	0	Mental Health Provider	274	221	217
<b>RACE / ETHNICITY</b>				Health Care Provider	237	134	167
Caucasian	1,487	1,389	1,599	Court / Criminal Justice	315	340	370
African American	148	132	133	Other	321	335	366
Native American / Alaskan	*	*	5	Referral Source Unknown	10	12	18
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	18	19	17	Voluntary	1,392	1,275	1,408
Other Race	18	17	20	Civil	6	19	95
Race/Ethnicity Unknown	0	0	*	Criminal	141	140	134
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	136	126	134
Hearing Impaired	77	67	82	Commitment Type Unknown	*	*	8
Past or Current Military Service	102	110	147				

# SAINT FRANCOIS COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	44.5	46.4	Alcohol	70.6	76.9
Cigarettes	30.0	31.9	Cigarettes	78.0	78.4
Chewing Tobacco	20.3	16.7	Marijuana	70.5	73.8
Marijuana	19.0	15.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.2	94.3
Inhalants	7.7	7.1	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	11.8	12.7	Were very sad	21.9	18.1
Over-the-counter medications for non-medical use	8.0	8.0	Were grouchy, irritable, or in a bad mood	30.2	24.5
Methamphetamine	1.4	1.0	Felt hopeless about the future	13.0	12.5
Cocaine	2.3	1.4	Felt like not eating or eating more than usual	19.3	18.5
Heroin	1.5	0.8	Slept a lot more or a lot less than usual	22.1	27.8
Hallucinogens	3.8	3.0	Had difficulty concentrating on school work	28.2	28.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.6	1.6	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	2.1	1.3	Seriously considered attempting suicide	15.2	11.8
Synthetic drugs (K2, bath salts, Spice, etc)	7.4		Made plan about how they would attempt suicide	11.9	8.9
<b>Average age of students' first use of:</b>			Attempted suicide	7.3	5.1
Alcohol	12.37	12.07	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.2	1.3
Cigarettes	12.23	11.68	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.49	13.00	Were threatened/injured with weapon at school	5.0	9.5
Inhalants	12.20	12.35	Were in a physical fight	21.4	27.3
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.7	4.7
Alcohol	21.3	22.3	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	14.4	14.5	Were victims of mean rumors or lies spread at school	48.8	56.6
Cigarettes	15.8	16.9	Had embarrassing or hurtful pictures/text of them posted on internet	13.0	11.3
Chewing Tobacco	10.0	9.7	Had embarrassing or hurtful pictures/text of them sent by cell phone	17.1	14.6
Marijuana	11.7	9.0	Were made fun of by others	58.3	68.8
Inhalants	3.9	3.1	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	7.4	7.3	Spread mean rumors or lies about other kids at school	23.4	30.1
Over-the-counter medications for non-medical use	5.0	5.5	Posted on internet embarrassing or hurtful pictures/text of someone	8.4	7.9
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	11.1	11.5
Alcohol	58.9	63.8	Made fun of other people	61.9	71.2
Cigarettes	50.1	50.9	<b>Percent of students who agree that:</b>		
Marijuana	40.3	36.8	Teachers notice and comment on student's good work	63.5	64.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.1	17.2	School provides feedback to parents on positive student performance	31.7	37.3
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	50.3	52.8
Alcohol	35.8	34.7	Rules are enforced fairly	59.4	67.9
Cigarettes	18.4	16.3	Students of all races/ethnicities are treated equally	72.3	78.7
Marijuana	16.6	12.0	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	79.1	82.6
Alcohol	54.0	60.1	Parents involve student in making family decisions	65.0	67.7
Cigarettes	75.0	76.5	It is important to be honest with parents regardless of consequences	85.9	84.6
Marijuana	77.7	83.9	Student could ask parent for help with a personal problem	74.0	75.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.9	95.7	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	74.9	77.5	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	88.0	88.5	Percentages are estimates based on weighted data.		
Marijuana	92.3	93.8	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.0	97.6	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	58.7	57.7			
Cigarettes	57.1	59.0			
Marijuana	38.8	34.7			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.1	18.0			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# SAINT LOUIS COUNTY



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	23-25 (SL)
Adult Psychiatric	23
<b>FIPS COUNTY CODE</b>	189
<b>POPULATION</b>	
Census 2010	998,954
2012 Pop. Estimate	1,000,438

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	11,934	11,643	11,785
Mother Reported Smoking while Pregnant	1,116	1,145	973

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	97	127	99
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	9,177	9,251	9,069
Suicides	131	120	130
Self-inflicted Injuries	950	901	911
Homicides	72	80	84
Assault Injuries	3,785	3,638	3,736
Alcohol Induced Deaths	49	59	37
Drug Induced Deaths	161	151	133
Smoking Attributable Deaths	1,401	1,415	1,446

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	4,794		
Alcohol Primary Diagnosis <sup>2</sup>	341		
Drug Primary Diagnosis <sup>2</sup>	570		
Alcohol Related Diagnosis	2,033	2,687	2,137
Drug Related Diagnosis	2,378	2,595	2,205
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	6,114		
Alcohol Primary Diagnosis <sup>2</sup>	632		
Drug Primary Diagnosis <sup>2</sup>	382		
Alcohol Related Diagnosis	4,117	3,235	3,762
Drug Related Diagnosis	3,650	2,722	3,047
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	6,860		
Alcohol Primary Diagnosis <sup>2</sup>	1,674		
Drug Primary Diagnosis <sup>2</sup>	1,304		
Alcohol Related Diagnosis	3,609	3,073	2,886
Drug Related Diagnosis	3,885	2,900	2,163

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	772	314	803
Fatal Crashes	12	10	5
Injury Crashes	261	286	275
Property Damage Crashes	499	511	523
Crash Fatalities	13	10	4
Crash Injuries	379	425	259
Drug Involved Crashes--Total	126	135	111
Fatal Crashes	3	5	4
Injury Crashes	58	61	44
Property Damage Crashes	65	69	63
Crash Fatalities	3	5	4
Crash Injuries	56	100	48

## EMPLOYMENT

	2012	2011	2010
Labor Force	513,956	526,884	513,532
Employed	479,555	483,704	465,387
Unemployed	34,401	43,180	48,145
Unemployment Rate	6.7%	8.2%	9.4%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	46,496	48,348	49,708
Drop-outs	1,223	1,230	1,562
Drop-out Rate	2.6%	2.5%	3.1%
School Suspensions:			
Alcohol Incidents	77	89	60
Drug Incidents	411	485	392
Tobacco Incidents	6	15	21

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	5,144	5,238	6,091
Liquor Law Arrests	1,523	1,200	1,347
Drug Arrests	8,263	7,489	6,314
Methamphetamine Lab Incidents	93	74	30
Violent Offenses	3,072	3,294	3,204
Property Offenses	29,456	30,409	30,507
Domestic Violence Reports	4,889	5,185	4,593

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	6,561	6,005	6,647
Violent Offenses	1,382	1,696	1,832
Alcohol Offenses	166	116	187
Drug Offenses	450	468	503
Status Offenses--Total	1,512	1,587	1,538
Truancy	310	312	273
Beyond Parental Control	162	184	180
Habitually Absent from Home	930	992	966
Injurious Behavior	60	61	57
Abuse/Neglect/Custody--Total	1,601	1,324	1,553
Abuse	523	488	543
Neglect	938	684	819
Custody Disputes	140	152	191

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	415	429	539
Parental Alcohol Use Related	10	14	13
Parental Drug Use Related	102	66	66
Parental Alcohol and Drug Use	7	9	16
Child Removed for Other Reason	296	340	444

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	260	222	239
Probation/Parole Admissions--Total	4,040	4,253	4,419
Probation/Parole Admissions--Drug	680	833	995
Probation/Parole Admissions--DWI	259	185	98
Prison Admissions--Total	1,531	1,494	1,577
Prison Admissions--Drug	297	304	313
Prison Admissions--DWI	55	109	70

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	1,255	1,264	1,232
Alcohol Package Carry-out Licenses	662	658	662

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# SAINT LOUIS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	450	467	445
CSTAR Adolescent	114	134	152
CSTAR Women and Children	319	389	397
CSTAR General Adult	696	569	206
CSTAR Opioid	198	207	154
Primary Recovery Treatment	357	610	1,402
Clinical SATOP (CIP, YCIP, SROP)	985	849	832
Other Substance Abuse Treatment	189	185	193

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	4,148	4,157	4,934
- Adolescent Diversion Education Program	176	190	361
- Offender Education Program	1,744	1,753	1,943
- Weekend Intervention Program	867	884	1,100
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	131	56	61
Compulsive Gambling	51	37	58
Recovery Supports	16	111	791
Early Intervention	49	31	41


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	2,816	2,933	3,339
<b>AGE</b>			
Under 18	111	149	148
18 to 24	456	518	621
25 to 29	533	517	623
30 to 34	456	444	474
35 to 39	284	327	339
40 to 44	282	296	387
45 to 54	525	505	568
55 and Over	169	177	179
<b>GENDER</b>			
Male	1,990	2,099	2,458
Female	825	834	881
<b>RACE / ETHNICITY</b>			
Caucasian	1,722	1,756	1,886
African American	1,009	1,099	1,358
Native American / Alaskan	*	8	*
Asian / Pacific Islander	8	*	8
Hispanic	29	30	34
Other Race / Two or More Races	55	47	63
<b>EDUCATION</b>			
Less than High School Diploma	723	853	945
High School Graduate or G.E.D.	1,185	1,219	1,499
Associate Degree or Some College	835	713	732
Bachelor or Advanced Degree	73	148	163
<b>EMPLOYMENT</b>			
Employed	915	841	1,036
Unemployed	1,036	1,131	1,306
Not in Labor Force	865	961	997
<b>HOUSING / LIVING ARRANGEMENT</b>			
Independent Living	2,347	2,382	2,778
Dependent Living	180	247	321
Homeless	166	187	144
<b>MARITAL / FAMILY STATUS</b>			
Never Married	1,906	2,028	2,264
Married / Cohabiting	474	464	565
Previously Married	436	441	508

<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Alcohol	1,281	1,265	1,408
Marijuana / Hashish	432	496	691
Cocaine (total)	223	292	361
- Crack	151	250	289
Stimulant (total)	42	39	46
- Methamphetamine	36	35	39
Heroin	734	746	723
Analgesic except Heroin	76	66	80
- Non-Prescription Methadone	*	5	*
PCP, LSD, other Hallucinogen	9	12	15
Tranquilizer	11	9	7
Inhalant	*	*	*
Sedative	*	*	*
Other Medication or Illicit Drug	*	*	6
Average Age at First Use of Drug	19.0	18.9	18.5
<b>INJECTION DRUG USE</b>			
Any Injection Use at Admission	491	476	429
- Daily Injection Use	271	254	221
- Weekly Injection Use	101	117	95
- Less than Weekly Injection Use	119	105	113
<b>LIFETIME DUI / DWI ARRESTS</b>			
0	1,473	1,683	1,924
1 or 2	898	873	1,010
3 or More	445	377	405
<b>TREATMENT REFERRAL SOURCE</b>			
Self / Family / Friend	891	967	951
School	11	*	6
Mental Health Provider	15	31	32
Health Care Provider	73	49	99
Court / Criminal Justice	1,631	1,683	2,024
Other Referral Source	183	199	227
<b>TREATMENT ACCOMMODATION</b>			
Pregnant when Admitted to any Episode	63	53	61
Military Veteran	119	122	103
Special Education Services Needed	126	137	141
Co-Occurring Psychological Problem	724	702	789
Co-Occurring Developmental Problem	109	51	91

# SAINT LOUIS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Eastern  
**PSYCHIATRIC SERVICE AREA** 23  
**CENSUS 2010** 998,954  
**2012 POPULATION ESTIMATE** 1,000,438

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	69	72	79
Anxiety Disorder	858	815	747
Dementia	10	7	12
Developmental Disorder	108	102	85
Impulse Control Disorder	687	654	501
Mood Disorder	2,954	2,649	2,452
Personality Disorder	593	603	694
Psychotic Disorder	1,737	1,679	1,653
Sexual Disorder	10	10	9
Other Diagnosis	250	268	310
Diagnosis Unknown	580	329	548

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	5,534	4,847	4,736	Less than High School Diploma	792	438	190
<b>AGE</b>				High School Grad or G.E.D.	847	670	265
Under 6	13	6	9	Associate Degree or Some College	404	377	164
6 to 9	165	124	90	Bachelor or Advanced Degree	278	142	54
10 to 13	301	235	175	Education Level Unknown	3,213	3,220	4,063
14 to 17	450	409	385	<b>EMPLOYMENT</b>			
18 to 24	561	476	484	Employed	336	212	92
25 to 29	461	408	415	Unemployed	1,886	1,395	562
30 to 34	461	394	403	Not in Labor Force	474	28	23
35 to 39	424	374	398	Employment Status Unknown	2,838	3,212	4,059
40 to 44	471	417	444	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	650	576	591	Independent Living	2,103	1,416	570
50 to 54	611	557	539	Dependent Living	580	397	101
55 to 59	448	421	387	Homeless	81	33	24
60 and Over	518	450	416	Other	48	48	21
Age Unknown	0	0	0	Housing Unknown	2,722	2,953	4,020
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	2,734	2,395	2,389	Self / Family / Friend	1,361	1,291	1,392
Female	2,800	2,452	2,347	School	100	83	71
Gender Unknown	0	0	0	Mental Health Provider	930	961	992
<b>RACE / ETHNICITY</b>				Health Care Provider	732	487	445
Caucasian	2,667	2,308	2,243	Court / Criminal Justice	339	295	388
African American	2,596	2,319	2,295	Other	2,057	1,713	1,398
Native American / Alaskan	5	*	*	Referral Source Unknown	15	17	50
Asian / Pacific Islander	21	14	18	<b>TYPE OF COMMITMENT</b>			
Hispanic	66	53	44	Voluntary	5,411	4,725	4,456
Other Race	179	149	130	Civil	23	32	161
Race/Ethnicity Unknown	0	0	*	Criminal	83	73	71
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	9	5	*
Hearing Impaired	170	119	85	Commitment Type Unknown	8	12	46
Past or Current Military Service	113	104	115				


# SAINT LOUIS COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	36.9	41.2	Alcohol	70.8	73.0
Cigarettes	19.0	21.6	Cigarettes	83.9	83.8
Chewing Tobacco	4.4	4.7	Marijuana	68.9	72.5
Marijuana	19.7	19.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.9	93.3
Inhalants	4.4	5.4	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	8.1	9.1	Were very sad	17.8	20.6
Over-the-counter medications for non-medical use	5.3	6.7	Were grouchy, irritable, or in a bad mood	23.4	25.0
Methamphetamine	1.0	0.5	Felt hopeless about the future	10.8	12.7
Cocaine	1.8	1.3	Felt like not eating or eating more than usual	15.4	18.8
Heroin	0.9	0.6	Slept a lot more or a lot less than usual	19.8	26.2
Hallucinogens	3.2	2.8	Had difficulty concentrating on school work	24.4	24.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.4	2.0	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.2	0.8	Seriously considered attempting suicide	12.3	11.6
Synthetic drugs (K2, bath salts, Spice, etc)	5.1		Made plan about how they would attempt suicide	8.4	8.1
<b>Average age of students' first use of:</b>			Attempted suicide	5.6	5.4
Alcohol	13.09	12.77	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.0	2.2
Cigarettes	13.01	12.68	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.90	13.67	Were threatened/injured with weapon at school	5.8	9.0
Inhalants	11.77	11.51	Were in a physical fight	20.3	24.2
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.6	3.8
Alcohol	18.0	20.0	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	10.7	10.6	Were victims of mean rumors or lies spread at school	43.9	50.2
Cigarettes	8.8	11.2	Had embarrassing or hurtful pictures/text of them posted on internet	13.7	14.3
Chewing Tobacco	2.2	2.3	Had embarrassing or hurtful pictures/text of them sent by cell phone	14.9	13.1
Marijuana	11.2	11.7	Were made fun of by others	59.6	68.1
Inhalants	1.9	2.8	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	4.6	5.9	Spread mean rumors or lies about other kids at school	29.7	34.6
Over-the-counter medications for non-medical use	3.2	4.3	Posted on internet embarrassing or hurtful pictures/text of someone	10.7	13.0
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	12.1	13.8
Alcohol	50.6	55.3	Made fun of other people	64.8	74.9
Cigarettes	38.8	42.0	<b>Percent of students who agree that:</b>		
Marijuana	41.5	42.3	Teachers notice and comment on student's good work	73.6	74.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.6	17.0	School provides feedback to parents on positive student performance	43.1	44.9
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	62.4	60.5
Alcohol	29.5	31.8	Rules are enforced fairly	66.7	66.9
Cigarettes	10.6	11.4	Students of all races/ethnicities are treated equally	69.3	74.0
Marijuana	16.2	16.7	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	83.7	84.4
Alcohol	61.5	59.6	Parents involve student in making family decisions	71.2	72.0
Cigarettes	83.7	81.9	It is important to be honest with parents regardless of consequences	83.4	81.5
Marijuana	76.8	77.6	Student could ask parent for help with a personal problem	77.2	76.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.6	94.7	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	80.6	80.3	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	92.1	91.8	Percentages are estimates based on weighted data.		
Marijuana	92.1	93.0	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.6	97.3	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	60.4	60.9			
Cigarettes	50.8	53.7			
Marijuana	42.9	43.4			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.8	19.0			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# SALINE COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	12
Adult Psychiatric	12
<b>FIPS COUNTY CODE</b>	195
<b>POPULATION</b>	
Census 2010	23,370
2012 Pop. Estimate	23,339

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	304	307	294
Mother Reported Smoking while Pregnant	85	79	70

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	1	1	0
IDU and MSM <sup>1</sup>	*	*	0
IDU without MSM <sup>1</sup>	*	*	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	280	227	254
Suicides	4	0	1
Self-inflicted Injuries	43	48	23
Homicides	0	0	1
Assault Injuries	68	82	76
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	5	4	3
Smoking Attributable Deaths	50	34	46

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	219		
Alcohol Primary Diagnosis <sup>2</sup>	8		
Drug Primary Diagnosis <sup>2</sup>	3		
Alcohol Related Diagnosis	80	80	85
Drug Related Diagnosis	64	99	64
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	61		
Alcohol Primary Diagnosis <sup>2</sup>	9		
Drug Primary Diagnosis <sup>2</sup>	7		
Alcohol Related Diagnosis	38	24	21
Drug Related Diagnosis	52	25	20
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	193		
Alcohol Primary Diagnosis <sup>2</sup>	28		
Drug Primary Diagnosis <sup>2</sup>	17		
Alcohol Related Diagnosis	93	104	103
Drug Related Diagnosis	67	64	61

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	22	25	19
Fatal Crashes	0	0	1
Injury Crashes	7	14	11
Property Damage Crashes	15	11	7
Crash Fatalities	0	0	1
Crash Injuries	9	17	12
Drug Involved Crashes--Total	6	2	2
Fatal Crashes	0	0	1
Injury Crashes	0	1	1
Property Damage Crashes	6	1	0
Crash Fatalities	0	0	1
Crash Injuries	0	1	2

## EMPLOYMENT

	2012	2011	2010
Labor Force	11,296	11,457	11,318
Employed	10,580	10,564	10,377
Unemployed	716	893	941
Unemployment Rate	6.3%	7.8%	8.3%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	1,037	1,103	1,178
Drop-outs	25	13	28
Drop-out Rate	2.4%	1.2%	2.4%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	1	0	0
Tobacco Incidents	0	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	157	150	109
Liquor Law Arrests	48	60	41
Drug Arrests	128	173	119
Methamphetamine Lab Incidents	1	0	0
Violent Offenses	69	41	38
Property Offenses	473	470	557
Domestic Violence Reports	99	104	108

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	158	170	197
Violent Offenses	50	41	56
Alcohol Offenses	4	17	0
Drug Offenses	11	4	11
Status Offenses--Total	62	41	68
Truancy	8	5	14
Beyond Parental Control	29	27	34
Habitually Absent from Home	11	4	12
Injurious Behavior	14	5	8
Abuse/Neglect/Custody--Total	27	7	8
Abuse	1	0	0
Neglect	1	0	0
Custody Disputes	25	7	8

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	29	15	8
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	6	2	1
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	23	12	7

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	22	23	23
Probation/Parole Admissions--Total	251	247	242
Probation/Parole Admissions--Drug	71	86	79
Probation/Parole Admissions--DWI	15	20	10
Prison Admissions--Total	164	165	166
Prison Admissions--Drug	61	54	46
Prison Admissions--DWI	14	11	9

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	24	25	23
Alcohol Package Carry-out Licenses	32	30	29

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SALINE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	15	12	9
CSTAR Adolescent	5	6	*
CSTAR Women and Children	6	*	9
CSTAR General Adult	66	63	56
CSTAR Opioid	0	0	0
Primary Recovery Treatment	23	87	120
Clinical SATOP (CIP, YCIP, SROP)	7	9	12
Other Substance Abuse Treatment	0	0	*

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	91	86	100
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	42	47	51
- Weekend Intervention Program	27	17	30
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	7	*	5
Compulsive Gambling	0	0	0
Recovery Supports	90	60	52
Early Intervention	9	*	*


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	128	160	172	Alcohol	43	68	80
<b>AGE</b>				Marijuana / Hashish	38	51	45
Under 18	5	5	*	Cocaine (total)	*	*	9
18 to 24	25	26	27	- Crack	*	*	*
25 to 29	22	24	32	Stimulant (total)	29	26	29
30 to 34	28	28	29	- Methamphetamine	27	26	28
35 to 39	17	16	31	Heroin	*	0	0
40 to 44	9	20	19	Analgesic except Heroin	8	8	8
45 to 54	13	29	25	- Non-Prescription Methadone	0	0	0
55 and Over	9	12	6	PCP, LSD, other Hallucinogen	*	*	0
<b>GENDER</b>				Tranquilizer	0	*	*
Male	80	118	131	Inhalant	0	0	0
Female	48	42	41	Sedative	*	*	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	0	0
Caucasian	103	129	139	Average Age at First Use of Drug	17.9	17.1	17.8
African American	14	24	25	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	17	9	12
Asian / Pacific Islander	*	*	*	- Daily Injection Use	*	0	0
Hispanic	*	*	7	- Weekly Injection Use	5	*	*
Other Race / Two or More Races	5	*	*	- Less than Weekly Injection Use	9	8	9
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	38	46	48	0	76	101	99
High School Graduate or G.E.D.	63	80	95	1 or 2	40	39	44
Associate Degree or Some College	25	30	25	3 or More	12	20	29
Bachelor or Advanced Degree	*	*	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	46	37	30
Employed	31	47	64	School	0	0	0
Unemployed	40	74	72	Mental Health Provider	*	0	*
Not in Labor Force	57	39	36	Health Care Provider	6	9	9
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	65	106	127
Independent Living	111	145	156	Other Referral Source	10	8	*
Dependent Living	11	9	6	<b>TREATMENT ACCOMMODATION</b>			
Homeless	*	*	*	Pregnant when Admitted to any Episode	0	*	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	*	9	*
Never Married	61	75	79	Special Education Services Needed	6	13	6
Married / Cohabiting	40	50	55	Co-Occurring Psychological Problem	30	61	54
Previously Married	27	35	38	Co-Occurring Developmental Problem	*	10	5



# SALINE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 12  
**CENSUS 2010** 23,370  
**2012 POPULATION ESTIMATE** 23,339

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	5	*	*
Anxiety Disorder	42	54	38
Dementia	*	*	*
Developmental Disorder	*	*	*
Impulse Control Disorder	18	20	11
Mood Disorder	113	109	77
Personality Disorder	16	24	11
Psychotic Disorder	54	51	45
Sexual Disorder	0	0	0
Other Diagnosis	6	*	5
Diagnosis Unknown	26	25	33

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	215	207	169	Less than High School Diploma	38	24	14
<b>AGE</b>				High School Grad or G.E.D.	48	40	17
Under 6	*	*	*	Associate Degree or Some College	15	12	*
6 to 9	*	0	*	Bachelor or Advanced Degree	6	*	*
10 to 13	9	8	6	Education Level Unknown	108	130	134
14 to 17	11	11	9	<b>EMPLOYMENT</b>			
18 to 24	22	18	15	Employed	14	13	7
25 to 29	10	15	13	Unemployed	85	65	28
30 to 34	24	23	18	Not in Labor Force	28	*	0
35 to 39	22	21	16	Employment Status Unknown	88	127	134
40 to 44	21	22	17	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	28	28	21	Independent Living	86	56	29
50 to 54	28	24	18	Dependent Living	39	34	5
55 to 59	15	15	13	Homeless	*	*	0
60 and Over	20	20	21	Other	*	*	*
Age Unknown	0	0	0	Housing Unknown	86	113	134
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	108	102	76	Self / Family / Friend	112	93	77
Female	107	105	93	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	44	45	28
<b>RACE / ETHNICITY</b>				Health Care Provider	33	34	16
Caucasian	175	176	143	Court / Criminal Justice	12	15	30
African American	21	18	14	Other	12	18	14
Native American / Alaskan	0	0	0	Referral Source Unknown	0	*	*
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	8	5	6	Voluntary	195	174	141
Other Race	10	7	*	Civil	0	*	*
Race/Ethnicity Unknown	0	0	*	Criminal	19	30	20
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	0	0
Hearing Impaired	8	14	6	Commitment Type Unknown	0	*	*
Past or Current Military Service	7	7	6				




# SALINE COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	35.6	56.1	Alcohol	68.2	74.9
Cigarettes	18.8	33.6	Cigarettes	72.6	78.7
Chewing Tobacco	15.5	14.9	Marijuana	83.6	69.1
Marijuana	8.7	16.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	91.3	94.3
Inhalants	1.6	8.3	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	5.7	13.0	Were very sad	19.6	17.0
Over-the-counter medications for non-medical use	2.2	9.5	Were grouchy, irritable, or in a bad mood	29.1	23.8
Methamphetamine	2.2	0.6	Felt hopeless about the future	9.4	14.8
Cocaine	2.2	1.5	Felt like not eating or eating more than usual	16.9	16.4
Heroin	0.0	0.2	Slept a lot more or a lot less than usual	18.6	25.0
Hallucinogens	0.0	1.3	Had difficulty concentrating on school work	16.3	27.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.5	1.5	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	0.5	1.1	Seriously considered attempting suicide	8.2	11.5
Synthetic drugs (K2, bath salts, Spice, etc)	0.5		Made plan about how they would attempt suicide	5.2	6.9
<b>Average age of students' first use of:</b>			Attempted suicide	6.3	5.7
Alcohol	11.26	12.67	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.1	1.9
Cigarettes	12.13	12.16	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.44	13.83	Were threatened/injured with weapon at school	3.6	9.9
Inhalants	10.00	12.11	Were in a physical fight	34.8	25.0
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	2.7	3.8
Alcohol	16.4	26.2	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	6.8	16.4	Were victims of mean rumors or lies spread at school	47.3	63.2
Cigarettes	9.8	17.2	Had embarrassing or hurtful pictures/text of them posted on internet	21.2	12.0
Chewing Tobacco	11.4	7.6	Had embarrassing or hurtful pictures/text of them sent by cell phone	25.5	16.1
Marijuana	1.6	8.8	Were made fun of by others	64.7	72.1
Inhalants	0.0	3.1	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	5.7	7.2	Spread mean rumors or lies about other kids at school	42.1	39.6
Over-the-counter medications for non-medical use	2.2	6.5	Posted on internet embarrassing or hurtful pictures/text of someone	12.5	10.6
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	8.4	12.1
Alcohol	48.4	73.4	Made fun of other people	66.6	76.5
Cigarettes	39.6	56.1	<b>Percent of students who agree that:</b>		
Marijuana	21.8	39.8	Teachers notice and comment on student's good work	73.6	72.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	4.1	14.3	School provides feedback to parents on positive student performance	69.6	41.7
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	63.9	53.7
Alcohol	34.2	43.7	Rules are enforced fairly	54.6	65.9
Cigarettes	12.8	16.7	Students of all races/ethnicities are treated equally	86.7	77.0
Marijuana	10.1	12.0	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	84.9	83.8
Alcohol	72.4	51.5	Parents involve student in making family decisions	71.1	69.1
Cigarettes	85.3	76.9	It is important to be honest with parents regardless of consequences	89.3	82.5
Marijuana	90.5	83.1	Student could ask parent for help with a personal problem	71.6	75.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.4	97.2	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	83.9	72.7	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	95.8	88.5	Percentages are estimates based on weighted data.		
Marijuana	95.6	95.9	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	98.1	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	54.5	66.1			
Cigarettes	49.9	62.6			
Marijuana	27.4	36.2			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.8	13.3			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# SCHUYLER COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	14
Adult Psychiatric	14
<b>FIPS COUNTY CODE</b>	197
<b>POPULATION</b>	
Census 2010	4,431
2012 Pop. Estimate	4,370

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	58	67	44
Mother Reported Smoking while Pregnant	13	12	8

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	40	60	44
Suicides	3	0	0
Self-inflicted Injuries	0	6	6
Homicides	0	0	0
Assault Injuries	5	3	12
Alcohol Induced Deaths	0	0	1
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	8	12	10

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	15		
Alcohol Primary Diagnosis <sup>2</sup>	2		
Drug Primary Diagnosis <sup>2</sup>	2		
Alcohol Related Diagnosis	8	14	7
Drug Related Diagnosis	8	4	5
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	6		
Alcohol Primary Diagnosis <sup>2</sup>	0		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	4	5	6
Drug Related Diagnosis	1	1	3
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	15		
Alcohol Primary Diagnosis <sup>2</sup>	2		
Drug Primary Diagnosis <sup>2</sup>	0		
Alcohol Related Diagnosis	5	6	7
Drug Related Diagnosis	1	1	6

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	4	3	5
Fatal Crashes	0	0	0
Injury Crashes	4	3	1
Property Damage Crashes	0	0	4
Crash Fatalities	0	0	0
Crash Injuries	4	6	1
Drug Involved Crashes--Total	0	1	1
Fatal Crashes	0	0	0
Injury Crashes	0	1	1
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	1	1

## EMPLOYMENT

	2012	2011	2010
Labor Force	1,959	2,080	2,063
Employed	1,821	1,925	1,882
Unemployed	138	155	181
Unemployment Rate	7.0%	7.5%	8.8%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	216	216	216
Drop-outs	4	1	6
Drop-out Rate	1.9%	0.5%	2.8%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	48	26	19
Liquor Law Arrests	0	3	16
Drug Arrests	2	9	3
Methamphetamine Lab Incidents	2	1	0
Violent Offenses	1	6	3
Property Offenses	44	22	18
Domestic Violence Reports	0	1	1

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	14	7	18
Violent Offenses	1	3	10
Alcohol Offenses	0	0	2
Drug Offenses	0	0	0
Status Offenses--Total	19	28	30
Truancy	2	7	7
Beyond Parental Control	9	9	4
Habitually Absent from Home	0	0	1
Injurious Behavior	8	12	18
Abuse/Neglect/Custody--Total	56	36	50
Abuse	15	20	13
Neglect	41	16	37
Custody Disputes	0	0	0

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	9	7	0
Parental Alcohol Use Related	0	1	0
Parental Drug Use Related	3	2	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	6	4	0

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	5	12	15
Probation/Parole Admissions--Drug	0	3	1
Probation/Parole Admissions--DWI	1	1	0
Prison Admissions--Total	3	1	5
Prison Admissions--Drug	0	0	0
Prison Admissions--DWI	1	0	0

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	7	6	5
Alcohol Package Carry-out Licenses	9	9	7

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SCHUYLER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	*	*	0
CSTAR Adolescent	6	*	*
CSTAR Women and Children	0	0	0
CSTAR General Adult	18	14	22
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	*
Clinical SATOP (CIP, YCIP, SROP)	7	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	25	23	15
- Adolescent Diversion Education Program	*	5	8
- Offender Education Program	5	*	0
- Weekend Intervention Program	6	6	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	*
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	33	20	28	Alcohol	18	15	16
AGE				Marijuana / Hashish	10	5	11
Under 18	7	*	*	Cocaine (total)	0	0	0
18 to 24	11	7	9	- Crack	0	0	0
25 to 29	0	*	*	Stimulant (total)	*	0	*
30 to 34	*	0	7	- Methamphetamine	*	0	*
35 to 39	*	*	0	Heroin	0	0	0
40 to 44	*	*	*	Analgesic except Heroin	*	0	0
45 to 54	5	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	22	17	23	Inhalant	0	0	0
Female	11	*	5	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	33	20	28	Average Age at First Use of Drug	15.3	14.4	14.8
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	0	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	0	0	- Weekly Injection Use	0	0	0
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	*	0	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	12	*	5	0	21	11	15
High School Graduate or G.E.D.	17	14	17	1 or 2	9	6	7
Associate Degree or Some College	*	*	6	3 or More	*	*	6
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	6	6
Employed	12	12	16	School	0	0	0
Unemployed	*	5	6	Mental Health Provider	*	0	0
Not in Labor Force	17	*	6	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	19	11	18
Independent Living	26	17	27	Other Referral Source	7	*	*
Dependent Living	7	*	*	TREATMENT ACCOMMODATION			
Homeless	0	0	0	Pregnant when Admitted to any Episode	*	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	21	11	16	Special Education Services Needed	*	*	*
Married / Cohabiting	6	5	6	Co-Occurring Psychological Problem	14	5	11
Previously Married	6	*	5	Co-Occurring Developmental Problem	*	*	0

# SCHUYLER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 14  
**CENSUS 2010** 4,431  
**2012 POPULATION ESTIMATE** 4,370

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	6	*
Anxiety Disorder	8	8	9
Dementia	0	0	0
Developmental Disorder	*	0	0
Impulse Control Disorder	5	9	8
Mood Disorder	15	14	10
Personality Disorder	*	*	*
Psychotic Disorder	*	*	*
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	7	7	8

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	39	41	34	Less than High School Diploma	10	*	*
<b>AGE</b>				High School Grad or G.E.D.	8	8	5
Under 6	0	*	0	Associate Degree or Some College	*	*	0
6 to 9	*	5	*	Bachelor or Advanced Degree	0	*	0
10 to 13	8	8	7	Education Level Unknown	20	27	27
14 to 17	8	6	*	<b>EMPLOYMENT</b>			
18 to 24	*	*	5	Employed	*	*	0
25 to 29	*	*	*	Unemployed	13	12	7
30 to 34	0	*	*	Not in Labor Force	6	0	0
35 to 39	*	*	*	Employment Status Unknown	19	27	27
40 to 44	*	5	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	5	*	*	Independent Living	15	14	6
50 to 54	*	*	*	Dependent Living	9	11	*
55 to 59	*	0	0	Homeless	0	0	0
60 and Over	*	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	15	16	25
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	19	24	19	Self / Family / Friend	12	*	*
Female	20	17	15	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
<b>RACE / ETHNICITY</b>				Health Care Provider	5	5	*
Caucasian	39	41	34	Court / Criminal Justice	*	*	*
African American	0	0	0	Other	20	29	22
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	39	40	32
Other Race	0	0	0	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	0	0	0	Commitment Type Unknown	0	0	*
Past or Current Military Service	0	*	0				

# SCHUYLER COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

### Percent of students who have ever used:

2012 2010

Alcohol  
Cigarettes  
Chewing Tobacco  
Marijuana  
Inhalants  
Prescription medications not prescribed for student  
Over-the-counter medications for non-medical use  
Methamphetamine  
Cocaine  
Heroin  
Hallucinogens  
Club drugs (Ecstasy, GHB, roofie, Special K, etc)  
Steroids not prescribed for student  
Synthetic drugs (K2, bath salts, Spice, etc)

### Average age of students' first use of:

Alcohol  
Cigarettes  
Marijuana  
Inhalants

### Percent of students who used in past 30 days:

Alcohol  
Binge Alcohol (5 or more drinks on one occasion)  
Cigarettes  
Chewing Tobacco  
Marijuana  
Inhalants  
Prescription medications not prescribed for student  
Over-the-counter medications for non-medical use

### Percent whose friends used in past 12 months:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent who would likely use, if offered by a best friend:

Alcohol  
Cigarettes  
Marijuana

### Percent who say it would be wrong to use:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent whose parents would disapprove if they use:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent who say it would be easy to obtain:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent who believe they risk harm if they use:

2012 2010

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent of students who, in past 30 days:

Were very sad  
Were grouchy, irritable, or in a bad mood  
Felt hopeless about the future  
Felt like not eating or eating more than usual  
Slept a lot more or a lot less than usual  
Had difficulty concentrating on school work

### Percent of students who, in past 12 months:

Seriously considered attempting suicide  
Made plan about how they would attempt suicide  
Attempted suicide  
Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse

### Percent of students in past 12 months who:

Were threatened/injured with weapon at school  
Were in a physical fight  
Were in a fight and had to be treated by a doctor or nurse

### Percent of students in past 3 months who:

Were victims of mean rumors or lies spread at school  
Had embarrassing or hurtful pictures/text of them posted on internet  
Had embarrassing or hurtful pictures/text of them sent by cell phone  
Were made fun of by others

### Percent of students who, in the past 3 months:

Spread mean rumors or lies about other kids at school  
Posted on internet embarrassing or hurtful pictures/text of someone  
Sent by cell phone embarrassing or hurtful pictures/text of someone  
Made fun of other people

### Percent of students who agree that:

Teachers notice and comment on student's good work  
School provides feedback to parents on positive student performance  
Teachers praise student for hard work  
Rules are enforced fairly  
Students of all races/ethnicities are treated equally

### Percent of students who agree that:

Parents notice and comment on student's good work  
Parents involve student in making family decisions  
It is important to be honest with parents regardless of consequences  
Student could ask parent for help with a personal problem


#### Notes:

Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# SCOTLAND COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	14
Adult Psychiatric	14
<b>FIPS COUNTY CODE</b>	199
<b>POPULATION</b>	
Census 2010	4,843
2012 Pop. Estimate	4,877

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	80	73	70
Mother Reported Smoking while Pregnant	13	8	8

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	55	64	48
Suicides	1	0	1
Self-inflicted Injuries	3	3	4
Homicides	0	0	0
Assault Injuries	8	7	5
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	0	1
Smoking Attributable Deaths	10	7	8

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	12		
Alcohol Primary Diagnosis <sup>2</sup>	3		
Drug Primary Diagnosis <sup>2</sup>	0		
Alcohol Related Diagnosis	14	8	3
Drug Related Diagnosis	3	5	4
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	2		
Alcohol Primary Diagnosis <sup>2</sup>	1		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	2	4	7
Drug Related Diagnosis	2	3	1
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	24		
Alcohol Primary Diagnosis <sup>2</sup>	1		
Drug Primary Diagnosis <sup>2</sup>	1		
Alcohol Related Diagnosis	3	7	10
Drug Related Diagnosis	5	3	5

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	2	3	6
Fatal Crashes	0	0	0
Injury Crashes	2	3	3
Property Damage Crashes	0	0	3
Crash Fatalities	0	0	0
Crash Injuries	3	4	3
Drug Involved Crashes--Total	1	0	2
Fatal Crashes	0	0	0
Injury Crashes	1	0	0
Property Damage Crashes	0	0	2
Crash Fatalities	0	0	0
Crash Injuries	1	0	0

## EMPLOYMENT

	2012	2011	2010
Labor Force	2,422	2,423	2,396
Employed	2,307	2,268	2,211
Unemployed	115	155	185
Unemployment Rate	4.7%	6.4%	7.7%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	176	186	189
Drop-outs	3	4	2
Drop-out Rate	1.7%	2.2%	1.1%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	22	15	20
Liquor Law Arrests	3	4	12
Drug Arrests	14	6	15
Methamphetamine Lab Incidents	5	1	3
Violent Offenses	1	5	16
Property Offenses	50	59	45
Domestic Violence Reports	7	11	12

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	4	28	14
Violent Offenses	3	6	3
Alcohol Offenses	0	1	0
Drug Offenses	0	1	1
Status Offenses--Total	28	42	22
Truancy	5	0	0
Beyond Parental Control	8	6	4
Habitually Absent from Home	0	0	0
Injurious Behavior	15	36	18
Abuse/Neglect/Custody--Total	44	68	72
Abuse	7	5	17
Neglect	37	63	55
Custody Disputes	0	0	0

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	11	5	0
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	1	0	0
Parental Alcohol and Drug Use	0	1	0
Child Removed for Other Reason	10	4	0

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	3	5	10
Probation/Parole Admissions--Total	27	32	29
Probation/Parole Admissions--Drug	6	10	10
Probation/Parole Admissions--DWI	3	2	4
Prison Admissions--Total	10	10	19
Prison Admissions--Drug	3	4	8
Prison Admissions--DWI	1	1	1

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	8	7	7
Alcohol Package Carry-out Licenses	7	5	4

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# SCOTLAND COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	*	*	0
CSTAR Adolescent	*	*	0
CSTAR Women and Children	0	0	*
CSTAR General Adult	20	10	6
CSTAR Opioid	0	0	0
Primary Recovery Treatment	6	9	11
Clinical SATOP (CIP, YCIP, SROP)	*	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	16	24	26
- Adolescent Diversion Education Program	*	8	6
- Offender Education Program	*	7	6
- Weekend Intervention Program	5	*	8
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	*
Early Intervention	6	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	26	22	20	Alcohol	15	12	14
AGE				Marijuana / Hashish	7	*	*
Under 18	*	*	0	Cocaine (total)	0	*	0
18 to 24	*	5	6	- Crack	0	0	0
25 to 29	5	5	*	Stimulant (total)	*	*	*
30 to 34	*	*	*	- Methamphetamine	*	*	0
35 to 39	5	*	*	Heroin	0	0	0
40 to 44	*	*	*	Analgesic except Heroin	*	*	*
45 to 54	5	*	*	- Non-Prescription Methadone	0	0	0
55 and Over	0	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	21	20	15	Inhalant	0	0	0
Female	5	*	5	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	24	21	20	Average Age at First Use of Drug	16.6	18.7	17.5
African American	*	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	*	0
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	0	0	- Weekly Injection Use	*	0	0
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	*	*	0
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	*	6	6	0	13	11	11
High School Graduate or G.E.D.	18	11	10	1 or 2	11	6	6
Associate Degree or Some College	*	5	*	3 or More	*	5	*
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	6	*	*
Employed	12	14	13	School	0	0	0
Unemployed	8	5	*	Mental Health Provider	0	0	*
Not in Labor Force	6	*	*	Health Care Provider	0	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	12	18	15
Independent Living	23	19	17	Other Referral Source	7	0	*
Dependent Living	*	*	*	TREATMENT ACCOMMODATION			
Homeless	0	0	0	Pregnant when Admitted to any Episode	0	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	10	13	10	Special Education Services Needed	*	*	*
Married / Cohabiting	9	8	7	Co-Occurring Psychological Problem	10	6	8
Previously Married	7	*	*	Co-Occurring Developmental Problem	0	0	*

# SCOTLAND COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 14  
**CENSUS 2010** 4,843  
**2012 POPULATION ESTIMATE** 4,877

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	0	*	0
Anxiety Disorder	12	9	6
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	7	12	6
Mood Disorder	20	20	19
Personality Disorder	0	0	*
Psychotic Disorder	0	*	*
Sexual Disorder	0	0	0
Other Diagnosis	*	5	*
Diagnosis Unknown	*	*	5

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	34	37	33	Less than High School Diploma	8	*	*
<b>AGE</b>				High School Grad or G.E.D.	5	5	7
Under 6	*	0	0	Associate Degree or Some College	*	*	*
6 to 9	6	5	*	Bachelor or Advanced Degree	0	*	0
10 to 13	*	*	*	Education Level Unknown	19	27	22
14 to 17	5	7	5	<b>EMPLOYMENT</b>			
18 to 24	5	6	6	Employed	*	*	*
25 to 29	*	6	*	Unemployed	11	9	10
30 to 34	*	*	*	Not in Labor Force	6	0	0
35 to 39	0	*	*	Employment Status Unknown	16	27	22
40 to 44	*	*	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	5	5	5	Independent Living	14	10	9
50 to 54	*	*	*	Dependent Living	12	10	*
55 to 59	*	0	0	Homeless	0	0	0
60 and Over	*	0	0	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	8	17	22
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	5	20	20	Self / Family / Friend	12	7	9
Female	29	17	13	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	*
<b>RACE / ETHNICITY</b>				Health Care Provider	*	5	5
Caucasian	34	37	33	Court / Criminal Justice	0	0	*
African American	0	0	0	Other	17	24	17
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	34	37	32
Other Race	0	0	0	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	0	0	Commitment Type Unknown	0	0	0
Past or Current Military Service	0	0	0				

# SCOTLAND COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	36.5	34.7	Alcohol	68.6	83.9
Cigarettes	22.1	22.5	Cigarettes	70.6	80.7
Chewing Tobacco	11.6	12.6	Marijuana	79.1	64.2
Marijuana	5.8	5.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	91.8	95.8
Inhalants	3.5	4.1			
Prescription medications not prescribed for student	7.0	9.9	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	3.5	4.1	Were very sad	16.3	31.4
Methamphetamine	1.2	0.0	Were grouchy, irritable, or in a bad mood	22.1	27.7
Cocaine	1.2	0.0	Felt hopeless about the future	8.2	16.0
Heroin	2.4	0.8	Felt like not eating or eating more than usual	12.8	26.7
Hallucinogens	2.4	2.5	Slept a lot more or a lot less than usual	22.1	24.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	3.5	Had difficulty concentrating on school work	24.4	24.2
Steroids not prescribed for student	1.2	0.8			
Synthetic drugs (K2, bath salts, Spice, etc)	7.0		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	10.5	10.7
Alcohol	12.25	12.63	Made plan about how they would attempt suicide	10.5	7.4
Cigarettes	11.94	12.90	Attempted suicide	7.0	5.0
Marijuana	13.06	12.96	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.3	2.5
Inhalants		11.91			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	16.5	19.0	Were threatened/injured with weapon at school	4.7	7.5
Binge Alcohol (5 or more drinks on one occasion)	12.9	11.7	Were in a physical fight	15.3	16.7
Cigarettes	12.9	12.5	Were in a fight and had to be treated by a doctor or nurse	3.5	3.3
Chewing Tobacco	5.8	5.9			
Marijuana	1.2	3.3	<b>Percent of students in past 3 months who:</b>		
Inhalants	1.2	0.8	Were victims of mean rumors or lies spread at school	47.7	53.3
Prescription medications not prescribed for student	3.5	9.1	Had embarrassing or hurtful pictures/text of them posted on internet	12.8	16.7
Over-the-counter medications for non-medical use	2.3	3.3	Had embarrassing or hurtful pictures/text of them sent by cell phone	18.6	13.3
			Were made fun of by others	62.4	64.2
<b>Percent whose friends used in past 12 months:</b>			<b>Percent of students who, in the past 3 months:</b>		
Alcohol	49.4	61.7	Spread mean rumors or lies about other kids at school	21.2	30.0
Cigarettes	44.7	50.4	Posted on internet embarrassing or hurtful pictures/text of someone	3.5	11.7
Marijuana	15.1	15.8	Sent by cell phone embarrassing or hurtful pictures/text of someone	5.9	5.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	7.1	10.1	Made fun of other people	57.0	72.7
<b>Percent who would likely use, if offered by a best friend:</b>			<b>Percent of students who agree that:</b>		
Alcohol	30.2	36.1	Teachers notice and comment on student's good work	62.4	74.2
Cigarettes	15.1	14.0	School provides feedback to parents on positive student performance	37.6	31.4
Marijuana	5.8	7.5	Teachers praise student for hard work	57.0	58.5
			Rules are enforced fairly	54.7	70.0
<b>Percent who say it would be wrong to use:</b>			Students of all races/ethnicities are treated equally	85.9	79.7
Alcohol	55.8	57.5			
Cigarettes	75.3	76.7	<b>Percent of students who agree that:</b>		
Marijuana	89.4	88.1	Parents notice and comment on student's good work	85.9	87.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.8	95.7	Parents involve student in making family decisions	64.7	71.4
			It is important to be honest with parents regardless of consequences	88.1	81.0
<b>Percent whose parents would disapprove if they use:</b>			Student could ask parent for help with a personal problem	76.5	75.2
Alcohol	80.0	71.2			
Cigarettes	91.8	86.3			
Marijuana	96.4	96.7			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.7	96.6			
<b>Percent who say it would be easy to obtain:</b>					
Alcohol	55.8	64.7			
Cigarettes	54.1	61.7			
Marijuana	23.5	21.7			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.0	12.5			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# SCOTT COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	21
Adult Psychiatric	20
<b>FIPS COUNTY CODE</b>	201
<b>POPULATION</b>	
Census 2010	39,191
2012 Pop. Estimate	39,139

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	20,252	20,071	19,581
Employed	18,909	18,351	17,769
Unemployed	1,343	1,720	1,812
Unemployment Rate	6.6%	8.6%	9.3%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	1,992	2,079	2,102
Drop-outs	13	18	34
Drop-out Rate	0.7%	0.9%	1.6%
School Suspensions:			
Alcohol Incidents	5	3	7
Drug Incidents	16	32	32
Tobacco Incidents	3	4	2

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	529	550	582
Mother Reported Smoking while Pregnant	155	173	168

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	1	0	0
IDU and MSM <sup>1</sup>	*	0	0
IDU without MSM <sup>1</sup>	*	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	421	413	443
Suicides	6	5	8
Self-inflicted Injuries	77	83	107
Homicides	2	0	3
Assault Injuries	178	187	169
Alcohol Induced Deaths	2	3	5
Drug Induced Deaths	6	5	3
Smoking Attributable Deaths	78	75	98

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	464		
Alcohol Primary Diagnosis <sup>2</sup>	30		
Drug Primary Diagnosis <sup>2</sup>	30		
Alcohol Related Diagnosis	184	144	84
Drug Related Diagnosis	238	216	125
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	32		
Alcohol Primary Diagnosis <sup>2</sup>	13		
Drug Primary Diagnosis <sup>2</sup>	4		
Alcohol Related Diagnosis	84	106	146
Drug Related Diagnosis	51	94	133
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	369		
Alcohol Primary Diagnosis <sup>2</sup>	75		
Drug Primary Diagnosis <sup>2</sup>	53		
Alcohol Related Diagnosis	186	192	135
Drug Related Diagnosis	151	135	102

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	46	44	42
Fatal Crashes	2	0	3
Injury Crashes	16	20	16
Property Damage Crashes	28	24	23
Crash Fatalities	2	0	4
Crash Injuries	17	23	21
Drug Involved Crashes--Total	20	11	18
Fatal Crashes	1	0	0
Injury Crashes	8	3	10
Property Damage Crashes	11	8	8
Crash Fatalities	1	0	0
Crash Injuries	7	4	10

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	259	247	216
Liquor Law Arrests	77	100	98
Drug Arrests	313	393	449
Methamphetamine Lab Incidents	31	64	22
Violent Offenses	335	320	334
Property Offenses	1,180	1,300	1,182
Domestic Violence Reports	607	594	617

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	291	330	280
Violent Offenses	55	105	72
Alcohol Offenses	23	20	19
Drug Offenses	26	21	22
Status Offenses--Total	177	188	220
Truancy	101	84	73
Beyond Parental Control	10	23	19
Habitually Absent from Home	22	35	28
Injurious Behavior	41	45	92
Abuse/Neglect/Custody--Total	66	125	140
Abuse	2	8	8
Neglect	56	108	129
Custody Disputes	8	9	3

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	55	58	51
Parental Alcohol Use Related	0	5	2
Parental Drug Use Related	21	21	14
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	34	32	35

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	60	79	82
Probation/Parole Admissions--Total	475	443	461
Probation/Parole Admissions--Drug	186	199	207
Probation/Parole Admissions--DWI	19	16	9
Prison Admissions--Total	181	205	214
Prison Admissions--Drug	86	95	89
Prison Admissions--DWI	7	5	8

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	44	44	47
Alcohol Package Carry-out Licenses	41	41	42

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SCOTT COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	55	52	53
CSTAR Adolescent	25	31	23
CSTAR Women and Children	31	44	61
CSTAR General Adult	148	82	53
CSTAR Opioid	*	0	0
Primary Recovery Treatment	137	194	335
Clinical SATOP (CIP, YCIP, SROP)	42	26	34
Other Substance Abuse Treatment	0	*	*


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	188	196	258
- Adolescent Diversion Education Program	0	*	0
- Offender Education Program	86	96	122
- Weekend Intervention Program	54	52	70
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	*	*	0
Compulsive Gambling	0	*	0
Recovery Supports	241	163	138
Early Intervention	5	7	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	441	406	469	Alcohol	149	130	164
<b>AGE</b>				Marijuana / Hashish	163	142	159
Under 18	29	33	22	Cocaine (total)	32	41	52
18 to 24	82	83	100	- Crack	21	21	35
25 to 29	81	75	94	Stimulant (total)	40	44	35
30 to 34	75	60	63	- Methamphetamine	37	41	34
35 to 39	38	44	51	Heroin	6	7	6
40 to 44	45	34	40	Analgesic except Heroin	34	29	31
45 to 54	71	62	76	- Non-Prescription Methadone	0	0	*
55 and Over	20	15	23	PCP, LSD, other Hallucinogen	*	*	0
<b>GENDER</b>				Tranquilizer	11	6	18
Male	330	291	350	Inhalant	0	*	0
Female	111	115	119	Sedative	0	*	*
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	0	0
Caucasian	318	282	319	Average Age at First Use of Drug	17.0	17.9	17.9
African American	116	114	139	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	30	27	24
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	6	*	*	- Weekly Injection Use	7	6	9
Other Race / Two or More Races	*	7	9	- Less than Weekly Injection Use	19	18	14
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	170	152	189	0	247	234	264
High School Graduate or G.E.D.	213	191	219	1 or 2	120	108	141
Associate Degree or Some College	57	57	57	3 or More	74	64	64
Bachelor or Advanced Degree	*	6	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	54	71	76
Employed	122	122	119	School	*	0	*
Unemployed	169	151	200	Mental Health Provider	*	8	7
Not in Labor Force	150	133	150	Health Care Provider	12	7	9
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	325	290	325
Independent Living	348	302	342	Other Referral Source	42	30	50
Dependent Living	74	95	111	<b>TREATMENT ACCOMMODATION</b>			
Homeless	*	6	9	Pregnant when Admitted to any Episode	7	10	6
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	28	19	31
Never Married	224	208	229	Special Education Services Needed	38	29	50
Married / Cohabiting	115	116	123	Co-Occurring Psychological Problem	86	91	104
Previously Married	102	82	117	Co-Occurring Developmental Problem	9	9	19

# SCOTT COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 20  
**CENSUS 2010** 39,191  
**2012 POPULATION ESTIMATE** 39,139

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	78	89	106
Anxiety Disorder	150	133	133
Dementia	*	*	*
Developmental Disorder	*	5	8
Impulse Control Disorder	115	122	135
Mood Disorder	529	430	388
Personality Disorder	97	69	64
Psychotic Disorder	132	114	108
Sexual Disorder	0	0	*
Other Diagnosis	52	52	72
Diagnosis Unknown	106	92	171

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	1,034	908	960	Less than High School Diploma	153	66	70
<b>AGE</b>				High School Grad or G.E.D.	99	72	51
Under 6	18	22	30	Associate Degree or Some College	17	16	17
6 to 9	54	69	82	Bachelor or Advanced Degree	*	5	*
10 to 13	89	88	98	Education Level Unknown	763	749	820
14 to 17	122	123	146	<b>EMPLOYMENT</b>			
18 to 24	92	74	82	Employed	21	9	11
25 to 29	86	58	62	Unemployed	194	150	129
30 to 34	89	70	59	Not in Labor Force	98	*	0
35 to 39	72	47	51	Employment Status Unknown	721	748	820
40 to 44	81	54	44	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	97	88	105	Independent Living	235	141	128
50 to 54	107	94	80	Dependent Living	100	92	29
55 to 59	66	51	51	Homeless	10	*	0
60 and Over	61	70	70	Other	5	*	*
Age Unknown	0	0	0	Housing Unknown	684	673	800
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	485	422	465	Self / Family / Friend	455	398	384
Female	549	486	495	School	26	27	40
Gender Unknown	0	0	0	Mental Health Provider	96	103	121
<b>RACE / ETHNICITY</b>				Health Care Provider	137	96	117
Caucasian	811	704	731	Court / Criminal Justice	54	45	76
African American	172	156	182	Other	263	230	203
Native American / Alaskan	*	*	*	Referral Source Unknown	*	9	19
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	18	20	20	Voluntary	1,023	890	919
Other Race	29	24	24	Civil	*	7	19
Race/Ethnicity Unknown	0	0	0	Criminal	5	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	*	*
Hearing Impaired	29	29	30	Commitment Type Unknown	*	9	19
Past or Current Military Service	21	17	15				



# SCOTT COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	37.8	50.0	Alcohol	72.4	71.2
Cigarettes	29.0	35.4	Cigarettes	73.9	74.7
Chewing Tobacco	16.8	20.3	Marijuana	77.3	71.9
Marijuana	7.7	22.2	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.1	90.3
Inhalants	9.0	9.4			
Prescription medications not prescribed for student	7.2	17.6	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	5.3	9.1	Were very sad	22.6	19.6
Methamphetamine	0.7	0.4	Were grouchy, irritable, or in a bad mood	27.1	25.8
Cocaine	2.0	1.2	Felt hopeless about the future	9.2	13.0
Heroin	0.0	0.2	Felt like not eating or eating more than usual	22.2	18.3
Hallucinogens	1.9	2.2	Slept a lot more or a lot less than usual	23.4	26.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.2	2.5	Had difficulty concentrating on school work	25.0	24.7
Steroids not prescribed for student	0.9	1.8			
Synthetic drugs (K2, bath salts, Spice, etc)	5.8		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	12.5	12.8
Alcohol	12.21	12.53	Made plan about how they would attempt suicide	7.2	9.6
Cigarettes	11.27	12.27	Attempted suicide	5.3	7.5
Marijuana	13.32	14.06	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.9	3.1
Inhalants	10.75	13.05			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	13.5	24.9	Were threatened/injured with weapon at school	5.5	10.2
Binge Alcohol (5 or more drinks on one occasion)	6.0	15.6	Were in a physical fight	23.0	25.3
Cigarettes	15.7	19.2	Were in a fight and had to be treated by a doctor or nurse	2.3	5.2
Chewing Tobacco	10.6	11.2			
Marijuana	4.8	9.5	<b>Percent of students in past 3 months who:</b>		
Inhalants	0.8	4.6	Were victims of mean rumors or lies spread at school	53.1	57.7
Prescription medications not prescribed for student	3.3	11.6	Had embarrassing or hurtful pictures/text of them posted on internet	12.7	13.3
Over-the-counter medications for non-medical use	3.3	6.5	Had embarrassing or hurtful pictures/text of them sent by cell phone	15.0	14.3
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	63.3	69.5
Alcohol	53.7	63.9			
Cigarettes	42.4	54.7	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	25.9	43.3	Spread mean rumors or lies about other kids at school	35.6	28.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.7	20.8	Posted on internet embarrassing or hurtful pictures/text of someone	9.2	8.7
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	10.5	11.2
Alcohol	26.3	36.9	Made fun of other people	61.0	71.7
Cigarettes	10.9	19.2			
Marijuana	6.4	15.7	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	70.5	65.9
Alcohol	62.1	54.3	School provides feedback to parents on positive student performance	32.0	35.3
Cigarettes	76.5	72.1	Teachers praise student for hard work	43.4	50.5
Marijuana	86.1	76.9	Rules are enforced fairly	62.8	46.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.1	91.7	Students of all races/ethnicities are treated equally	80.8	60.2
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	77.2	75.7	<b>Percent of students who agree that:</b>		
Cigarettes	87.1	87.3	Parents notice and comment on student's good work	83.0	82.2
Marijuana	89.5	93.5	Parents involve student in making family decisions	70.9	69.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.6	96.9	It is important to be honest with parents regardless of consequences	88.0	83.2
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	75.2	78.0
Alcohol	58.1	60.1			
Cigarettes	51.6	60.2			
Marijuana	31.2	43.7			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.1	22.4			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# SHANNON COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	18
Adult Psychiatric	18
<b>FIPS COUNTY CODE</b>	203
<b>POPULATION</b>	
Census 2010	8,441
2012 Pop. Estimate	8,318

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	80	111	105
Mother Reported Smoking while Pregnant	24	40	34

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	91	83	82
Suicides	0	1	1
Self-inflicted Injuries	12	24	3
Homicides	1	1	0
Assault Injuries	22	33	23
Alcohol Induced Deaths	0	0	2
Drug Induced Deaths	0	2	2
Smoking Attributable Deaths	16	18	18

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	70		
Alcohol Primary Diagnosis <sup>2</sup>	2		
Drug Primary Diagnosis <sup>2</sup>	8		
Alcohol Related Diagnosis	19	23	24
Drug Related Diagnosis	40	43	10
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	3		
Alcohol Primary Diagnosis <sup>2</sup>	1		
Drug Primary Diagnosis <sup>2</sup>	0		
Alcohol Related Diagnosis	3	3	18
Drug Related Diagnosis	5	16	17
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	53		
Alcohol Primary Diagnosis <sup>2</sup>	6		
Drug Primary Diagnosis <sup>2</sup>	9		
Alcohol Related Diagnosis	25	27	39
Drug Related Diagnosis	23	43	20

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	9	18	16
Fatal Crashes	0	2	0
Injury Crashes	8	14	10
Property Damage Crashes	1	2	6
Crash Fatalities	0	2	0
Crash Injuries	12	26	10
Drug Involved Crashes--Total	1	1	1
Fatal Crashes	0	0	0
Injury Crashes	1	0	1
Property Damage Crashes	0	1	0
Crash Fatalities	0	0	0
Crash Injuries	2	0	1

## EMPLOYMENT

	2012	2011	2010
Labor Force	3,067	3,131	3,263
Employed	2,743	2,728	2,806
Unemployed	324	403	457
Unemployment Rate	10.6%	12.9%	14.0%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	246	258	266
Drop-outs	0	0	4
Drop-out Rate	0.0%	0.0%	1.5%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	48	49	49
Liquor Law Arrests	20	38	103
Drug Arrests	90	205	263
Methamphetamine Lab Incidents	3	3	1
Violent Offenses	11	23	13
Property Offenses	145	158	103
Domestic Violence Reports	19	6	11

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	16	22	22
Violent Offenses	1	3	6
Alcohol Offenses	1	6	4
Drug Offenses	1	3	1
Status Offenses--Total	39	23	26
Truancy	12	5	4
Beyond Parental Control	9	1	10
Habitually Absent from Home	1	4	0
Injurious Behavior	5	4	7
Abuse/Neglect/Custody--Total	10	5	2
Abuse	0	1	1
Neglect	10	4	1
Custody Disputes	0	0	0

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	0	0	0
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	0	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	0	0	0

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	44	35	34
Probation/Parole Admissions--Drug	18	16	19
Probation/Parole Admissions--DWI	4	3	0
Prison Admissions--Total	24	22	16
Prison Admissions--Drug	8	10	5
Prison Admissions--DWI	1	2	0

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	7	9	8
Alcohol Package Carry-out Licenses	15	14	16

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SHANNON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	*	12	8
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	5	*
CSTAR General Adult	12	8	10
CSTAR Opioid	0	0	0
Primary Recovery Treatment	7	16	24
Clinical SATOP (CIP, YCIP, SROP)	9	7	6
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	27	25	25
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	12	7	11
- Weekend Intervention Program	*	*	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	0	0
Compulsive Gambling	0	0	0
Recovery Supports	*	0	*
Early Intervention	0	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	30	44	43	Alcohol	11	16	17
AGE				Marijuana / Hashish	9	12	9
Under 18	*	*	*	Cocaine (total)	*	0	0
18 to 24	*	7	9	- Crack	0	0	0
25 to 29	8	10	10	Stimulant (total)	*	5	8
30 to 34	8	8	5	- Methamphetamine	*	*	8
35 to 39	*	5	6	Heroin	0	0	*
40 to 44	*	5	*	Analgesic except Heroin	5	11	7
45 to 54	*	5	6	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	0	*
Male	21	28	29	Inhalant	0	0	0
Female	9	16	14	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	30	42	41	Average Age at First Use of Drug	17.2	16.9	17.1
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	9	7
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	6	0
Hispanic	0	*	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	0	0	*	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	13	22	19	0	13	25	25
High School Graduate or G.E.D.	10	18	19	1 or 2	12	12	10
Associate Degree or Some College	7	*	5	3 or More	5	7	8
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	14	10
Employed	*	*	6	School	0	0	0
Unemployed	15	25	23	Mental Health Provider	*	0	*
Not in Labor Force	11	16	14	Health Care Provider	*	0	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	20	26	29
Independent Living	26	39	40	Other Referral Source	*	*	*
Dependent Living	*	5	*	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	0	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	17	16	21	Special Education Services Needed	*	0	*
Married / Cohabiting	9	13	5	Co-Occurring Psychological Problem	11	9	12
Previously Married	*	15	17	Co-Occurring Developmental Problem	*	0	0

# SHANNON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 18  
**CENSUS 2010** 8,441  
**2012 POPULATION ESTIMATE** 8,318

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	0	*
Anxiety Disorder	23	14	19
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	17	14	9
Mood Disorder	56	32	38
Personality Disorder	*	*	5
Psychotic Disorder	7	6	6
Sexual Disorder	0	0	0
Other Diagnosis	*	*	*
Diagnosis Unknown	9	*	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	88	56	61	Less than High School Diploma	19	7	6
<b>AGE</b>				High School Grad or G.E.D.	7	6	6
Under 6	0	0	0	Associate Degree or Some College	*	*	*
6 to 9	0	0	*	Bachelor or Advanced Degree	0	0	0
10 to 13	11	9	6	Education Level Unknown	60	40	47
14 to 17	6	5	*	<b>EMPLOYMENT</b>			
18 to 24	7	*	9	Employed	10	*	*
25 to 29	*	*	5	Unemployed	22	12	13
30 to 34	11	*	5	Not in Labor Force	12	*	0
35 to 39	8	*	6	Employment Status Unknown	44	40	47
40 to 44	7	7	7	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	14	14	10	Independent Living	37	14	13
50 to 54	9	*	7	Dependent Living	7	13	*
55 to 59	*	*	0	Homeless	*	*	*
60 and Over	7	*	*	Other	0	0	0
Age Unknown	0	0	0	Housing Unknown	42	28	44
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	35	26	28	Self / Family / Friend	37	15	17
Female	53	30	33	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	*	*	6
<b>RACE / ETHNICITY</b>				Health Care Provider	36	26	24
Caucasian	86	55	60	Court / Criminal Justice	*	0	*
African American	0	0	0	Other	13	12	11
Native American / Alaskan	0	0	0	Referral Source Unknown	0	0	0
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	0	Voluntary	88	56	58
Other Race	0	0	*	Civil	0	0	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	10	10	11	Commitment Type Unknown	0	0	0
Past or Current Military Service	*	*	*				

# SHANNON COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	61.0	64.9	Alcohol	78.7	82.2
Cigarettes	46.1	48.7	Cigarettes	75.2	72.8
Chewing Tobacco	31.2	34.6	Marijuana	77.0	74.7
Marijuana	17.0	15.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.6	93.6
Inhalants	9.2	5.2	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	21.3	14.9	Were very sad	31.2	16.7
Over-the-counter medications for non-medical use	6.4	5.4	Were grouchy, irritable, or in a bad mood	33.1	20.9
Methamphetamine	0.0	1.1	Felt hopeless about the future	19.1	11.2
Cocaine	0.0	1.1	Felt like not eating or eating more than usual	32.6	13.3
Heroin	0.0	0.0	Slept a lot more or a lot less than usual	26.2	16.7
Hallucinogens	2.8	1.6	Had difficulty concentrating on school work	24.1	27.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.4	1.6	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.4	0.0	Seriously considered attempting suicide	17.7	13.1
Synthetic drugs (K2, bath salts, Spice, etc)	9.3		Made plan about how they would attempt suicide	12.2	9.4
<b>Average age of students' first use of:</b>			Attempted suicide	8.5	9.9
Alcohol	12.13	11.80	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	0.0	1.6
Cigarettes	11.77	11.92	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.27	13.91	Were threatened/injured with weapon at school	4.3	14.3
Inhalants	13.46	11.51	Were in a physical fight	20.6	27.2
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	0.0	4.2
Alcohol	26.2	34.0	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	18.4	20.8	Were victims of mean rumors or lies spread at school	58.9	55.3
Cigarettes	22.7	28.6	Had embarrassing or hurtful pictures/text of them posted on internet	16.3	10.9
Chewing Tobacco	14.9	22.9	Had embarrassing or hurtful pictures/text of them sent by cell phone	17.7	22.2
Marijuana	8.5	6.9	Were made fun of by others	70.9	77.0
Inhalants	4.3	3.6	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	17.0	10.6	Spread mean rumors or lies about other kids at school	24.8	35.3
Over-the-counter medications for non-medical use	5.7	5.4	Posted on internet embarrassing or hurtful pictures/text of someone	10.0	12.5
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	12.8	20.9
Alcohol	74.5	77.1	Made fun of other people	59.6	80.2
Cigarettes	70.9	68.1	<b>Percent of students who agree that:</b>		
Marijuana	38.6	31.4	Teachers notice and comment on student's good work	83.7	83.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.3	12.5	School provides feedback to parents on positive student performance	31.7	51.3
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	56.7	59.4
Alcohol	37.6	50.3	Rules are enforced fairly	61.7	67.2
Cigarettes	29.8	28.3	Students of all races/ethnicities are treated equally	70.9	80.4
Marijuana	13.5	9.7	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	83.0	88.9
Alcohol	49.6	44.5	Parents involve student in making family decisions	73.0	69.1
Cigarettes	68.1	69.1	It is important to be honest with parents regardless of consequences	87.2	90.4
Marijuana	83.0	86.2	Student could ask parent for help with a personal problem	75.9	84.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0	96.8	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	81.6	77.9	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	87.9	88.6	Percentages are estimates based on weighted data.		
Marijuana	97.9	96.3	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.9	100.0	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	71.6	66.8			
Cigarettes	70.9	73.9			
Marijuana	36.9	40.4			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	20.9	19.0			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# SHELBY COUNTY



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	14
Adult Psychiatric	14
<b>FIPS COUNTY CODE</b>	205
<b>POPULATION</b>	
Census 2010	6,373
2012 Pop. Estimate	6,234

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	80	70	87
Mother Reported Smoking while Pregnant	24	18	16

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	81	84	70
Suicides	2	1	0
Self-inflicted Injuries	5	8	2
Homicides	0	0	0
Assault Injuries	11	5	7
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	1	1
Smoking Attributable Deaths	12	12	12

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	30		
Alcohol Primary Diagnosis <sup>2</sup>	2		
Drug Primary Diagnosis <sup>2</sup>	2		
Alcohol Related Diagnosis	22	22	10
Drug Related Diagnosis	11	5	7
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	10		
Alcohol Primary Diagnosis <sup>2</sup>	0		
Drug Primary Diagnosis <sup>2</sup>	4		
Alcohol Related Diagnosis	10	18	16
Drug Related Diagnosis	8	4	6
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	30		
Alcohol Primary Diagnosis <sup>2</sup>	6		
Drug Primary Diagnosis <sup>2</sup>	6		
Alcohol Related Diagnosis	12	10	9
Drug Related Diagnosis	7	3	6

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	3	5	8
Fatal Crashes	0	1	0
Injury Crashes	1	3	5
Property Damage Crashes	2	1	3
Crash Fatalities	0	1	0
Crash Injuries	1	3	5
Drug Involved Crashes--Total	0	0	0
Fatal Crashes	0	0	0
Injury Crashes	0	0	0
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

## EMPLOYMENT

	2012	2011	2010
Labor Force	3,099	3,162	3,174
Employed	2,910	2,927	2,897
Unemployed	189	235	277
Unemployment Rate	6.1%	7.4%	8.7%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	332	347	339
Drop-outs	5	6	10
Drop-out Rate	1.5%	1.7%	2.9%
School Suspensions:			
Alcohol Incidents	3	0	0
Drug Incidents	1	0	0
Tobacco Incidents	0	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	28	48	39
Liquor Law Arrests	9	5	5
Drug Arrests	25	41	30
Methamphetamine Lab Incidents	2	3	15
Violent Offenses	6	4	8
Property Offenses	58	93	83
Domestic Violence Reports	19	33	12

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	30	16	31
Violent Offenses	7	3	12
Alcohol Offenses	4	0	2
Drug Offenses	0	1	0
Status Offenses--Total	32	39	44
Truancy	2	3	6
Beyond Parental Control	14	16	13
Habitually Absent from Home	0	2	0
Injurious Behavior	16	18	25
Abuse/Neglect/Custody--Total	91	75	64
Abuse	22	28	25
Neglect	64	45	39
Custody Disputes	5	2	0

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	16	11	18
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	3	0	1
Parental Alcohol and Drug Use	0	1	0
Child Removed for Other Reason	13	10	17

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	0	0	0
Probation/Parole Admissions--Total	28	41	52
Probation/Parole Admissions--Drug	7	14	14
Probation/Parole Admissions--DWI	1	2	9
Prison Admissions--Total	20	14	28
Prison Admissions--Drug	7	7	8
Prison Admissions--DWI	2	0	2

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	6	6	10
Alcohol Package Carry-out Licenses	8	8	8

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# SHELBY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	6	5	*
CSTAR Adolescent	*	*	*
CSTAR Women and Children	*	6	*
CSTAR General Adult	*	5	17
CSTAR Opioid	0	0	0
Primary Recovery Treatment	14	27	17
Clinical SATOP (CIP, YCIP, SROP)	5	8	5
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	27	29	38
- Adolescent Diversion Education Program	*	0	*
- Offender Education Program	10	10	11
- Weekend Intervention Program	5	6	18
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	*
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	34	43	37	Alcohol	18	27	15
AGE				Marijuana / Hashish	5	11	15
Under 18	*	*	*	Cocaine (total)	0	0	*
18 to 24	8	10	10	- Crack	0	0	0
25 to 29	*	8	*	Stimulant (total)	*	*	*
30 to 34	7	10	*	- Methamphetamine	*	0	*
35 to 39	*	*	6	Heroin	*	0	*
40 to 44	*	*	*	Analgesic except Heroin	*	*	0
45 to 54	5	5	*	- Non-Prescription Methadone	0	0	0
55 and Over	*	*	*	PCP, LSD, other Hallucinogen	0	0	*
GENDER				Tranquilizer	*	0	0
Male	22	27	25	Inhalant	0	0	0
Female	12	16	12	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	33	43	35	Average Age at First Use of Drug	16.6	16.7	15.6
African American	0	0	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	*	0	*
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	0	0	- Weekly Injection Use	*	0	0
Other Race / Two or More Races	*	0	0	- Less than Weekly Injection Use	*	0	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	14	*	14	0	15	15	18
High School Graduate or G.E.D.	16	33	19	1 or 2	11	21	12
Associate Degree or Some College	*	6	*	3 or More	8	7	7
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	6	5	*
Employed	10	16	10	School	0	0	0
Unemployed	14	18	19	Mental Health Provider	0	0	*
Not in Labor Force	10	9	8	Health Care Provider	5	*	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	17	34	31
Independent Living	27	38	32	Other Referral Source	*	*	*
Dependent Living	6	*	*	TREATMENT ACCOMMODATION			
Homeless	0	0	0	Pregnant when Admitted to any Episode	*	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	5	*
Never Married	21	22	19	Special Education Services Needed	*	7	*
Married / Cohabiting	10	14	11	Co-Occurring Psychological Problem	11	10	8
Previously Married	*	7	7	Co-Occurring Developmental Problem	*	*	*

# SHELBY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 14  
**CENSUS 2010** 6,373  
**2012 POPULATION ESTIMATE** 6,234

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	*	*
Anxiety Disorder	*	11	8
Dementia	0	0	*
Developmental Disorder	0	*	*
Impulse Control Disorder	5	6	5
Mood Disorder	19	20	30
Personality Disorder	0	*	*
Psychotic Disorder	8	6	10
Sexual Disorder	0	0	0
Other Diagnosis	*	6	*
Diagnosis Unknown	*	5	10

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	35	43	60	Less than High School Diploma	12	10	6
<b>AGE</b>				High School Grad or G.E.D.	7	8	6
Under 6	0	0	0	Associate Degree or Some College	*	*	*
6 to 9	0	*	*	Bachelor or Advanced Degree	*	*	*
10 to 13	*	5	7	Education Level Unknown	13	22	46
14 to 17	7	5	8	<b>EMPLOYMENT</b>			
18 to 24	6	6	9	Employed	*	*	*
25 to 29	*	0	5	Unemployed	18	20	12
30 to 34	*	*	*	Not in Labor Force	*	0	0
35 to 39	*	*	*	Employment Status Unknown	12	22	46
40 to 44	*	*	6	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	*	6	6	Independent Living	20	19	14
50 to 54	*	*	*	Dependent Living	5	7	0
55 to 59	*	0	0	Homeless	0	0	0
60 and Over	*	*	8	Other	0	*	0
Age Unknown	0	0	0	Housing Unknown	10	16	46
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	17	24	25	Self / Family / Friend	11	11	13
Female	18	19	35	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	0	*	*
<b>RACE / ETHNICITY</b>				Health Care Provider	5	*	5
Caucasian	34	41	58	Court / Criminal Justice	0	0	8
African American	*	*	*	Other	17	25	28
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	34	42	49
Other Race	0	*	*	Civil	0	0	6
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	*
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				


# SHELBY COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol		32.4	Alcohol		90.2
Cigarettes		18.3	Cigarettes		84.0
Chewing Tobacco		16.2	Marijuana		75.0
Marijuana		2.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		92.4
Inhalants		0.7	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student		5.7	Were very sad		12.5
Over-the-counter medications for non-medical use		3.5	Were grouchy, irritable, or in a bad mood		21.5
Methamphetamine		0.0	Felt hopeless about the future		11.2
Cocaine		0.0	Felt like not eating or eating more than usual		15.5
Heroin		0.0	Slept a lot more or a lot less than usual		16.1
Hallucinogens		0.0	Had difficulty concentrating on school work		28.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)		0.7	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student		2.1	Seriously considered attempting suicide		8.3
Synthetic drugs (K2, bath salts, Spice, etc)			Made plan about how they would attempt suicide		3.5
<b>Average age of students' first use of:</b>			Attempted suicide		2.1
Alcohol		13.37	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse		0.0
Cigarettes		13.26	<b>Percent of students in past 12 months who:</b>		
Marijuana			Were threatened/injured with weapon at school		6.3
Inhalants			Were in a physical fight		13.9
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse		0.7
Alcohol		11.3	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)		7.6	Were victims of mean rumors or lies spread at school		61.3
Cigarettes		9.2	Had embarrassing or hurtful pictures/text of them posted on internet		12.8
Chewing Tobacco		7.0	Had embarrassing or hurtful pictures/text of them sent by cell phone		18.2
Marijuana		0.0	Were made fun of by others		79.0
Inhalants		0.0	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student		2.8	Spread mean rumors or lies about other kids at school		35.7
Over-the-counter medications for non-medical use		1.4	Posted on internet embarrassing or hurtful pictures/text of someone		9.7
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone		12.5
Alcohol		48.3	Made fun of other people		79.2
Cigarettes		39.6	<b>Percent of students who agree that:</b>		
Marijuana		12.5	Teachers notice and comment on student's good work		75.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		7.0	School provides feedback to parents on positive student performance		42.0
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work		55.9
Alcohol		27.1	Rules are enforced fairly		66.0
Cigarettes		8.4	Students of all races/ethnicities are treated equally		78.2
Marijuana		2.1	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work		81.1
Alcohol		70.4	Parents involve student in making family decisions		61.7
Cigarettes		87.5	It is important to be honest with parents regardless of consequences		82.5
Marijuana		96.5	Student could ask parent for help with a personal problem		75.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		97.9	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol		84.5	Survey is not conducted in every school district nor reported for every county.		
Cigarettes		95.7	Percentages are estimates based on weighted data.		
Marijuana		96.5	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		97.9	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol		50.0			
Cigarettes		50.3			
Marijuana		12.6			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		7.7			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# STODDARD COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	19
Adult Psychiatric	20
<b>FIPS COUNTY CODE</b>	207
<b>POPULATION</b>	
Census 2010	29,968
2012 Pop. Estimate	29,795

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	361	347	317
Mother Reported Smoking while Pregnant	101	122	95

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	1	2	0
IDU and MSM <sup>1</sup>	*	*	0
IDU without MSM <sup>1</sup>	*	*	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	409	363	362
Suicides	8	2	4
Self-inflicted Injuries	60	70	56
Homicides	0	1	0
Assault Injuries	91	96	95
Alcohol Induced Deaths	1	1	2
Drug Induced Deaths	1	1	2
Smoking Attributable Deaths	85	82	83

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	395		
Alcohol Primary Diagnosis <sup>2</sup>	15		
Drug Primary Diagnosis <sup>2</sup>	24		
Alcohol Related Diagnosis	102	57	56
Drug Related Diagnosis	111	86	56
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	57		
Alcohol Primary Diagnosis <sup>2</sup>	13		
Drug Primary Diagnosis <sup>2</sup>	13		
Alcohol Related Diagnosis	63	63	101
Drug Related Diagnosis	40	70	85
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	373		
Alcohol Primary Diagnosis <sup>2</sup>	30		
Drug Primary Diagnosis <sup>2</sup>	30		
Alcohol Related Diagnosis	79	86	74
Drug Related Diagnosis	85	86	62

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	43	28	51
Fatal Crashes	1	1	3
Injury Crashes	17	14	25
Property Damage Crashes	25	13	23
Crash Fatalities	1	1	2
Crash Injuries	22	23	35
Drug Involved Crashes--Total	21	11	13
Fatal Crashes	1	0	1
Injury Crashes	12	3	6
Property Damage Crashes	8	8	6
Crash Fatalities	1	0	1
Crash Injuries	14	6	9

## EMPLOYMENT

	2012	2011	2010
Labor Force	14,947	15,283	14,972
Employed	13,825	13,909	13,608
Unemployed	1,122	1,374	1,364
Unemployment Rate	7.5%	9.0%	9.1%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	1,412	1,484	1,512
Drop-outs	32	34	44
Drop-out Rate	2.3%	2.3%	2.9%
School Suspensions:			
Alcohol Incidents	1	0	0
Drug Incidents	6	3	3
Tobacco Incidents	0	2	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	198	228	210
Liquor Law Arrests	27	37	57
Drug Arrests	104	140	109
Methamphetamine Lab Incidents	9	8	13
Violent Offenses	54	63	62
Property Offenses	594	591	417
Domestic Violence Reports	114	105	90

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	174	164	191
Violent Offenses	42	51	55
Alcohol Offenses	29	10	17
Drug Offenses	18	12	18
Status Offenses--Total	118	138	100
Truancy	36	63	42
Beyond Parental Control	32	16	18
Habitually Absent from Home	4	9	8
Injurious Behavior	16	11	13
Abuse/Neglect/Custody--Total	481	396	412
Abuse	72	52	87
Neglect	179	146	145
Custody Disputes	230	198	180

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	204	184	172
Parental Alcohol Use Related	6	5	7
Parental Drug Use Related	98	85	84
Parental Alcohol and Drug Use	12	2	6
Child Removed for Other Reason	88	92	75

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	29	30	33
Probation/Parole Admissions--Total	258	235	245
Probation/Parole Admissions--Drug	116	89	92
Probation/Parole Admissions--DWI	17	24	17
Prison Admissions--Total	133	161	147
Prison Admissions--Drug	53	51	53
Prison Admissions--DWI	8	19	9

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	33	32	28
Alcohol Package Carry-out Licenses	29	26	25

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# STODDARD COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	43	32	38
CSTAR Adolescent	23	29	23
CSTAR Women and Children	12	12	17
CSTAR General Adult	100	98	72
CSTAR Opioid	0	0	0
Primary Recovery Treatment	194	221	239
Clinical SATOP (CIP, YCIP, SROP)	33	26	24
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	118	128	155
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	47	33	54
- Weekend Intervention Program	17	39	43
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	*	0	0
Recovery Supports	126	46	14
Early Intervention	41	23	23

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	387	380	351	Alcohol	132	131	144
AGE				Marijuana / Hashish	116	114	113
Under 18	26	32	23	Cocaine (total)	5	5	6
18 to 24	73	71	78	- Crack	*	*	*
25 to 29	72	70	60	Stimulant (total)	58	49	36
30 to 34	71	64	61	- Methamphetamine	56	48	36
35 to 39	54	48	42	Heroin	5	6	*
40 to 44	29	40	31	Analgesic except Heroin	50	59	38
45 to 54	52	40	41	- Non-Prescription Methadone	0	*	0
55 and Over	10	15	15	PCP, LSD, other Hallucinogen	*	0	*
GENDER				Tranquilizer	14	11	9
Male	254	242	224	Inhalant	*	*	*
Female	133	138	127	Sedative	*	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	*
Caucasian	379	369	341	Average Age at First Use of Drug	17.7	18.0	17.5
African American	*	5	*	INJECTION DRUG USE			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	31	22	18
Asian / Pacific Islander	0	0	0	- Daily Injection Use	7	*	*
Hispanic	*	*	*	- Weekly Injection Use	9	8	*
Other Race / Two or More Races	*	5	5	- Less than Weekly Injection Use	15	12	13
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	141	156	142	0	218	211	183
High School Graduate or G.E.D.	201	183	170	1 or 2	115	98	104
Associate Degree or Some College	43	41	36	3 or More	54	71	64
Bachelor or Advanced Degree	*	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	62	69	40
Employed	120	127	109	School	0	0	0
Unemployed	176	141	129	Mental Health Provider	*	*	0
Not in Labor Force	91	112	113	Health Care Provider	6	10	7
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	220	203	221
Independent Living	340	335	310	Other Referral Source	97	97	83
Dependent Living	37	41	36	TREATMENT ACCOMMODATION			
Homeless	7	*	*	Pregnant when Admitted to any Episode	*	5	*
MARITAL / FAMILY STATUS				Military Veteran	17	19	23
Never Married	154	152	145	Special Education Services Needed	36	42	34
Married / Cohabiting	115	120	107	Co-Occurring Psychological Problem	135	103	97
Previously Married	118	108	99	Co-Occurring Developmental Problem	15	29	23

# STODDARD COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 20  
**CENSUS 2010** 29,968  
**2012 POPULATION ESTIMATE** 29,795

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	46	52	45
Anxiety Disorder	97	67	58
Dementia	*	0	*
Developmental Disorder	5	*	*
Impulse Control Disorder	45	27	43
Mood Disorder	335	264	239
Personality Disorder	64	48	38
Psychotic Disorder	50	48	43
Sexual Disorder	0	0	0
Other Diagnosis	26	10	17
Diagnosis Unknown	47	22	73

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	564	446	443	Less than High School Diploma	84	40	38
<b>AGE</b>				High School Grad or G.E.D.	55	49	36
Under 6	*	6	*	Associate Degree or Some College	14	13	15
6 to 9	41	20	20	Bachelor or Advanced Degree	5	*	*
10 to 13	44	34	39	Education Level Unknown	406	340	351
14 to 17	62	52	49	<b>EMPLOYMENT</b>			
18 to 24	48	40	42	Employed	20	7	7
25 to 29	48	26	25	Unemployed	116	99	83
30 to 34	49	39	37	Not in Labor Force	55	0	*
35 to 39	36	24	34	Employment Status Unknown	373	340	351
40 to 44	42	43	43	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	67	54	41	Independent Living	149	92	86
50 to 54	45	41	46	Dependent Living	57	50	8
55 to 59	34	33	26	Homeless	*	*	0
60 and Over	46	34	37	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	356	301	348
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	244	180	182	Self / Family / Friend	221	182	161
Female	320	266	261	School	6	6	*
Gender Unknown	0	0	0	Mental Health Provider	90	84	93
<b>RACE / ETHNICITY</b>				Health Care Provider	106	80	81
Caucasian	546	431	431	Court / Criminal Justice	45	33	40
African American	6	7	8	Other	96	58	55
Native American / Alaskan	0	0	0	Referral Source Unknown	0	*	10
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	561	441	424
Other Race	9	7	*	Civil	*	0	7
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	*	6	9	Commitment Type Unknown	0	*	10
Past or Current Military Service	*	*	6				



# STODDARD COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	49.4	42.3	Alcohol	71.2	79.7
Cigarettes	37.8	35.3	Cigarettes	75.3	80.1
Chewing Tobacco	18.7	18.3	Marijuana	69.6	78.1
Marijuana	16.0	12.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.6	94.6
Inhalants	6.1	10.8			
Prescription medications not prescribed for student	12.2	15.4	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	9.7	9.3	Were very sad	18.1	19.7
Methamphetamine	1.3	1.6	Were grouchy, irritable, or in a bad mood	26.7	26.1
Cocaine	3.6	2.1	Felt hopeless about the future	13.4	12.5
Heroin	0.6	1.0	Felt like not eating or eating more than usual	20.4	18.3
Hallucinogens	1.3	3.4	Slept a lot more or a lot less than usual	22.3	25.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.9	2.6	Had difficulty concentrating on school work	24.3	27.2
Steroids not prescribed for student	2.4	1.3			
Synthetic drugs (K2, bath salts, Spice, etc)	9.2		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	10.4	11.5
Alcohol	12.33	12.51	Made plan about how they would attempt suicide	5.5	8.2
Cigarettes	12.10	12.15	Attempted suicide	5.1	5.5
Marijuana	12.98	13.52	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.6	2.1
Inhalants	12.26	12.82			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	23.8	17.7	Were threatened/injured with weapon at school	5.9	7.4
Binge Alcohol (5 or more drinks on one occasion)	14.5	12.4	Were in a physical fight	27.2	22.9
Cigarettes	21.1	17.8	Were in a fight and had to be treated by a doctor or nurse	6.1	3.2
Chewing Tobacco	10.7	8.9			
Marijuana	3.8	6.5	<b>Percent of students in past 3 months who:</b>		
Inhalants	2.1	4.2	Were victims of mean rumors or lies spread at school	58.6	60.0
Prescription medications not prescribed for student	5.7	11.1	Had embarrassing or hurtful pictures/text of them posted on internet	10.3	12.7
Over-the-counter medications for non-medical use	4.2	5.6	Had embarrassing or hurtful pictures/text of them sent by cell phone	19.5	14.8
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	61.6	66.1
Alcohol	69.4	54.0			
Cigarettes	63.8	52.9	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	37.0	27.9	Spread mean rumors or lies about other kids at school	25.4	31.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.0	12.2	Posted on internet embarrassing or hurtful pictures/text of someone	5.0	7.6
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	8.4	9.4
Alcohol	40.0	30.3	Made fun of other people	58.2	67.3
Cigarettes	21.4	19.3			
Marijuana	10.6	9.1	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	73.5	75.8
Alcohol	54.8	61.5	School provides feedback to parents on positive student performance	44.8	43.1
Cigarettes	72.2	75.3	Teachers praise student for hard work	55.4	59.2
Marijuana	83.9	86.4	Rules are enforced fairly	60.7	68.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.4	96.1	Students of all races/ethnicities are treated equally	82.2	79.9
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	83.0	81.8	<b>Percent of students who agree that:</b>		
Cigarettes	91.8	88.5	Parents notice and comment on student's good work	86.8	85.6
Marijuana	97.7	95.1	Parents involve student in making family decisions	72.5	73.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0	98.4	It is important to be honest with parents regardless of consequences	88.2	88.4
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	79.0	77.6
Alcohol	66.3	49.6			
Cigarettes	69.6	54.4			
Marijuana	37.2	26.5			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.3	12.9			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# STONE COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	10
Adult Psychiatric	10
<b>FIPS COUNTY CODE</b>	209
<b>POPULATION</b>	
Census 2010	32,202
2012 Pop. Estimate	31,568

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	14,955	15,116	15,527
Employed	13,459	13,330	13,604
Unemployed	1,496	1,786	1,923
Unemployment Rate	10.0%	11.8%	12.4%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	1,300	1,321	1,384
Drop-outs	32	35	32
Drop-out Rate	2.5%	2.6%	2.3%
School Suspensions:			
Alcohol Incidents	6	9	4
Drug Incidents	21	40	29
Tobacco Incidents	0	0	1

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	246	288	265
Mother Reported Smoking while Pregnant	69	91	63

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	3	0	0
IDU and MSM <sup>1</sup>	*	0	0
IDU without MSM <sup>1</sup>	*	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	337	326	330
Suicides	7	3	4
Self-inflicted Injuries	24	31	33
Homicides	1	1	0
Assault Injuries	55	39	49
Alcohol Induced Deaths	1	3	1
Drug Induced Deaths	6	6	5
Smoking Attributable Deaths	67	60	68

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	112		
Alcohol Primary Diagnosis <sup>2</sup>	2		
Drug Primary Diagnosis <sup>2</sup>	8		
Alcohol Related Diagnosis	27	56	45
Drug Related Diagnosis	53	64	60
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	101		
Alcohol Primary Diagnosis <sup>2</sup>	33		
Drug Primary Diagnosis <sup>2</sup>	27		
Alcohol Related Diagnosis	126	95	114
Drug Related Diagnosis	103	82	88
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	170		
Alcohol Primary Diagnosis <sup>2</sup>	47		
Drug Primary Diagnosis <sup>2</sup>	44		
Alcohol Related Diagnosis	192	107	95
Drug Related Diagnosis	169	93	95

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	53	47	47
Fatal Crashes	3	4	2
Injury Crashes	23	26	22
Property Damage Crashes	27	17	23
Crash Fatalities	4	4	2
Crash Injuries	34	32	25
Drug Involved Crashes--Total	4	10	11
Fatal Crashes	0	2	1
Injury Crashes	2	6	3
Property Damage Crashes	2	2	7
Crash Fatalities	0	2	1
Crash Injuries	2	9	4

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	143	157	185
Liquor Law Arrests	11	38	39
Drug Arrests	146	141	145
Methamphetamine Lab Incidents	17	1	4
Violent Offenses	91	93	129
Property Offenses	693	698	663
Domestic Violence Reports	404	391	392

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	135	132	123
Violent Offenses	26	29	32
Alcohol Offenses	1	18	14
Drug Offenses	13	17	10
Status Offenses--Total	48	32	33
Truancy	1	0	1
Beyond Parental Control	14	3	8
Habitually Absent from Home	14	16	20
Injurious Behavior	19	13	4
Abuse/Neglect/Custody--Total	104	97	88
Abuse	20	10	10
Neglect	46	57	57
Custody Disputes	38	30	21

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	39	31	23
Parental Alcohol Use Related	1	4	1
Parental Drug Use Related	11	11	11
Parental Alcohol and Drug Use	1	4	0
Child Removed for Other Reason	26	12	11

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	117	96	74
Probation/Parole Admissions--Total	226	246	236
Probation/Parole Admissions--Drug	80	90	78
Probation/Parole Admissions--DWI	14	16	8
Prison Admissions--Total	107	107	120
Prison Admissions--Drug	42	36	38
Prison Admissions--DWI	4	3	6

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	39	42	42
Alcohol Package Carry-out Licenses	44	47	45

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# STONE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	37	44	59
CSTAR Adolescent	*	8	*
CSTAR Women and Children	6	*	5
CSTAR General Adult	13	32	20
CSTAR Opioid	0	0	0
Primary Recovery Treatment	59	67	95
Clinical SATOP (CIP, YCIP, SROP)	11	7	22
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	96	103	119
- Adolescent Diversion Education Program	0	0	*
- Offender Education Program	29	42	45
- Weekend Intervention Program	23	26	36
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	*
Compulsive Gambling	0	0	0
Recovery Supports	*	6	48
Early Intervention	*	*	7

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	127	152	170	Alcohol	58	70	89
AGE				Marijuana / Hashish	21	29	32
Under 18	*	9	5	Cocaine (total)	*	*	0
18 to 24	29	36	35	- Crack	0	*	0
25 to 29	30	20	34	Stimulant (total)	21	23	18
30 to 34	19	15	18	- Methamphetamine	21	23	18
35 to 39	6	19	17	Heroin	*	*	*
40 to 44	12	14	16	Analgesic except Heroin	20	22	21
45 to 54	15	30	36	- Non-Prescription Methadone	*	*	0
55 and Over	13	9	9	PCP, LSD, other Hallucinogen	*	*	0
GENDER				Tranquilizer	*	*	7
Male	79	108	118	Inhalant	0	0	0
Female	48	44	52	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	123	150	169	Average Age at First Use of Drug	16.1	16.6	16.3
African American	*	0	0	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	31	25	15
Asian / Pacific Islander	0	0	0	- Daily Injection Use	5	6	7
Hispanic	*	0	*	- Weekly Injection Use	10	5	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	16	14	5
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	41	51	50	0	60	79	78
High School Graduate or G.E.D.	58	72	86	1 or 2	47	44	59
Associate Degree or Some College	26	27	32	3 or More	20	29	33
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	63	72	74
Employed	30	37	54	School	0	0	0
Unemployed	77	70	81	Mental Health Provider	0	0	*
Not in Labor Force	20	45	35	Health Care Provider	5	*	6
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	51	70	88
Independent Living	107	128	152	Other Referral Source	6	6	*
Dependent Living	11	20	15	TREATMENT ACCOMMODATION			
Homeless	8	*	*	Pregnant when Admitted to any Episode	0	*	*
MARITAL / FAMILY STATUS				Military Veteran	8	10	8
Never Married	65	73	75	Special Education Services Needed	*	7	*
Married / Cohabiting	35	37	46	Co-Occurring Psychological Problem	29	28	37
Previously Married	27	42	49	Co-Occurring Developmental Problem	0	*	*

# STONE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 10  
**CENSUS 2010** 32,202  
**2012 POPULATION ESTIMATE** 31,568

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	15	12	*
Anxiety Disorder	33	25	14
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	15	11	*
Mood Disorder	78	88	61
Personality Disorder	24	23	15
Psychotic Disorder	33	41	28
Sexual Disorder	0	0	0
Other Diagnosis	15	11	7
Diagnosis Unknown	25	19	50

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	161	162	144	Less than High School Diploma	35	20	*
<b>AGE</b>				High School Grad or G.E.D.	25	20	*
Under 6	*	*	6	Associate Degree or Some College	7	*	*
6 to 9	7	8	8	Bachelor or Advanced Degree	6	*	0
10 to 13	18	17	13	Education Level Unknown	88	116	136
14 to 17	16	8	12	<b>EMPLOYMENT</b>			
18 to 24	7	8	9	Employed	15	10	*
25 to 29	10	11	11	Unemployed	47	36	5
30 to 34	11	18	11	Not in Labor Force	19	*	0
35 to 39	11	10	14	Employment Status Unknown	80	113	136
40 to 44	19	20	16	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	25	24	19	Independent Living	50	31	5
50 to 54	15	20	11	Dependent Living	39	29	6
55 to 59	12	5	5	Homeless	0	*	0
60 and Over	8	10	9	Other	*	*	0
Age Unknown	0	0	0	Housing Unknown	71	99	133
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	81	87	68	Self / Family / Friend	91	105	96
Female	80	75	76	School	*	*	0
Gender Unknown	0	0	0	Mental Health Provider	7	6	7
<b>RACE / ETHNICITY</b>				Health Care Provider	24	20	7
Caucasian	150	151	134	Court / Criminal Justice	10	5	*
African American	*	*	0	Other	24	22	27
Native American / Alaskan	*	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	153	155	138
Other Race	*	6	6	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	5	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				

# STONE COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012


	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	40.2	43.6	Alcohol	74.8	74.2
Cigarettes	23.2	29.8	Cigarettes	84.6	78.1
Chewing Tobacco	22.7	18.9	Marijuana	79.2	77.3
Marijuana	14.2	15.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.1	93.6
Inhalants	6.1	7.8			
Prescription medications not prescribed for student	9.5	10.8	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	6.9	7.7	Were very sad	20.3	29.0
Methamphetamine	2.9	0.9	Were grouchy, irritable, or in a bad mood	26.7	32.7
Cocaine	3.3	1.4	Felt hopeless about the future	11.3	16.9
Heroin	2.1	0.2	Felt like not eating or eating more than usual	15.2	26.3
Hallucinogens	3.1	2.7	Slept a lot more or a lot less than usual	19.8	33.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	4.1	2.4	Had difficulty concentrating on school work	24.6	29.9
Steroids not prescribed for student	2.3	1.5			
Synthetic drugs (K2, bath salts, Spice, etc)	7.8		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	9.4	10.4
Alcohol	12.48	12.41	Made plan about how they would attempt suicide	7.6	7.2
Cigarettes	12.60	12.42	Attempted suicide	4.7	4.5
Marijuana	13.39	13.28	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.3	1.5
Inhalants	13.18	12.56			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	16.6	17.4	Were threatened/injured with weapon at school	7.1	8.7
Binge Alcohol (5 or more drinks on one occasion)	11.0	11.5	Were in a physical fight	19.4	25.3
Cigarettes	10.5	17.0	Were in a fight and had to be treated by a doctor or nurse	3.9	4.2
Chewing Tobacco	12.7	11.3			
Marijuana	8.1	8.4	<b>Percent of students in past 3 months who:</b>		
Inhalants	3.9	3.9	Were victims of mean rumors or lies spread at school	53.1	54.7
Prescription medications not prescribed for student	4.2	6.3	Had embarrassing or hurtful pictures/text of them posted on internet	12.7	10.3
Over-the-counter medications for non-medical use	3.2	4.1	Had embarrassing or hurtful pictures/text of them sent by cell phone	16.7	13.4
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	61.7	66.5
Alcohol	51.1	57.7			
Cigarettes	41.8	51.8	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	26.7	35.4	Spread mean rumors or lies about other kids at school	25.5	29.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.8	17.5	Posted on internet embarrassing or hurtful pictures/text of someone	3.2	7.4
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	8.6	9.3
Alcohol	27.1	28.8	Made fun of other people	60.6	68.7
Cigarettes	12.5	17.4			
Marijuana	9.3	12.2	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	54.8	73.2
Alcohol	67.0	64.8	School provides feedback to parents on positive student performance	31.6	45.1
Cigarettes	80.4	76.4	Teachers praise student for hard work	46.5	58.9
Marijuana	85.7	83.0	Rules are enforced fairly	48.2	61.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.8	94.2	Students of all races/ethnicities are treated equally	77.0	79.5
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	83.2	79.2	<b>Percent of students who agree that:</b>		
Cigarettes	91.2	88.3	Parents notice and comment on student's good work	83.1	85.5
Marijuana	95.3	93.0	Parents involve student in making family decisions	70.8	72.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.8	97.9	It is important to be honest with parents regardless of consequences	91.1	86.9
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	81.3	80.6
Alcohol	54.0	53.4			
Cigarettes	55.0	56.3			
Marijuana	33.0	34.7			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.6	16.7			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# SULLIVAN COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	13
Adult Psychiatric	13
<b>FIPS COUNTY CODE</b>	211
<b>POPULATION</b>	
Census 2010	6,714
2012 Pop. Estimate	6,546

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	3,370	3,451	3,586
Employed	3,185	3,216	3,333
Unemployed	185	235	253
Unemployment Rate	5.5%	6.8%	7.1%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	306	340	332
Drop-outs	3	12	6
Drop-out Rate	1.0%	3.5%	1.8%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	1	2	4
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	88	90	96
Mother Reported Smoking while Pregnant	15	22	18

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	1	0
IDU and MSM <sup>1</sup>	0	*	0
IDU without MSM <sup>1</sup>	0	*	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	69	81	79
Suicides	0	4	1
Self-inflicted Injuries	12	11	10
Homicides	0	0	0
Assault Injuries	23	16	17
Alcohol Induced Deaths	1	0	0
Drug Induced Deaths	0	1	0
Smoking Attributable Deaths	13	16	16

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	42		
Alcohol Primary Diagnosis <sup>2</sup>	4		
Drug Primary Diagnosis <sup>2</sup>	7		
Alcohol Related Diagnosis	27	21	10
Drug Related Diagnosis	21	13	14
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	12		
Alcohol Primary Diagnosis <sup>2</sup>	5		
Drug Primary Diagnosis <sup>2</sup>	0		
Alcohol Related Diagnosis	8	5	12
Drug Related Diagnosis	8	1	6
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	50		
Alcohol Primary Diagnosis <sup>2</sup>	12		
Drug Primary Diagnosis <sup>2</sup>	7		
Alcohol Related Diagnosis	23	21	24
Drug Related Diagnosis	23	37	20

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	11	9	18
Fatal Crashes	1	0	1
Injury Crashes	4	5	11
Property Damage Crashes	6	4	6
Crash Fatalities	1	0	1
Crash Injuries	6	7	14
Drug Involved Crashes--Total	0	0	2
Fatal Crashes	0	0	0
Injury Crashes	0	0	2
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	0
Crash Injuries	0	0	1

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	31	33	47
Liquor Law Arrests	8	11	5
Drug Arrests	15	8	11
Methamphetamine Lab Incidents	4	1	0
Violent Offenses	13	20	14
Property Offenses	81	71	91
Domestic Violence Reports	36	46	51

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	40	21	37
Violent Offenses	4	7	8
Alcohol Offenses	8	2	3
Drug Offenses	4	1	3
Status Offenses--Total	141	96	70
Truancy	95	55	42
Beyond Parental Control	15	8	13
Habitually Absent from Home	1	0	1
Injurious Behavior	30	33	14
Abuse/Neglect/Custody--Total	21	38	25
Abuse	3	5	5
Neglect	18	33	19
Custody Disputes	0	0	1

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	9	11	11
Parental Alcohol Use Related	4	0	0
Parental Drug Use Related	1	4	3
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	4	7	8

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	13	12	15
Probation/Parole Admissions--Total	42	44	48
Probation/Parole Admissions--Drug	8	13	18
Probation/Parole Admissions--DWI	3	5	8
Prison Admissions--Total	26	25	26
Prison Admissions--Drug	9	8	10
Prison Admissions--DWI	2	1	3

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	9	8	8
Alcohol Package Carry-out Licenses	8	8	5

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# SULLIVAN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	*	*	5
CSTAR Adolescent	10	*	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	40	42	24
CSTAR Opioid	0	0	0
Primary Recovery Treatment	6	*	35
Clinical SATOP (CIP, YCIP, SROP)	7	10	6
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	25	42	30
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	6	11	12
- Weekend Intervention Program	8	6	*
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	*	*
Compulsive Gambling	0	0	0
Recovery Supports	0	0	6
Early Intervention	*	11	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	73	61	69	Alcohol	32	26	36
AGE				Marijuana / Hashish	19	14	16
Under 18	10	*	*	Cocaine (total)	*	*	*
18 to 24	11	14	18	- Crack	0	0	*
25 to 29	13	16	15	Stimulant (total)	13	7	5
30 to 34	10	10	8	- Methamphetamine	12	7	5
35 to 39	11	9	8	Heroin	*	*	*
40 to 44	6	*	5	Analgesic except Heroin	*	5	9
45 to 54	11	6	11	- Non-Prescription Methadone	0	0	0
55 and Over	*	0	0	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	*
Male	51	46	55	Inhalant	0	0	0
Female	22	15	14	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	5	0
Caucasian	61	54	63	Average Age at First Use of Drug	17.0	17.1	17.3
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	6	6	6
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	*	*
Hispanic	10	5	*	- Weekly Injection Use	*	0	*
Other Race / Two or More Races	*	0	*	- Less than Weekly Injection Use	*	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	37	20	20	0	42	37	42
High School Graduate or G.E.D.	29	34	45	1 or 2	18	15	18
Associate Degree or Some College	7	7	*	3 or More	13	9	9
Bachelor or Advanced Degree	0	0	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	11	9	17
Employed	25	29	15	School	0	*	0
Unemployed	26	22	34	Mental Health Provider	0	0	0
Not in Labor Force	22	10	20	Health Care Provider	*	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	49	46	44
Independent Living	57	57	60	Other Referral Source	6	*	5
Dependent Living	12	*	6	TREATMENT ACCOMMODATION			
Homeless	*	0	*	Pregnant when Admitted to any Episode	0	*	0
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	45	29	39	Special Education Services Needed	8	5	5
Married / Cohabiting	14	12	14	Co-Occurring Psychological Problem	30	14	17
Previously Married	14	20	16	Co-Occurring Developmental Problem	5	0	*

# SULLIVAN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 13  
**CENSUS 2010** 6,714  
**2012 POPULATION ESTIMATE** 6,546

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	5	6
Anxiety Disorder	25	25	27
Dementia	0	0	0
Developmental Disorder	*	*	*
Impulse Control Disorder	10	10	8
Mood Disorder	37	35	37
Personality Disorder	*	5	7
Psychotic Disorder	5	7	5
Sexual Disorder	0	0	0
Other Diagnosis	5	8	9
Diagnosis Unknown	7	8	15

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	61	68	80	Less than High School Diploma	8	9	*
<b>AGE</b>				High School Grad or G.E.D.	12	14	12
Under 6	0	*	*	Associate Degree or Some College	5	7	7
6 to 9	5	5	5	Bachelor or Advanced Degree	0	0	0
10 to 13	5	7	*	Education Level Unknown	36	38	59
14 to 17	*	*	7	<b>EMPLOYMENT</b>			
18 to 24	*	6	10	Employed	6	*	*
25 to 29	10	7	9	Unemployed	19	26	19
30 to 34	*	8	6	Not in Labor Force	*	*	0
35 to 39	*	*	*	Employment Status Unknown	32	38	59
40 to 44	9	10	10	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	6	7	11	Independent Living	26	29	21
50 to 54	5	7	5	Dependent Living	5	7	*
55 to 59	5	5	*	Homeless	0	0	0
60 and Over	*	*	5	Other	*	0	0
Age Unknown	0	0	0	Housing Unknown	29	32	58
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	27	32	42	Self / Family / Friend	26	28	33
Female	34	36	38	School	*	0	0
Gender Unknown	0	0	0	Mental Health Provider	7	12	15
<b>RACE / ETHNICITY</b>				Health Care Provider	16	13	9
Caucasian	57	63	75	Court / Criminal Justice	*	*	*
African American	*	*	*	Other	7	10	17
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	59	66	78
Other Race	0	0	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	*	*	*
Past or Current Military Service	*	*	*				


# SULLIVAN COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	55.5	47.5	Alcohol	64.5	77.9
Cigarettes	38.5	39.7	Cigarettes	69.7	70.7
Chewing Tobacco	20.9	30.7	Marijuana	65.1	58.6
Marijuana	17.4	13.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	90.9	86.5
Inhalants	5.5	2.9	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	8.3	12.8	Were very sad	18.3	10.8
Over-the-counter medications for non-medical use	5.5	5.8	Were grouchy, irritable, or in a bad mood	27.5	17.4
Methamphetamine	0.0	0.7	Felt hopeless about the future	9.2	7.2
Cocaine	1.9	1.4	Felt like not eating or eating more than usual	13.0	15.8
Heroin	0.0	0.0	Slept a lot more or a lot less than usual	16.7	25.4
Hallucinogens	2.8	2.9	Had difficulty concentrating on school work	17.4	29.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.8	0.7	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	0.9	1.4	Seriously considered attempting suicide	8.3	10.7
Synthetic drugs (K2, bath salts, Spice, etc)	6.4		Made plan about how they would attempt suicide	8.3	8.5
<b>Average age of students' first use of:</b>			Attempted suicide	3.7	6.4
Alcohol	12.58	12.40	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.9	3.5
Cigarettes	13.33	12.62	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.69	14.22	Were threatened/injured with weapon at school	7.3	10.6
Inhalants	12.84		Were in a physical fight	26.4	30.3
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	4.6	7.9
Alcohol	20.0	24.1	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	11.9	17.0	Were victims of mean rumors or lies spread at school	50.5	64.7
Cigarettes	19.1	21.3	Had embarrassing or hurtful pictures/text of them posted on internet	9.3	15.4
Chewing Tobacco	12.7	20.7	Had embarrassing or hurtful pictures/text of them sent by cell phone	14.8	17.7
Marijuana	8.3	5.8	Were made fun of by others	56.9	70.2
Inhalants	1.8	1.4	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	4.6	5.7	Spread mean rumors or lies about other kids at school	23.9	33.3
Over-the-counter medications for non-medical use	3.7	4.3	Posted on internet embarrassing or hurtful pictures/text of someone	6.5	14.2
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	7.4	15.6
Alcohol	58.7	67.4	Made fun of other people	58.3	77.3
Cigarettes	56.0	65.2	<b>Percent of students who agree that:</b>		
Marijuana	32.1	24.8	Teachers notice and comment on student's good work	70.4	74.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	9.1	17.3	School provides feedback to parents on positive student performance	45.9	61.0
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	54.1	56.1
Alcohol	42.2	41.3	Rules are enforced fairly	55.5	60.7
Cigarettes	27.5	24.8	Students of all races/ethnicities are treated equally	70.4	57.6
Marijuana	13.8	6.5	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	82.6	80.9
Alcohol	49.1	46.8	Parents involve student in making family decisions	70.6	67.4
Cigarettes	66.4	66.9	It is important to be honest with parents regardless of consequences	86.4	78.0
Marijuana	77.8	85.8	Student could ask parent for help with a personal problem	82.6	70.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.3	94.3	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	70.8	69.8	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	83.3	83.6	Percentages are estimates based on weighted data.		
Marijuana	90.8	95.0	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	96.4	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	60.6	57.4			
Cigarettes	59.6	65.2			
Marijuana	36.4	29.3			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.7	15.8			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# TANEY COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	10
Adult Psychiatric	10
<b>FIPS COUNTY CODE</b>	213
<b>POPULATION</b>	
Census 2010	51,675
2012 Pop. Estimate	52,956

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	28,066	27,986	27,357
Employed	25,289	24,588	23,899
Unemployed	2,777	3,398	3,458
Unemployment Rate	9.9%	12.1%	12.6%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	2,394	2,359	2,362
Drop-outs	27	57	40
Drop-out Rate	1.1%	2.4%	1.7%
School Suspensions:			
Alcohol Incidents	7	6	8
Drug Incidents	28	30	30
Tobacco Incidents	1	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	639	609	700
Mother Reported Smoking while Pregnant	170	163	174

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	2	6	3
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	499	461	434
Suicides	9	8	9
Self-inflicted Injuries	109	121	104
Homicides	0	1	0
Assault Injuries	122	172	111
Alcohol Induced Deaths	6	7	3
Drug Induced Deaths	2	5	5
Smoking Attributable Deaths	82	91	93

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	317		
Alcohol Primary Diagnosis <sup>2</sup>	21		
Drug Primary Diagnosis <sup>2</sup>	13		
Alcohol Related Diagnosis	97	118	119
Drug Related Diagnosis	134	176	133
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	165		
Alcohol Primary Diagnosis <sup>2</sup>	119		
Drug Primary Diagnosis <sup>2</sup>	56		
Alcohol Related Diagnosis	305	241	255
Drug Related Diagnosis	260	201	139
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	498		
Alcohol Primary Diagnosis <sup>2</sup>	253		
Drug Primary Diagnosis <sup>2</sup>	166		
Alcohol Related Diagnosis	890	435	324
Drug Related Diagnosis	708	305	195

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	61	95	117
Fatal Crashes	0	3	1
Injury Crashes	28	47	62
Property Damage Crashes	33	45	54
Crash Fatalities	0	4	1
Crash Injuries	33	66	71
Drug Involved Crashes--Total	10	13	12
Fatal Crashes	0	0	0
Injury Crashes	5	9	10
Property Damage Crashes	5	4	2
Crash Fatalities	0	0	0
Crash Injuries	5	15	10

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	231	302	366
Liquor Law Arrests	43	124	129
Drug Arrests	211	306	252
Methamphetamine Lab Incidents	12	8	5
Violent Offenses	279	257	280
Property Offenses	2,085	1,887	1,653
Domestic Violence Reports	467	638	562

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	263	283	289
Violent Offenses	60	88	97
Alcohol Offenses	3	22	16
Drug Offenses	32	37	19
Status Offenses--Total	115	105	128
Truancy	7	9	6
Beyond Parental Control	42	45	41
Habitually Absent from Home	26	17	30
Injurious Behavior	40	33	48
Abuse/Neglect/Custody--Total	113	135	133
Abuse	21	44	22
Neglect	68	68	93
Custody Disputes	24	23	18

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	88	106	99
Parental Alcohol Use Related	2	5	3
Parental Drug Use Related	28	16	16
Parental Alcohol and Drug Use	6	7	2
Child Removed for Other Reason	52	78	78

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	47	27	17
Probation/Parole Admissions--Total	436	414	379
Probation/Parole Admissions--Drug	123	120	104
Probation/Parole Admissions--DWI	18	11	14
Prison Admissions--Total	229	214	155
Prison Admissions--Drug	72	70	40
Prison Admissions--DWI	8	9	10

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	129	125	125
Alcohol Package Carry-out Licenses	67	68	63

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# TANEY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	229	282	267
CSTAR Adolescent	20	14	18
CSTAR Women and Children	31	18	38
CSTAR General Adult	110	97	84
CSTAR Opioid	0	*	0
Primary Recovery Treatment	160	189	279
Clinical SATOP (CIP, YCIP, SROP)	42	31	33
Other Substance Abuse Treatment	*	0	0


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	218	202	343
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	59	75	145
- Weekend Intervention Program	35	56	97
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	*	*	10
Compulsive Gambling	0	*	0
Recovery Supports	163	115	297
Early Intervention	*	15	10

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	453	434	519	Alcohol	208	195	225
<b>AGE</b>				Marijuana / Hashish	38	65	88
Under 18	20	15	20	Cocaine (total)	9	10	8
18 to 24	81	91	117	- Crack	5	7	*
25 to 29	70	70	92	Stimulant (total)	108	77	85
30 to 34	66	54	70	- Methamphetamine	106	74	84
35 to 39	46	35	54	Heroin	15	18	21
40 to 44	52	39	53	Analgesic except Heroin	57	61	77
45 to 54	93	100	96	- Non-Prescription Methadone	*	*	*
55 and Over	25	30	17	PCP, LSD, other Hallucinogen	*	*	*
<b>GENDER</b>				Tranquilizer	10	*	7
Male	295	276	341	Inhalant	0	*	*
Female	158	158	178	Sedative	*	0	*
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	*	*
Caucasian	432	415	491	Average Age at First Use of Drug	16.6	16.2	16.7
African American	5	7	10	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	124	102	107
Asian / Pacific Islander	*	0	*	- Daily Injection Use	38	26	36
Hispanic	9	8	17	- Weekly Injection Use	46	29	30
Other Race / Two or More Races	9	5	7	- Less than Weekly Injection Use	40	47	41
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	125	121	180	0	226	223	271
High School Graduate or G.E.D.	210	199	215	1 or 2	149	143	156
Associate Degree or Some College	111	106	116	3 or More	78	68	92
Bachelor or Advanced Degree	7	8	8	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	266	255	257
Employed	135	123	147	School	*	0	0
Unemployed	229	204	243	Mental Health Provider	*	*	7
Not in Labor Force	89	107	129	Health Care Provider	6	11	11
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	158	150	219
Independent Living	319	312	417	Other Referral Source	19	16	25
Dependent Living	73	59	65	<b>TREATMENT ACCOMMODATION</b>			
Homeless	55	56	33	Pregnant when Admitted to any Episode	7	6	6
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	27	37	30
Never Married	207	191	259	Special Education Services Needed	18	19	12
Married / Cohabiting	100	102	122	Co-Occurring Psychological Problem	106	100	111
Previously Married	146	141	138	Co-Occurring Developmental Problem	12	5	8

# TANEY COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 10  
**CENSUS 2010** 51,675  
**2012 POPULATION ESTIMATE** 52,956

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	17	25	22
Anxiety Disorder	131	125	88
Dementia	*	*	*
Developmental Disorder	7	12	8
Impulse Control Disorder	52	52	28
Mood Disorder	233	226	181
Personality Disorder	40	54	43
Psychotic Disorder	62	69	62
Sexual Disorder	*	*	*
Other Diagnosis	43	45	33
Diagnosis Unknown	48	57	114

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	396	423	413	Less than High School Diploma	63	41	14
<b>AGE</b>				High School Grad or G.E.D.	78	62	11
Under 6	6	8	9	Associate Degree or Some College	23	22	9
6 to 9	24	32	40	Bachelor or Advanced Degree	9	6	*
10 to 13	30	36	38	Education Level Unknown	223	292	377
14 to 17	34	40	43	<b>EMPLOYMENT</b>			
18 to 24	21	22	30	Employed	26	14	11
25 to 29	37	39	38	Unemployed	133	117	26
30 to 34	39	46	34	Not in Labor Force	36	*	0
35 to 39	36	42	29	Employment Status Unknown	201	291	376
40 to 44	42	43	33	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	48	50	49	Independent Living	130	93	24
50 to 54	35	25	35	Dependent Living	63	79	21
55 to 59	26	20	16	Homeless	*	*	*
60 and Over	18	20	19	Other	8	10	7
Age Unknown	0	0	0	Housing Unknown	192	239	359
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	186	207	212	Self / Family / Friend	247	298	287
Female	210	216	201	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	18	17	24
<b>RACE / ETHNICITY</b>				Health Care Provider	40	21	19
Caucasian	357	389	374	Court / Criminal Justice	23	22	15
African American	7	7	6	Other	63	57	56
Native American / Alaskan	*	0	0	Referral Source Unknown	*	5	9
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	6	6	9	Voluntary	377	400	389
Other Race	22	19	21	Civil	10	15	10
Race/Ethnicity Unknown	0	0	0	Criminal	6	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	10	15	10	Commitment Type Unknown	*	6	10
Past or Current Military Service	7	8	9				



# TANEY COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	30.5	38.3	Alcohol	79.4	77.6
Cigarettes	20.8	29.0	Cigarettes	88.3	81.2
Chewing Tobacco	8.5	13.7	Marijuana	77.8	80.3
Marijuana	12.2	14.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.0	93.9
Inhalants	6.1	7.2			
Prescription medications not prescribed for student	7.9	11.9	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	5.7	7.4	Were very sad	21.2	9.9
Methamphetamine	1.3	1.3	Were grouchy, irritable, or in a bad mood	22.7	17.8
Cocaine	2.0	2.0	Felt hopeless about the future	10.6	7.9
Heroin	1.3	1.1	Felt like not eating or eating more than usual	17.5	8.8
Hallucinogens	2.9	3.8	Slept a lot more or a lot less than usual	19.7	21.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.7	2.5	Had difficulty concentrating on school work	19.0	28.0
Steroids not prescribed for student	0.8	1.4			
Synthetic drugs (K2, bath salts, Spice, etc)	6.1		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	13.1	14.7
Alcohol	11.62	11.99	Made plan about how they would attempt suicide	11.0	10.7
Cigarettes	11.37	11.50	Attempted suicide	6.1	6.5
Marijuana	12.55	12.63	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.4	3.6
Inhalants	11.25	12.09			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	11.7	14.7	Were threatened/injured with weapon at school	7.5	13.3
Binge Alcohol (5 or more drinks on one occasion)	5.1	7.8	Were in a physical fight	20.5	24.4
Cigarettes	8.9	15.7	Were in a fight and had to be treated by a doctor or nurse	3.3	4.8
Chewing Tobacco	4.3	6.7			
Marijuana	5.3	6.5	<b>Percent of students in past 3 months who:</b>		
Inhalants	2.2	2.9	Were victims of mean rumors or lies spread at school	50.6	61.3
Prescription medications not prescribed for student	3.8	5.7	Had embarrassing or hurtful pictures/text of them posted on internet	13.1	16.0
Over-the-counter medications for non-medical use	4.2	3.8	Had embarrassing or hurtful pictures/text of them sent by cell phone	15.8	17.8
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	59.8	71.4
Alcohol	42.2	52.1			
Cigarettes	39.9	50.8	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	30.0	34.9	Spread mean rumors or lies about other kids at school	25.8	31.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.6	19.6	Posted on internet embarrassing or hurtful pictures/text of someone	8.6	11.7
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.1	12.5
Alcohol	22.2	26.1	Made fun of other people	57.9	70.9
Cigarettes	12.3	15.2			
Marijuana	12.5	12.6	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	71.2	68.5
Alcohol	71.2	68.9	School provides feedback to parents on positive student performance	45.4	43.2
Cigarettes	83.3	78.7	Teachers praise student for hard work	59.2	54.3
Marijuana	82.8	83.3	Rules are enforced fairly	67.9	69.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.9	94.4	Students of all races/ethnicities are treated equally	78.7	80.8
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	86.0	81.7	<b>Percent of students who agree that:</b>		
Cigarettes	95.3	89.9	Parents notice and comment on student's good work	86.2	82.6
Marijuana	93.5	93.3	Parents involve student in making family decisions	72.1	72.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.5	97.3	It is important to be honest with parents regardless of consequences	87.9	83.6
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	77.5	75.7
Alcohol	47.3	53.8			
Cigarettes	46.3	57.0			
Marijuana	33.1	37.9			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.7	18.7			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# TEXAS COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	18
Adult Psychiatric	18
<b>FIPS COUNTY CODE</b>	215
<b>POPULATION</b>	
Census 2010	26,008
2012 Pop. Estimate	25,810

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	305	284	318
Mother Reported Smoking while Pregnant	81	90	84

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	254	283	265
Suicides	6	7	5
Self-inflicted Injuries	31	32	25
Homicides	3	1	3
Assault Injuries	17	22	19
Alcohol Induced Deaths	1	0	2
Drug Induced Deaths	2	1	2
Smoking Attributable Deaths	46	66	51

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	172		
Alcohol Primary Diagnosis <sup>2</sup>	5		
Drug Primary Diagnosis <sup>2</sup>	4		
Alcohol Related Diagnosis	39	57	39
Drug Related Diagnosis	63	72	36
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	41		
Alcohol Primary Diagnosis <sup>2</sup>	11		
Drug Primary Diagnosis <sup>2</sup>	11		
Alcohol Related Diagnosis	57	24	38
Drug Related Diagnosis	40	20	25
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	192		
Alcohol Primary Diagnosis <sup>2</sup>	28		
Drug Primary Diagnosis <sup>2</sup>	28		
Alcohol Related Diagnosis	75	75	63
Drug Related Diagnosis	76	62	43

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	31	38	33
Fatal Crashes	0	1	3
Injury Crashes	18	22	18
Property Damage Crashes	13	15	12
Crash Fatalities	0	1	3
Crash Injuries	25	41	24
Drug Involved Crashes--Total	1	11	7
Fatal Crashes	0	1	2
Injury Crashes	0	7	3
Property Damage Crashes	1	3	2
Crash Fatalities	0	1	1
Crash Injuries	0	11	4

## EMPLOYMENT

	2012	2011	2010
Labor Force	10,873	11,168	11,134
Employed	10,082	10,186	10,079
Unemployed	791	982	1,055
Unemployment Rate	7.3%	8.8%	9.5%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	1,208	1,204	1,213
Drop-outs	18	17	24
Drop-out Rate	1.5%	1.4%	2.0%
School Suspensions:			
Alcohol Incidents	4	5	2
Drug Incidents	17	8	7
Tobacco Incidents	0	2	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	216	178	97
Liquor Law Arrests	68	71	66
Drug Arrests	96	73	74
Methamphetamine Lab Incidents	13	11	6
Violent Offenses	20	21	30
Property Offenses	517	344	350
Domestic Violence Reports	54	50	62

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	153	136	126
Violent Offenses	45	28	43
Alcohol Offenses	11	8	14
Drug Offenses	7	15	11
Status Offenses--Total	375	448	374
Truancy	189	223	153
Beyond Parental Control	35	35	25
Habitually Absent from Home	9	14	22
Injurious Behavior	142	176	174
Abuse/Neglect/Custody--Total	479	323	264
Abuse	137	92	84
Neglect	322	208	164
Custody Disputes	20	23	16

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	20	26	49
Parental Alcohol Use Related	1	3	6
Parental Drug Use Related	10	7	13
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	9	16	30

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	18	21	20
Probation/Parole Admissions--Total	181	147	151
Probation/Parole Admissions--Drug	49	35	49
Probation/Parole Admissions--DWI	17	9	9
Prison Admissions--Total	90	84	104
Prison Admissions--Drug	25	20	27
Prison Admissions--DWI	6	7	12

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	16	15	16
Alcohol Package Carry-out Licenses	22	23	19

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# TEXAS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	28	18	8
CSTAR Adolescent	9	11	16
CSTAR Women and Children	*	5	11
CSTAR General Adult	41	44	36
CSTAR Opioid	0	0	0
Primary Recovery Treatment	66	96	100
Clinical SATOP (CIP, YCIP, SROP)	30	17	12
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	124	112	103
- Adolescent Diversion Education Program	*	0	0
- Offender Education Program	49	44	29
- Weekend Intervention Program	22	26	32
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	5
Compulsive Gambling	0	0	0
Recovery Supports	*	*	5
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	145	167	162	Alcohol	61	72	76
AGE				Marijuana / Hashish	26	41	41
Under 18	8	12	16	Cocaine (total)	0	0	0
18 to 24	32	34	34	- Crack	0	0	0
25 to 29	25	43	33	Stimulant (total)	23	15	18
30 to 34	28	27	18	- Methamphetamine	23	15	18
35 to 39	18	10	16	Heroin	*	5	*
40 to 44	13	14	17	Analgesic except Heroin	24	29	21
45 to 54	13	23	20	- Non-Prescription Methadone	0	0	0
55 and Over	8	*	8	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	*	*	0
Male	89	105	112	Inhalant	*	*	*
Female	56	62	50	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	*
Caucasian	141	163	153	Average Age at First Use of Drug	17.6	16.7	16.6
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	30	25	23
Asian / Pacific Islander	0	0	0	- Daily Injection Use	7	6	*
Hispanic	*	5	*	- Weekly Injection Use	10	*	5
Other Race / Two or More Races	*	0	*	- Less than Weekly Injection Use	13	16	17
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	58	72	77	0	75	101	90
High School Graduate or G.E.D.	60	71	58	1 or 2	45	51	41
Associate Degree or Some College	26	23	24	3 or More	25	15	31
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	41	28	27
Employed	31	46	28	School	0	0	0
Unemployed	55	89	81	Mental Health Provider	0	0	*
Not in Labor Force	59	32	53	Health Care Provider	6	5	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	87	116	113
Independent Living	134	150	143	Other Referral Source	11	18	18
Dependent Living	8	14	18	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	*
MARITAL / FAMILY STATUS				Military Veteran	7	*	7
Never Married	58	83	75	Special Education Services Needed	31	16	31
Married / Cohabiting	41	45	42	Co-Occurring Psychological Problem	48	42	66
Previously Married	46	39	45	Co-Occurring Developmental Problem	6	13	21

# TEXAS COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 18  
**CENSUS 2010** 26,008  
**2012 POPULATION ESTIMATE** 25,810

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2012	FY2011	FY2010
Adjustment Disorder	5	5	5
Anxiety Disorder	75	55	51
Dementia	0	0	*
Developmental Disorder	0	*	0
Impulse Control Disorder	29	18	13
Mood Disorder	148	119	117
Personality Disorder	*	*	6
Psychotic Disorder	22	19	19
Sexual Disorder	0	0	0
Other Diagnosis	8	*	8
Diagnosis Unknown	22	11	17

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2012	FY2011	FY2010	EDUCATION	FY2012	FY2011	FY2010
Total Individuals	220	180	186	Less than High School Diploma	31	27	12
<b>AGE</b>				High School Grad or G.E.D.	28	28	16
Under 6	0	*	*	Associate Degree or Some College	7	*	0
6 to 9	12	8	*	Bachelor or Advanced Degree	*	0	0
10 to 13	15	11	8	Education Level Unknown	153	121	158
14 to 17	18	21	19	<b>EMPLOYMENT</b>			
18 to 24	22	19	21	Employed	5	*	*
25 to 29	25	21	20	Unemployed	55	56	26
30 to 34	23	14	15	Not in Labor Force	38	0	0
35 to 39	18	11	15	Employment Status Unknown	122	120	157
40 to 44	19	16	21	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	22	18	21	Independent Living	77	55	22
50 to 54	22	20	21	Dependent Living	26	26	16
55 to 59	18	14	13	Homeless	*	0	*
60 and Over	6	6	8	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	115	98	146
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	107	91	97	Self / Family / Friend	84	71	72
Female	113	89	89	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	17	15	22
<b>RACE / ETHNICITY</b>				Health Care Provider	99	75	59
Caucasian	213	171	176	Court / Criminal Justice	8	8	16
African American	*	*	*	Other	12	10	16
Native American / Alaskan	0	0	0	Referral Source Unknown	0	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	217	178	178
Other Race	*	*	*	Civil	*	0	6
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	0	5	Commitment Type Unknown	0	*	*
Past or Current Military Service	8	7	6				

# TEXAS COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012


	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	36.9	46.7	Alcohol	67.6	74.6
Cigarettes	27.3	33.1	Cigarettes	75.6	73.0
Chewing Tobacco	22.7	28.6	Marijuana	79.9	72.4
Marijuana	8.8	11.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	90.8	90.1
Inhalants	5.9	8.1			
Prescription medications not prescribed for student	8.5	10.2	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	5.2	7.7	Were very sad	15.2	14.0
Methamphetamine	1.1	0.6	Were grouchy, irritable, or in a bad mood	24.0	19.1
Cocaine	0.5	0.2	Felt hopeless about the future	7.3	12.2
Heroin	0.3	0.6	Felt like not eating or eating more than usual	17.3	14.9
Hallucinogens	3.1	1.7	Slept a lot more or a lot less than usual	22.5	19.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.1	1.7	Had difficulty concentrating on school work	17.2	21.6
Steroids not prescribed for student	1.3	2.3			
Synthetic drugs (K2, bath salts, Spice, etc)	6.5		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	10.8	11.6
Alcohol	11.43	11.89	Made plan about how they would attempt suicide	7.3	10.4
Cigarettes	11.12	10.98	Attempted suicide	6.7	4.9
Marijuana	13.46	12.28	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.6	1.0
Inhalants	11.04	11.51			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	13.4	21.7	Were threatened/injured with weapon at school	3.9	12.0
Binge Alcohol (5 or more drinks on one occasion)	7.8	12.5	Were in a physical fight	21.2	32.4
Cigarettes	12.2	17.3	Were in a fight and had to be treated by a doctor or nurse	3.6	4.5
Chewing Tobacco	12.1	18.0			
Marijuana	5.4	4.2	<b>Percent of students in past 3 months who:</b>		
Inhalants	3.1	4.1	Were victims of mean rumors or lies spread at school	49.1	57.3
Prescription medications not prescribed for student	3.9	6.4	Had embarrassing or hurtful pictures/text of them posted on internet	9.1	12.1
Over-the-counter medications for non-medical use	2.1	5.4	Had embarrassing or hurtful pictures/text of them sent by cell phone	11.1	15.1
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	56.2	71.0
Alcohol	44.4	55.8			
Cigarettes	44.7	48.8	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	18.8	29.6	Spread mean rumors or lies about other kids at school	26.9	34.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.8	14.0	Posted on internet embarrassing or hurtful pictures/text of someone	8.0	8.4
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	7.3	11.9
Alcohol	23.6	35.6	Made fun of other people	59.1	70.2
Cigarettes	15.5	19.3			
Marijuana	8.0	8.2	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	71.8	72.2
Alcohol	66.9	58.0	School provides feedback to parents on positive student performance	47.3	42.3
Cigarettes	76.4	74.7	Teachers praise student for hard work	57.1	53.7
Marijuana	88.6	88.1	Rules are enforced fairly	67.4	60.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.5	96.3	Students of all races/ethnicities are treated equally	84.5	80.0
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	77.5	79.1	<b>Percent of students who agree that:</b>		
Cigarettes	90.3	86.9	Parents notice and comment on student's good work	79.8	86.2
Marijuana	94.7	95.6	Parents involve student in making family decisions	63.9	71.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.7	97.4	It is important to be honest with parents regardless of consequences	89.8	85.5
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	75.5	78.9
Alcohol	44.7	54.1			
Cigarettes	43.9	59.4			
Marijuana	19.3	28.7			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.3	14.0			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# VERNON COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	8
Adult Psychiatric	8B
<b>FIPS COUNTY CODE</b>	217
<b>POPULATION</b>	
Census 2010	21,159
2012 Pop. Estimate	20,748

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	9,514	9,669	9,575
Employed	8,956	8,970	8,822
Unemployed	558	699	753
Unemployment Rate	5.9%	7.2%	7.9%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	958	980	973
Drop-outs	41	38	34
Drop-out Rate	4.3%	3.9%	3.5%
School Suspensions:			
Alcohol Incidents	1	4	0
Drug Incidents	17	8	0
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	253	218	260
Mother Reported Smoking while Pregnant	53	51	69

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	265	243	221
Suicides	3	7	4
Self-inflicted Injuries	53	45	25
Homicides	1	1	3
Assault Injuries	70	76	90
Alcohol Induced Deaths	3	2	0
Drug Induced Deaths	2	4	1
Smoking Attributable Deaths	48	46	35

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	230		
Alcohol Primary Diagnosis <sup>2</sup>	9		
Drug Primary Diagnosis <sup>2</sup>	7		
Alcohol Related Diagnosis	76	77	60
Drug Related Diagnosis	80	82	71
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	128		
Alcohol Primary Diagnosis <sup>2</sup>	8		
Drug Primary Diagnosis <sup>2</sup>	10		
Alcohol Related Diagnosis	65	58	87
Drug Related Diagnosis	56	62	78
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	237		
Alcohol Primary Diagnosis <sup>2</sup>	32		
Drug Primary Diagnosis <sup>2</sup>	25		
Alcohol Related Diagnosis	94	82	80
Drug Related Diagnosis	70	87	67

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	23	13	29
Fatal Crashes	3	1	2
Injury Crashes	10	6	8
Property Damage Crashes	10	6	19
Crash Fatalities	4	1	2
Crash Injuries	17	7	9
Drug Involved Crashes--Total	1	4	1
Fatal Crashes	0	0	0
Injury Crashes	1	0	0
Property Damage Crashes	0	4	1
Crash Fatalities	0	0	0
Crash Injuries	0	0	0

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	253	238	134
Liquor Law Arrests	37	59	33
Drug Arrests	56	107	79
Methamphetamine Lab Incidents	2	2	7
Violent Offenses	94	93	87
Property Offenses	854	738	851
Domestic Violence Reports	176	178	186

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	222	186	242
Violent Offenses	63	68	118
Alcohol Offenses	19	8	17
Drug Offenses	10	10	7
Status Offenses--Total	151	131	136
Truancy	79	62	58
Beyond Parental Control	41	40	50
Habitually Absent from Home	27	21	17
Injurious Behavior	4	8	11
Abuse/Neglect/Custody--Total	122	149	155
Abuse	20	25	32
Neglect	100	124	120
Custody Disputes	2	0	3

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	14	22	10
Parental Alcohol Use Related	0	0	1
Parental Drug Use Related	4	7	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	10	15	9

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	29	29	32
Probation/Parole Admissions--Total	162	131	140
Probation/Parole Admissions--Drug	45	50	45
Probation/Parole Admissions--DWI	17	15	11
Prison Admissions--Total	63	56	71
Prison Admissions--Drug	20	14	17
Prison Admissions--DWI	3	5	3

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	18	18	21
Alcohol Package Carry-out Licenses	21	24	19

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# VERNON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	7	11	13
CSTAR Adolescent	7	*	10
CSTAR Women and Children	6	*	10
CSTAR General Adult	170	133	118
CSTAR Opioid	0	0	*
Primary Recovery Treatment	8	48	73
Clinical SATOP (CIP, YCIP, SROP)	21	12	7
Other Substance Abuse Treatment	*	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	105	102	105
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	43	59	47
- Weekend Intervention Program	19	27	31
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	9	9	12
Compulsive Gambling	0	0	0
Recovery Supports	*	6	16
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	209	182	172	Alcohol	87	79	68
AGE				Marijuana / Hashish	45	45	54
Under 18	8	6	9	Cocaine (total)	*	*	*
18 to 24	41	35	49	- Crack	0	0	*
25 to 29	43	34	29	Stimulant (total)	53	33	35
30 to 34	31	25	27	- Methamphetamine	50	33	34
35 to 39	17	22	13	Heroin	5	*	*
40 to 44	17	25	17	Analgesic except Heroin	17	17	10
45 to 54	45	30	21	- Non-Prescription Methadone	0	0	0
55 and Over	7	5	7	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	*	*	0
Male	130	115	115	Inhalant	0	*	0
Female	79	67	57	Sedative	0	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	0	*	0
Caucasian	204	174	167	Average Age at First Use of Drug	16.6	16.6	16.4
African American	*	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	29	16	33
Asian / Pacific Islander	0	*	0	- Daily Injection Use	*	*	*
Hispanic	*	*	*	- Weekly Injection Use	7	*	13
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	19	12	17
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	66	62	68	0	127	108	102
High School Graduate or G.E.D.	107	77	76	1 or 2	55	47	48
Associate Degree or Some College	34	40	25	3 or More	27	27	22
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	64	66	61
Employed	57	45	40	School	0	0	0
Unemployed	52	56	64	Mental Health Provider	6	5	*
Not in Labor Force	100	81	68	Health Care Provider	10	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	108	88	89
Independent Living	178	157	149	Other Referral Source	21	19	16
Dependent Living	12	11	16	TREATMENT ACCOMMODATION			
Homeless	6	9	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	7	8	*
Never Married	104	71	91	Special Education Services Needed	23	20	11
Married / Cohabiting	55	68	37	Co-Occurring Psychological Problem	49	80	75
Previously Married	50	43	44	Co-Occurring Developmental Problem	7	7	5

# VERNON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8B  
**CENSUS 2010** 21,159  
**2012 POPULATION ESTIMATE** 20,748

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	*	7
Anxiety Disorder	83	78	72
Dementia	*	*	*
Developmental Disorder	5	5	*
Impulse Control Disorder	37	43	33
Mood Disorder	159	175	170
Personality Disorder	26	23	29
Psychotic Disorder	55	46	44
Sexual Disorder	0	*	*
Other Diagnosis	19	25	19
Diagnosis Unknown	18	14	44

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	268	266	280	Less than High School Diploma	52	33	28
<b>AGE</b>				High School Grad or G.E.D.	60	62	41
Under 6	*	*	*	Associate Degree or Some College	14	14	12
6 to 9	14	15	10	Bachelor or Advanced Degree	*	*	7
10 to 13	14	15	21	Education Level Unknown	138	156	192
14 to 17	16	14	18	<b>EMPLOYMENT</b>			
18 to 24	22	26	30	Employed	11	14	6
25 to 29	37	32	32	Unemployed	106	92	78
30 to 34	27	26	19	Not in Labor Force	34	5	*
35 to 39	29	26	32	Employment Status Unknown	117	155	192
40 to 44	29	26	27	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	20	33	32	Independent Living	115	91	75
50 to 54	34	24	22	Dependent Living	28	39	14
55 to 59	12	14	15	Homeless	*	*	0
60 and Over	12	12	20	Other	*	7	*
Age Unknown	0	0	0	Housing Unknown	117	128	187
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	128	117	135	Self / Family / Friend	159	169	166
Female	140	149	145	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	35	36	47
<b>RACE / ETHNICITY</b>				Health Care Provider	38	23	19
Caucasian	257	257	269	Court / Criminal Justice	13	9	13
African American	*	*	5	Other	22	25	31
Native American / Alaskan	*	0	0	Referral Source Unknown	0	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	254	252	270
Other Race	*	*	5	Civil	10	6	5
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	9	8	10	Commitment Type Unknown	0	*	*
Past or Current Military Service	9	7	9				

# VERNON COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	45.9	46.1	Alcohol	61.5	80.8
Cigarettes	31.4	28.8	Cigarettes	75.8	83.9
Chewing Tobacco	19.3	21.1	Marijuana	71.1	69.9
Marijuana	15.7	9.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	91.8	93.5
Inhalants	4.5	5.3	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	10.6	8.9	Were very sad	20.2	22.7
Over-the-counter medications for non-medical use	6.2	6.1	Were grouchy, irritable, or in a bad mood	31.7	28.5
Methamphetamine	1.1	0.6	Felt hopeless about the future	10.6	14.3
Cocaine	0.9	1.5	Felt like not eating or eating more than usual	21.4	19.0
Heroin	0.6	0.6	Slept a lot more or a lot less than usual	22.1	25.7
Hallucinogens	2.2	1.1	Had difficulty concentrating on school work	26.7	33.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	1.5	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.4	1.5	Seriously considered attempting suicide	12.5	11.2
Synthetic drugs (K2, bath salts, Spice, etc)	11.2		Made plan about how they would attempt suicide	10.5	8.7
<b>Average age of students' first use of:</b>			Attempted suicide	3.9	5.4
Alcohol	12.52	12.18	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.2	1.5
Cigarettes	13.01	11.93	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.29	13.64	Were threatened/injured with weapon at school	7.6	12.1
Inhalants	13.77	11.63	Were in a physical fight	21.3	23.4
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	2.5	5.0
Alcohol	24.6	22.6	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	19.8	15.5	Were victims of mean rumors or lies spread at school	54.9	59.3
Cigarettes	18.2	11.7	Had embarrassing or hurtful pictures/text of them posted on internet	16.2	13.1
Chewing Tobacco	11.2	13.7	Had embarrassing or hurtful pictures/text of them sent by cell phone	22.1	16.0
Marijuana	7.0	2.7	Were made fun of by others	64.3	71.4
Inhalants	1.1	2.3	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	8.7	4.9	Spread mean rumors or lies about other kids at school	40.3	31.5
Over-the-counter medications for non-medical use	4.2	3.6	Posted on internet embarrassing or hurtful pictures/text of someone	13.5	7.5
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	17.3	12.5
Alcohol	58.3	59.5	Made fun of other people	68.5	71.4
Cigarettes	49.9	45.2	<b>Percent of students who agree that:</b>		
Marijuana	29.3	25.6	Teachers notice and comment on student's good work	64.4	69.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.2	13.3	School provides feedback to parents on positive student performance	31.7	42.7
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	50.1	55.2
Alcohol	43.0	36.5	Rules are enforced fairly	52.8	57.3
Cigarettes	20.7	13.0	Students of all races/ethnicities are treated equally	72.5	76.0
Marijuana	11.2	6.1	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	78.4	84.7
Alcohol	52.2	58.6	Parents involve student in making family decisions	64.4	71.9
Cigarettes	68.3	77.1	It is important to be honest with parents regardless of consequences	85.1	83.1
Marijuana	79.2	87.3	Student could ask parent for help with a personal problem	74.9	80.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.7	95.6	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	73.3	79.2	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	86.6	90.9	Percentages are estimates based on weighted data.		
Marijuana	94.6	96.4	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.6	98.3	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	60.8	59.2			
Cigarettes	57.7	58.7			
Marijuana	36.9	31.0			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	20.7	21.3			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# WARREN COUNTY



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	16
Adult Psychiatric	16
<b>FIPS COUNTY CODE</b>	219
<b>POPULATION</b>	
Census 2010	32,513
2012 Pop. Estimate	32,753

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	389	424	448
Mother Reported Smoking while Pregnant	87	105	103

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	0	1
IDU and MSM <sup>1</sup>	0	0	*
IDU without MSM <sup>1</sup>	0	0	*

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	243	256	268
Suicides	0	4	3
Self-inflicted Injuries	62	41	40
Homicides	2	0	3
Assault Injuries	99	97	88
Alcohol Induced Deaths	1	3	1
Drug Induced Deaths	5	3	9
Smoking Attributable Deaths	47	47	48

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	149		
Alcohol Primary Diagnosis <sup>2</sup>	11		
Drug Primary Diagnosis <sup>2</sup>	35		
Alcohol Related Diagnosis	85	109	79
Drug Related Diagnosis	103	126	91
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	252		
Alcohol Primary Diagnosis <sup>2</sup>	14		
Drug Primary Diagnosis <sup>2</sup>	17		
Alcohol Related Diagnosis	151	104	164
Drug Related Diagnosis	170	94	87
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	274		
Alcohol Primary Diagnosis <sup>2</sup>	35		
Drug Primary Diagnosis <sup>2</sup>	88		
Alcohol Related Diagnosis	98	88	87
Drug Related Diagnosis	233	199	93

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	34	32	31
Fatal Crashes	3	3	3
Injury Crashes	12	11	17
Property Damage Crashes	19	18	11
Crash Fatalities	3	3	3
Crash Injuries	26	12	22
Drug Involved Crashes--Total	5	5	4
Fatal Crashes	1	0	1
Injury Crashes	1	4	1
Property Damage Crashes	3	1	2
Crash Fatalities	1	0	1
Crash Injuries	1	4	1

## EMPLOYMENT

	2012	2011	2010
Labor Force	16,883	17,269	16,562
Employed	15,585	15,715	14,738
Unemployed	1,298	1,554	1,824
Unemployment Rate	7.7%	9.0%	11.0%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	1,354	1,413	1,398
Drop-outs	11	12	43
Drop-out Rate	0.8%	0.8%	3.1%
School Suspensions:			
Alcohol Incidents	0	2	1
Drug Incidents	14	20	13
Tobacco Incidents	0	1	1

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	236	225	207
Liquor Law Arrests	54	45	38
Drug Arrests	242	204	169
Methamphetamine Lab Incidents	32	32	26
Violent Offenses	99	76	103
Property Offenses	774	678	887
Domestic Violence Reports	340	334	278

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	150	85	131
Violent Offenses	11	19	32
Alcohol Offenses	8	9	20
Drug Offenses	13	7	17
Status Offenses--Total	136	127	126
Truancy	16	10	14
Beyond Parental Control	28	17	20
Habitually Absent from Home	18	9	26
Injurious Behavior	57	65	41
Abuse/Neglect/Custody--Total	96	63	110
Abuse	41	26	36
Neglect	54	35	73
Custody Disputes	1	2	1

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	44	30	27
Parental Alcohol Use Related	6	5	1
Parental Drug Use Related	5	7	8
Parental Alcohol and Drug Use	11	2	0
Child Removed for Other Reason	22	16	18

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	46	51	41
Probation/Parole Admissions--Total	354	350	359
Probation/Parole Admissions--Drug	127	134	133
Probation/Parole Admissions--DWI	27	33	29
Prison Admissions--Total	165	163	153
Prison Admissions--Drug	60	68	59
Prison Admissions--DWI	17	13	12

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	40	36	40
Alcohol Package Carry-out Licenses	26	24	24

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# WARREN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	29	15	15
CSTAR Adolescent	20	20	12
CSTAR Women and Children	25	21	30
CSTAR General Adult	88	24	6
CSTAR Opioid	*	*	*
Primary Recovery Treatment	23	57	161
Clinical SATOP (CIP, YCIP, SROP)	73	40	51
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	172	186	229
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	48	76	84
- Weekend Intervention Program	29	32	45
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	*	6
Compulsive Gambling	*	*	*
Recovery Supports	0	*	*
Early Intervention	*	0	12

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	218	162	248	Alcohol	103	59	114
AGE				Marijuana / Hashish	49	48	66
Under 18	20	18	12	Cocaine (total)	*	*	8
18 to 24	41	30	68	- Crack	*	*	7
25 to 29	33	36	45	Stimulant (total)	18	12	30
30 to 34	43	18	31	- Methamphetamine	17	11	30
35 to 39	21	11	25	Heroin	35	29	22
40 to 44	23	21	23	Analgesic except Heroin	5	6	7
45 to 54	28	22	36	- Non-Prescription Methadone	0	0	0
55 and Over	9	6	8	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	*	*	0
Male	149	118	169	Inhalant	0	0	0
Female	69	44	79	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	199	145	228	Average Age at First Use of Drug	17.1	17.5	16.9
African American	13	11	12	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	40	27	24
Asian / Pacific Islander	*	0	0	- Daily Injection Use	12	11	*
Hispanic	*	5	*	- Weekly Injection Use	11	9	6
Other Race / Two or More Races	*	*	7	- Less than Weekly Injection Use	17	7	15
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	82	66	99	0	98	84	119
High School Graduate or G.E.D.	96	65	113	1 or 2	78	56	89
Associate Degree or Some College	39	27	32	3 or More	42	22	40
Bachelor or Advanced Degree	*	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	35	32	33
Employed	71	43	81	School	0	*	0
Unemployed	92	65	117	Mental Health Provider	*	*	*
Not in Labor Force	55	54	50	Health Care Provider	5	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	162	104	188
Independent Living	179	135	223	Other Referral Source	13	19	21
Dependent Living	31	22	13	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	*	5
MARITAL / FAMILY STATUS				Military Veteran	11	6	8
Never Married	123	89	145	Special Education Services Needed	16	16	14
Married / Cohabiting	49	31	56	Co-Occurring Psychological Problem	72	55	80
Previously Married	46	42	47	Co-Occurring Developmental Problem	*	5	5

# WARREN COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Eastern  
**PSYCHIATRIC SERVICE AREA** 16  
**CENSUS 2010** 32,513  
**2012 POPULATION ESTIMATE** 32,753

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	13	12	10
Anxiety Disorder	249	198	163
Dementia	*	*	0
Developmental Disorder	16	16	11
Impulse Control Disorder	125	109	88
Mood Disorder	363	311	255
Personality Disorder	74	62	56
Psychotic Disorder	61	53	43
Sexual Disorder	*	*	*
Other Diagnosis	34	32	28
Diagnosis Unknown	27	33	24

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	521	441	359	Less than High School Diploma	111	97	65
<b>AGE</b>				High School Grad or G.E.D.	70	93	63
Under 6	7	6	*	Associate Degree or Some College	36	46	25
6 to 9	36	29	28	Bachelor or Advanced Degree	11	9	5
10 to 13	57	51	38	Education Level Unknown	293	196	201
14 to 17	57	42	30	<b>EMPLOYMENT</b>			
18 to 24	38	37	33	Employed	30	29	29
25 to 29	38	28	31	Unemployed	169	211	124
30 to 34	55	44	30	Not in Labor Force	72	6	7
35 to 39	43	35	24	Employment Status Unknown	250	195	199
40 to 44	37	34	32	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	51	48	32	Independent Living	248	237	153
50 to 54	51	43	32	Dependent Living	55	71	13
55 to 59	25	18	24	Homeless	0	5	*
60 and Over	26	26	21	Other	*	*	*
Age Unknown	0	0	0	Housing Unknown	216	125	190
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	226	203	171	Self / Family / Friend	125	61	64
Female	295	238	188	School	59	38	52
Gender Unknown	0	0	0	Mental Health Provider	33	41	49
<b>RACE / ETHNICITY</b>				Health Care Provider	51	26	21
Caucasian	482	411	332	Court / Criminal Justice	9	9	14
African American	17	16	15	Other	242	264	153
Native American / Alaskan	*	*	0	Referral Source Unknown	*	*	6
Asian / Pacific Islander	*	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	8	5	*	Voluntary	517	434	343
Other Race	11	8	9	Civil	0	*	8
Race/Ethnicity Unknown	0	0	0	Criminal	*	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	0
Hearing Impaired	14	10	11	Commitment Type Unknown	*	*	6
Past or Current Military Service	7	7	6				



# WARREN COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	50.9	43.3	Alcohol	61.5	72.5
Cigarettes	32.5	26.7	Cigarettes	78.5	78.4
Chewing Tobacco	10.9	10.8	Marijuana	61.5	70.2
Marijuana	24.3	16.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.4	92.9
Inhalants	5.5	5.2			
Prescription medications not prescribed for student	9.8	9.7	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	10.9	5.8	Were very sad	25.8	18.7
Methamphetamine	1.6	0.9	Were grouchy, irritable, or in a bad mood	29.4	24.5
Cocaine	3.3	0.9	Felt hopeless about the future	16.5	11.7
Heroin	3.0	0.4	Felt like not eating or eating more than usual	30.2	21.3
Hallucinogens	4.6	3.0	Slept a lot more or a lot less than usual	29.4	30.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	4.2	0.9	Had difficulty concentrating on school work	29.0	31.7
Steroids not prescribed for student	3.2	0.6			
Synthetic drugs (K2, bath salts, Spice, etc)	5.3		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	17.0	9.8
Alcohol	11.85	12.49	Made plan about how they would attempt suicide	17.4	8.0
Cigarettes	11.91	12.24	Attempted suicide	12.2	3.8
Marijuana	13.25	13.76	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	5.4	1.7
Inhalants	11.55	13.00			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	22.7	19.0	Were threatened/injured with weapon at school	11.2	8.6
Binge Alcohol (5 or more drinks on one occasion)	13.4	10.4	Were in a physical fight	22.3	21.4
Cigarettes	12.9	13.6	Were in a fight and had to be treated by a doctor or nurse	3.8	4.2
Chewing Tobacco	6.2	5.9			
Marijuana	12.6	7.5	<b>Percent of students in past 3 months who:</b>		
Inhalants	3.2	1.8	Were victims of mean rumors or lies spread at school	44.8	46.8
Prescription medications not prescribed for student	5.8	4.6	Had embarrassing or hurtful pictures/text of them posted on internet	14.0	9.7
Over-the-counter medications for non-medical use	6.0	3.0	Had embarrassing or hurtful pictures/text of them sent by cell phone	12.9	8.5
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	59.0	68.5
Alcohol	62.8	63.2			
Cigarettes	52.4	50.0	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	52.3	37.4	Spread mean rumors or lies about other kids at school	24.2	30.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.9	18.3	Posted on internet embarrassing or hurtful pictures/text of someone	12.1	5.9
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	10.4	12.1
Alcohol	41.4	32.6	Made fun of other people	63.5	74.1
Cigarettes	15.4	15.3			
Marijuana	19.7	11.0	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	54.2	67.3
Alcohol	48.3	55.5	School provides feedback to parents on positive student performance	28.3	37.2
Cigarettes	76.4	78.2	Teachers praise student for hard work	47.4	50.8
Marijuana	73.4	81.5	Rules are enforced fairly	58.1	66.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.6	94.3	Students of all races/ethnicities are treated equally	79.4	71.7
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	70.4	71.9	<b>Percent of students who agree that:</b>		
Cigarettes	87.9	91.5	Parents notice and comment on student's good work	72.5	84.4
Marijuana	93.4	95.0	Parents involve student in making family decisions	57.1	68.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.0	97.3	It is important to be honest with parents regardless of consequences	77.7	83.8
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	64.2	78.3
Alcohol	67.4	64.8			
Cigarettes	62.1	61.5			
Marijuana	46.4	34.7			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	20.7	17.0			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# WASHINGTON COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	17
Adult Psychiatric	17B
<b>FIPS COUNTY CODE</b>	221
<b>POPULATION</b>	
Census 2010	25,195
2012 Pop. Estimate	25,095

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	310	304	302
Mother Reported Smoking while Pregnant	93	99	77

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	1	2
IDU and MSM <sup>1</sup>	0	*	*
IDU without MSM <sup>1</sup>	0	*	*

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	255	240	239
Suicides	3	2	0
Self-inflicted Injuries	29	35	16
Homicides	1	1	2
Assault Injuries	115	128	125
Alcohol Induced Deaths	2	0	3
Drug Induced Deaths	6	7	5
Smoking Attributable Deaths	53	49	57

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	253		
Alcohol Primary Diagnosis <sup>2</sup>	6		
Drug Primary Diagnosis <sup>2</sup>	15		
Alcohol Related Diagnosis	84	57	44
Drug Related Diagnosis	98	97	53
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	74		
Alcohol Primary Diagnosis <sup>2</sup>	4		
Drug Primary Diagnosis <sup>2</sup>	8		
Alcohol Related Diagnosis	67	45	47
Drug Related Diagnosis	49	43	39
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	315		
Alcohol Primary Diagnosis <sup>2</sup>	30		
Drug Primary Diagnosis <sup>2</sup>	44		
Alcohol Related Diagnosis	82	79	84
Drug Related Diagnosis	152	152	71

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	33	23	25
Fatal Crashes	2	3	7
Injury Crashes	20	15	16
Property Damage Crashes	11	5	2
Crash Fatalities	3	3	7
Crash Injuries	32	33	31
Drug Involved Crashes--Total	10	8	4
Fatal Crashes	2	0	1
Injury Crashes	7	5	1
Property Damage Crashes	1	3	2
Crash Fatalities	2	0	1
Crash Injuries	10	13	6

## EMPLOYMENT

	2012	2011	2010
Labor Force	10,107	10,423	10,009
Employed	9,048	9,168	8,599
Unemployed	1,059	1,255	1,410
Unemployment Rate	10.5%	12.0%	14.1%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	984	1,093	1,168
Drop-outs	50	20	45
Drop-out Rate	5.1%	1.8%	3.9%
School Suspensions:			
Alcohol Incidents	3	0	1
Drug Incidents	16	4	5
Tobacco Incidents	1	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	81	68	56
Liquor Law Arrests	12	38	51
Drug Arrests	100	119	122
Methamphetamine Lab Incidents	96	103	85
Violent Offenses	46	49	41
Property Offenses	568	306	346
Domestic Violence Reports	103	77	109

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	130	111	151
Violent Offenses	62	66	86
Alcohol Offenses	4	5	3
Drug Offenses	7	2	10
Status Offenses--Total	78	76	71
Truancy	24	12	10
Beyond Parental Control	27	20	19
Habitually Absent from Home	2	5	3
Injurious Behavior	17	34	25
Abuse/Neglect/Custody--Total	60	64	46
Abuse	9	4	5
Neglect	49	59	33
Custody Disputes	2	1	8

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	39	54	38
Parental Alcohol Use Related	3	0	0
Parental Drug Use Related	22	13	14
Parental Alcohol and Drug Use	1	3	4
Child Removed for Other Reason	13	38	20

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	11	25	24
Probation/Parole Admissions--Total	236	211	192
Probation/Parole Admissions--Drug	83	68	62
Probation/Parole Admissions--DWI	2	4	4
Prison Admissions--Total	100	105	99
Prison Admissions--Drug	31	47	30
Prison Admissions--DWI	1	3	1

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	15	17	15
Alcohol Package Carry-out Licenses	26	24	28

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# WASHINGTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	11	11	18
CSTAR Adolescent	*	*	*
CSTAR Women and Children	7	*	7
CSTAR General Adult	74	90	60
CSTAR Opioid	*	0	0
Primary Recovery Treatment	103	162	143
Clinical SATOP (CIP, YCIP, SROP)	12	7	19
Other Substance Abuse Treatment	*	*	0


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	78	62	105
- Adolescent Diversion Education Program	0	*	*
- Offender Education Program	32	35	31
- Weekend Intervention Program	21	12	21
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	0	0	*
Compulsive Gambling	0	0	0
Recovery Supports	*	*	*
Early Intervention	*	*	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	187	237	209	Alcohol	45	64	79
<b>AGE</b>				Marijuana / Hashish	65	78	60
Under 18	*	6	6	Cocaine (total)	*	*	*
18 to 24	40	37	36	- Crack	0	*	0
25 to 29	42	44	39	Stimulant (total)	32	43	34
30 to 34	30	48	41	- Methamphetamine	30	42	33
35 to 39	25	33	28	Heroin	11	9	8
40 to 44	17	30	14	Analgesic except Heroin	29	35	24
45 to 54	22	31	39	- Non-Prescription Methadone	0	0	0
55 and Over	8	8	6	PCP, LSD, other Hallucinogen	0	0	0
<b>GENDER</b>				Tranquilizer	*	*	*
Male	118	147	137	Inhalant	*	*	0
Female	69	90	72	Sedative	0	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	0	*	0
Caucasian	182	231	206	Average Age at First Use of Drug	17.7	19.4	19.3
African American	*	*	*	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	19	25	18
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	7	7
Hispanic	*	*	0	- Weekly Injection Use	5	8	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	11	10	9
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	84	95	87	0	118	154	135
High School Graduate or G.E.D.	87	122	102	1 or 2	52	54	46
Associate Degree or Some College	16	20	20	3 or More	17	29	28
Bachelor or Advanced Degree	0	0	0	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	35	44	45
Employed	45	58	51	School	0	0	*
Unemployed	96	133	123	Mental Health Provider	*	*	8
Not in Labor Force	46	46	35	Health Care Provider	9	10	9
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	123	148	118
Independent Living	178	226	195	Other Referral Source	19	33	28
Dependent Living	5	8	11	<b>TREATMENT ACCOMMODATION</b>			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	5	6
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	11	12	11
Never Married	84	104	94	Special Education Services Needed	31	32	17
Married / Cohabiting	61	74	62	Co-Occurring Psychological Problem	72	65	46
Previously Married	42	59	53	Co-Occurring Developmental Problem	15	13	17

# WASHINGTON COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 17B  
**CENSUS 2010** 25,195  
**2012 POPULATION ESTIMATE** 25,095

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	*	16
Anxiety Disorder	44	39	41
Dementia	0	*	*
Developmental Disorder	6	10	13
Impulse Control Disorder	31	30	39
Mood Disorder	100	108	178
Personality Disorder	25	35	73
Psychotic Disorder	48	49	56
Sexual Disorder	0	0	*
Other Diagnosis	18	24	51
Diagnosis Unknown	22	20	27

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	209	211	304	Less than High School Diploma	45	15	25
<b>AGE</b>				High School Grad or G.E.D.	35	20	13
Under 6	*	*	*	Associate Degree or Some College	7	*	8
6 to 9	15	10	8	Bachelor or Advanced Degree	*	0	0
10 to 13	18	21	21	Education Level Unknown	121	173	258
14 to 17	19	14	16	<b>EMPLOYMENT</b>			
18 to 24	12	16	44	Employed	7	5	0
25 to 29	15	20	27	Unemployed	73	33	44
30 to 34	19	16	28	Not in Labor Force	16	0	*
35 to 39	20	16	27	Employment Status Unknown	113	173	258
40 to 44	13	13	27	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	18	23	28	Independent Living	75	31	38
50 to 54	21	24	33	Dependent Living	27	31	15
55 to 59	13	13	18	Homeless	*	0	*
60 and Over	24	21	24	Other	*	0	0
Age Unknown	0	0	0	Housing Unknown	104	149	250
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	105	107	153	Self / Family / Friend	67	69	113
Female	104	104	151	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	17	24	24
<b>RACE / ETHNICITY</b>				Health Care Provider	27	15	43
Caucasian	199	200	290	Court / Criminal Justice	25	24	47
African American	6	6	7	Other	66	73	72
Native American / Alaskan	*	*	*	Referral Source Unknown	*	*	*
Asian / Pacific Islander	0	0	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	199	197	254
Other Race	*	*	*	Civil	*	7	44
Race/Ethnicity Unknown	0	0	0	Criminal	7	6	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	5	6	11	Commitment Type Unknown	*	*	*
Past or Current Military Service	10	8	18				

# WASHINGTON COUNTY


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	36.3	50.1	Alcohol	74.4	77.4
Cigarettes	22.5	35.8	Cigarettes	79.7	78.6
Chewing Tobacco	17.4	23.3	Marijuana	77.3	68.0
Marijuana	11.1	15.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.0	92.2
Inhalants	5.2	8.2	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	8.5	15.0	Were very sad	20.8	25.8
Over-the-counter medications for non-medical use	6.5	9.4	Were grouchy, irritable, or in a bad mood	27.5	27.3
Methamphetamine	1.3	2.3	Felt hopeless about the future	10.9	13.9
Cocaine	0.5	1.4	Felt like not eating or eating more than usual	17.7	21.6
Heroin	0.8	1.0	Slept a lot more or a lot less than usual	23.0	32.5
Hallucinogens	1.0	3.5	Had difficulty concentrating on school work	24.2	29.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.0	2.2	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.6	2.7	Seriously considered attempting suicide	11.5	15.7
Synthetic drugs (K2, bath salts, Spice, etc)	5.2		Made plan about how they would attempt suicide	7.6	11.6
<b>Average age of students' first use of:</b>			Attempted suicide	5.2	7.6
Alcohol	11.92	12.13	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.6	3.0
Cigarettes	11.60	11.53	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.16	13.17	Were threatened/injured with weapon at school	6.7	9.2
Inhalants	11.68	12.51	Were in a physical fight	19.2	29.3
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	2.1	6.2
Alcohol	15.3	26.5	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	7.8	17.4	Were victims of mean rumors or lies spread at school	51.4	61.4
Cigarettes	8.6	18.6	Had embarrassing or hurtful pictures/text of them posted on internet	12.2	11.0
Chewing Tobacco	9.9	13.0	Had embarrassing or hurtful pictures/text of them sent by cell phone	14.8	17.2
Marijuana	4.7	10.1	Were made fun of by others	61.6	71.5
Inhalants	2.3	3.3	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	4.4	7.8	Spread mean rumors or lies about other kids at school	21.3	32.3
Over-the-counter medications for non-medical use	3.9	6.1	Posted on internet embarrassing or hurtful pictures/text of someone	5.5	9.8
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	7.3	17.2
Alcohol	46.1	63.4	Made fun of other people	55.9	72.3
Cigarettes	37.1	48.6	<b>Percent of students who agree that:</b>		
Marijuana	25.7	33.4	Teachers notice and comment on student's good work	71.9	63.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	12.4	School provides feedback to parents on positive student performance	36.0	34.9
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	54.9	44.6
Alcohol	26.1	42.4	Rules are enforced fairly	63.3	58.5
Cigarettes	10.9	17.4	Students of all races/ethnicities are treated equally	77.8	79.8
Marijuana	7.0	14.8	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	82.4	84.5
Alcohol	65.5	53.6	Parents involve student in making family decisions	66.2	67.1
Cigarettes	85.6	76.2	It is important to be honest with parents regardless of consequences	86.8	80.1
Marijuana	88.7	81.4	Student could ask parent for help with a personal problem	76.7	76.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4	94.4	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	80.2	73.4	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	94.0	87.0	Percentages are estimates based on weighted data.		
Marijuana	95.5	91.6	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	96.3	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	45.3	59.4			
Cigarettes	44.5	56.7			
Marijuana	23.5	34.8			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.9	18.7			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# WAYNE COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	19
Adult Psychiatric	19
<b>FIPS COUNTY CODE</b>	223
<b>POPULATION</b>	
Census 2010	13,521
2012 Pop. Estimate	13,402

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	137	155	145
Mother Reported Smoking while Pregnant	45	65	49

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	186	176	192
Suicides	3	4	3
Self-inflicted Injuries	36	25	25
Homicides	1	0	0
Assault Injuries	45	33	24
Alcohol Induced Deaths	1	2	1
Drug Induced Deaths	0	1	4
Smoking Attributable Deaths	44	40	45

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	145		
Alcohol Primary Diagnosis <sup>2</sup>	6		
Drug Primary Diagnosis <sup>2</sup>	7		
Alcohol Related Diagnosis	72	44	35
Drug Related Diagnosis	68	51	19
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	25		
Alcohol Primary Diagnosis <sup>2</sup>	6		
Drug Primary Diagnosis <sup>2</sup>	5		
Alcohol Related Diagnosis	30	45	52
Drug Related Diagnosis	28	31	33
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	130		
Alcohol Primary Diagnosis <sup>2</sup>	14		
Drug Primary Diagnosis <sup>2</sup>	11		
Alcohol Related Diagnosis	39	42	28
Drug Related Diagnosis	28	35	24

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	33	27	26
Fatal Crashes	1	3	2
Injury Crashes	17	11	13
Property Damage Crashes	15	13	11
Crash Fatalities	1	4	2
Crash Injuries	24	17	13
Drug Involved Crashes--Total	3	7	7
Fatal Crashes	0	1	0
Injury Crashes	2	1	5
Property Damage Crashes	1	5	2
Crash Fatalities	0	1	0
Crash Injuries	3	1	7

## EMPLOYMENT

	2012	2011	2010
Labor Force	5,772	5,911	6,005
Employed	5,297	5,346	5,442
Unemployed	475	565	563
Unemployment Rate	8.2%	9.6%	9.4%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	490	523	560
Drop-outs	16	7	20
Drop-out Rate	3.3%	1.3%	3.6%
School Suspensions:			
Alcohol Incidents	1	1	2
Drug Incidents	2	0	6
Tobacco Incidents	0	1	1

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	112	84	83
Liquor Law Arrests	23	25	23
Drug Arrests	98	66	75
Methamphetamine Lab Incidents	7	10	8
Violent Offenses	14	15	6
Property Offenses	189	201	158
Domestic Violence Reports	18	25	11

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	7	12	19
Violent Offenses	2	4	1
Alcohol Offenses	1	2	3
Drug Offenses	0	0	2
Status Offenses--Total	24	6	8
Truancy	0	3	2
Beyond Parental Control	22	2	4
Habitually Absent from Home	0	0	0
Injurious Behavior	1	1	2
Abuse/Neglect/Custody--Total	21	24	9
Abuse	3	1	0
Neglect	18	23	9
Custody Disputes	0	0	0

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	18	25	5
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	7	8	1
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	11	17	4

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	27	21	24
Probation/Parole Admissions--Total	94	79	101
Probation/Parole Admissions--Drug	36	25	46
Probation/Parole Admissions--DWI	4	5	5
Prison Admissions--Total	47	40	63
Prison Admissions--Drug	18	16	23
Prison Admissions--DWI	1	2	4

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	19	18	17
Alcohol Package Carry-out Licenses	23	22	22

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# WAYNE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	10	16	14
CSTAR Adolescent	6	0	*
CSTAR Women and Children	*	*	*
CSTAR General Adult	36	21	22
CSTAR Opioid	*	0	0
Primary Recovery Treatment	77	93	79
Clinical SATOP (CIP, YCIP, SROP)	16	17	8
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	65	45	38
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	22	13	8
- Weekend Intervention Program	12	5	11
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	18	9	*
Early Intervention	0	5	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	137	142	111	Alcohol	48	61	42
AGE				Marijuana / Hashish	43	44	34
Under 18	7	*	6	Cocaine (total)	*	0	5
18 to 24	28	29	22	- Crack	*	0	*
25 to 29	24	21	21	Stimulant (total)	19	22	13
30 to 34	25	29	19	- Methamphetamine	19	20	12
35 to 39	13	14	9	Heroin	*	5	*
40 to 44	16	12	13	Analgesic except Heroin	16	8	15
45 to 54	18	25	14	- Non-Prescription Methadone	0	0	*
55 and Over	6	11	7	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	*	*	0
Male	93	107	76	Inhalant	0	0	0
Female	44	35	35	Sedative	*	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	0	0
Caucasian	136	139	105	Average Age at First Use of Drug	16.9	16.4	16.6
African American	0	*	*	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	14	8	5
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	*	*
Hispanic	*	0	0	- Weekly Injection Use	*	*	*
Other Race / Two or More Races	*	*	*	- Less than Weekly Injection Use	9	*	*
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	70	63	57	0	70	75	57
High School Graduate or G.E.D.	47	64	43	1 or 2	47	44	39
Associate Degree or Some College	20	14	11	3 or More	20	23	15
Bachelor or Advanced Degree	0	*	0	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	17	30	16
Employed	40	45	25	School	0	0	0
Unemployed	58	72	32	Mental Health Provider	*	*	*
Not in Labor Force	39	25	54	Health Care Provider	8	*	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	94	100	83
Independent Living	124	132	96	Other Referral Source	16	9	9
Dependent Living	12	8	13	TREATMENT ACCOMMODATION			
Homeless	*	*	0	Pregnant when Admitted to any Episode	6	*	*
MARITAL / FAMILY STATUS				Military Veteran	7	10	9
Never Married	56	45	40	Special Education Services Needed	25	21	19
Married / Cohabiting	47	48	42	Co-Occurring Psychological Problem	68	48	47
Previously Married	34	49	29	Co-Occurring Developmental Problem	11	10	11

# WAYNE COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 19  
**CENSUS 2010** 13,521  
**2012 POPULATION ESTIMATE** 13,402

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	7	7	17
Anxiety Disorder	66	64	86
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	14	7	15
Mood Disorder	120	112	151
Personality Disorder	18	16	23
Psychotic Disorder	39	29	31
Sexual Disorder	0	0	0
Other Diagnosis	*	*	7
Diagnosis Unknown	17	10	23

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	181	158	233	Less than High School Diploma	48	26	15
<b>AGE</b>				High School Grad or G.E.D.	35	29	21
Under 6	0	0	0	Associate Degree or Some College	9	11	8
6 to 9	*	*	*	Bachelor or Advanced Degree	0	0	0
10 to 13	*	5	10	Education Level Unknown	89	92	189
14 to 17	9	5	9	<b>EMPLOYMENT</b>			
18 to 24	12	7	21	Employed	*	5	5
25 to 29	*	10	12	Unemployed	74	61	38
30 to 34	19	10	17	Not in Labor Force	31	0	*
35 to 39	9	12	22	Employment Status Unknown	75	92	189
40 to 44	18	15	29	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	30	23	26	Independent Living	93	58	42
50 to 54	25	23	31	Dependent Living	14	13	*
55 to 59	27	25	29	Homeless	0	0	0
60 and Over	23	22	24	Other	*	*	0
Age Unknown	0	0	0	Housing Unknown	73	86	189
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	87	71	98	Self / Family / Friend	69	62	114
Female	94	87	135	School	*	*	*
Gender Unknown	0	0	0	Mental Health Provider	27	31	37
<b>RACE / ETHNICITY</b>				Health Care Provider	29	20	24
Caucasian	175	154	230	Court / Criminal Justice	26	19	19
African American	*	*	*	Other	26	23	28
Native American / Alaskan	0	0	0	Referral Source Unknown	*	*	8
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	176	155	219
Other Race	*	*	*	Civil	*	*	5
Race/Ethnicity Unknown	0	0	0	Criminal	*	0	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	11	10	10	Commitment Type Unknown	0	*	8
Past or Current Military Service	7	7	11				

# WAYNE COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	49.7	49.1	Alcohol	70.6	74.1
Cigarettes	39.4	33.6	Cigarettes	72.6	74.9
Chewing Tobacco	28.9	23.3	Marijuana	62.6	71.4
Marijuana	23.9	14.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.1	92.7
Inhalants	7.8	7.4	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	13.9	12.1	Were very sad	19.4	16.7
Over-the-counter medications for non-medical use	7.2	7.0	Were grouchy, irritable, or in a bad mood	31.3	25.3
Methamphetamine	3.4	1.3	Felt hopeless about the future	10.7	7.3
Cocaine	4.5	0.9	Felt like not eating or eating more than usual	21.5	21.9
Heroin	2.3	0.4	Slept a lot more or a lot less than usual	21.8	33.8
Hallucinogens	7.2	3.0	Had difficulty concentrating on school work	29.5	35.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	4.5	1.3	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	4.5	2.2	Seriously considered attempting suicide	15.6	9.4
Synthetic drugs (K2, bath salts, Spice, etc)	9.4		Made plan about how they would attempt suicide	9.8	7.7
<b>Average age of students' first use of:</b>			Attempted suicide	6.1	5.1
Alcohol	11.99	12.48	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.2	2.6
Cigarettes	11.88	11.60	<b>Percent of students in past 12 months who:</b>		
Marijuana	12.18	13.42	Were threatened/injured with weapon at school	10.6	12.0
Inhalants	11.01	11.95	Were in a physical fight	31.3	29.9
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.9	3.9
Alcohol	18.3	21.5	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	11.1	15.3	Were victims of mean rumors or lies spread at school	56.7	62.2
Cigarettes	22.5	16.5	Had embarrassing or hurtful pictures/text of them posted on internet	13.3	12.1
Chewing Tobacco	14.4	12.5	Had embarrassing or hurtful pictures/text of them sent by cell phone	16.9	12.1
Marijuana	11.7	7.4	Were made fun of by others	58.1	65.0
Inhalants	2.2	1.3	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	8.3	8.6	Spread mean rumors or lies about other kids at school	31.1	27.5
Over-the-counter medications for non-medical use	4.4	3.0	Posted on internet embarrassing or hurtful pictures/text of someone	12.4	9.9
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	13.9	13.3
Alcohol	58.7	63.6	Made fun of other people	59.4	63.7
Cigarettes	58.1	56.4	<b>Percent of students who agree that:</b>		
Marijuana	46.6	32.8	Teachers notice and comment on student's good work	62.0	73.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.0	17.3	School provides feedback to parents on positive student performance	41.7	46.8
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	46.1	57.5
Alcohol	44.4	33.3	Rules are enforced fairly	58.9	65.9
Cigarettes	27.9	18.1	Students of all races/ethnicities are treated equally	75.4	75.8
Marijuana	18.5	8.7	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	77.1	86.6
Alcohol	49.7	54.5	Parents involve student in making family decisions	65.4	74.8
Cigarettes	65.6	67.7	It is important to be honest with parents regardless of consequences	81.9	87.6
Marijuana	72.9	80.3	Student could ask parent for help with a personal problem	66.1	82.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.1	94.4	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	71.5	76.4	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	85.5	87.5	Percentages are estimates based on weighted data.		
Marijuana	86.0	92.2	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.5	97.4	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	60.0	55.0			
Cigarettes	58.3	59.1			
Marijuana	44.9	31.9			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	23.0	16.2			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# WEBSTER COUNTY



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	10
Adult Psychiatric	10
<b>FIPS COUNTY CODE</b>	225
<b>POPULATION</b>	
Census 2010	36,202
2012 Pop. Estimate	36,351

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	16,548	16,724	16,819
Employed	15,408	15,327	15,135
Unemployed	1,140	1,397	1,684
Unemployment Rate	6.9%	8.4%	10.0%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	1,388	1,449	1,491
Drop-outs	12	30	28
Drop-out Rate	0.9%	2.1%	1.9%
School Suspensions:			
Alcohol Incidents	7	1	1
Drug Incidents	13	14	6
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	463	525	554
Mother Reported Smoking while Pregnant	57	88	78

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	2	2	0
IDU and MSM <sup>1</sup>	*	*	0
IDU without MSM <sup>1</sup>	*	*	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	263	306	314
Suicides	9	9	7
Self-inflicted Injuries	28	48	39
Homicides	0	0	1
Assault Injuries	84	73	64
Alcohol Induced Deaths	3	3	3
Drug Induced Deaths	4	6	7
Smoking Attributable Deaths	48	57	57

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	132		
Alcohol Primary Diagnosis <sup>2</sup>	5		
Drug Primary Diagnosis <sup>2</sup>	9		
Alcohol Related Diagnosis	29	48	65
Drug Related Diagnosis	44	93	76
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	121		
Alcohol Primary Diagnosis <sup>2</sup>	31		
Drug Primary Diagnosis <sup>2</sup>	31		
Alcohol Related Diagnosis	107	80	118
Drug Related Diagnosis	112	70	119
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	214		
Alcohol Primary Diagnosis <sup>2</sup>	40		
Drug Primary Diagnosis <sup>2</sup>	49		
Alcohol Related Diagnosis	83	80	81
Drug Related Diagnosis	109	123	95

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	38	39	64
Fatal Crashes	3	3	1
Injury Crashes	15	14	33
Property Damage Crashes	20	22	30
Crash Fatalities	3	3	1
Crash Injuries	28	25	34
Drug Involved Crashes--Total	7	9	14
Fatal Crashes	0	0	0
Injury Crashes	1	3	5
Property Damage Crashes	6	6	9
Crash Fatalities	0	0	0
Crash Injuries	3	3	6

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	105	126	146
Liquor Law Arrests	52	56	78
Drug Arrests	175	151	195
Methamphetamine Lab Incidents	17	4	2
Violent Offenses	38	39	41
Property Offenses	668	608	544
Domestic Violence Reports	134	146	202

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	135	209	229
Violent Offenses	40	61	70
Alcohol Offenses	5	14	18
Drug Offenses	13	22	16
Status Offenses--Total	140	69	96
Truancy	15	19	19
Beyond Parental Control	89	32	60
Habitually Absent from Home	23	14	13
Injurious Behavior	11	3	4
Abuse/Neglect/Custody--Total	140	56	74
Abuse	48	26	24
Neglect	91	30	50
Custody Disputes	1	0	0

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	18	26	31
Parental Alcohol Use Related	0	0	2
Parental Drug Use Related	0	6	8
Parental Alcohol and Drug Use	1	0	0
Child Removed for Other Reason	17	20	21

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	21	18	23
Probation/Parole Admissions--Total	177	134	160
Probation/Parole Admissions--Drug	60	29	43
Probation/Parole Admissions--DWI	9	7	6
Prison Admissions--Total	101	102	90
Prison Admissions--Drug	28	30	25
Prison Admissions--DWI	3	4	4

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	8	9	9
Alcohol Package Carry-out Licenses	30	29	29

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# WEBSTER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	21	15	27
CSTAR Adolescent	10	19	13
CSTAR Women and Children	7	8	13
CSTAR General Adult	48	39	45
CSTAR Opioid	0	0	0
Primary Recovery Treatment	39	45	60
Clinical SATOP (CIP, YCIP, SROP)	12	8	24
Other Substance Abuse Treatment	0	0	0


<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	108	76	126
- Adolescent Diversion Education Program	5	5	*
- Offender Education Program	33	25	41
- Weekend Intervention Program	25	23	33
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	8	*	5
Compulsive Gambling	0	0	0
Recovery Supports	15	7	14
Early Intervention	*	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	117	115	137	Alcohol	49	39	62
<b>AGE</b>				Marijuana / Hashish	26	32	38
Under 18	10	19	12	Cocaine (total)	0	*	*
18 to 24	24	19	31	- Crack	0	*	*
25 to 29	18	21	20	Stimulant (total)	26	23	23
30 to 34	17	23	23	- Methamphetamine	26	23	21
35 to 39	15	13	15	Heroin	5	*	0
40 to 44	10	9	12	Analgesic except Heroin	6	17	12
45 to 54	17	7	19	- Non-Prescription Methadone	*	*	0
55 and Over	6	*	5	PCP, LSD, other Hallucinogen	0	*	*
<b>GENDER</b>				Tranquilizer	*	*	0
Male	84	78	97	Inhalant	*	0	0
Female	33	37	40	Sedative	*	0	0
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	*	0	0
Caucasian	111	113	136	Average Age at First Use of Drug	17.2	16.2	16.4
African American	*	*	0	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	28	19	13
Asian / Pacific Islander	*	0	0	- Daily Injection Use	9	*	5
Hispanic	*	0	0	- Weekly Injection Use	7	*	*
Other Race / Two or More Races	*	0	*	- Less than Weekly Injection Use	12	12	6
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	49	55	68	0	59	67	78
High School Graduate or G.E.D.	48	45	51	1 or 2	37	30	33
Associate Degree or Some College	20	11	16	3 or More	21	18	26
Bachelor or Advanced Degree	0	*	*	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	37	29	27
Employed	26	21	36	School	0	0	0
Unemployed	53	45	54	Mental Health Provider	*	*	*
Not in Labor Force	38	49	47	Health Care Provider	*	*	5
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	68	73	94
Independent Living	97	83	106	Other Referral Source	8	8	9
Dependent Living	17	26	24	<b>TREATMENT ACCOMMODATION</b>			
Homeless	*	*	5	Pregnant when Admitted to any Episode	*	*	*
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	5	*	*
Never Married	51	53	77	Special Education Services Needed	13	10	6
Married / Cohabiting	41	32	32	Co-Occurring Psychological Problem	36	34	40
Previously Married	25	30	28	Co-Occurring Developmental Problem	*	*	*

# WEBSTER COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 10  
**CENSUS 2010** 36,202  
**2012 POPULATION ESTIMATE** 36,351

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	6	15	6
Anxiety Disorder	53	52	44
Dementia	*	*	0
Developmental Disorder	12	12	8
Impulse Control Disorder	31	38	22
Mood Disorder	123	152	117
Personality Disorder	27	31	22
Psychotic Disorder	36	31	33
Sexual Disorder	0	0	*
Other Diagnosis	31	25	16
Diagnosis Unknown	41	49	69

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	251	303	264	Less than High School Diploma	50	29	13
<b>AGE</b>				High School Grad or G.E.D.	46	24	7
Under 6	10	20	14	Associate Degree or Some College	15	10	5
6 to 9	21	23	22	Bachelor or Advanced Degree	*	*	*
10 to 13	23	33	32	Education Level Unknown	139	236	237
14 to 17	41	41	35	<b>EMPLOYMENT</b>			
18 to 24	19	22	16	Employed	8	7	*
25 to 29	9	15	13	Unemployed	78	52	25
30 to 34	16	15	17	Not in Labor Force	35	8	*
35 to 39	15	21	18	Employment Status Unknown	130	236	236
40 to 44	20	20	25	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	27	29	19	Independent Living	101	65	25
50 to 54	25	25	29	Dependent Living	30	51	10
55 to 59	15	25	12	Homeless	0	0	*
60 and Over	10	14	12	Other	0	*	*
Age Unknown	0	0	0	Housing Unknown	120	185	227
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	122	140	127	Self / Family / Friend	166	219	214
Female	129	163	137	School	*	*	0
Gender Unknown	0	0	0	Mental Health Provider	7	5	*
<b>RACE / ETHNICITY</b>				Health Care Provider	22	24	*
Caucasian	230	288	252	Court / Criminal Justice	14	8	5
African American	*	*	0	Other	39	40	34
Native American / Alaskan	0	0	*	Referral Source Unknown	*	5	5
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	245	293	256
Other Race	17	13	10	Civil	0	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	5	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	14	14	11	Commitment Type Unknown	*	5	5
Past or Current Military Service	5	*	*				



# WEBSTER COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012


	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	38.2	45.6	Alcohol	70.1	80.1
Cigarettes	24.4	30.0	Cigarettes	84.4	77.8
Chewing Tobacco	20.9	22.8	Marijuana	68.4	76.9
Marijuana	15.8	13.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.2	94.0
Inhalants	9.1	7.9			
Prescription medications not prescribed for student	11.2	14.5	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	4.8	10.5	Were very sad	20.9	21.0
Methamphetamine	0.0	0.7	Were grouchy, irritable, or in a bad mood	25.9	28.5
Cocaine	0.0	1.3	Felt hopeless about the future	11.2	14.8
Heroin	0.0	0.3	Felt like not eating or eating more than usual	18.6	19.1
Hallucinogens	1.5	3.7	Slept a lot more or a lot less than usual	21.8	28.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	0.9	2.1	Had difficulty concentrating on school work	26.2	29.3
Steroids not prescribed for student	0.9	1.1			
Synthetic drugs (K2, bath salts, Spice, etc)	8.0		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	14.5	14.8
Alcohol	12.53	12.48	Made plan about how they would attempt suicide	9.9	10.4
Cigarettes	11.54	12.08	Attempted suicide	7.3	6.0
Marijuana	12.13	13.27	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.7	2.7
Inhalants	12.74	11.94			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	14.7	19.1	Were threatened/injured with weapon at school	8.5	9.2
Binge Alcohol (5 or more drinks on one occasion)	7.5	11.4	Were in a physical fight	23.8	22.4
Cigarettes	10.1	14.7	Were in a fight and had to be treated by a doctor or nurse	4.4	2.9
Chewing Tobacco	9.1	13.2			
Marijuana	6.9	7.0	<b>Percent of students in past 3 months who:</b>		
Inhalants	4.2	3.1	Were victims of mean rumors or lies spread at school	56.5	54.9
Prescription medications not prescribed for student	3.7	8.7	Had embarrassing or hurtful pictures/text of them posted on internet	14.7	13.1
Over-the-counter medications for non-medical use	1.5	6.4	Had embarrassing or hurtful pictures/text of them sent by cell phone	16.8	13.6
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	68.7	68.5
Alcohol	56.5	61.8			
Cigarettes	51.0	51.7	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	32.4	37.7	Spread mean rumors or lies about other kids at school	35.7	31.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.5	19.8	Posted on internet embarrassing or hurtful pictures/text of someone	8.6	8.1
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.8	9.9
Alcohol	28.8	33.3	Made fun of other people	69.3	71.9
Cigarettes	11.0	16.5			
Marijuana	12.3	10.9	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	78.2	68.3
Alcohol	63.0	59.3	School provides feedback to parents on positive student performance	34.9	34.0
Cigarettes	81.4	76.6	Teachers praise student for hard work	57.1	50.8
Marijuana	84.6	85.5	Rules are enforced fairly	64.9	61.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	99.2	94.7	Students of all races/ethnicities are treated equally	83.6	74.1
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	84.5	78.6	<b>Percent of students who agree that:</b>		
Cigarettes	94.7	88.7	Parents notice and comment on student's good work	82.9	82.1
Marijuana	92.6	93.9	Parents involve student in making family decisions	63.7	69.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	100.0	97.4	It is important to be honest with parents regardless of consequences	80.7	82.4
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	65.3	75.7
Alcohol	49.5	60.6			
Cigarettes	47.1	62.6			
Marijuana	25.1	40.1			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.7	23.7			

### Notes:

Blank data cell indicates estimate not available for survey item or geographic area. Survey is not conducted in every school district nor reported for every county. Percentages are estimates based on weighted data. Estimates are not provided for geographic areas with low numbers of respondents. Some year-to-year differences in percentages are not statistically significant. Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# WORTH COUNTY



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	1
Adult Psychiatric	1
<b>FIPS COUNTY CODE</b>	227
<b>POPULATION</b>	
Census 2010	2,171
2012 Pop. Estimate	2,079

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	22	20	17
Mother Reported Smoking while Pregnant	5	3	4

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	0	0
IDU and MSM <sup>1</sup>	0	0	0
IDU without MSM <sup>1</sup>	0	0	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	32	34	27
Suicides	2	1	0
Self-inflicted Injuries	0	4	2
Homicides	0	0	0
Assault Injuries	1	6	5
Alcohol Induced Deaths	0	0	0
Drug Induced Deaths	0	0	0
Smoking Attributable Deaths	8	7	7

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	21		
Alcohol Primary Diagnosis <sup>2</sup>	1		
Drug Primary Diagnosis <sup>2</sup>	0		
Alcohol Related Diagnosis	3	2	4
Drug Related Diagnosis	3	6	0
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	0		
Alcohol Primary Diagnosis <sup>2</sup>	1		
Drug Primary Diagnosis <sup>2</sup>	0		
Alcohol Related Diagnosis	3	2	3
Drug Related Diagnosis	1	0	2
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	21		
Alcohol Primary Diagnosis <sup>2</sup>	1		
Drug Primary Diagnosis <sup>2</sup>	0		
Alcohol Related Diagnosis	3	5	8
Drug Related Diagnosis	5	0	3

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	2	0	2
Fatal Crashes	0	0	1
Injury Crashes	2	0	1
Property Damage Crashes	0	0	0
Crash Fatalities	0	0	1
Crash Injuries	4	0	1
Drug Involved Crashes--Total	2	0	0
Fatal Crashes	0	0	0
Injury Crashes	1	0	0
Property Damage Crashes	1	0	0
Crash Fatalities	0	0	0
Crash Injuries	1	0	0

## EMPLOYMENT

	2012	2011	2010
Labor Force	1,128	1,183	1,124
Employed	1,075	1,110	1,045
Unemployed	53	73	79
Unemployment Rate	4.7%	6.2%	7.0%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	100	111	106
Drop-outs	0	1	3
Drop-out Rate	0.0%	0.9%	2.8%
School Suspensions:			
Alcohol Incidents	0	0	0
Drug Incidents	0	0	0
Tobacco Incidents	0	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	10	6	4
Liquor Law Arrests	1	0	0
Drug Arrests	0	0	0
Methamphetamine Lab Incidents	0	0	0
Violent Offenses	2	8	4
Property Offenses	38	30	18
Domestic Violence Reports	8	4	3

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	4	14	10
Violent Offenses	0	0	1
Alcohol Offenses	0	2	1
Drug Offenses	1	0	0
Status Offenses--Total	8	13	29
Truancy	0	2	5
Beyond Parental Control	5	8	11
Habitually Absent from Home	0	0	0
Injurious Behavior	3	3	13
Abuse/Neglect/Custody--Total	14	10	7
Abuse	0	0	0
Neglect	14	10	7
Custody Disputes	0	0	0

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	6	4	1
Parental Alcohol Use Related	0	0	0
Parental Drug Use Related	0	1	0
Parental Alcohol and Drug Use	0	0	0
Child Removed for Other Reason	6	3	1

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	1	2	4
Probation/Parole Admissions--Total	7	6	10
Probation/Parole Admissions--Drug	1	0	1
Probation/Parole Admissions--DWI	0	1	1
Prison Admissions--Total	3	5	3
Prison Admissions--Drug	0	1	0
Prison Admissions--DWI	1	0	1

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	2	2	2
Alcohol Package Carry-out Licenses	4	4	3

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# WORTH COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	0	0	0
CSTAR Adolescent	0	0	*
CSTAR Women and Children	0	0	0
CSTAR General Adult	*	0	0
CSTAR Opioid	0	0	0
Primary Recovery Treatment	*	*	0
Clinical SATOP (CIP, YCIP, SROP)	0	*	*
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	8	*	10
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	*	*	*
- Weekend Intervention Program	*	*	5
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	*
Early Intervention	5	*	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	*	5	*	Alcohol	*	*	*
AGE				Marijuana / Hashish	*	*	*
Under 18	0	*	*	Cocaine (total)	0	0	0
18 to 24	0	*	0	- Crack	0	0	0
25 to 29	0	0	0	Stimulant (total)	0	0	0
30 to 34	*	*	*	- Methamphetamine	0	0	0
35 to 39	0	0	0	Heroin	0	0	0
40 to 44	0	*	0	Analgesic except Heroin	0	0	0
45 to 54	*	0	*	- Non-Prescription Methadone	0	0	0
55 and Over	0	0	0	PCP, LSD, other Hallucinogen	0	0	0
GENDER				Tranquilizer	0	0	0
Male	*	5	*	Inhalant	0	0	0
Female	*	0	*	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	0	0	0
Caucasian	*	5	*	Average Age at First Use of Drug	14.8	15.2	13.8
African American	0	0	0	INJECTION DRUG USE			
Native American / Alaskan	0	0	0	Any Injection Use at Admission	0	0	0
Asian / Pacific Islander	0	0	0	- Daily Injection Use	0	0	0
Hispanic	0	0	0	- Weekly Injection Use	0	0	0
Other Race / Two or More Races	0	0	0	- Less than Weekly Injection Use	0	0	0
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	0	*	*	0	*	*	*
High School Graduate or G.E.D.	*	*	*	1 or 2	*	*	0
Associate Degree or Some College	*	0	0	3 or More	*	*	*
Bachelor or Advanced Degree	0	0	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	*	0	0
Employed	*	*	*	School	0	*	0
Unemployed	0	0	*	Mental Health Provider	0	0	0
Not in Labor Force	*	*	*	Health Care Provider	0	0	0
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	*	*	*
Independent Living	*	*	*	Other Referral Source	*	*	0
Dependent Living	0	*	*	TREATMENT ACCOMMODATION			
Homeless	0	0	0	Pregnant when Admitted to any Episode	0	0	0
MARITAL / FAMILY STATUS				Military Veteran	*	0	0
Never Married	0	*	*	Special Education Services Needed	0	0	0
Married / Cohabiting	*	*	0	Co-Occurring Psychological Problem	*	*	*
Previously Married	*	0	*	Co-Occurring Developmental Problem	0	0	0

# WORTH COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 1  
**CENSUS 2010** 2,171  
**2012 POPULATION ESTIMATE** 2,079

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	*	0
Anxiety Disorder	5	6	9
Dementia	0	0	0
Developmental Disorder	0	0	0
Impulse Control Disorder	11	9	7
Mood Disorder	8	10	10
Personality Disorder	0	0	*
Psychotic Disorder	0	*	*
Sexual Disorder	0	0	0
Other Diagnosis	5	*	*
Diagnosis Unknown	0	5	*

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	19	23	19	Less than High School Diploma	*	0	0
<b>AGE</b>				High School Grad or G.E.D.	*	*	0
Under 6	*	0	0	Associate Degree or Some College	*	0	0
6 to 9	5	6	6	Bachelor or Advanced Degree	0	0	0
10 to 13	*	*	*	Education Level Unknown	13	19	19
14 to 17	*	5	*	<b>EMPLOYMENT</b>			
18 to 24	*	*	*	Employed	0	0	0
25 to 29	*	0	0	Unemployed	6	*	0
30 to 34	0	0	*	Not in Labor Force	0	0	0
35 to 39	0	*	0	Employment Status Unknown	13	19	19
40 to 44	*	*	*	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	*	*	*	Independent Living	6	*	0
50 to 54	*	*	0	Dependent Living	5	*	0
55 to 59	*	*	*	Homeless	0	0	0
60 and Over	0	*	*	Other	*	*	0
Age Unknown	0	0	0	Housing Unknown	7	15	19
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	6	10	7	Self / Family / Friend	*	*	*
Female	13	13	12	School	*	*	0
Gender Unknown	0	0	0	Mental Health Provider	*	5	*
<b>RACE / ETHNICITY</b>				Health Care Provider	*	*	*
Caucasian	19	22	19	Court / Criminal Justice	*	*	*
African American	0	0	0	Other	6	8	8
Native American / Alaskan	0	0	0	Referral Source Unknown	0	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	0	0	0	Voluntary	19	22	18
Other Race	0	*	0	Civil	0	0	0
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	*	*	*	Commitment Type Unknown	0	*	*
Past or Current Military Service	0	0	0				


# WORTH COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol			Alcohol		
Cigarettes			Cigarettes		
Chewing Tobacco			Marijuana		
Marijuana			Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)		
Inhalants					
Prescription medications not prescribed for student			<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use			Were very sad		
Methamphetamine			Were grouchy, irritable, or in a bad mood		
Cocaine			Felt hopeless about the future		
Heroin			Felt like not eating or eating more than usual		
Hallucinogens			Slept a lot more or a lot less than usual		
Club drugs (Ecstasy, GHB, roofie, Special K, etc)			Had difficulty concentrating on school work		
Steroids not prescribed for student					
Synthetic drugs (K2, bath salts, Spice, etc)			<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide		
Alcohol			Made plan about how they would attempt suicide		
Cigarettes			Attempted suicide		
Marijuana			Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse		
Inhalants					
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol			Were threatened/injured with weapon at school		
Binge Alcohol (5 or more drinks on one occasion)			Were in a physical fight		
Cigarettes			Were in a fight and had to be treated by a doctor or nurse		
Chewing Tobacco					
Marijuana			<b>Percent of students in past 3 months who:</b>		
Inhalants			Were victims of mean rumors or lies spread at school		
Prescription medications not prescribed for student			Had embarrassing or hurtful pictures/text of them posted on internet		
Over-the-counter medications for non-medical use			Had embarrassing or hurtful pictures/text of them sent by cell phone		
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others		
Alcohol					
Cigarettes			<b>Percent of students who, in the past 3 months:</b>		
Marijuana			Spread mean rumors or lies about other kids at school		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			Posted on internet embarrassing or hurtful pictures/text of someone		
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone		
Alcohol			Made fun of other people		
Cigarettes					
Marijuana			<b>Percent of students who agree that:</b>		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			Teachers notice and comment on student's good work		
<b>Percent who say it would be wrong to use:</b>			School provides feedback to parents on positive student performance		
Alcohol			Teachers praise student for hard work		
Cigarettes			Rules are enforced fairly		
Marijuana			Students of all races/ethnicities are treated equally		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)					
<b>Percent whose parents would disapprove if they use:</b>			<b>Percent of students who agree that:</b>		
Alcohol			Parents notice and comment on student's good work		
Cigarettes			Parents involve student in making family decisions		
Marijuana			It is important to be honest with parents regardless of consequences		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)			Student could ask parent for help with a personal problem		
<b>Percent who say it would be easy to obtain:</b>					
Alcohol					
Cigarettes					
Marijuana					
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)					
Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.			Notes:		
			Blank data cell indicates estimate not available for survey item or geographic area.		
			Survey is not conducted in every school district nor reported for every county.		
			Percentages are estimates based on weighted data.		
			Estimates are not provided for geographic areas with low numbers of respondents.		
			Some year-to-year differences in percentages are not statistically significant.		
			Responses to some questions combine similar answer choices.		



# WRIGHT COUNTY



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	18
Adult Psychiatric	18
<b>FIPS COUNTY CODE</b>	229
<b>POPULATION</b>	
Census 2010	18,815
2012 Pop. Estimate	18,629

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	240	231	263
Mother Reported Smoking while Pregnant	68	67	72

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	0	1	0
IDU and MSM <sup>1</sup>	0	*	0
IDU without MSM <sup>1</sup>	0	*	0

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	229	216	208
Suicides	3	2	2
Self-inflicted Injuries	36	29	21
Homicides	2	1	0
Assault Injuries	46	29	29
Alcohol Induced Deaths	2	2	0
Drug Induced Deaths	3	4	1
Smoking Attributable Deaths	45	39	46

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	176		
Alcohol Primary Diagnosis <sup>2</sup>	10		
Drug Primary Diagnosis <sup>2</sup>	12		
Alcohol Related Diagnosis	42	55	38
Drug Related Diagnosis	70	69	40
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	52		
Alcohol Primary Diagnosis <sup>2</sup>	13		
Drug Primary Diagnosis <sup>2</sup>	5		
Alcohol Related Diagnosis	56	55	79
Drug Related Diagnosis	33	46	47
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	136		
Alcohol Primary Diagnosis <sup>2</sup>	13		
Drug Primary Diagnosis <sup>2</sup>	29		
Alcohol Related Diagnosis	44	68	80
Drug Related Diagnosis	59	63	25

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	15	14	17
Fatal Crashes	0	0	1
Injury Crashes	11	7	9
Property Damage Crashes	4	7	7
Crash Fatalities	0	0	1
Crash Injuries	15	8	10
Drug Involved Crashes--Total	3	0	0
Fatal Crashes	0	0	0
Injury Crashes	1	0	0
Property Damage Crashes	2	0	0
Crash Fatalities	0	0	0
Crash Injuries	1	0	0

## EMPLOYMENT

	2012	2011	2010
Labor Force	8,534	8,189	8,026
Employed	7,924	7,445	7,176
Unemployed	610	744	850
Unemployment Rate	7.1%	9.1%	10.6%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	962	977	1,024
Drop-outs	12	6	15
Drop-out Rate	1.2%	0.6%	1.5%
School Suspensions:			
Alcohol Incidents	0	2	0
Drug Incidents	4	12	7
Tobacco Incidents	0	0	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	76	67	87
Liquor Law Arrests	23	14	22
Drug Arrests	162	144	106
Methamphetamine Lab Incidents	19	9	6
Violent Offenses	40	37	58
Property Offenses	384	313	246
Domestic Violence Reports	4	8	35

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	83	71	79
Violent Offenses	22	27	42
Alcohol Offenses	2	1	2
Drug Offenses	10	5	3
Status Offenses--Total	40	49	40
Truancy	2	13	2
Beyond Parental Control	33	35	36
Habitually Absent from Home	3	1	1
Injurious Behavior	2	0	1
Abuse/Neglect/Custody--Total	46	33	37
Abuse	4	2	6
Neglect	31	25	28
Custody Disputes	11	6	3

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	42	30	33
Parental Alcohol Use Related	0	3	5
Parental Drug Use Related	12	11	2
Parental Alcohol and Drug Use	0	0	1
Child Removed for Other Reason	30	16	25

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	59	46	42
Probation/Parole Admissions--Total	151	166	114
Probation/Parole Admissions--Drug	66	52	31
Probation/Parole Admissions--DWI	7	11	13
Prison Admissions--Total	70	81	79
Prison Admissions--Drug	24	26	18
Prison Admissions--DWI	3	4	9

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	10	10	9
Alcohol Package Carry-out Licenses	14	14	13

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# WRIGHT COUNTY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	24	15	18
CSTAR Adolescent	8	7	*
CSTAR Women and Children	5	*	11
CSTAR General Adult	19	13	17
CSTAR Opioid	*	0	0
Primary Recovery Treatment	63	43	62
Clinical SATOP (CIP, YCIP, SROP)	17	7	10
Other Substance Abuse Treatment	0	0	0


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	79	53	76
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	29	14	23
- Weekend Intervention Program	16	16	22
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	0	0	0
Compulsive Gambling	0	0	0
Recovery Supports	0	0	*
Early Intervention	*	*	0

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	115	76	100	Alcohol	38	28	44
AGE				Marijuana / Hashish	22	16	17
Under 18	7	7	*	Cocaine (total)	0	0	*
18 to 24	25	13	17	- Crack	0	0	*
25 to 29	26	22	22	Stimulant (total)	32	9	14
30 to 34	22	7	22	- Methamphetamine	31	9	14
35 to 39	8	8	7	Heroin	*	*	*
40 to 44	10	5	8	Analgesic except Heroin	17	16	19
45 to 54	12	12	18	- Non-Prescription Methadone	0	0	0
55 and Over	5	*	*	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	*	*	*
Male	71	55	69	Inhalant	*	0	0
Female	44	21	31	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	110	74	100	Average Age at First Use of Drug	17.3	17.0	17.2
African American	*	0	0	INJECTION DRUG USE			
Native American / Alaskan	*	0	0	Any Injection Use at Admission	31	14	22
Asian / Pacific Islander	0	0	0	- Daily Injection Use	9	*	8
Hispanic	*	*	0	- Weekly Injection Use	11	5	5
Other Race / Two or More Races	*	*	0	- Less than Weekly Injection Use	11	6	9
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	49	32	46	0	59	47	57
High School Graduate or G.E.D.	54	34	44	1 or 2	36	19	28
Associate Degree or Some College	12	8	8	3 or More	20	10	15
Bachelor or Advanced Degree	0	*	*	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	34	19	18
Employed	15	12	10	School	0	0	0
Unemployed	60	39	53	Mental Health Provider	*	*	*
Not in Labor Force	40	25	37	Health Care Provider	*	5	*
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	64	49	70
Independent Living	100	62	93	Other Referral Source	13	*	7
Dependent Living	9	11	5	TREATMENT ACCOMMODATION			
Homeless	*	*	*	Pregnant when Admitted to any Episode	*	0	*
MARITAL / FAMILY STATUS				Military Veteran	*	*	*
Never Married	49	34	44	Special Education Services Needed	9	7	6
Married / Cohabiting	42	23	28	Co-Occurring Psychological Problem	31	23	42
Previously Married	24	19	28	Co-Occurring Developmental Problem	*	0	0

# WRIGHT COUNTY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 18  
**CENSUS 2010** 18,815  
**2012 POPULATION ESTIMATE** 18,629

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	*	*	*
Anxiety Disorder	79	58	55
Dementia	0	*	0
Developmental Disorder	*	*	*
Impulse Control Disorder	24	15	12
Mood Disorder	171	141	129
Personality Disorder	6	6	*
Psychotic Disorder	20	17	22
Sexual Disorder	0	0	0
Other Diagnosis	7	9	6
Diagnosis Unknown	33	18	13

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	251	203	200	Less than High School Diploma	35	24	11
<b>AGE</b>				High School Grad or G.E.D.	41	46	14
Under 6	0	0	0	Associate Degree or Some College	11	12	*
6 to 9	6	*	*	Bachelor or Advanced Degree	*	*	0
10 to 13	11	9	7	Education Level Unknown	162	118	171
14 to 17	14	11	9	<b>EMPLOYMENT</b>			
18 to 24	22	25	28	Employed	11	*	0
25 to 29	27	25	22	Unemployed	77	78	28
30 to 34	26	15	28	Not in Labor Force	25	*	*
35 to 39	29	19	16	Employment Status Unknown	138	118	170
40 to 44	29	23	21	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	32	33	27	Independent Living	90	83	29
50 to 54	32	21	24	Dependent Living	23	15	5
55 to 59	16	11	11	Homeless	*	*	0
60 and Over	7	9	*	Other	*	0	*
Age Unknown	0	0	0	Housing Unknown	135	104	165
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	107	88	91	Self / Family / Friend	106	84	97
Female	144	115	109	School	0	0	0
Gender Unknown	0	0	0	Mental Health Provider	12	18	24
<b>RACE / ETHNICITY</b>				Health Care Provider	109	77	52
Caucasian	244	198	196	Court / Criminal Justice	14	10	13
African American	*	*	*	Other	10	13	12
Native American / Alaskan	*	0	0	Referral Source Unknown	0	*	*
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	*	*	*	Voluntary	250	200	195
Other Race	*	*	*	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	0	0	0
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	6	5	*	Commitment Type Unknown	0	*	*
Past or Current Military Service	5	8	*				


# WRIGHT COUNTY

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	30.4	47.7	Alcohol	75.1	77.9
Cigarettes	22.3	34.4	Cigarettes	78.3	80.5
Chewing Tobacco	21.0	30.0	Marijuana	81.0	75.3
Marijuana	8.0	10.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.3	93.9
Inhalants	5.4	8.4	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	8.0	15.0	Were very sad	21.7	19.9
Over-the-counter medications for non-medical use	4.8	9.7	Were grouchy, irritable, or in a bad mood	24.6	25.9
Methamphetamine	0.6	1.0	Felt hopeless about the future	14.4	11.7
Cocaine	0.6	1.5	Felt like not eating or eating more than usual	15.7	18.7
Heroin	0.6	1.3	Slept a lot more or a lot less than usual	17.3	26.2
Hallucinogens	1.0	2.5	Had difficulty concentrating on school work	24.0	26.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.3	1.8	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	0.6	1.0	Seriously considered attempting suicide	12.2	12.3
Synthetic drugs (K2, bath salts, Spice, etc)	5.4		Made plan about how they would attempt suicide	10.6	10.6
<b>Average age of students' first use of:</b>			Attempted suicide	5.5	6.8
Alcohol	12.71	11.90	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.3	3.6
Cigarettes	12.36	11.86	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.63	12.75	Were threatened/injured with weapon at school	5.7	11.9
Inhalants	11.91	12.35	Were in a physical fight	20.2	28.6
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	1.9	4.5
Alcohol	8.6	17.2	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	4.2	10.6	Were victims of mean rumors or lies spread at school	50.0	65.1
Cigarettes	9.3	17.9	Had embarrassing or hurtful pictures/text of them posted on internet	11.5	12.4
Chewing Tobacco	10.9	17.6	Had embarrassing or hurtful pictures/text of them sent by cell phone	15.7	15.9
Marijuana	2.6	3.8	Were made fun of by others	58.8	71.1
Inhalants	1.3	4.1	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	3.2	9.7	Spread mean rumors or lies about other kids at school	23.0	36.0
Over-the-counter medications for non-medical use	3.2	5.1	Posted on internet embarrassing or hurtful pictures/text of someone	9.3	8.9
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.6	9.6
Alcohol	43.3	65.6	Made fun of other people	57.2	74.9
Cigarettes	37.8	51.0	<b>Percent of students who agree that:</b>		
Marijuana	19.4	31.5	Teachers notice and comment on student's good work	71.6	70.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	8.0	17.2	School provides feedback to parents on positive student performance	44.1	38.0
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	57.5	54.1
Alcohol	21.7	35.5	Rules are enforced fairly	65.5	64.0
Cigarettes	11.8	18.5	Students of all races/ethnicities are treated equally	82.3	82.0
Marijuana	5.4	7.4	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	83.7	80.8
Alcohol	71.2	55.9	Parents involve student in making family decisions	71.1	67.0
Cigarettes	85.5	74.7	It is important to be honest with parents regardless of consequences	88.1	86.4
Marijuana	89.0	88.6	Student could ask parent for help with a personal problem	78.2	75.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.4	98.2	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	84.7	79.4	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	92.6	91.3	Percentages are estimates based on weighted data.		
Marijuana	96.1	96.7	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.7	98.7	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	42.1	58.3			
Cigarettes	47.1	62.0			
Marijuana	20.8	28.9			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.0	15.1			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# SAINT LOUIS CITY



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	23-25 (SL)
Adult Psychiatric	24, 25
<b>FIPS COUNTY CODE</b>	510
<b>POPULATION</b>	
Census 2010	319,294
2012 Pop. Estimate	318,172

## BIRTH RISK FACTORS

	2011	2010	2009
Resident Births--Total	4,957	4,843	5,121
Mother Reported Smoking while Pregnant	749	750	651

## HIV DISEASE RISK FACTORS

	2011	2010	2009
New HIV/AIDS Cases--Total	122	146	127
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

## DEATHS and INJURIES

	2011	2010	2009
Resident Deaths--Total	2,991	3,046	3,081
Suicides	43	40	49
Self-inflicted Injuries	483	457	388
Homicides	93	106	122
Assault Injuries	3,046	3,100	3,218
Alcohol Induced Deaths	33	36	47
Drug Induced Deaths	96	77	77
Smoking Attributable Deaths	468	492	480

## HOSPITAL EPISODES

	2011	2010	2009
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	3,098		
Alcohol Primary Diagnosis <sup>2</sup>	252		
Drug Primary Diagnosis <sup>2</sup>	509		
Alcohol Related Diagnosis	1,314	1,368	1,515
Drug Related Diagnosis	2,243	1,995	2,051
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	2,517		
Alcohol Primary Diagnosis <sup>2</sup>	284		
Drug Primary Diagnosis <sup>2</sup>	245		
Alcohol Related Diagnosis	1,971	1,933	1,753
Drug Related Diagnosis	2,748	2,117	1,827
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	4,377		
Alcohol Primary Diagnosis <sup>2</sup>	1,573		
Drug Primary Diagnosis <sup>2</sup>	1,252		
Alcohol Related Diagnosis	3,103	3,091	2,554
Drug Related Diagnosis	4,640	3,381	2,144

## TRAFFIC: IMPAIRED DRIVER

	2011	2010	2009
Alcohol Involved Crashes--Total	124	193	181
Fatal Crashes	5	7	2
Injury Crashes	55	63	71
Property Damage Crashes	64	123	108
Crash Fatalities	5	8	1
Crash Injuries	112	129	61
Drug Involved Crashes--Total	14	16	12
Fatal Crashes	1	3	0
Injury Crashes	10	7	6
Property Damage Crashes	3	6	6
Crash Fatalities	1	3	0
Crash Injuries	8	13	5

## EMPLOYMENT

	2012	2011	2010
Labor Force	139,939	145,563	158,404
Employed	126,924	128,482	138,966
Unemployed	13,015	17,081	19,438
Unemployment Rate	9.3%	11.7%	12.3%

## SCHOOL REPORTS

	2011-2012	2010-2011	2009-2010
Enrollment Grades 9-12	9,053	9,428	9,790
Drop-outs	1,646	1,871	1,629
Drop-out Rate	18.2%	19.8%	16.6%
School Suspensions:			
Alcohol Incidents	4	9	1
Drug Incidents	179	152	145
Tobacco Incidents	1	1	0

## POLICE REPORTS

	2011	2010	2009
DUI Arrests, DWI Tracking System	263	476	644
Liquor Law Arrests	537	307	523
Drug Arrests	4,167	3,046	2,907
Methamphetamine Lab Incidents	24	4	8
Violent Offenses	5,950	6,209	7,356
Property Offenses	27,988	29,737	29,877
Domestic Violence Reports	2,329	2,280	2,623

## JUVENILE COURT REFERRALS

	2011	2010	2009
Juvenile Law Violations--Total	1,956	2,188	2,451
Violent Offenses	583	698	756
Alcohol Offenses	4	8	7
Drug Offenses	83	134	121
Status Offenses--Total	358	414	297
Truancy	216	278	191
Beyond Parental Control	83	50	46
Habitually Absent from Home	51	84	60
Injurious Behavior	6	2	0
Abuse/Neglect/Custody--Total	674	511	472
Abuse	63	68	54
Neglect	517	372	390
Custody Disputes	94	71	28

## JUVENILE COURT PLACEMENTS

	2011	2010	2009
Out-of-Home Placements--Total	213	235	260
Parental Alcohol Use Related	2	8	3
Parental Drug Use Related	49	60	56
Parental Alcohol and Drug Use	0	1	1
Child Removed for Other Reason	162	166	200

## CRIMINAL JUSTICE

	FY2012	FY2011	FY2010
Drug Court Participants	564	640	701
Probation/Parole Admissions--Total	3,455	3,309	3,737
Probation/Parole Admissions--Drug	1,324	1,312	1,561
Probation/Parole Admissions--DWI	16	12	5
Prison Admissions--Total	1,762	1,618	1,666
Prison Admissions--Drug	594	585	619
Prison Admissions--DWI	4	5	3

## RETAIL ALCOHOL OUTLETS

	2012	2011	2010
Alcohol On-Premise Drink Licenses	772	766	770
Alcohol Package Carry-out Licenses	176	172	184

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SAINT LOUIS CITY

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	843	876	889
CSTAR Adolescent	137	193	222
CSTAR Women and Children	799	819	894
CSTAR General Adult	1,095	933	484
CSTAR Opioid	258	307	179
Primary Recovery Treatment	537	1,028	1,710
Clinical SATOP (CIP, YCIP, SROP)	153	124	157
Other Substance Abuse Treatment	517	498	547

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	534	511	716
- Adolescent Diversion Education Program	*	7	9
- Offender Education Program	192	172	256
- Weekend Intervention Program	89	105	135
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	378	453	334
Compulsive Gambling	7	9	13
Recovery Supports	11	225	1,622
Early Intervention	103	34	37

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	3,387	3,648	4,038
<b>AGE</b>			
Under 18	137	191	234
18 to 24	411	423	578
25 to 29	514	587	659
30 to 34	565	569	550
35 to 39	401	456	444
40 to 44	342	416	461
45 to 54	759	762	879
55 and Over	258	244	233

<b>GENDER</b>			
Male	2,145	2,467	2,790
Female	1,241	1,181	1,247

<b>RACE / ETHNICITY</b>			
Caucasian	942	929	1,008
African American	2,337	2,608	2,917
Native American / Alaskan	*	*	*
Asian / Pacific Islander	11	6	*
Hispanic	34	32	44
Other Race / Two or More Races	82	84	87

<b>EDUCATION</b>			
Less than High School Diploma	1,468	1,709	1,851
High School Graduate or G.E.D.	1,379	1,420	1,590
Associate Degree or Some College	522	490	544
Bachelor or Advanced Degree	18	29	53

<b>EMPLOYMENT</b>			
Employed	397	480	578
Unemployed	1,349	1,507	1,740
Not in Labor Force	1,641	1,661	1,720

<b>HOUSING / LIVING ARRANGEMENT</b>			
Independent Living	2,201	2,358	2,721
Dependent Living	462	628	748
Homeless	477	492	384

<b>MARITAL / FAMILY STATUS</b>			
Never Married	2,476	2,662	2,965
Married / Cohabiting	477	521	553
Previously Married	434	465	520

<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Alcohol	688	816	976
Marijuana / Hashish	755	938	1,187
Cocaine (total)	582	630	710
- Crack	422	553	642
Stimulant (total)	49	33	36
- Methamphetamine	39	29	32
Heroin	1,174	1,115	1,020
Analgesic except Heroin	88	77	67
- Non-Prescription Methadone	*	5	*
PCP, LSD, other Hallucinogen	33	28	29
Tranquilizer	6	7	7
Inhalant	0	0	*
Sedative	*	*	*
Other Medication or Illicit Drug	10	*	*
Average Age at First Use of Drug	20.6	20.0	19.1

<b>INJECTION DRUG USE</b>			
Any Injection Use at Admission	656	529	495
- Daily Injection Use	388	319	275
- Weekly Injection Use	115	87	97
- Less than Weekly Injection Use	153	123	123

<b>LIFETIME DUI / DWI ARRESTS</b>			
0	2,868	3,143	3,336
1 or 2	375	376	552
3 or More	144	129	150


<b>TREATMENT REFERRAL SOURCE</b>			
Self / Family / Friend	1,482	1,366	1,354
School	6	5	*
Mental Health Provider	29	41	40
Health Care Provider	122	115	140
Court / Criminal Justice	1,448	1,800	2,175
Other Referral Source	281	320	325

<b>TREATMENT ACCOMMODATION</b>			
Pregnant when Admitted to any Episode	118	121	94
Military Veteran	145	139	134
Special Education Services Needed	330	327	346
Co-Occurring Psychological Problem	869	887	974
Co-Occurring Developmental Problem	181	131	150



# SAINT LOUIS CITY

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Eastern  
**PSYCHIATRIC SERVICE AREA** 24-25  
**CENSUS 2010** 319,294  
**2012 POPULATION ESTIMATE** 318,172

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	100	90	125
Anxiety Disorder	671	660	657
Dementia	17	19	27
Developmental Disorder	52	52	51
Impulse Control Disorder	636	563	467
Mood Disorder	3,039	2,910	2,862
Personality Disorder	706	726	872
Psychotic Disorder	2,480	2,468	2,366
Sexual Disorder	10	13	16
Other Diagnosis	254	296	383
Diagnosis Unknown	911	647	1,638

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	6,713	6,228	7,117	Less than High School Diploma	1,171	824	421
<b>AGE</b>				High School Grad or G.E.D.	735	715	375
Under 6	17	15	12	Associate Degree or Some College	362	344	215
6 to 9	217	161	115	Bachelor or Advanced Degree	191	125	62
10 to 13	299	223	253	Education Level Unknown	4,254	4,220	6,044
14 to 17	335	294	326	<b>EMPLOYMENT</b>			
18 to 24	499	474	696	Employed	279	239	136
25 to 29	470	443	616	Unemployed	1,923	1,779	910
30 to 34	544	512	562	Not in Labor Force	725	27	35
35 to 39	496	490	634	Employment Status Unknown	3,786	4,183	6,036
40 to 44	609	586	729	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	893	869	1,006	Independent Living	2,090	1,587	778
50 to 54	948	921	968	Dependent Living	672	526	182
55 to 59	758	690	660	Homeless	186	107	105
60 and Over	628	550	540	Other	61	62	51
Age Unknown	0	0	0	Housing Unknown	3,704	3,946	6,001
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	3,441	3,218	3,683	Self / Family / Friend	2,588	2,433	2,859
Female	3,272	3,010	3,434	School	40	21	26
Gender Unknown	0	0	0	Mental Health Provider	879	979	1,029
<b>RACE / ETHNICITY</b>				Health Care Provider	720	515	489
Caucasian	1,705	1,600	1,808	Court / Criminal Justice	512	542	731
African American	4,738	4,370	5,048	Other	1,917	1,660	1,719
Native American / Alaskan	*	*	*	Referral Source Unknown	57	78	264
Asian / Pacific Islander	24	26	27	<b>TYPE OF COMMITMENT</b>			
Hispanic	50	42	46	Voluntary	6,410	5,853	6,375
Other Race	192	185	181	Civil	31	68	207
Race/Ethnicity Unknown	*	*	*	Criminal	210	225	268
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	7	6	*
Hearing Impaired	170	141	150	Commitment Type Unknown	55	76	264
Past or Current Military Service	207	192	228				



# SAINT LOUIS CITY

## MISSOURI STUDENT SURVEY 2010 AND 2012

### Percent of students who have ever used:

2012 2010

Alcohol  
Cigarettes  
Chewing Tobacco  
Marijuana  
Inhalants  
Prescription medications not prescribed for student  
Over-the-counter medications for non-medical use  
Methamphetamine  
Cocaine  
Heroin  
Hallucinogens  
Club drugs (Ecstasy, GHB, roofie, Special K, etc)  
Steroids not prescribed for student  
Synthetic drugs (K2, bath salts, Spice, etc)

### Average age of students' first use of:

Alcohol  
Cigarettes  
Marijuana  
Inhalants

### Percent of students who used in past 30 days:

Alcohol  
Binge Alcohol (5 or more drinks on one occasion)  
Cigarettes  
Chewing Tobacco  
Marijuana  
Inhalants  
Prescription medications not prescribed for student  
Over-the-counter medications for non-medical use

### Percent whose friends used in past 12 months:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent who would likely use, if offered by a best friend:

Alcohol  
Cigarettes  
Marijuana

### Percent who say it would be wrong to use:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent whose parents would disapprove if they use:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent who say it would be easy to obtain:

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent who believe they risk harm if they use:

2012 2010

Alcohol  
Cigarettes  
Marijuana  
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)

### Percent of students who, in past 30 days:

Were very sad  
Were grouchy, irritable, or in a bad mood  
Felt hopeless about the future  
Felt like not eating or eating more than usual  
Slept a lot more or a lot less than usual  
Had difficulty concentrating on school work

### Percent of students who, in past 12 months:

Seriously considered attempting suicide  
Made plan about how they would attempt suicide  
Attempted suicide  
Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse

### Percent of students in past 12 months who:

Were threatened/injured with weapon at school  
Were in a physical fight  
Were in a fight and had to be treated by a doctor or nurse

### Percent of students in past 3 months who:

Were victims of mean rumors or lies spread at school  
Had embarrassing or hurtful pictures/text of them posted on internet  
Had embarrassing or hurtful pictures/text of them sent by cell phone  
Were made fun of by others

### Percent of students who, in the past 3 months:

Spread mean rumors or lies about other kids at school  
Posted on internet embarrassing or hurtful pictures/text of someone  
Sent by cell phone embarrassing or hurtful pictures/text of someone  
Made fun of other people

### Percent of students who agree that:

Teachers notice and comment on student's good work  
School provides feedback to parents on positive student performance  
Teachers praise student for hard work  
Rules are enforced fairly  
Students of all races/ethnicities are treated equally

### Percent of students who agree that:


Parents notice and comment on student's good work  
Parents involve student in making family decisions  
It is important to be honest with parents regardless of consequences  
Student could ask parent for help with a personal problem

#### Notes:

Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# DIVISION OF BEHAVIORAL HEALTH WESTERN REGION



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	1, 2-5 (JC), 6, 7, 13
Adult Psychiatric	1, 2, 3, 4, 5, 6, 7, 13
<b>FIPS COUNTY CODE</b>	Not Applicable
<b>POPULATION</b>	
Census 2010	1,457,879
2012 Pop. Estimate	1,470,120

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	745,615	755,544	744,864
Employed	693,740	689,909	671,159
Unemployed	51,875	65,635	73,705
Unemployment Rate	7.0%	8.7%	9.9%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	66,469	67,616	69,226
Drop-outs	2,269	2,345	2,258
Drop-out Rate	3.4%	3.5%	3.3%
School Suspensions:			
Alcohol Incidents	85	102	91
Drug Incidents	739	706	678
Tobacco Incidents	19	15	12

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	19,325	19,953	20,744
Mother Reported Smoking while Pregnant	3,322	3,423	3,069

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	184	170	175
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	12,802	12,695	12,520
Suicides	232	227	211
Self-inflicted Injuries	2,256	2,247	2,097
Homicides	146	145	129
Assault Injuries	6,973	6,799	7,215
Alcohol Induced Deaths	122	122	109
Drug Induced Deaths	190	198	197
Smoking Attributable Deaths	2,196	2,194	2,214

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	13,057		
Alcohol Primary Diagnosis <sup>2</sup>	1,176		
Drug Primary Diagnosis <sup>2</sup>	677		
Alcohol Related Diagnosis	5,209	5,832	3,506
Drug Related Diagnosis	5,742	6,362	3,772
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	3,164		
Alcohol Primary Diagnosis <sup>2</sup>	998		
Drug Primary Diagnosis <sup>2</sup>	564		
Alcohol Related Diagnosis	5,489	5,153	6,012
Drug Related Diagnosis	4,582	4,000	4,674
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	12,378		
Alcohol Primary Diagnosis <sup>2</sup>	5,551		
Drug Primary Diagnosis <sup>2</sup>	2,407		
Alcohol Related Diagnosis	10,533	10,486	9,483
Drug Related Diagnosis	7,758	6,582	4,549

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	1,314	1,494	1,631
Fatal Crashes	32	33	58
Injury Crashes	571	619	703
Property Damage Crashes	711	842	870
Crash Fatalities	38	34	57
Crash Injuries	886	882	811
Drug Involved Crashes--Total	277	283	324
Fatal Crashes	8	6	12
Injury Crashes	128	130	162
Property Damage Crashes	141	147	150
Crash Fatalities	7	7	11
Crash Injuries	141	187	166

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	7,297	7,790	7,592
Liquor Law Arrests	2,522	2,802	3,359
Drug Arrests	5,453	7,591	10,150
Methamphetamine Lab Incidents	56	43	56
Violent Offenses	2,418	7,961	9,042
Property Offenses	29,656	58,078	56,001
Domestic Violence Reports	7,425	12,156	7,664

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	4,694	4,436	5,129
Violent Offenses	1,176	1,310	1,452
Alcohol Offenses	173	199	191
Drug Offenses	321	371	433
Status Offenses--Total	1,824	1,887	1,742
Truancy	558	528	463
Beyond Parental Control	423	491	470
Habitually Absent from Home	341	371	357
Injurious Behavior	422	456	429
Abuse/Neglect/Custody--Total	2,440	2,838	2,478
Abuse	317	405	206
Neglect	1,609	1,883	1,954
Custody Disputes	514	550	318

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	1,459	1,541	1,254
Parental Alcohol Use Related	74	53	56
Parental Drug Use Related	378	417	304
Parental Alcohol and Drug Use	34	58	39
Child Removed for Other Reason	973	1,013	855

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	1,469	1,373	1,301
Probation/Parole Admissions--Total	7,735	7,466	7,619
Probation/Parole Admissions--Drug	2,471	2,421	2,576
Probation/Parole Admissions--DWI	587	511	487
Prison Admissions--Total	3,844	4,067	4,061
Prison Admissions--Drug	1,081	1,186	1,152
Prison Admissions--DWI	312	337	287

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	1,599	1,593	1,564
Alcohol Package Carry-out Licenses	1,142	1,111	1,063

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# DIVISION OF BEHAVIORAL HEALTH WESTERN REGION

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	1,521	1,884	2,055
CSTAR Adolescent	574	573	601
CSTAR Women and Children	800	817	803
CSTAR General Adult	3,780	3,465	1,529
CSTAR Opioid	80	99	74
Primary Recovery Treatment	1,405	1,797	4,645
Clinical SATOP (CIP, YCIP, SROP)	1,148	844	914
Other Substance Abuse Treatment	481	525	505

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	5,912	5,701	6,860
- Adolescent Diversion Education Program	174	133	184
- Offender Education Program	2,280	2,350	2,859
- Weekend Intervention Program	1,421	1,405	1,837
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	291	313	357
Compulsive Gambling	31	69	80
Recovery Supports	2,364	1,557	3,401
Early Intervention	376	313	51


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	8,956	8,765	9,263
<b>AGE</b>			
Under 18	593	593	610
18 to 24	1,508	1,489	1,602
25 to 29	1,372	1,368	1,496
30 to 34	1,339	1,185	1,201
35 to 39	978	1,024	1,125
40 to 44	975	1,002	1,004
45 to 54	1,714	1,655	1,781
55 and Over	477	449	444
<b>GENDER</b>			
Male	6,164	6,042	6,584
Female	2,792	2,723	2,679
<b>RACE / ETHNICITY</b>			
Caucasian	6,323	5,994	6,398
African American	2,073	2,269	2,315
Native American / Alaskan	36	37	38
Asian / Pacific Islander	34	23	26
Hispanic	330	311	295
Other Race / Two or More Races	266	228	267
<b>EDUCATION</b>			
Less than High School Diploma	2,854	2,884	3,118
High School Graduate or G.E.D.	4,005	3,884	4,283
Associate Degree or Some College	1,976	1,830	1,681
Bachelor or Advanced Degree	121	167	181
<b>EMPLOYMENT</b>			
Employed	2,367	2,190	2,209
Unemployed	3,704	3,986	4,184
Not in Labor Force	2,885	2,589	2,869
<b>HOUSING / LIVING ARRANGEMENT</b>			
Independent Living	6,724	6,386	6,706
Dependent Living	1,191	1,326	1,422
Homeless	808	830	894
<b>MARITAL / FAMILY STATUS</b>			
Never Married	5,190	5,165	5,431
Married / Cohabiting	1,778	1,705	1,814
Previously Married	1,988	1,895	2,016

<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Alcohol	3,803	3,706	3,974
Marijuana / Hashish	2,243	2,262	2,465
Cocaine (total)	738	822	988
- Crack	554	643	784
Stimulant (total)	1,277	1,097	1,046
- Methamphetamine	1,244	1,044	1,004
Heroin	112	119	112
Analgesic except Heroin	440	408	367
- Non-Prescription Methadone	11	6	8
PCP, LSD, other Hallucinogen	219	224	199
Tranquilizer	78	71	78
Inhalant	10	6	6
Sedative	*	10	17
Other Medication or Illicit Drug	35	40	11
Average Age at First Use of Drug	17.6	17.4	17.3
<b>INJECTION DRUG USE</b>			
Any Injection Use at Admission	641	549	541
- Daily Injection Use	143	141	123
- Weekly Injection Use	174	149	131
- Less than Weekly Injection Use	324	259	286
<b>LIFETIME DUI / DWI ARRESTS</b>			
0	5,040	5,129	5,337
1 or 2	2,404	2,139	2,196
3 or More	1,512	1,497	1,730
<b>TREATMENT REFERRAL SOURCE</b>			
Self / Family / Friend	2,964	2,896	2,970
School	45	36	45
Mental Health Provider	285	252	214
Health Care Provider	386	420	366
Court / Criminal Justice	4,302	4,426	4,897
Other Referral Source	842	733	757
<b>TREATMENT ACCOMMODATION</b>			
Pregnant when Admitted to any Episode	131	112	124
Military Veteran	472	469	490
Special Education Services Needed	563	451	479
Co-Occurring Psychological Problem	3,101	3,009	3,148
Co-Occurring Developmental Problem	258	239	283

# DIVISION OF BEHAVIORAL HEALTH WESTERN REGION

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 1, 2-5, 6, 7, 13  
**CENSUS 2010** 1,457,879  
**2012 POPULATION ESTIMATE** 1,470,120

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	960	912	935
Anxiety Disorder	6,244	5,087	4,798
Dementia	62	45	58
Developmental Disorder	216	183	189
Impulse Control Disorder	3,503	3,151	3,028
Mood Disorder	12,484	10,864	10,446
Personality Disorder	1,035	842	845
Psychotic Disorder	4,217	3,777	3,514
Sexual Disorder	15	20	22
Other Diagnosis	1,522	1,432	1,369
Diagnosis Unknown	3,722	3,764	7,198

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	23,822	21,713	24,656	Less than High School Diploma	2,452	1,424	1,194
<b>AGE</b>				High School Grad or G.E.D.	2,492	2,092	1,631
Under 6	314	291	387	Associate Degree or Some College	904	793	676
6 to 9	1,460	1,314	1,431	Bachelor or Advanced Degree	260	232	176
10 to 13	1,832	1,652	1,728	Education Level Unknown	17,714	17,172	20,979
14 to 17	1,915	1,865	2,026	<b>EMPLOYMENT</b>			
18 to 24	2,121	1,860	2,409	Employed	791	524	520
25 to 29	1,860	1,734	2,219	Unemployed	4,660	3,925	3,054
30 to 34	2,102	1,903	2,140	Not in Labor Force	1,787	117	134
35 to 39	1,935	1,803	2,167	Employment Status Unknown	16,584	17,147	20,948
40 to 44	2,103	1,959	2,243	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	2,477	2,295	2,718	Independent Living	5,081	3,628	2,820
50 to 54	2,522	2,222	2,317	Dependent Living	2,330	1,912	653
55 to 59	1,695	1,498	1,520	Homeless	307	178	201
60 and Over	1,486	1,317	1,351	Other	164	243	389
Age Unknown	0	0	0	Housing Unknown	15,940	15,752	20,593
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	11,378	10,470	11,965	Self / Family / Friend	13,142	10,941	12,208
Female	12,444	11,243	12,691	School	363	346	385
Gender Unknown	0	0	0	Mental Health Provider	2,150	2,374	2,529
<b>RACE / ETHNICITY</b>				Health Care Provider	2,975	2,468	2,622
Caucasian	14,909	13,919	15,585	Court / Criminal Justice	1,204	1,225	1,661
African American	6,995	5,887	7,062	Other	3,810	4,097	4,578
Native American / Alaskan	98	107	108	Referral Source Unknown	178	262	673
Asian / Pacific Islander	83	72	73	<b>TYPE OF COMMITMENT</b>			
Hispanic	648	547	629	Voluntary	23,304	21,088	23,654
Other Race	1,088	1,176	1,193	Civil	109	115	110
Race/Ethnicity Unknown	*	5	6	Criminal	237	252	239
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	11	15	12
Hearing Impaired	508	460	491	Commitment Type Unknown	161	243	641
Past or Current Military Service	505	486	559				

# DIVISION OF BEHAVIORAL HEALTH WESTERN REGION

## MISSOURI STUDENT SURVEY 2010 AND 2012


	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	36.9	39.4	Alcohol	70.4	75.0
Cigarettes	21.2	24.6	Cigarettes	81.4	80.0
Chewing Tobacco	10.1	9.5	Marijuana	71.3	72.5
Marijuana	16.1	16.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.7	91.8
Inhalants	5.1	6.1			
Prescription medications not prescribed for student	8.0	10.5	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	5.9	7.4	Were very sad	18.6	18.8
Methamphetamine	1.3	0.9	Were grouchy, irritable, or in a bad mood	24.3	25.1
Cocaine	1.8	1.7	Felt hopeless about the future	11.0	11.7
Heroin	0.9	0.6	Felt like not eating or eating more than usual	16.8	18.3
Hallucinogens	2.8	2.5	Slept a lot more or a lot less than usual	20.9	25.7
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.1	2.1	Had difficulty concentrating on school work	22.6	23.7
Steroids not prescribed for student	1.3	1.1			
Synthetic drugs (K2, bath salts, Spice, etc)	6.1		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	11.8	11.4
Alcohol	12.83	12.57	Made plan about how they would attempt suicide	8.7	8.3
Cigarettes	12.70	12.28	Attempted suicide	5.0	5.6
Marijuana	13.65	13.49	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.7	2.1
Inhalants	11.69	11.69			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	15.5	17.3	Were threatened/injured with weapon at school	6.2	9.4
Binge Alcohol (5 or more drinks on one occasion)	8.7	10.4	Were in a physical fight	19.0	23.5
Cigarettes	9.5	12.7	Were in a fight and had to be treated by a doctor or nurse	2.6	4.2
Chewing Tobacco	5.3	5.0			
Marijuana	8.2	8.6	<b>Percent of students in past 3 months who:</b>		
Inhalants	2.0	2.9	Were victims of mean rumors or lies spread at school	46.8	51.4
Prescription medications not prescribed for student	4.4	6.3	Had embarrassing or hurtful pictures/text of them posted on internet	12.5	12.7
Over-the-counter medications for non-medical use	3.4	4.7	Had embarrassing or hurtful pictures/text of them sent by cell phone	15.2	13.9
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	59.9	65.8
Alcohol	51.4	54.1			
Cigarettes	40.8	44.5	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	37.5	36.8	Spread mean rumors or lies about other kids at school	26.3	32.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.5	17.3	Posted on internet embarrassing or hurtful pictures/text of someone	8.8	11.4
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	10.3	13.4
Alcohol	29.1	30.4	Made fun of other people	61.2	70.2
Cigarettes	12.4	14.0			
Marijuana	13.8	13.1	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	68.1	70.8
Alcohol	62.1	62.1	School provides feedback to parents on positive student performance	37.6	42.0
Cigarettes	81.6	79.5	Teachers praise student for hard work	54.7	55.6
Marijuana	81.0	81.2	Rules are enforced fairly	64.4	65.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.9	94.3	Students of all races/ethnicities are treated equally	77.2	78.2
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	80.0	80.0	<b>Percent of students who agree that:</b>		
Cigarettes	91.8	90.5	Parents notice and comment on student's good work	82.0	82.9
Marijuana	93.4	93.5	Parents involve student in making family decisions	68.4	69.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.9	97.2	It is important to be honest with parents regardless of consequences	84.8	82.4
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	75.9	76.1
Alcohol	56.7	56.2			
Cigarettes	51.9	53.6			
Marijuana	37.7	36.5			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.7	18.6			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# DIVISION OF BEHAVIORAL HEALTH CENTRAL REGION



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	11, 12, 14, 15
Adult Psychiatric	11, 12, 14, 15
<b>FIPS COUNTY CODE</b>	Not Applicable
<b>POPULATION</b>	
Census 2010	807,835
2012 Pop. Estimate	813,320

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	397,890	405,661	403,047
Employed	372,518	373,975	369,007
Unemployed	25,372	31,686	34,040
Unemployment Rate	6.4%	7.8%	8.4%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	34,950	35,708	36,370
Drop-outs	848	857	928
Drop-out Rate	2.4%	2.4%	2.6%
School Suspensions:			
Alcohol Incidents	78	32	42
Drug Incidents	256	272	273
Tobacco Incidents	15	19	18

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	10,041	10,055	10,227
Mother Reported Smoking while Pregnant	2,193	2,210	2,213

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	26	27	21
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	7,337	7,133	6,966
Suicides	114	94	103
Self-inflicted Injuries	958	947	916
Homicides	27	27	26
Assault Injuries	2,447	2,507	2,502
Alcohol Induced Deaths	42	46	47
Drug Induced Deaths	99	110	93
Smoking Attributable Deaths	1,295	1,287	1,230

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	3,856		
Alcohol Primary Diagnosis <sup>2</sup>	299		
Drug Primary Diagnosis <sup>2</sup>	194		
Alcohol Related Diagnosis	1,834	1,924	1,638
Drug Related Diagnosis	1,617	1,716	1,387
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	2,664		
Alcohol Primary Diagnosis <sup>2</sup>	684		
Drug Primary Diagnosis <sup>2</sup>	418		
Alcohol Related Diagnosis	2,309	2,177	2,259
Drug Related Diagnosis	1,985	1,631	1,408
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	5,881		
Alcohol Primary Diagnosis <sup>2</sup>	1,266		
Drug Primary Diagnosis <sup>2</sup>	948		
Alcohol Related Diagnosis	2,862	2,895	2,460
Drug Related Diagnosis	2,564	2,266	1,683

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	799	919	1,017
Fatal Crashes	35	36	38
Injury Crashes	351	382	430
Property Damage Crashes	413	501	549
Crash Fatalities	36	38	39
Crash Injuries	511	537	516
Drug Involved Crashes--Total	143	132	133
Fatal Crashes	10	5	5
Injury Crashes	53	53	60
Property Damage Crashes	80	74	68
Crash Fatalities	9	5	6
Crash Injuries	65	87	69

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	5,068	5,784	5,534
Liquor Law Arrests	2,189	2,314	2,732
Drug Arrests	4,450	4,299	3,980
Methamphetamine Lab Incidents	269	280	335
Violent Offenses	2,512	2,474	2,408
Property Offenses	21,380	20,369	19,774
Domestic Violence Reports	6,492	5,952	5,694

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	4,159	4,321	4,942
Violent Offenses	1,094	1,268	1,458
Alcohol Offenses	185	208	234
Drug Offenses	365	282	367
Status Offenses--Total	3,787	4,374	4,374
Truancy	883	1,037	841
Beyond Parental Control	725	752	800
Habitually Absent from Home	336	421	459
Injurious Behavior	1,730	2,009	2,025
Abuse/Neglect/Custody--Total	2,954	2,425	2,440
Abuse	957	815	870
Neglect	1,887	1,539	1,454
Custody Disputes	110	71	116

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	907	734	730
Parental Alcohol Use Related	38	31	28
Parental Drug Use Related	252	164	140
Parental Alcohol and Drug Use	25	15	27
Child Removed for Other Reason	592	524	535

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	751	743	649
Probation/Parole Admissions--Total	5,900	5,404	5,563
Probation/Parole Admissions--Drug	1,823	1,650	1,639
Probation/Parole Admissions--DWI	506	474	441
Prison Admissions--Total	3,046	2,989	2,890
Prison Admissions--Drug	1,025	973	927
Prison Admissions--DWI	269	224	280

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	1,153	1,160	1,151
Alcohol Package Carry-out Licenses	903	883	846

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# DIVISION OF BEHAVIORAL HEALTH CENTRAL REGION

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	559	670	694
CSTAR Adolescent	360	363	345
CSTAR Women and Children	542	577	627
CSTAR General Adult	2,069	1,796	1,117
CSTAR Opioid	0	7	*
Primary Recovery Treatment	1,837	2,330	3,626
Clinical SATOP (CIP, YCIP, SROP)	730	674	647
Other Substance Abuse Treatment	12	9	16

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	3,827	3,859	4,638
- Adolescent Diversion Education Program	229	240	330
- Offender Education Program	1,427	1,479	1,730
- Weekend Intervention Program	828	887	1,160
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED	FY2012	FY2011	FY2010
Co-Dependency	206	226	219
Compulsive Gambling	12	12	8
Recovery Supports	301	255	510
Early Intervention	212	174	88


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010
Total Individuals	5,243	5,428	6,049
AGE	FY2012	FY2011	FY2010
Under 18	371	371	357
18 to 24	1,032	1,158	1,301
25 to 29	937	980	1,128
30 to 34	820	825	850
35 to 39	572	550	668
40 to 44	460	466	583
45 to 54	811	854	945
55 and Over	240	223	217
GENDER	FY2012	FY2011	FY2010
Male	3,568	3,795	4,352
Female	1,675	1,632	1,697
RACE / ETHNICITY	FY2012	FY2011	FY2010
Caucasian	4,364	4,434	4,907
African American	659	744	898
Native American / Alaskan	5	13	15
Asian / Pacific Islander	18	12	14
Hispanic	88	105	105
Other Race / Two or More Races	141	156	160
EDUCATION	FY2012	FY2011	FY2010
Less than High School Diploma	1,749	1,862	2,018
High School Graduate or G.E.D.	2,388	2,479	2,837
Associate Degree or Some College	1,043	971	1,052
Bachelor or Advanced Degree	62	115	142
EMPLOYMENT	FY2012	FY2011	FY2010
Employed	1,694	1,757	2,035
Unemployed	1,824	2,047	2,415
Not in Labor Force	1,725	1,623	1,599
HOUSING / LIVING ARRANGEMENT	FY2012	FY2011	FY2010
Independent Living	4,262	4,501	5,098
Dependent Living	637	636	682
Homeless	171	166	141
MARITAL / FAMILY STATUS	FY2012	FY2011	FY2010
Never Married	2,906	3,049	3,324
Married / Cohabiting	1,175	1,238	1,348
Previously Married	1,162	1,140	1,373

PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Alcohol	2,249	2,441	2,808
Marijuana / Hashish	1,489	1,541	1,799
Cocaine (total)	278	338	403
- Crack	128	176	221
Stimulant (total)	667	540	533
- Methamphetamine	624	517	508
Heroin	217	169	131
Analgesic except Heroin	242	283	281
- Non-Prescription Methadone	0	*	*
PCP, LSD, other Hallucinogen	21	31	24
Tranquilizer	25	51	43
Inhalant	*	7	11
Sedative	9	8	*
Other Medication or Illicit Drug	43	18	15
Average Age at First Use of Drug	17.2	16.9	16.8
INJECTION DRUG USE	FY2012	FY2011	FY2010
Any Injection Use at Admission	564	420	431
- Daily Injection Use	115	112	95
- Weekly Injection Use	144	110	114
- Less than Weekly Injection Use	305	198	222
LIFETIME DUI / DWI ARRESTS	FY2012	FY2011	FY2010
0	2,711	2,844	3,165
1 or 2	1,659	1,708	1,848
3 or More	873	875	1,036
TREATMENT REFERRAL SOURCE	FY2012	FY2011	FY2010
Self / Family / Friend	1,263	1,461	1,351
School	7	10	9
Mental Health Provider	63	55	91
Health Care Provider	138	140	151
Court / Criminal Justice	3,263	3,343	4,095
Other Referral Source	456	416	349
TREATMENT ACCOMMODATION	FY2012	FY2011	FY2010
Pregnant when Admitted to any Episode	77	69	71
Military Veteran	236	222	282
Special Education Services Needed	507	519	640
Co-Occurring Psychological Problem	1,706	1,749	2,237
Co-Occurring Developmental Problem	178	238	289

# DIVISION OF BEHAVIORAL HEALTH CENTRAL REGION

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 11, 12, 14, 15  
**CENSUS 2010** 807,835  
**2012 POPULATION ESTIMATE** 813,320

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	285	242	188
Anxiety Disorder	2,563	2,339	1,995
Dementia	30	33	37
Developmental Disorder	68	60	67
Impulse Control Disorder	1,251	1,194	1,011
Mood Disorder	5,338	5,007	4,648
Personality Disorder	469	507	524
Psychotic Disorder	1,549	1,450	1,384
Sexual Disorder	13	13	14
Other Diagnosis	505	495	432
Diagnosis Unknown	785	690	1,015

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	9,424	8,627	8,208	Less than High School Diploma	1,918	1,250	826
<b>AGE</b>				High School Grad or G.E.D.	1,937	1,843	1,147
Under 6	74	66	55	Associate Degree or Some College	740	636	400
6 to 9	444	400	347	Bachelor or Advanced Degree	160	153	87
10 to 13	719	678	584	Education Level Unknown	4,669	4,745	5,748
14 to 17	814	743	704	<b>EMPLOYMENT</b>			
18 to 24	972	870	824	Employed	753	641	435
25 to 29	817	763	752	Unemployed	3,570	3,169	1,964
30 to 34	871	768	734	Not in Labor Force	1,145	114	83
35 to 39	775	739	724	Employment Status Unknown	3,956	4,703	5,726
40 to 44	836	765	752	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	1,013	946	951	Independent Living	4,188	3,142	1,943
50 to 54	874	802	756	Dependent Living	1,532	1,705	703
55 to 59	632	552	495	Homeless	75	60	25
60 and Over	583	535	530	Other	85	104	43
Age Unknown	0	0	0	Housing Unknown	3,544	3,616	5,494
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	4,339	3,969	3,785	Self / Family / Friend	4,666	4,315	4,525
Female	5,085	4,658	4,423	School	53	48	43
Gender Unknown	0	0	0	Mental Health Provider	800	828	796
<b>RACE / ETHNICITY</b>				Health Care Provider	1,461	940	475
Caucasian	8,032	7,446	7,176	Court / Criminal Justice	522	435	469
African American	937	786	700	Other	1,876	1,998	1,766
Native American / Alaskan	23	19	14	Referral Source Unknown	46	63	134
Asian / Pacific Islander	17	20	21	<b>TYPE OF COMMITMENT</b>			
Hispanic	120	114	92	Voluntary	9,224	8,395	7,821
Other Race	295	242	204	Civil	29	38	129
Race/Ethnicity Unknown	0	0	*	Criminal	109	116	114
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	14	12	8
Hearing Impaired	243	223	210	Commitment Type Unknown	48	66	136
Past or Current Military Service	235	246	246				


# DIVISION OF BEHAVIORAL HEALTH CENTRAL REGION

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	43.9	47.2	Alcohol	67.6	77.5
Cigarettes	26.3	29.3	Cigarettes	78.3	80.8
Chewing Tobacco	14.9	15.2	Marijuana	73.5	70.1
Marijuana	15.7	15.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.8	93.6
Inhalants	5.3	6.7	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	9.1	11.4	Were very sad	18.2	23.2
Over-the-counter medications for non-medical use	6.2	7.9	Were grouchy, irritable, or in a bad mood	24.7	29.3
Methamphetamine	1.4	1.0	Felt hopeless about the future	11.0	14.7
Cocaine	2.1	1.9	Felt like not eating or eating more than usual	16.9	20.9
Heroin	1.1	0.6	Slept a lot more or a lot less than usual	19.3	27.5
Hallucinogens	2.6	2.9	Had difficulty concentrating on school work	22.8	25.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.3	2.4	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.7	1.2	Seriously considered attempting suicide	12.2	12.1
Synthetic drugs (K2, bath salts, Spice, etc)	6.6		Made plan about how they would attempt suicide	8.9	8.0
<b>Average age of students' first use of:</b>			Attempted suicide	5.7	5.1
Alcohol	12.51	12.37	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.0	1.9
Cigarettes	12.43	12.33	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.63	13.47	Were threatened/injured with weapon at school	6.8	9.9
Inhalants	12.12	12.20	Were in a physical fight	21.8	23.0
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.7	3.9
Alcohol	20.4	22.0	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	12.1	12.6	Were victims of mean rumors or lies spread at school	48.0	56.2
Cigarettes	12.5	14.9	Had embarrassing or hurtful pictures/text of them posted on internet	13.3	12.6
Chewing Tobacco	8.1	8.2	Had embarrassing or hurtful pictures/text of them sent by cell phone	16.5	14.7
Marijuana	7.2	7.5	Were made fun of by others	61.3	68.3
Inhalants	2.3	3.0	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	4.5	6.7	Spread mean rumors or lies about other kids at school	27.5	32.7
Over-the-counter medications for non-medical use	3.9	4.8	Posted on internet embarrassing or hurtful pictures/text of someone	8.6	10.1
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	10.3	13.0
Alcohol	56.9	62.6	Made fun of other people	62.6	74.4
Cigarettes	46.8	49.3	<b>Percent of students who agree that:</b>		
Marijuana	34.6	35.1	Teachers notice and comment on student's good work	67.8	72.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.2	17.7	School provides feedback to parents on positive student performance	40.0	42.1
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	53.0	56.0
Alcohol	35.4	36.7	Rules are enforced fairly	61.0	65.1
Cigarettes	16.5	16.4	Students of all races/ethnicities are treated equally	77.2	74.8
Marijuana	12.6	12.2	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	81.6	84.3
Alcohol	56.8	56.1	Parents involve student in making family decisions	67.8	70.3
Cigarettes	77.6	77.5	It is important to be honest with parents regardless of consequences	84.6	82.7
Marijuana	82.3	82.7	Student could ask parent for help with a personal problem	75.4	77.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	94.9	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	76.4	76.4	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	90.4	89.5	Percentages are estimates based on weighted data.		
Marijuana	93.9	94.6	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.7	98.0	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	57.6	60.4			
Cigarettes	53.8	56.9			
Marijuana	34.2	33.3			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.3	17.7			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# DIVISION OF BEHAVIORAL HEALTH EASTERN REGION



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	16, 22, 23-25 (SL)
Adult Psychiatric	16, 22, 23, 24, 25
<b>FIPS COUNTY CODE</b>	Not Applicable
<b>POPULATION</b>	
Census 2010	2,084,037
2012 Pop. Estimate	2,095,004

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	26,480	26,266	26,991
Mother Reported Smoking while Pregnant	3,511	3,616	3,164

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	234	300	259
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	17,974	18,045	17,557
Suicides	296	279	287
Self-inflicted Injuries	2,352	2,242	1,990
Homicides	184	210	225
Assault Injuries	8,797	8,705	8,836
Alcohol Induced Deaths	108	119	113
Drug Induced Deaths	414	371	326
Smoking Attributable Deaths	2,939	2,955	2,937

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	12,395		
Alcohol Primary Diagnosis <sup>2</sup>	867		
Drug Primary Diagnosis <sup>2</sup>	1,591		
Alcohol Related Diagnosis	4,815	6,310	5,343
Drug Related Diagnosis	6,511	7,036	5,958
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	12,822		
Alcohol Primary Diagnosis <sup>2</sup>	1,259		
Drug Primary Diagnosis <sup>2</sup>	986		
Alcohol Related Diagnosis	8,993	7,093	7,915
Drug Related Diagnosis	9,118	6,539	6,621
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	16,582		
Alcohol Primary Diagnosis <sup>2</sup>	4,227		
Drug Primary Diagnosis <sup>2</sup>	3,990		
Alcohol Related Diagnosis	9,022	8,330	7,449
Drug Related Diagnosis	12,005	9,273	6,204

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	1,674	1,810	1,889
Fatal Crashes	42	46	43
Injury Crashes	615	645	716
Property Damage Crashes	1,017	1,119	1,130
Crash Fatalities	45	49	37
Crash Injuries	919	975	797
Drug Involved Crashes--Total	272	282	270
Fatal Crashes	10	21	15
Injury Crashes	119	117	99
Property Damage Crashes	143	144	156
Crash Fatalities	10	21	14
Crash Injuries	121	182	121

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	1,064,584	1,089,488	1,079,494
Employed	989,098	994,782	972,221
Unemployed	75,486	94,706	107,273
Unemployment Rate	7.1%	8.7%	9.9%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	92,530	95,307	97,744
Drop-outs	3,632	3,882	3,998
Drop-out Rate	3.9%	4.1%	4.1%
School Suspensions:			
Alcohol Incidents	167	184	150
Drug Incidents	1,104	1,148	940
Tobacco Incidents	14	26	34

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	10,211	10,700	11,938
Liquor Law Arrests	3,747	3,155	3,800
Drug Arrests	16,646	14,923	13,699
Methamphetamine Lab Incidents	643	554	488
Violent Offenses	10,590	11,020	12,115
Property Offenses	72,332	74,598	75,646
Domestic Violence Reports	11,143	11,271	11,181

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	12,287	11,567	12,742
Violent Offenses	2,845	3,293	3,541
Alcohol Offenses	359	354	408
Drug Offenses	954	935	1,052
Status Offenses--Total	3,210	3,527	3,247
Truancy	1,031	1,179	1,070
Beyond Parental Control	356	343	340
Habitually Absent from Home	1,356	1,518	1,442
Injurious Behavior	374	396	292
Abuse/Neglect/Custody--Total	3,347	2,826	3,127
Abuse	716	673	715
Neglect	2,009	1,505	1,808
Custody Disputes	622	648	604

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	1,285	1,251	1,380
Parental Alcohol Use Related	42	43	49
Parental Drug Use Related	452	364	355
Parental Alcohol and Drug Use	36	38	39
Child Removed for Other Reason	755	806	937

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	1,483	1,597	1,640
Probation/Parole Admissions--Total	11,221	11,344	11,816
Probation/Parole Admissions--Drug	3,211	3,318	3,646
Probation/Parole Admissions--DWI	659	561	434
Prison Admissions--Total	5,032	4,641	4,811
Prison Admissions--Drug	1,470	1,398	1,443
Prison Admissions--DWI	233	251	221

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	2,890	2,861	2,847
Alcohol Package Carry-out Licenses	1,371	1,351	1,357

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# DIVISION OF BEHAVIORAL HEALTH EASTERN REGION

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	1,618	1,707	1,648
CSTAR Adolescent	612	685	694
CSTAR Women and Children	1,413	1,572	1,678
CSTAR General Adult	3,029	2,375	858
CSTAR Opioid	534	593	404
Primary Recovery Treatment	1,229	2,515	5,047
Clinical SATOP (CIP, YCIP, SROP)	2,221	1,827	1,950
Other Substance Abuse Treatment	723	693	758

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	8,815	8,448	10,392
- Adolescent Diversion Education Program	258	266	664
- Offender Education Program	3,495	3,349	3,932
- Weekend Intervention Program	1,865	1,824	2,265
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	572	569	458
Compulsive Gambling	94	82	115
Recovery Supports	37	347	2,556
Early Intervention	224	205	159

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:


<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	9,490	9,888	11,087
<b>AGE</b>			
Under 18	626	700	721
18 to 24	1,514	1,705	2,138
25 to 29	1,618	1,706	1,983
30 to 34	1,543	1,508	1,489
35 to 39	997	1,080	1,170
40 to 44	944	967	1,161
45 to 54	1,698	1,687	1,906
55 and Over	550	535	519
<b>GENDER</b>			
Male	6,289	6,763	7,785
Female	3,199	3,125	3,301
<b>RACE / ETHNICITY</b>			
Caucasian	5,764	5,803	6,389
African American	3,444	3,816	4,399
Native American / Alaskan	7	14	8
Asian / Pacific Islander	26	13	17
Hispanic	108	96	113
Other Race / Two or More Races	182	182	210
<b>EDUCATION</b>			
Less than High School Diploma	3,270	3,722	4,064
High School Graduate or G.E.D.	3,974	4,006	4,725
Associate Degree or Some College	2,117	1,882	1,985
Bachelor or Advanced Degree	129	278	313
<b>EMPLOYMENT</b>			
Employed	2,384	2,327	2,808
Unemployed	3,616	3,969	4,479
Not in Labor Force	3,490	3,592	3,800
<b>HOUSING / LIVING ARRANGEMENT</b>			
Independent Living	7,152	7,391	8,573
Dependent Living	1,101	1,336	1,529
Homeless	741	769	628
<b>MARITAL / FAMILY STATUS</b>			
Never Married	6,378	6,771	7,581
Married / Cohabiting	1,626	1,613	1,806
Previously Married	1,486	1,504	1,696

<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Alcohol	3,503	3,511	4,174
Marijuana / Hashish	1,831	2,140	2,652
Cocaine (total)	872	1,005	1,192
- Crack	621	860	1,010
Stimulant (total)	331	320	354
- Methamphetamine	299	292	327
Heroin	2,491	2,494	2,321
Analgesic except Heroin	311	279	273
- Non-Prescription Methadone	12	13	11
PCP, LSD, other Hallucinogen	58	46	50
Tranquilizer	39	61	42
Inhalant	7	7	9
Sedative	7	12	9
Other Medication or Illicit Drug	40	13	11
Average Age at First Use of Drug	19.1	18.9	18.3
<b>INJECTION DRUG USE</b>			
Any Injection Use at Admission	1,777	1,649	1,517
- Daily Injection Use	868	810	698
- Weekly Injection Use	380	397	400
- Less than Weekly Injection Use	529	442	419
<b>LIFETIME DUI / DWI ARRESTS</b>			
0	5,873	6,503	7,043
1 or 2	2,411	2,337	2,851
3 or More	1,206	1,048	1,193
<b>TREATMENT REFERRAL SOURCE</b>			
Self / Family / Friend	3,186	3,182	3,229
School	36	41	16
Mental Health Provider	57	116	122
Health Care Provider	266	257	330
Court / Criminal Justice	5,096	5,454	6,474
Other Referral Source	802	836	915
<b>TREATMENT ACCOMMODATION</b>			
Pregnant when Admitted to any Episode	245	245	218
Military Veteran	390	394	361
Special Education Services Needed	646	680	686
Co-Occurring Psychological Problem	2,784	2,773	2,958
Co-Occurring Developmental Problem	393	265	344



# DIVISION OF BEHAVIORAL HEALTH EASTERN REGION

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Eastern  
**PSYCHIATRIC SERVICE AREA** 16, 22, 23, 24-25  
**CENSUS 2010** 2,084,037  
**2012 POPULATION ESTIMATE** 2,095,004

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2012	FY2011	FY2010
Adjustment Disorder	304	296	340
Anxiety Disorder	4,343	4,000	3,445
Dementia	55	61	71
Developmental Disorder	376	364	321
Impulse Control Disorder	2,832	2,545	2,066
Mood Disorder	10,677	9,974	9,046
Personality Disorder	2,588	2,653	2,806
Psychotic Disorder	5,193	5,086	4,922
Sexual Disorder	31	34	36
Other Diagnosis	1,033	1,080	1,206
Diagnosis Unknown	2,039	1,529	2,704

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2012	FY2011	FY2010	EDUCATION	FY2012	FY2011	FY2010
Total Individuals	19,125	17,406	17,412	Less than High School Diploma	3,289	2,135	1,188
<b>AGE</b>				High School Grad or G.E.D.	2,598	2,430	1,308
Under 6	63	60	49	Associate Degree or Some College	1,338	1,286	684
6 to 9	803	621	473	Bachelor or Advanced Degree	595	403	187
10 to 13	1,187	961	857	Education Level Unknown	11,305	11,152	14,045
14 to 17	1,434	1,274	1,206	<b>EMPLOYMENT</b>			
18 to 24	1,720	1,576	1,763	Employed	1,139	876	518
25 to 29	1,566	1,463	1,576	Unemployed	5,932	5,242	2,738
30 to 34	1,651	1,459	1,421	Not in Labor Force	2,051	185	125
35 to 39	1,447	1,370	1,509	Employment Status Unknown	10,003	11,103	14,031
40 to 44	1,694	1,578	1,703	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	2,223	2,136	2,229	Independent Living	7,093	5,400	2,783
50 to 54	2,216	2,099	2,038	Dependent Living	2,073	1,883	619
55 to 59	1,615	1,475	1,349	Homeless	323	173	145
60 and Over	1,506	1,334	1,239	Other	153	148	91
Age Unknown	0	0	0	Housing Unknown	9,483	9,802	13,774
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	9,417	8,638	8,799	Self / Family / Friend	5,740	5,288	5,883
Female	9,708	8,768	8,613	School	689	461	503
Gender Unknown	0	0	0	Mental Health Provider	2,413	2,593	2,731
<b>RACE / ETHNICITY</b>				Health Care Provider	2,233	1,499	1,312
Caucasian	10,636	9,734	9,152	Court / Criminal Justice	1,111	1,048	1,399
African American	7,654	6,965	7,603	Other	6,801	6,337	5,156
Native American / Alaskan	23	19	16	Referral Source Unknown	138	180	428
Asian / Pacific Islander	64	52	57	<b>TYPE OF COMMITMENT</b>			
Hispanic	200	150	137	Voluntary	18,566	16,740	16,070
Other Race	547	484	440	Civil	74	142	529
Race/Ethnicity Unknown	*	*	7	Criminal	331	338	384
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	18	14	6
Hearing Impaired	445	337	295	Commitment Type Unknown	136	172	423
Past or Current Military Service	430	405	445				



# DIVISION OF BEHAVIORAL HEALTH EASTERN REGION

## MISSOURI STUDENT SURVEY 2010 AND 2012


	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	38.0	43.9	Alcohol	70.2	72.2
Cigarettes	20.1	24.2	Cigarettes	83.2	82.5
Chewing Tobacco	5.6	6.7	Marijuana	69.7	71.3
Marijuana	18.9	20.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.1	93.0
Inhalants	4.9	5.9			
Prescription medications not prescribed for student	8.4	10.1	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	5.8	7.4	Were very sad	17.6	19.3
Methamphetamine	1.0	0.6	Were grouchy, irritable, or in a bad mood	23.7	24.6
Cocaine	1.5	1.5	Felt hopeless about the future	10.9	11.9
Heroin	0.9	0.6	Felt like not eating or eating more than usual	16.6	18.4
Hallucinogens	2.9	3.2	Slept a lot more or a lot less than usual	19.8	25.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.2	2.2	Had difficulty concentrating on school work	23.8	24.6
Steroids not prescribed for student	1.2	0.9			
Synthetic drugs (K2, bath salts, Spice, etc)	5.8		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	11.8	11.5
Alcohol	12.95	12.71	Made plan about how they would attempt suicide	8.6	8.3
Cigarettes	12.69	12.53	Attempted suicide	5.9	5.5
Marijuana	13.82	13.64	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.0	2.0
Inhalants	11.53	11.70			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	17.8	21.4	Were threatened/injured with weapon at school	6.2	9.3
Binge Alcohol (5 or more drinks on one occasion)	10.1	11.1	Were in a physical fight	21.2	23.8
Cigarettes	9.6	12.4	Were in a fight and had to be treated by a doctor or nurse	3.8	4.1
Chewing Tobacco	3.0	3.5			
Marijuana	10.8	11.9	<b>Percent of students in past 3 months who:</b>		
Inhalants	2.4	3.0	Were victims of mean rumors or lies spread at school	45.1	50.0
Prescription medications not prescribed for student	4.8	6.4	Had embarrassing or hurtful pictures/text of them posted on internet	13.5	13.4
Over-the-counter medications for non-medical use	3.4	4.6	Had embarrassing or hurtful pictures/text of them sent by cell phone	14.8	13.1
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	60.1	67.7
Alcohol	51.0	58.2			
Cigarettes	40.1	45.5	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	40.5	42.9	Spread mean rumors or lies about other kids at school	28.5	33.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.3	18.0	Posted on internet embarrassing or hurtful pictures/text of someone	10.1	12.3
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	11.0	13.9
Alcohol	30.1	34.2	Made fun of other people	63.8	74.1
Cigarettes	11.0	12.8			
Marijuana	15.1	16.8	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	70.1	71.9
Alcohol	62.1	57.3	School provides feedback to parents on positive student performance	40.5	42.2
Cigarettes	83.6	80.5	Teachers praise student for hard work	58.4	57.8
Marijuana	78.2	77.3	Rules are enforced fairly	64.1	65.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.3	94.5	Students of all races/ethnicities are treated equally	72.3	76.0
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	80.1	78.1	<b>Percent of students who agree that:</b>		
Cigarettes	92.2	90.8	Parents notice and comment on student's good work	83.1	83.5
Marijuana	92.8	92.3	Parents involve student in making family decisions	70.2	70.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.8	97.1	It is important to be honest with parents regardless of consequences	84.3	81.4
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	76.8	76.2
Alcohol	58.1	61.6			
Cigarettes	51.1	56.2			
Marijuana	41.6	43.6			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.6	19.8			

### Notes:

Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# DIVISION OF BEHAVIORAL HEALTH SOUTHWEST REGION



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	8, 9, 10
Adult Psychiatric	8A, 8B, 9, 10
<b>FIPS COUNTY CODE</b>	Not Applicable
<b>POPULATION</b>	
Census 2010	926,656
2012 Pop. Estimate	931,498

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	453,338	459,587	451,577
Employed	423,094	421,240	409,861
Unemployed	30,244	38,347	41,716
Unemployment Rate	6.7%	8.3%	9.2%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	41,181	42,439	42,788
Drop-outs	972	973	1,036
Drop-out Rate	2.4%	2.3%	2.4%
School Suspensions:			
Alcohol Incidents	85	82	87
Drug Incidents	445	557	367
Tobacco Incidents	57	24	29

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	11,603	11,757	12,033
Mother Reported Smoking while Pregnant	2,397	2,523	2,405

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	38	54	35
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	9,185	9,143	8,885
Suicides	157	137	155
Self-inflicted Injuries	1,399	1,387	1,371
Homicides	28	24	27
Assault Injuries	2,909	2,947	2,901
Alcohol Induced Deaths	64	75	52
Drug Induced Deaths	167	209	162
Smoking Attributable Deaths	1,595	1,683	1,633

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	5,841		
Alcohol Primary Diagnosis <sup>2</sup>	445		
Drug Primary Diagnosis <sup>2</sup>	368		
Alcohol Related Diagnosis	2,357	2,912	2,020
Drug Related Diagnosis	2,629	3,322	2,190
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	3,579		
Alcohol Primary Diagnosis <sup>2</sup>	1,251		
Drug Primary Diagnosis <sup>2</sup>	795		
Alcohol Related Diagnosis	3,526	2,893	3,939
Drug Related Diagnosis	3,321	2,502	3,059
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	8,699		
Alcohol Primary Diagnosis <sup>2</sup>	2,633		
Drug Primary Diagnosis <sup>2</sup>	1,966		
Alcohol Related Diagnosis	5,655	5,023	4,635
Drug Related Diagnosis	5,276	4,589	4,052

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	1,056	1,080	1,302
Fatal Crashes	38	44	37
Injury Crashes	459	464	604
Property Damage Crashes	559	572	661
Crash Fatalities	41	47	43
Crash Injuries	661	680	702
Drug Involved Crashes--Total	256	245	254
Fatal Crashes	7	6	10
Injury Crashes	114	113	104
Property Damage Crashes	135	126	140
Crash Fatalities	7	7	12
Crash Injuries	129	159	122

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	6,173	6,031	5,868
Liquor Law Arrests	1,170	1,762	2,095
Drug Arrests	4,020	4,336	4,367
Methamphetamine Lab Incidents	463	424	372
Violent Offenses	3,530	3,635	3,640
Property Offenses	36,237	36,301	34,652
Domestic Violence Reports	8,409	8,510	8,500

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	4,541	4,644	5,041
Violent Offenses	1,319	1,458	1,581
Alcohol Offenses	215	279	295
Drug Offenses	413	418	372
Status Offenses--Total	2,260	2,175	2,299
Truancy	406	414	418
Beyond Parental Control	486	464	544
Habitually Absent from Home	361	361	450
Injurious Behavior	954	891	842
Abuse/Neglect/Custody--Total	3,225	3,568	3,255
Abuse	603	572	546
Neglect	2,314	2,695	2,422
Custody Disputes	308	301	287

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	1,480	1,630	1,290
Parental Alcohol Use Related	64	65	53
Parental Drug Use Related	501	513	315
Parental Alcohol and Drug Use	51	75	43
Child Removed for Other Reason	864	977	879

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	1,344	1,107	915
Probation/Parole Admissions--Total	5,904	5,614	5,753
Probation/Parole Admissions--Drug	1,851	1,768	1,821
Probation/Parole Admissions--DWI	524	399	411
Prison Admissions--Total	2,963	2,968	2,821
Prison Admissions--Drug	913	925	853
Prison Admissions--DWI	191	191	187

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	950	948	936
Alcohol Package Carry-out Licenses	955	936	879

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# DIVISION OF BEHAVIORAL HEALTH SOUTHWEST REGION

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	1,142	1,287	1,280
CSTAR Adolescent	414	402	430
CSTAR Women and Children	578	625	619
CSTAR General Adult	2,618	2,361	1,784
CSTAR Opioid	0	*	*
Primary Recovery Treatment	1,108	1,886	3,373
Clinical SATOP (CIP, YCIP, SROP)	703	601	738
Other Substance Abuse Treatment	8	*	6

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	4,116	3,644	4,634
- Adolescent Diversion Education Program	103	115	167
- Offender Education Program	1,593	1,417	1,833
- Weekend Intervention Program	792	758	1,105
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED	FY2012	FY2011	FY2010
Co-Dependency	267	246	294
Compulsive Gambling	7	7	5
Recovery Supports	1,615	814	1,396
Early Intervention	398	292	170


The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010
Total Individuals	6,236	6,365	6,760
AGE	FY2012	FY2011	FY2010
Under 18	422	417	448
18 to 24	1,131	1,223	1,327
25 to 29	1,104	1,152	1,224
30 to 34	981	931	948
35 to 39	664	709	761
40 to 44	639	633	701
45 to 54	1,001	1,050	1,082
55 and Over	294	249	269
GENDER	FY2012	FY2011	FY2010
Male	4,200	4,229	4,706
Female	2,035	2,134	2,054
RACE / ETHNICITY	FY2012	FY2011	FY2010
Caucasian	5,707	5,767	6,197
African American	261	312	276
Native American / Alaskan	20	26	39
Asian / Pacific Islander	20	15	23
Hispanic	146	159	152
Other Race / Two or More Races	131	136	135
EDUCATION	FY2012	FY2011	FY2010
Less than High School Diploma	2,162	2,391	2,547
High School Graduate or G.E.D.	2,686	2,738	2,939
Associate Degree or Some College	1,335	1,152	1,175
Bachelor or Advanced Degree	53	83	99
EMPLOYMENT	FY2012	FY2011	FY2010
Employed	1,784	1,640	1,980
Unemployed	2,277	2,668	2,760
Not in Labor Force	2,175	2,056	2,020
HOUSING / LIVING ARRANGEMENT	FY2012	FY2011	FY2010
Independent Living	4,928	5,099	5,440
Dependent Living	774	800	942
Homeless	353	350	258
MARITAL / FAMILY STATUS	FY2012	FY2011	FY2010
Never Married	3,044	3,096	3,388
Married / Cohabiting	1,593	1,655	1,638
Previously Married	1,599	1,613	1,733

PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Alcohol	2,547	2,668	2,919
Marijuana / Hashish	1,333	1,454	1,738
Cocaine (total)	124	126	160
- Crack	76	73	75
Stimulant (total)	1,422	1,318	1,183
- Methamphetamine	1,378	1,263	1,151
Heroin	114	86	72
Analgesic except Heroin	515	575	551
- Non-Prescription Methadone	11	9	11
PCP, LSD, other Hallucinogen	28	22	17
Tranquilizer	93	76	93
Inhalant	9	10	7
Sedative	8	9	11
Other Medication or Illicit Drug	43	20	9
Average Age at First Use of Drug	17.2	16.9	16.8
INJECTION DRUG USE	FY2012	FY2011	FY2010
Any Injection Use at Admission	1,064	985	893
- Daily Injection Use	191	189	195
- Weekly Injection Use	275	263	219
- Less than Weekly Injection Use	598	533	479
LIFETIME DUI / DWI ARRESTS	FY2012	FY2011	FY2010
0	3,135	3,304	3,462
1 or 2	1,939	1,956	1,970
3 or More	1,162	1,104	1,328
TREATMENT REFERRAL SOURCE	FY2012	FY2011	FY2010
Self / Family / Friend	2,176	2,007	2,099
School	11	17	10
Mental Health Provider	59	112	98
Health Care Provider	252	291	282
Court / Criminal Justice	2,959	3,370	3,768
Other Referral Source	765	566	503
TREATMENT ACCOMMODATION	FY2012	FY2011	FY2010
Pregnant when Admitted to any Episode	92	97	102
Military Veteran	286	324	329
Special Education Services Needed	557	511	420
Co-Occurring Psychological Problem	2,228	2,177	2,029
Co-Occurring Developmental Problem	161	146	153

# DIVISION OF BEHAVIORAL HEALTH SOUTHWEST REGION

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8A, 8B, 9, 10  
**CENSUS 2010** 926,656  
**2012 POPULATION ESTIMATE** 931,498

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	687	822	641
Anxiety Disorder	3,841	3,852	3,122
Dementia	34	33	79
Developmental Disorder	194	209	171
Impulse Control Disorder	1,855	1,983	1,545
Mood Disorder	6,081	6,475	5,460
Personality Disorder	1,747	1,867	1,700
Psychotic Disorder	1,623	1,699	1,526
Sexual Disorder	32	30	29
Other Diagnosis	1,063	979	808
Diagnosis Unknown	1,409	1,249	3,161

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	11,109	11,673	11,862	Less than High School Diploma	1,601	1,006	567
<b>AGE</b>				High School Grad or G.E.D.	1,493	1,465	699
Under 6	235	273	311	Associate Degree or Some College	616	527	282
6 to 9	754	808	811	Bachelor or Advanced Degree	150	134	46
10 to 13	852	941	983	Education Level Unknown	7,249	8,541	10,268
14 to 17	888	993	966	<b>EMPLOYMENT</b>			
18 to 24	901	993	1,021	Employed	453	363	211
25 to 29	881	889	937	Unemployed	2,916	2,686	1,339
30 to 34	1,027	1,019	978	Not in Labor Force	1,189	104	50
35 to 39	944	1,024	1,037	Employment Status Unknown	6,551	8,520	10,262
40 to 44	1,055	1,038	1,082	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	1,169	1,272	1,286	Independent Living	3,280	2,560	1,289
50 to 54	1,106	1,121	1,112	Dependent Living	1,326	1,395	373
55 to 59	716	685	627	Homeless	113	97	61
60 and Over	581	617	711	Other	81	96	61
Age Unknown	0	0	0	Housing Unknown	6,309	7,525	10,078
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	5,161	5,442	5,505	Self / Family / Friend	7,558	8,285	8,146
Female	5,948	6,231	6,357	School	58	51	34
Gender Unknown	0	0	0	Mental Health Provider	482	569	663
<b>RACE / ETHNICITY</b>				Health Care Provider	876	708	494
Caucasian	10,259	10,819	11,012	Court / Criminal Justice	531	471	556
African American	229	214	202	Other	1,478	1,401	1,514
Native American / Alaskan	44	36	49	Referral Source Unknown	126	188	455
Asian / Pacific Islander	21	25	30	<b>TYPE OF COMMITMENT</b>			
Hispanic	227	194	187	Voluntary	10,549	11,085	11,032
Other Race	329	384	381	Civil	368	323	298
Race/Ethnicity Unknown	0	*	*	Criminal	56	63	70
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	6	8	*
Hearing Impaired	257	278	256	Commitment Type Unknown	130	194	459
Past or Current Military Service	235	232	226				

# DIVISION OF BEHAVIORAL HEALTH SOUTHWEST REGION

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	34.0	39.8	Alcohol	73.3	75.9
Cigarettes	23.4	27.8	Cigarettes	82.1	80.0
Chewing Tobacco	12.6	14.8	Marijuana	74.5	74.9
Marijuana	14.1	16.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.7	93.0
Inhalants	5.8	7.1			
Prescription medications not prescribed for student	8.4	11.8	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	6.2	8.4	Were very sad	19.2	19.5
Methamphetamine	1.4	1.1	Were grouchy, irritable, or in a bad mood	23.1	24.0
Cocaine	1.8	1.7	Felt hopeless about the future	10.7	11.7
Heroin	0.9	0.7	Felt like not eating or eating more than usual	17.5	18.1
Hallucinogens	3.1	3.3	Slept a lot more or a lot less than usual	19.7	25.6
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.2	2.3	Had difficulty concentrating on school work	22.0	24.9
Steroids not prescribed for student	1.4	1.1			
Synthetic drugs (K2, bath salts, Spice, etc)	7.4		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	11.9	11.7
Alcohol	12.44	12.42	Made plan about how they would attempt suicide	8.6	8.7
Cigarettes	12.17	12.11	Attempted suicide	5.4	5.5
Marijuana	13.11	13.37	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.8	2.3
Inhalants	12.05	12.23			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	13.9	17.0	Were threatened/injured with weapon at school	6.8	9.9
Binge Alcohol (5 or more drinks on one occasion)	8.0	11.1	Were in a physical fight	20.0	22.7
Cigarettes	10.7	14.3	Were in a fight and had to be treated by a doctor or nurse	3.5	3.9
Chewing Tobacco	6.6	7.9			
Marijuana	6.7	8.0	<b>Percent of students in past 3 months who:</b>		
Inhalants	2.4	3.1	Were victims of mean rumors or lies spread at school	49.1	54.7
Prescription medications not prescribed for student	4.4	6.7	Had embarrassing or hurtful pictures/text of them posted on internet	13.5	12.3
Over-the-counter medications for non-medical use	3.7	5.0	Had embarrassing or hurtful pictures/text of them sent by cell phone	16.1	14.5
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	60.4	67.7
Alcohol	47.0	54.8			
Cigarettes	40.3	46.8	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	30.9	35.4	Spread mean rumors or lies about other kids at school	26.3	32.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.8	18.8	Posted on internet embarrassing or hurtful pictures/text of someone	8.1	10.5
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.6	12.2
Alcohol	25.3	29.6	Made fun of other people	58.9	69.0
Cigarettes	12.9	15.7			
Marijuana	11.8	13.1	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	69.2	69.4
Alcohol	66.9	63.1	School provides feedback to parents on positive student performance	39.2	39.6
Cigarettes	81.8	77.0	Teachers praise student for hard work	56.4	55.0
Marijuana	83.1	81.9	Rules are enforced fairly	63.8	64.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.1	94.2	Students of all races/ethnicities are treated equally	78.3	79.7
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	82.6	80.6	<b>Percent of students who agree that:</b>		
Cigarettes	91.9	89.7	Parents notice and comment on student's good work	83.0	83.6
Marijuana	93.9	93.2	Parents involve student in making family decisions	69.9	70.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.3	97.5	It is important to be honest with parents regardless of consequences	86.6	83.6
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	76.7	77.7
Alcohol	50.9	54.7			
Cigarettes	48.9	56.4			
Marijuana	32.3	36.4			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.8	19.9			


### Notes:

Blank data cell indicates estimate not available for survey item or geographic area. Survey is not conducted in every school district nor reported for every county. Percentages are estimates based on weighted data. Estimates are not provided for geographic areas with low numbers of respondents. Some year-to-year differences in percentages are not statistically significant. Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# DIVISION OF BEHAVIORAL HEALTH SOUTHEAST REGION



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	17, 18, 19, 20, 21
Adult Psychiatric	17A, 17B, 18, 19, 20, 21
<b>FIPS COUNTY CODE</b>	Not Applicable
<b>POPULATION</b>	
Census 2010	712,520
2012 Pop. Estimate	712,046

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	331,681	336,023	335,336
Employed	307,260	305,890	303,283
Unemployed	24,421	30,133	32,053
Unemployment Rate	7.4%	9.0%	9.6%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	31,753	32,707	33,499
Drop-outs	753	764	954
Drop-out Rate	2.4%	2.3%	2.8%
School Suspensions:			
Alcohol Incidents	54	78	58
Drug Incidents	239	267	296
Tobacco Incidents	15	17	23

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	8,620	8,687	8,853
Mother Reported Smoking while Pregnant	2,380	2,563	2,381

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	17	15	20
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	8,299	8,031	8,136
Suicides	122	113	101
Self-inflicted Injuries	1,333	1,363	1,234
Homicides	31	32	33
Assault Injuries	2,602	2,782	2,649
Alcohol Induced Deaths	30	34	51
Drug Induced Deaths	124	131	123
Smoking Attributable Deaths	1,643	1,568	1,642

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	7,983		
Alcohol Primary Diagnosis <sup>2</sup>	446		
Drug Primary Diagnosis <sup>2</sup>	572		
Alcohol Related Diagnosis	2,757	2,351	1,387
Drug Related Diagnosis	3,490	3,066	1,609
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,696		
Alcohol Primary Diagnosis <sup>2</sup>	244		
Drug Primary Diagnosis <sup>2</sup>	207		
Alcohol Related Diagnosis	1,502	1,536	2,301
Drug Related Diagnosis	1,296	1,584	2,237
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	8,406		
Alcohol Primary Diagnosis <sup>2</sup>	1,259		
Drug Primary Diagnosis <sup>2</sup>	1,249		
Alcohol Related Diagnosis	3,058	2,987	2,292
Drug Related Diagnosis	3,557	3,266	2,118

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	864	873	993
Fatal Crashes	32	38	45
Injury Crashes	397	440	463
Property Damage Crashes	435	395	485
Crash Fatalities	37	39	50
Crash Injuries	555	651	600
Drug Involved Crashes--Total	228	231	226
Fatal Crashes	10	15	6
Injury Crashes	115	103	112
Property Damage Crashes	103	113	108
Crash Fatalities	12	15	5
Crash Injuries	133	158	134

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	4,900	4,754	4,611
Liquor Law Arrests	1,218	1,465	1,740
Drug Arrests	4,634	4,859	4,727
Methamphetamine Lab Incidents	665	659	523
Violent Offenses	2,284	2,269	2,251
Property Offenses	19,416	18,117	17,938
Domestic Violence Reports	3,913	3,766	3,904

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	3,643	4,060	4,338
Violent Offenses	1,070	1,243	1,324
Alcohol Offenses	190	208	233
Drug Offenses	268	267	299
Status Offenses--Total	2,794	2,983	2,817
Truancy	1,090	1,126	916
Beyond Parental Control	591	602	615
Habitually Absent from Home	268	291	339
Injurious Behavior	632	770	768
Abuse/Neglect/Custody--Total	3,408	3,381	3,186
Abuse	920	857	889
Neglect	2,089	2,096	1,934
Custody Disputes	399	428	363

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	1,014	1,080	966
Parental Alcohol Use Related	37	50	33
Parental Drug Use Related	389	395	304
Parental Alcohol and Drug Use	52	50	38
Child Removed for Other Reason	536	585	591

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	716	675	711
Probation/Parole Admissions--Total	6,205	5,743	5,581
Probation/Parole Admissions--Drug	2,237	1,987	1,942
Probation/Parole Admissions--DWI	369	371	296
Prison Admissions--Total	3,088	2,974	3,096
Prison Admissions--Drug	1,068	1,026	1,014
Prison Admissions--DWI	196	173	215

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	808	810	795
Alcohol Package Carry-out Licenses	763	755	735

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# DIVISION OF BEHAVIORAL HEALTH SOUTHEAST REGION

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	979	872	789
CSTAR Adolescent	386	398	421
CSTAR Women and Children	360	424	553
CSTAR General Adult	1,873	1,524	1,110
CSTAR Opioid	12	7	11
Primary Recovery Treatment	3,307	4,017	4,486
Clinical SATOP (CIP, YCIP, SROP)	647	476	518
Other Substance Abuse Treatment	13	9	11


SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	3,201	2,859	3,585
- Adolescent Diversion Education Program	5	6	17
- Offender Education Program	1,337	1,245	1,497
- Weekend Intervention Program	702	715	894
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	64	58	108
Compulsive Gambling	7	8	10
Recovery Supports	878	529	435
Early Intervention	161	96	93

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	6,640	6,747	6,715	Alcohol	2,259	2,314	2,561
AGE				Marijuana / Hashish	1,927	2,068	2,034
Under 18	423	428	433	Cocaine (total)	262	279	293
18 to 24	1,300	1,364	1,428	- Crack	160	182	202
25 to 29	1,264	1,339	1,310	Stimulant (total)	956	875	759
30 to 34	1,053	1,060	933	- Methamphetamine	915	847	739
35 to 39	761	711	754	Heroin	261	230	210
40 to 44	609	624	652	Analgesic except Heroin	761	786	713
45 to 54	942	965	946	- Non-Prescription Methadone	*	6	10
55 and Over	288	256	259	PCP, LSD, other Hallucinogen	18	12	6
GENDER				Tranquilizer	136	135	105
Male	4,527	4,568	4,637	Inhalant	18	15	16
Female	2,113	2,179	2,078	Sedative	8	13	11
RACE / ETHNICITY				Other Medication or Illicit Drug	34	20	7
Caucasian	5,790	5,878	5,836	Average Age at First Use of Drug	17.7	17.7	17.5
African American	694	714	725	INJECTION DRUG USE			
Native American / Alaskan	15	13	13	Any Injection Use at Admission	710	652	626
Asian / Pacific Islander	*	6	6	- Daily Injection Use	143	157	147
Hispanic	97	89	65	- Weekly Injection Use	171	170	145
Other Race / Two or More Races	81	86	96	- Less than Weekly Injection Use	396	325	333
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	2,622	2,789	2,809	0	3,950	4,183	3,916
High School Graduate or G.E.D.	3,056	3,078	3,070	1 or 2	1,807	1,683	1,855
Associate Degree or Some College	926	822	761	3 or More	883	881	944
Bachelor or Advanced Degree	36	58	75	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	1,395	1,385	1,226
Employed	1,677	1,713	1,555	School	10	11	17
Unemployed	2,850	3,088	2,942	Mental Health Provider	59	66	163
Not in Labor Force	2,113	1,946	2,218	Health Care Provider	285	211	161
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	4,237	4,387	4,460
Independent Living	5,564	5,649	5,588	Other Referral Source	627	687	687
Dependent Living	828	922	936	TREATMENT ACCOMMODATION			
Homeless	152	133	130	Pregnant when Admitted to any Episode	88	87	98
MARITAL / FAMILY STATUS				Military Veteran	317	269	319
Never Married	3,163	3,299	3,288	Special Education Services Needed	714	704	673
Married / Cohabiting	1,918	1,888	1,837	Co-Occurring Psychological Problem	2,237	1,962	2,106
Previously Married	1,559	1,560	1,589	Co-Occurring Developmental Problem	342	367	366

# DIVISION OF BEHAVIORAL HEALTH SOUTHEAST REGION

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 17A, 17B, 18, 19, 20, 21  
**CENSUS 2010** 712,520  
**2012 POPULATION ESTIMATE** 712,046

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	732	563	563
Anxiety Disorder	2,895	2,266	2,185
Dementia	27	31	41
Developmental Disorder	104	107	109
Impulse Control Disorder	1,871	1,239	1,318
Mood Disorder	7,845	6,109	5,815
Personality Disorder	1,002	1,011	1,247
Psychotic Disorder	1,855	1,656	1,659
Sexual Disorder	69	65	75
Other Diagnosis	621	581	811
Diagnosis Unknown	1,680	790	1,778

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	14,374	10,543	11,210	Less than High School Diploma	2,060	1,169	883
<b>AGE</b>				High School Grad or G.E.D.	1,687	1,535	920
Under 6	75	68	129	Associate Degree or Some College	407	366	243
6 to 9	681	447	486	Bachelor or Advanced Degree	112	77	58
10 to 13	1,016	662	788	Education Level Unknown	10,108	7,396	9,106
14 to 17	1,109	774	869	<b>EMPLOYMENT</b>			
18 to 24	1,421	1,008	1,236	Employed	427	278	204
25 to 29	1,289	917	992	Unemployed	3,422	2,813	1,847
30 to 34	1,392	968	920	Not in Labor Force	1,050	74	56
35 to 39	1,206	857	943	Employment Status Unknown	9,475	7,378	9,103
40 to 44	1,298	979	991	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	1,451	1,218	1,288	Independent Living	3,620	2,503	1,627
50 to 54	1,387	1,080	1,039	Dependent Living	1,567	1,429	551
55 to 59	985	770	754	Homeless	80	62	45
60 and Over	1,064	795	775	Other	68	58	22
Age Unknown	0	0	0	Housing Unknown	9,039	6,491	8,965
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	6,648	4,972	5,480	Self / Family / Friend	7,271	4,749	4,996
Female	7,726	5,571	5,729	School	151	117	138
Gender Unknown	0	0	*	Mental Health Provider	1,228	1,116	1,227
<b>RACE / ETHNICITY</b>				Health Care Provider	2,231	1,519	1,344
Caucasian	12,628	9,310	9,898	Court / Criminal Justice	1,054	910	1,102
African American	949	770	838	Other	2,377	2,035	2,106
Native American / Alaskan	20	14	19	Referral Source Unknown	62	97	297
Asian / Pacific Islander	9	9	11	<b>TYPE OF COMMITMENT</b>			
Hispanic	502	260	246	Voluntary	13,917	10,038	10,221
Other Race	266	180	193	Civil	35	84	369
Race/Ethnicity Unknown	0	0	5	Criminal	232	205	198
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	146	136	142
Hearing Impaired	544	432	447	Commitment Type Unknown	44	80	280
Past or Current Military Service	361	332	408				


# DIVISION OF BEHAVIORAL HEALTH SOUTHEAST REGION

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	41.0	46.2	Alcohol	71.2	76.2
Cigarettes	28.5	33.0	Cigarettes	79.2	77.8
Chewing Tobacco	18.0	19.7	Marijuana	75.8	73.0
Marijuana	14.4	16.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.5	92.8
Inhalants	6.1	8.1	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	9.9	13.9	Were very sad	19.9	18.9
Over-the-counter medications for non-medical use	6.2	8.4	Were grouchy, irritable, or in a bad mood	25.7	24.3
Methamphetamine	1.3	1.1	Felt hopeless about the future	11.3	12.8
Cocaine	1.8	1.5	Felt like not eating or eating more than usual	17.8	18.7
Heroin	0.9	0.7	Slept a lot more or a lot less than usual	20.5	26.1
Hallucinogens	2.6	3.0	Had difficulty concentrating on school work	23.2	25.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.0	2.0	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.8	1.4	Seriously considered attempting suicide	11.9	12.6
Synthetic drugs (K2, bath salts, Spice, etc)	6.9		Made plan about how they would attempt suicide	8.9	9.3
<b>Average age of students' first use of:</b>			Attempted suicide	5.5	5.9
Alcohol	12.45	12.33	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.9	2.2
Cigarettes	12.11	11.94	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.44	13.44	Were threatened/injured with weapon at school	6.2	9.6
Inhalants	12.04	12.33	Were in a physical fight	22.1	24.4
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.1	4.2
Alcohol	17.3	21.8	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	10.5	12.5	Were victims of mean rumors or lies spread at school	51.5	57.9
Cigarettes	14.1	17.3	Had embarrassing or hurtful pictures/text of them posted on internet	12.6	12.8
Chewing Tobacco	9.9	11.1	Had embarrassing or hurtful pictures/text of them sent by cell phone	16.1	14.9
Marijuana	7.0	8.4	Were made fun of by others	61.0	69.1
Inhalants	2.3	3.5	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	5.2	8.1	Spread mean rumors or lies about other kids at school	26.6	32.8
Over-the-counter medications for non-medical use	3.6	5.4	Posted on internet embarrassing or hurtful pictures/text of someone	7.8	9.8
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.9	12.1
Alcohol	53.6	61.1	Made fun of other people	60.8	72.0
Cigarettes	46.1	51.6	<b>Percent of students who agree that:</b>		
Marijuana	31.8	36.4	Teachers notice and comment on student's good work	70.0	70.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.1	17.3	School provides feedback to parents on positive student performance	39.2	40.4
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	54.6	54.0
Alcohol	30.9	35.6	Rules are enforced fairly	62.7	61.5
Cigarettes	15.7	18.0	Students of all races/ethnicities are treated equally	76.1	75.5
Marijuana	10.9	12.8	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	82.7	83.5
Alcohol	60.2	58.0	Parents involve student in making family decisions	68.7	69.2
Cigarettes	78.0	75.4	It is important to be honest with parents regardless of consequences	86.6	84.2
Marijuana	83.8	82.4	Student could ask parent for help with a personal problem	76.3	77.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.9	94.7	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	78.5	77.4	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	89.6	88.9	Percentages are estimates based on weighted data.		
Marijuana	94.2	94.3	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.9	97.8	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	54.9	58.6			
Cigarettes	53.8	59.1			
Marijuana	33.6	36.5			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.2	19.8			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# SUBSTANCE ABUSE SERVICE AREA 1



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	1
Adult Psychiatric	Not Applicable
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	183,003
2012 Pop. Estimate	183,018

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	100,132	100,397	95,998
Employed	94,363	92,882	87,821
Unemployed	5,769	7,515	8,177
Unemployment Rate	5.8%	7.5%	8.5%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	7,562	7,999	8,178
Drop-outs	164	152	157
Drop-out Rate	2.2%	1.9%	1.9%

School Suspensions:			
Alcohol Incidents	2	6	7
Drug Incidents	51	23	23
Tobacco Incidents	1	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	2,163	2,270	2,381
Mother Reported Smoking while Pregnant	505	516	503

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	6	5	9
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	1,967	1,897	1,846
Suicides	22	30	27
Self-inflicted Injuries	242	243	185
Homicides	7	9	4
Assault Injuries	713	681	660
Alcohol Induced Deaths	15	16	9
Drug Induced Deaths	17	7	18
Smoking Attributable Deaths	349	352	348

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,523		
Alcohol Primary Diagnosis <sup>2</sup>	93		
Drug Primary Diagnosis <sup>2</sup>	73		
Alcohol Related Diagnosis	380	620	328
Drug Related Diagnosis	474	601	326
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	795		
Alcohol Primary Diagnosis <sup>2</sup>	211		
Drug Primary Diagnosis <sup>2</sup>	116		
Alcohol Related Diagnosis	716	554	638
Drug Related Diagnosis	631	397	456
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,912		
Alcohol Primary Diagnosis <sup>2</sup>	362		
Drug Primary Diagnosis <sup>2</sup>	203		
Alcohol Related Diagnosis	786	858	653
Drug Related Diagnosis	631	571	382

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	172	196	240
Fatal Crashes	8	6	11
Injury Crashes	81	87	106
Property Damage Crashes	83	103	123
Crash Fatalities	11	6	10
Crash Injuries	123	130	131
Drug Involved Crashes--Total	34	34	25
Fatal Crashes	2	1	1
Injury Crashes	15	17	12
Property Damage Crashes	17	16	12
Crash Fatalities	2	1	1
Crash Injuries	16	22	14

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	1,111	1,073	1,121
Liquor Law Arrests	736	683	579
Drug Arrests	1,128	1,306	1,305
Methamphetamine Lab Incidents	9	7	13
Violent Offenses	504	483	594
Property Offenses	5,710	5,276	5,492
Domestic Violence Reports	1,363	1,429	1,390

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	964	925	824
Violent Offenses	220	218	184
Alcohol Offenses	40	27	48
Drug Offenses	54	59	63
Status Offenses--Total	654	643	557
Truancy	221	207	136
Beyond Parental Control	170	181	206
Habitually Absent from Home	152	150	125
Injurious Behavior	96	85	82
Abuse/Neglect/Custody--Total	258	317	230
Abuse	28	43	30
Neglect	230	267	196
Custody Disputes	0	7	4

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	138	124	76
Parental Alcohol Use Related	6	5	4
Parental Drug Use Related	20	32	12
Parental Alcohol and Drug Use	1	1	1
Child Removed for Other Reason	111	86	59

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	265	220	211
Probation/Parole Admissions--Total	1,693	1,517	1,490
Probation/Parole Admissions--Drug	560	554	465
Probation/Parole Admissions--DWI	138	114	127
Prison Admissions--Total	907	961	944
Prison Admissions--Drug	324	348	344
Prison Admissions--DWI	68	82	78

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	207	215	212
Alcohol Package Carry-out Licenses	184	173	166

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 1

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	231	235	269
CSTAR Adolescent	112	117	144
CSTAR Women and Children	7	5	10
CSTAR General Adult	424	195	85
CSTAR Opioid	0	0	*
Primary Recovery Treatment	463	460	675
Clinical SATOP (CIP, YCIP, SROP)	134	73	50
Other Substance Abuse Treatment	*	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	842	725	928
- Adolescent Diversion Education Program	123	78	125
- Offender Education Program	303	313	412
- Weekend Intervention Program	171	152	211
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	12	8	*
Compulsive Gambling	7	*	*
Recovery Supports	10	5	109
Early Intervention	239	186	28

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	1,122	961	1,078	Alcohol	445	397	413
AGE				Marijuana / Hashish	330	273	370
Under 18	112	122	148	Cocaine (total)	62	58	56
18 to 24	206	192	207	- Crack	48	38	35
25 to 29	186	155	173	Stimulant (total)	164	119	120
30 to 34	147	93	119	- Methamphetamine	163	117	117
35 to 39	109	110	120	Heroin	*	9	5
40 to 44	106	102	95	Analgesic except Heroin	99	90	88
45 to 54	202	148	173	- Non-Prescription Methadone	*	*	*
55 and Over	54	39	43	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	5	7	15
Male	805	672	764	Inhalant	*	*	*
Female	317	289	314	Sedative	0	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	7	*	*
Caucasian	993	827	932	Average Age at First Use of Drug	17.4	17.2	17.2
African American	86	93	96	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	113	103	80
Asian / Pacific Islander	6	*	*	- Daily Injection Use	29	41	23
Hispanic	29	23	27	- Weekly Injection Use	27	16	17
Other Race / Two or More Races	20	19	27	- Less than Weekly Injection Use	57	46	40
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	355	328	372	0	652	599	690
High School Graduate or G.E.D.	546	451	521	1 or 2	295	226	230
Associate Degree or Some College	204	155	163	3 or More	175	136	158
Bachelor or Advanced Degree	17	27	22	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	240	257	252
Employed	340	313	295	School	*	*	*
Unemployed	493	411	434	Mental Health Provider	27	9	8
Not in Labor Force	289	237	348	Health Care Provider	74	48	65
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	696	590	671
Independent Living	854	696	776	Other Referral Source	74	53	74
Dependent Living	193	187	231	TREATMENT ACCOMMODATION			
Homeless	66	62	65	Pregnant when Admitted to any Episode	7	6	10
MARITAL / FAMILY STATUS				Military Veteran	54	44	62
Never Married	653	573	638	Special Education Services Needed	26	21	31
Married / Cohabiting	214	161	194	Co-Occurring Psychological Problem	196	221	219
Previously Married	255	227	245	Co-Occurring Developmental Problem	14	15	13



# SUBSTANCE ABUSE SERVICE AREA 1

## MISSOURI STUDENT SURVEY 2010 AND 2012


	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	35.7	38.8	Alcohol	69.2	82.2
Cigarettes	20.0	24.6	Cigarettes	79.6	82.5
Chewing Tobacco	12.6	13.7	Marijuana	76.5	76.2
Marijuana	11.1	10.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.3	94.2
Inhalants	4.8	6.1			
Prescription medications not prescribed for student	6.2	9.1	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	4.1	6.2	Were very sad	16.1	20.8
Methamphetamine	1.4	0.6	Were grouchy, irritable, or in a bad mood	24.8	30.2
Cocaine	0.9	1.1	Felt hopeless about the future	9.9	11.4
Heroin	0.5	0.4	Felt like not eating or eating more than usual	15.6	20.2
Hallucinogens	1.8	1.7	Slept a lot more or a lot less than usual	19.7	29.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.1	1.3	Had difficulty concentrating on school work	78.8	25.7
Steroids not prescribed for student	0.8	1.0			
Synthetic drugs (K2, bath salts, Spice, etc)	5.8		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	10.0	11.1
Alcohol	12.56	12.39	Made plan about how they would attempt suicide	8.0	7.4
Cigarettes	12.45	11.83	Attempted suicide	4.0	4.8
Marijuana	13.63	13.46	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.6	1.8
Inhalants	11.51	12.29			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	14.9	16.0	Were threatened/injured with weapon at school	6.4	9.7
Binge Alcohol (5 or more drinks on one occasion)	9.0	10.1	Were in a physical fight	19.6	22.1
Cigarettes	9.2	13.2	Were in a fight and had to be treated by a doctor or nurse	1.8	3.9
Chewing Tobacco	6.5	7.2			
Marijuana	5.3	5.4	<b>Percent of students in past 3 months who:</b>		
Inhalants	1.7	3.0	Were victims of mean rumors or lies spread at school	48.4	54.6
Prescription medications not prescribed for student	3.4	5.6	Had embarrassing or hurtful pictures/text of them posted on internet	11.9	13.4
Over-the-counter medications for non-medical use	2.1	4.1	Had embarrassing or hurtful pictures/text of them sent by cell phone	15.0	14.8
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	62.2	67.6
Alcohol	50.6	54.3			
Cigarettes	39.7	44.7	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	30.7	28.6	Spread mean rumors or lies about other kids at school	26.9	34.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.4	15.4	Posted on internet embarrassing or hurtful pictures/text of someone	8.3	11.1
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.4	13.5
Alcohol	27.3	28.9	Made fun of other people	58.8	69.8
Cigarettes	11.7	14.0			
Marijuana	9.9	8.4	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	71.6	73.9
Alcohol	65.0	65.2	School provides feedback to parents on positive student performance	39.9	46.5
Cigarettes	82.7	81.2	Teachers praise student for hard work	57.8	62.0
Marijuana	86.7	87.8	Rules are enforced fairly	67.4	69.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.0	95.7	Students of all races/ethnicities are treated equally	84.2	83.8
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	83.5	82.4	<b>Percent of students who agree that:</b>		
Cigarettes	94.4	92.1	Parents notice and comment on student's good work	84.1	83.9
Marijuana	96.0	96.0	Parents involve student in making family decisions	70.3	71.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.3	97.9	It is important to be honest with parents regardless of consequences	86.1	84.1
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	80.4	77.9
Alcohol	53.3	54.4			
Cigarettes	47.1	53.2			
Marijuana	28.6	29.0			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.8	15.7			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# SUBSTANCE ABUSE SERVICE AREAS 2-5 (JC)



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	2-5 (JC)
Adult Psychiatric	Not Applicable
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	674,158
2012 Pop. Estimate	677,377

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	333,027	339,740	340,863
Employed	307,454	307,179	303,463
Unemployed	25,573	32,561	37,400
Unemployment Rate	7.7%	9.6%	11.0%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	28,672	29,317	29,642
Drop-outs	1,515	1,592	1,338
Drop-out Rate	5.3%	5.4%	4.5%
School Suspensions:			
Alcohol Incidents	38	56	43
Drug Incidents	418	406	369
Tobacco Incidents	10	12	8

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	9,583	9,763	10,348
Mother Reported Smoking while Pregnant	1,485	1,529	1,324

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	149	129	139
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	<5	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	5,981	5,883	5,903
Suicides	127	93	98
Self-inflicted Injuries	1,120	1,133	1,127
Homicides	112	121	111
Assault Injuries	4,490	4,370	4,770
Alcohol Induced Deaths	65	72	67
Drug Induced Deaths	105	123	111
Smoking Attributable Deaths	974	942	958

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	7,059		
Alcohol Primary Diagnosis <sup>2</sup>	732		
Drug Primary Diagnosis <sup>2</sup>	385		
Alcohol Related Diagnosis	3,170	3,297	1,901
Drug Related Diagnosis	3,619	3,955	2,157
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,549		
Alcohol Primary Diagnosis <sup>2</sup>	492		
Drug Primary Diagnosis <sup>2</sup>	265		
Alcohol Related Diagnosis	3,133	3,213	3,771
Drug Related Diagnosis	2,683	2,605	3,052
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	5,955		
Alcohol Primary Diagnosis <sup>2</sup>	3,963		
Drug Primary Diagnosis <sup>2</sup>	1,539		
Alcohol Related Diagnosis	7,134	6,975	6,530
Drug Related Diagnosis	5,025	4,108	2,801

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	648	716	754
Fatal Crashes	13	9	23
Injury Crashes	307	289	329
Property Damage Crashes	328	418	402
Crash Fatalities	14	9	25
Crash Injuries	500	428	350
Drug Involved Crashes--Total	148	165	200
Fatal Crashes	3	2	7
Injury Crashes	77	79	101
Property Damage Crashes	68	84	92
Crash Fatalities	3	2	7
Crash Injuries	85	109	104

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	3,096	3,522	3,177
Liquor Law Arrests	575	892	1,289
Drug Arrests	2,001	3,800	6,377
Methamphetamine Lab Incidents	26	24	21
Violent Offenses	1,121	6,712	7,690
Property Offenses	14,421	43,841	41,841
Domestic Violence Reports	3,203	7,709	3,179

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	1,621	1,210	1,582
Violent Offenses	475	505	554
Alcohol Offenses	4	19	17
Drug Offenses	70	79	123
Status Offenses--Total	95	83	22
Truancy	3	21	1
Beyond Parental Control	10	22	2
Habitually Absent from Home	18	18	1
Injurious Behavior	10	11	17
Abuse/Neglect/Custody--Total	1,312	1,581	1,441
Abuse	142	197	7
Neglect	839	991	1,202
Custody Disputes	331	393	232

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	994	1,084	935
Parental Alcohol Use Related	51	27	32
Parental Drug Use Related	294	303	249
Parental Alcohol and Drug Use	20	41	34
Child Removed for Other Reason	629	713	620

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	871	870	809
Probation/Parole Admissions--Total	2,829	2,969	3,156
Probation/Parole Admissions--Drug	940	995	1,228
Probation/Parole Admissions--DWI	187	147	146
Prison Admissions--Total	1,165	1,357	1,417
Prison Admissions--Drug	249	320	364
Prison Admissions--DWI	95	106	73

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	804	784	766
Alcohol Package Carry-out Licenses	463	445	434

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREAS 2-5 (JC)

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	1,134	1,392	1,399
CSTAR Adolescent	260	284	314
CSTAR Women and Children	713	733	717
CSTAR General Adult	1,287	1,442	448
CSTAR Opioid	69	83	58
Primary Recovery Treatment	838	1,092	2,458
Clinical SATOP (CIP, YCIP, SROP)	460	379	441
Other Substance Abuse Treatment	469	515	491

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	2,643	2,650	3,142
- Adolescent Diversion Education Program	20	21	28
- Offender Education Program	1,044	1,125	1,323
- Weekend Intervention Program	611	639	833
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	216	228	259
Compulsive Gambling	17	31	41
Recovery Supports	2,043	1,284	2,864
Early Intervention	42	26	5

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010
Total Individuals	4,727	5,017	5,164
AGE			
Under 18	270	290	311
18 to 24	641	706	714
25 to 29	635	763	776
30 to 34	701	680	688
35 to 39	539	602	645
40 to 44	553	594	610
45 to 54	1,085	1,080	1,136
55 and Over	303	302	284

GENDER			
Male	3,264	3,495	3,675
Female	1,463	1,522	1,489

RACE / ETHNICITY			
Caucasian	2,522	2,629	2,734
African American	1,858	2,051	2,071
Native American / Alaskan	26	23	27
Asian / Pacific Islander	17	15	14
Hispanic	190	206	186
Other Race / Two or More Races	171	153	176

EDUCATION			
Less than High School Diploma	1,587	1,737	1,866
High School Graduate or G.E.D.	2,019	2,147	2,234
Associate Degree or Some College	1,069	1,054	973
Bachelor or Advanced Degree	52	79	91

EMPLOYMENT			
Employed	886	964	928
Unemployed	2,163	2,449	2,430
Not in Labor Force	1,678	1,604	1,806

HOUSING / LIVING ARRANGEMENT			
Independent Living	3,178	3,288	3,354
Dependent Living	743	892	903
Homeless	662	686	752

MARITAL / FAMILY STATUS			
Never Married	2,828	3,057	3,134
Married / Cohabiting	848	884	910
Previously Married	1,051	1,076	1,120

PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Alcohol	1,906	1,991	2,073
Marijuana / Hashish	1,140	1,270	1,313
Cocaine (total)	602	690	815
- Crack	462	562	683
Stimulant (total)	576	564	520
- Methamphetamine	556	541	488
Heroin	77	79	79
Analgesic except Heroin	158	163	125
- Non-Prescription Methadone	7	5	*
PCP, LSD, other Hallucinogen	203	205	193
Tranquilizer	46	36	33
Inhalant	*	*	*
Sedative	*	9	9
Other Medication or Illicit Drug	14	6	*
Average Age at First Use of Drug	17.9	17.7	17.6

INJECTION DRUG USE			
Any Injection Use at Admission	283	257	261
- Daily Injection Use	65	58	67
- Weekly Injection Use	85	78	66
- Less than Weekly Injection Use	133	121	127

LIFETIME DUI / DWI ARRESTS			
0	2,816	3,068	3,130
1 or 2	1,161	1,138	1,172
3 or More	750	811	862

TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,821	1,772	1,861
School	40	27	40
Mental Health Provider	102	102	94
Health Care Provider	230	281	235
Court / Criminal Justice	2,057	2,392	2,483
Other Referral Source	426	441	446

TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	86	78	83
Military Veteran	239	288	287
Special Education Services Needed	353	307	341
Co-Occurring Psychological Problem	1,894	1,884	2,001
Co-Occurring Developmental Problem	168	153	217


# SUBSTANCE ABUSE SERVICE AREAS 2-5 (JC)

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	36.7	37.7	Alcohol	71.4	71.5
Cigarettes	21.1	24.7	Cigarettes	81.9	78.3
Chewing Tobacco	9.6	6.3	Marijuana	67.2	71.9
Marijuana	19.6	19.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	91.8	89.7
Inhalants	5.0	5.8	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	8.0	9.9	Were very sad	19.9	17.1
Over-the-counter medications for non-medical use	5.9	7.3	Were grouchy, irritable, or in a bad mood	25.5	23.4
Methamphetamine	1.3	0.9	Felt hopeless about the future	11.8	11.1
Cocaine	2.1	1.8	Felt like not eating or eating more than usual	17.4	17.2
Heroin	1.0	0.6	Slept a lot more or a lot less than usual	21.6	24.5
Hallucinogens	3.0	2.5	Had difficulty concentrating on school work	23.3	22.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.4	2.1	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.6	1.0	Seriously considered attempting suicide	12.5	11.6
Synthetic drugs (K2, bath salts, Spice, etc)	6.4		Made plan about how they would attempt suicide	8.8	8.7
<b>Average age of students' first use of:</b>			Attempted suicide	5.6	6.2
Alcohol	12.94	12.46	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.8	2.5
Cigarettes	12.65	12.12	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.61	13.33	Were threatened/injured with weapon at school	6.5	9.9
Inhalants	11.55	11.21	Were in a physical fight	19.9	26.1
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.0	4.9
Alcohol	14.9	16.3	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	7.8	10.5	Were victims of mean rumors or lies spread at school	44.7	48.6
Cigarettes	9.2	12.4	Had embarrassing or hurtful pictures/text of them posted on internet	11.9	11.5
Chewing Tobacco	3.8	3.1	Had embarrassing or hurtful pictures/text of them sent by cell phone	13.6	12.4
Marijuana	10.2	10.5	Were made fun of by others	58.0	63.5
Inhalants	2.0	2.7	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	4.5	6.2	Spread mean rumors or lies about other kids at school	25.4	30.6
Over-the-counter medications for non-medical use	3.5	4.6	Posted on internet embarrassing or hurtful pictures/text of someone	9.0	11.6
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.6	12.6
Alcohol	51.5	50.9	Made fun of other people	62.0	68.4
Cigarettes	41.0	42.7	<b>Percent of students who agree that:</b>		
Marijuana	42.9	39.6	Teachers notice and comment on student's good work	65.8	70.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.1	17.0	School provides feedback to parents on positive student performance	36.7	42.0
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	52.6	54.6
Alcohol	29.3	29.3	Rules are enforced fairly	62.3	64.4
Cigarettes	12.4	13.5	Students of all races/ethnicities are treated equally	71.7	76.3
Marijuana	17.0	15.4	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	80.9	82.2
Alcohol	61.1	62.8	Parents involve student in making family decisions	67.0	69.1
Cigarettes	81.3	79.3	It is important to be honest with parents regardless of consequences	84.6	82.2
Marijuana	76.9	78.0	Student could ask parent for help with a personal problem	73.8	75.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.9	93.6	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	79.3	80.4	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	90.6	90.0	Percentages are estimates based on weighted data.		
Marijuana	91.5	92.0	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.3	96.5	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	56.9	52.7			
Cigarettes	54.4	51.7			
Marijuana	43.6	39.4			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.7	19.8			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# SUBSTANCE ABUSE SERVICE AREA 6



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	6
Adult Psychiatric	Not Applicable
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	334,755
2012 Pop. Estimate	342,695

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	182,982	183,595	179,297
Employed	171,342	169,407	163,551
Unemployed	11,640	14,188	15,746
Unemployment Rate	6.4%	7.7%	8.8%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	17,226	17,109	17,930
Drop-outs	358	379	475
Drop-out Rate	2.1%	2.2%	2.6%
School Suspensions:			
Alcohol Incidents	25	24	15
Drug Incidents	146	151	165
Tobacco Incidents	8	0	3

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	4,399	4,556	4,598
Mother Reported Smoking while Pregnant	625	653	586

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	25	26	17
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	2,331	2,358	2,296
Suicides	46	51	52
Self-inflicted Injuries	511	544	479
Homicides	14	9	9
Assault Injuries	1,039	1,014	1,123
Alcohol Induced Deaths	26	23	23
Drug Induced Deaths	33	36	44
Smoking Attributable Deaths	418	451	441

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	2,330		
Alcohol Primary Diagnosis <sup>2</sup>	201		
Drug Primary Diagnosis <sup>2</sup>	131		
Alcohol Related Diagnosis	881	1,063	717
Drug Related Diagnosis	913	1,048	727

Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	485		
Alcohol Primary Diagnosis <sup>2</sup>	207		
Drug Primary Diagnosis <sup>2</sup>	121		
Alcohol Related Diagnosis	1,143	972	1,106
Drug Related Diagnosis	850	735	830

Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	2,629		
Alcohol Primary Diagnosis <sup>2</sup>	829		
Drug Primary Diagnosis <sup>2</sup>	408		
Alcohol Related Diagnosis	1,730	1,741	1,484
Drug Related Diagnosis	1,316	1,143	802

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	254	320	310
Fatal Crashes	5	13	13
Injury Crashes	91	126	117
Property Damage Crashes	158	181	180
Crash Fatalities	5	13	12
Crash Injuries	137	170	141
Drug Involved Crashes--Total	55	43	52
Fatal Crashes	2	2	3
Injury Crashes	24	13	24
Property Damage Crashes	29	28	25
Crash Fatalities	1	2	2
Crash Injuries	28	19	23

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	1,621	1,625	1,615
Liquor Law Arrests	507	464	690
Drug Arrests	1,128	1,154	1,092
Methamphetamine Lab Incidents	4	6	11
Violent Offenses	372	321	355
Property Offenses	4,120	3,856	3,461
Domestic Violence Reports	1,014	1,097	1,266

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	1,055	1,106	1,443
Violent Offenses	256	278	357
Alcohol Offenses	65	50	72
Drug Offenses	125	147	150
Status Offenses--Total	173	183	170
Truancy	44	43	45
Beyond Parental Control	51	54	56
Habitually Absent from Home	46	45	40
Injurious Behavior	26	37	29
Abuse/Neglect/Custody--Total	266	241	261
Abuse	46	41	46
Neglect	206	189	202
Custody Disputes	14	11	13

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	58	75	68
Parental Alcohol Use Related	4	5	11
Parental Drug Use Related	10	16	16
Parental Alcohol and Drug Use	2	0	1
Child Removed for Other Reason	42	54	40

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	134	109	94
Probation/Parole Admissions--Total	1,364	1,222	1,210
Probation/Parole Admissions--Drug	383	329	326
Probation/Parole Admissions--DWI	124	109	97
Prison Admissions--Total	732	699	699
Prison Admissions--Drug	182	183	156
Prison Admissions--DWI	69	50	57

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	332	336	327
Alcohol Package Carry-out Licenses	226	228	223

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 6

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	86	140	215
CSTAR Adolescent	51	69	68
CSTAR Women and Children	42	50	43
CSTAR General Adult	984	809	487
CSTAR Opioid	10	15	11
Primary Recovery Treatment	43	88	491
Clinical SATOP (CIP, YCIP, SROP)	300	216	246
Other Substance Abuse Treatment	6	7	7

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	1,347	1,285	1,565
- Adolescent Diversion Education Program	21	16	20
- Offender Education Program	509	485	635
- Weekend Intervention Program	388	390	465
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	16	25	36
Compulsive Gambling	7	32	34
Recovery Supports	41	30	124
Early Intervention	24	13	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010
Total Individuals	1,461	1,265	1,352
AGE			
Under 18	57	72	71
18 to 24	330	265	277
25 to 29	253	180	234
30 to 34	226	193	170
35 to 39	174	145	169
40 to 44	141	135	147
45 to 54	222	222	225
55 and Over	58	53	59

GENDER			
Male	985	856	934
Female	476	409	418

RACE / ETHNICITY			
Caucasian	1,300	1,136	1,213
African American	73	65	66
Native American / Alaskan	*	*	6
Asian / Pacific Islander	6	*	7
Hispanic	62	49	46
Other Race / Two or More Races	35	29	26

EDUCATION			
Less than High School Diploma	353	318	361
High School Graduate or G.E.D.	696	583	679
Associate Degree or Some College	383	322	279
Bachelor or Advanced Degree	29	42	33

EMPLOYMENT			
Employed	572	406	433
Unemployed	522	571	572
Not in Labor Force	367	288	347

HOUSING / LIVING ARRANGEMENT			
Independent Living	1,320	1,092	1,139
Dependent Living	74	109	121
Homeless	44	48	54

MARITAL / FAMILY STATUS			
Never Married	818	729	775
Married / Cohabiting	302	271	269
Previously Married	341	265	307

PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Alcohol	701	636	703
Marijuana / Hashish	342	303	300
Cocaine (total)	46	48	72
- Crack	33	30	46
Stimulant (total)	239	163	169
- Methamphetamine	238	154	168
Heroin	17	19	16
Analgesic except Heroin	94	72	70
- Non-Prescription Methadone	0	0	*
PCP, LSD, other Hallucinogen	10	7	*
Tranquilizer	7	14	12
Inhalant	*	0	*
Sedative	0	0	5
Other Medication or Illicit Drug	*	*	*
Average Age at First Use of Drug	17.9	17.3	17.0

INJECTION DRUG USE			
Any Injection Use at Admission	107	81	75
- Daily Injection Use	32	29	12
- Weekly Injection Use	16	24	27
- Less than Weekly Injection Use	59	28	36

LIFETIME DUI / DWI ARRESTS			
0	710	573	616
1 or 2	449	397	370
3 or More	302	295	366

TREATMENT REFERRAL SOURCE			
Self / Family / Friend	270	301	324
School	*	0	0
Mental Health Provider	131	121	94
Health Care Provider	40	48	34
Court / Criminal Justice	843	695	789
Other Referral Source	130	100	110

TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	25	11	12
Military Veteran	79	60	60
Special Education Services Needed	65	35	48
Co-Occurring Psychological Problem	496	468	471
Co-Occurring Developmental Problem	18	30	22



# SUBSTANCE ABUSE SERVICE AREA 6


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	36.4	38.2	Alcohol	71.1	76.6
Cigarettes	19.5	21.2	Cigarettes	83.7	82.5
Chewing Tobacco	12.0	10.0	Marijuana	71.5	73.2
Marijuana	16.6	14.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.8	93.7
Inhalants	5.3	6.2	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	8.8	11.3	Were very sad	18.3	19.6
Over-the-counter medications for non-medical use	6.7	7.9	Were grouchy, irritable, or in a bad mood	23.3	25.0
Methamphetamine	1.3	0.8	Felt hopeless about the future	11.5	12.3
Cocaine	1.9	1.7	Felt like not eating or eating more than usual	16.9	18.6
Heroin	0.9	0.6	Slept a lot more or a lot less than usual	21.1	25.5
Hallucinogens	3.4	2.9	Had difficulty concentrating on school work	23.1	23.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.4	2.3	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.2	1.1	Seriously considered attempting suicide	12.1	11.3
Synthetic drugs (K2, bath salts, Spice, etc)	6.4		Made plan about how they would attempt suicide	8.9	7.8
<b>Average age of students' first use of:</b>			Attempted suicide	4.7	4.9
Alcohol	12.99	12.81	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.8	1.9
Cigarettes	13.05	12.63	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.79	13.74	Were threatened/injured with weapon at school	5.4	8.4
Inhalants	11.93	11.89	Were in a physical fight	15.9	20.1
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	2.7	3.4
Alcohol	16.5	17.5	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	9.3	10.1	Were victims of mean rumors or lies spread at school	46.1	52.2
Cigarettes	8.9	11.0	Had embarrassing or hurtful pictures/text of them posted on internet	13.9	14.0
Chewing Tobacco	5.2	5.1	Had embarrassing or hurtful pictures/text of them sent by cell phone	17.0	15.1
Marijuana	8.8	7.8	Were made fun of by others	59.9	67.4
Inhalants	2.0	2.8	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	4.8	6.6	Spread mean rumors or lies about other kids at school	28.3	34.3
Over-the-counter medications for non-medical use	4.0	5.1	Posted on internet embarrassing or hurtful pictures/text of someone	9.6	11.8
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	11.7	14.4
Alcohol	52.5	55.1	Made fun of other people	61.3	71.2
Cigarettes	40.5	42.9	<b>Percent of students who agree that:</b>		
Marijuana	40.4	37.5	Teachers notice and comment on student's good work	68.9	69.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.6	19.8	School provides feedback to parents on positive student performance	35.7	40.3
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	55.9	55.1
Alcohol	28.4	29.0	Rules are enforced fairly	67.2	68.3
Cigarettes	11.5	12.9	Students of all races/ethnicities are treated equally	78.3	78.1
Marijuana	13.9	12.5	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	82.3	83.9
Alcohol	63.5	63.1	Parents involve student in making family decisions	69.1	70.8
Cigarettes	82.6	81.0	It is important to be honest with parents regardless of consequences	83.1	81.4
Marijuana	80.4	82.2	Student could ask parent for help with a personal problem	76.3	76.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.8	94.3	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	80.4	80.6	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	92.6	91.3	Percentages are estimates based on weighted data.		
Marijuana	93.7	94.3	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	97.6	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	60.4	59.7			
Cigarettes	51.9	53.0			
Marijuana	39.5	37.0			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.0	18.3			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# SUBSTANCE ABUSE SERVICE AREA 7



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	7
Adult Psychiatric	Not Applicable
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	185,454
2012 Pop. Estimate	187,853

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	91,833	93,610	90,868
Employed	85,462	85,394	81,826
Unemployed	6,371	8,216	9,042
Unemployment Rate	6.9%	8.8%	10.0%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	9,284	9,387	9,567
Drop-outs	179	144	212
Drop-out Rate	1.9%	1.5%	2.2%
School Suspensions:			
Alcohol Incidents	13	13	24
Drug Incidents	106	115	103
Tobacco Incidents	0	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	2,287	2,414	2,405
Mother Reported Smoking while Pregnant	481	490	411

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	4	7	7
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	1,546	1,592	1,503
Suicides	23	32	21
Self-inflicted Injuries	278	226	217
Homicides	7	4	4
Assault Injuries	552	550	471
Alcohol Induced Deaths	12	10	6
Drug Induced Deaths	29	19	15
Smoking Attributable Deaths	268	271	282

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,618		
Alcohol Primary Diagnosis <sup>2</sup>	105		
Drug Primary Diagnosis <sup>2</sup>	57		
Alcohol Related Diagnosis	524	601	355
Drug Related Diagnosis	522	528	346
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	191		
Alcohol Primary Diagnosis <sup>2</sup>	63		
Drug Primary Diagnosis <sup>2</sup>	39		
Alcohol Related Diagnosis	366	328	379
Drug Related Diagnosis	293	200	267
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,243		
Alcohol Primary Diagnosis <sup>2</sup>	296		
Drug Primary Diagnosis <sup>2</sup>	187		
Alcohol Related Diagnosis	607	651	593
Drug Related Diagnosis	551	514	378

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	164	186	224
Fatal Crashes	2	5	5
Injury Crashes	58	79	92
Property Damage Crashes	104	102	127
Crash Fatalities	2	6	4
Crash Injuries	83	104	115
Drug Involved Crashes--Total	29	34	34
Fatal Crashes	0	1	1
Injury Crashes	7	18	15
Property Damage Crashes	22	15	18
Crash Fatalities	0	2	1
Crash Injuries	7	33	15

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	1,055	1,145	1,208
Liquor Law Arrests	536	562	591
Drug Arrests	822	938	974
Methamphetamine Lab Incidents	4	1	8
Violent Offenses	264	287	265
Property Offenses	4,169	3,912	3,968
Domestic Violence Reports	1,363	1,444	1,358

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	765	911	957
Violent Offenses	165	232	257
Alcohol Offenses	38	60	40
Drug Offenses	55	66	76
Status Offenses--Total	479	585	551
Truancy	49	68	68
Beyond Parental Control	122	168	130
Habitually Absent from Home	114	127	141
Injurious Behavior	191	220	211
Abuse/Neglect/Custody--Total	330	417	313
Abuse	10	42	49
Neglect	163	237	198
Custody Disputes	157	138	66

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	173	182	97
Parental Alcohol Use Related	7	12	6
Parental Drug Use Related	37	51	18
Parental Alcohol and Drug Use	8	15	0
Child Removed for Other Reason	121	104	73

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	105	84	87
Probation/Parole Admissions--Total	1,191	1,116	1,135
Probation/Parole Admissions--Drug	378	348	369
Probation/Parole Admissions--DWI	97	103	74
Prison Admissions--Total	629	636	593
Prison Admissions--Drug	186	205	163
Prison Admissions--DWI	53	64	49

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	167	171	168
Alcohol Package Carry-out Licenses	162	161	154

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 7

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	45	83	102
CSTAR Adolescent	105	84	44
CSTAR Women and Children	26	16	29
CSTAR General Adult	587	574	374
CSTAR Opioid	0	*	*
Primary Recovery Treatment	19	102	647
Clinical SATOP (CIP, YCIP, SROP)	184	121	146
Other Substance Abuse Treatment	*	0	6

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	816	764	928
- Adolescent Diversion Education Program	*	8	6
- Offender Education Program	328	322	373
- Weekend Intervention Program	188	177	250
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	46	45	54
Compulsive Gambling	0	*	0
Recovery Supports	262	234	200
Early Intervention	42	41	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	989	972	1,117	Alcohol	459	438	539
AGE				Marijuana / Hashish	262	272	316
Under 18	108	86	49	Cocaine (total)	16	20	36
18 to 24	199	209	268	- Crack	6	11	14
25 to 29	175	172	197	Stimulant (total)	189	168	168
30 to 34	154	126	147	- Methamphetamine	180	156	164
35 to 39	87	104	131	Heroin	8	*	7
40 to 44	104	102	104	Analgesic except Heroin	38	45	38
45 to 54	125	132	178	- Non-Prescription Methadone	*	0	0
55 and Over	37	41	43	PCP, LSD, other Hallucinogen	*	7	*
GENDER				Tranquilizer	9	7	10
Male	662	643	820	Inhalant	*	*	0
Female	327	329	297	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	*	9	*
Caucasian	904	888	1,007	Average Age at First Use of Drug	16.6	16.6	16.7
African American	38	44	62	INJECTION DRUG USE			
Native American / Alaskan	*	5	*	Any Injection Use at Admission	65	63	85
Asian / Pacific Islander	*	*	*	- Daily Injection Use	13	*	11
Hispanic	29	23	24	- Weekly Injection Use	27	24	15
Other Race / Two or More Races	23	19	28	- Less than Weekly Injection Use	25	36	59
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	304	309	352	0	496	532	557
High School Graduate or G.E.D.	413	431	535	1 or 2	301	253	313
Associate Degree or Some College	254	216	203	3 or More	192	187	247
Bachelor or Advanced Degree	18	16	27	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	528	438	408
Employed	331	303	393	School	*	*	*
Unemployed	230	313	466	Mental Health Provider	21	17	13
Not in Labor Force	428	356	258	Health Care Provider	26	25	23
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	298	412	616
Independent Living	800	813	945	Other Referral Source	114	78	53
Dependent Living	119	104	118	TREATMENT ACCOMMODATION			
Homeless	24	22	17	Pregnant when Admitted to any Episode	8	14	17
MARITAL / FAMILY STATUS				Military Veteran	52	55	59
Never Married	545	523	587	Special Education Services Needed	48	44	39
Married / Cohabiting	247	259	298	Co-Occurring Psychological Problem	229	291	348
Previously Married	197	190	232	Co-Occurring Developmental Problem	23	27	22

# SUBSTANCE ABUSE SERVICE AREA 7


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	36.8	44.5	Alcohol	69.0	76.0
Cigarettes	21.5	27.4	Cigarettes	80.8	80.7
Chewing Tobacco	16.0	12.7	Marijuana	76.5	71.2
Marijuana	11.1	15.3	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.2	93.0
Inhalants	5.4	7.6			
Prescription medications not prescribed for student	7.9	12.0	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	6.2	8.3	Were very sad	17.4	21.8
Methamphetamine	1.3	1.2	Were grouchy, irritable, or in a bad mood	21.0	27.6
Cocaine	1.6	1.9	Felt hopeless about the future	8.8	13.5
Heroin	0.7	0.5	Felt like not eating or eating more than usual	16.2	20.6
Hallucinogens	2.4	2.9	Slept a lot more or a lot less than usual	19.5	27.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.0	2.3	Had difficulty concentrating on school work	21.1	25.7
Steroids not prescribed for student	1.1	1.1			
Synthetic drugs (K2, bath salts, Spice, etc)	5.3		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	10.9	11.6
Alcohol	12.65	12.72	Made plan about how they would attempt suicide	8.8	8.1
Cigarettes	12.54	12.66	Attempted suicide	5.0	5.2
Marijuana	13.53	13.70	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.0	1.8
Inhalants	11.76	12.16			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	14.2	20.2	Were threatened/injured with weapon at school	5.8	9.4
Binge Alcohol (5 or more drinks on one occasion)	8.4	11.5	Were in a physical fight	20.1	21.6
Cigarettes	9.4	14.4	Were in a fight and had to be treated by a doctor or nurse	2.1	3.1
Chewing Tobacco	6.4	7.3			
Marijuana	4.8	7.5	<b>Percent of students in past 3 months who:</b>		
Inhalants	2.2	3.3	Were victims of mean rumors or lies spread at school	49.5	54.8
Prescription medications not prescribed for student	4.4	7.0	Had embarrassing or hurtful pictures/text of them posted on internet	11.9	13.8
Over-the-counter medications for non-medical use	3.3	5.1	Had embarrassing or hurtful pictures/text of them sent by cell phone	15.8	15.8
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	61.2	67.8
Alcohol	47.9	60.4			
Cigarettes	37.7	49.9	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	26.4	36.1	Spread mean rumors or lies about other kids at school	23.6	35.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	11.0	17.3	Posted on internet embarrassing or hurtful pictures/text of someone	7.1	9.9
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	10.7	13.7
Alcohol	29.5	35.3	Made fun of other people	59.6	73.1
Cigarettes	12.3	16.0			
Marijuana	9.4	12.0	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	69.0	69.2
Alcohol	61.9	57.3	School provides feedback to parents on positive student performance	38.5	39.5
Cigarettes	82.5	77.9	Teachers praise student for hard work	54.8	54.7
Marijuana	85.9	83.0	Rules are enforced fairly	63.2	64.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.8	94.6	Students of all races/ethnicities are treated equally	82.7	78.6
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	78.0	76.9	<b>Percent of students who agree that:</b>		
Cigarettes	92.3	90.1	Parents notice and comment on student's good work	83.0	83.1
Marijuana	95.2	94.3	Parents involve student in making family decisions	69.5	69.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.6	97.5	It is important to be honest with parents regardless of consequences	86.3	82.9
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	77.2	75.6
Alcohol	53.2	61.6			
Cigarettes	47.9	58.6			
Marijuana	29.2	34.9			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.0	18.1			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# SUBSTANCE ABUSE SERVICE AREA 8



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	8
Adult Psychiatric	Not Applicable
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	112,950
2012 Pop. Estimate	111,236

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	48,862	49,959	49,911
Employed	45,108	45,289	44,906
Unemployed	3,754	4,670	5,005
Unemployment Rate	7.7%	9.3%	10.0%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	4,943	5,202	5,226
Drop-outs	155	135	137
Drop-out Rate	3.1%	2.6%	2.6%

School Suspensions:			
Alcohol Incidents	9	12	7
Drug Incidents	60	36	33
Tobacco Incidents	2	1	1

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	1,206	1,227	1,177
Mother Reported Smoking while Pregnant	325	347	323

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	1	2	4
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	1,512	1,501	1,437
Suicides	24	23	23
Self-inflicted Injuries	213	186	177
Homicides	5	5	6
Assault Injuries	342	341	352
Alcohol Induced Deaths	9	7	5
Drug Induced Deaths	20	21	8
Smoking Attributable Deaths	297	298	281

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,002		
Alcohol Primary Diagnosis <sup>2</sup>	56		
Drug Primary Diagnosis <sup>2</sup>	49		
Alcohol Related Diagnosis	439	417	377
Drug Related Diagnosis	424	420	353

Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	289		
Alcohol Primary Diagnosis <sup>2</sup>	72		
Drug Primary Diagnosis <sup>2</sup>	43		
Alcohol Related Diagnosis	327	286	326
Drug Related Diagnosis	269	225	245

Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,018		
Alcohol Primary Diagnosis <sup>2</sup>	173		
Drug Primary Diagnosis <sup>2</sup>	166		
Alcohol Related Diagnosis	474	496	417
Drug Related Diagnosis	514	563	411

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	119	138	143
Fatal Crashes	8	9	8
Injury Crashes	55	70	65
Property Damage Crashes	56	59	70
Crash Fatalities	10	9	11
Crash Injuries	75	111	87
Drug Involved Crashes--Total	23	23	20
Fatal Crashes	1	1	3
Injury Crashes	10	14	10
Property Damage Crashes	12	8	7
Crash Fatalities	1	1	6
Crash Injuries	11	20	17

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	721	729	603
Liquor Law Arrests	153	219	241
Drug Arrests	552	534	492
Methamphetamine Lab Incidents	14	77	71
Violent Offenses	338	326	343
Property Offenses	3,192	2,999	2,707
Domestic Violence Reports	722	633	557

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	616	591	665
Violent Offenses	164	178	252
Alcohol Offenses	51	52	66
Drug Offenses	33	37	28
Status Offenses--Total	584	473	547
Truancy	196	151	140
Beyond Parental Control	134	130	157
Habitually Absent from Home	57	51	59
Injurious Behavior	188	129	184
Abuse/Neglect/Custody--Total	644	601	645
Abuse	189	130	102
Neglect	436	434	461
Custody Disputes	19	37	82

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	125	160	88
Parental Alcohol Use Related	3	3	12
Parental Drug Use Related	41	51	16
Parental Alcohol and Drug Use	4	1	0
Child Removed for Other Reason	77	105	60

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	80	75	84
Probation/Parole Admissions--Total	826	779	715
Probation/Parole Admissions--Drug	199	202	177
Probation/Parole Admissions--DWI	72	54	62
Prison Admissions--Total	430	393	370
Prison Admissions--Drug	107	89	78
Prison Admissions--DWI	27	23	26

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	136	137	141
Alcohol Package Carry-out Licenses	156	150	145

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 8

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	69	135	146
CSTAR Adolescent	59	57	67
CSTAR Women and Children	40	39	42
CSTAR General Adult	998	858	862
CSTAR Opioid	0	*	*
Primary Recovery Treatment	99	339	571
Clinical SATOP (CIP, YCIP, SROP)	140	106	80
Other Substance Abuse Treatment	5	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	637	588	714
- Adolescent Diversion Education Program	*	*	*
- Offender Education Program	233	215	288
- Weekend Intervention Program	129	158	209
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	60	62	69
Compulsive Gambling	*	5	5
Recovery Supports	211	205	284
Early Intervention	29	10	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	1,320	1,368	1,397	Alcohol	520	565	579
AGE				Marijuana / Hashish	326	352	401
Under 18	62	66	73	Cocaine (total)	19	25	44
18 to 24	265	283	293	- Crack	8	12	27
25 to 29	222	239	259	Stimulant (total)	334	298	254
30 to 34	220	194	213	- Methamphetamine	314	290	250
35 to 39	145	172	141	Heroin	12	5	10
40 to 44	117	140	159	Analgesic except Heroin	92	100	87
45 to 54	224	215	208	- Non-Prescription Methadone	*	0	0
55 and Over	65	59	51	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	8	11	17
Male	851	919	966	Inhalant	*	*	*
Female	469	449	431	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	5	5	*
Caucasian	1,260	1,290	1,315	Average Age at First Use of Drug	17.2	17.1	17.1
African American	26	27	39	INJECTION DRUG USE			
Native American / Alaskan	*	7	*	Any Injection Use at Admission	174	162	167
Asian / Pacific Islander	*	*	*	- Daily Injection Use	27	21	28
Hispanic	16	28	20	- Weekly Injection Use	39	34	45
Other Race / Two or More Races	20	26	28	- Less than Weekly Injection Use	108	107	94
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	445	482	501	0	721	748	755
High School Graduate or G.E.D.	638	610	672	1 or 2	370	390	402
Associate Degree or Some College	229	257	205	3 or More	229	230	240
Bachelor or Advanced Degree	8	19	19	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	546	424	445
Employed	333	369	319	School	*	*	*
Unemployed	389	556	689	Mental Health Provider	21	24	23
Not in Labor Force	598	443	389	Health Care Provider	43	42	26
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	467	759	801
Independent Living	1,073	1,209	1,213	Other Referral Source	241	117	100
Dependent Living	99	100	140	TREATMENT ACCOMMODATION			
Homeless	34	31	20	Pregnant when Admitted to any Episode	19	18	22
MARITAL / FAMILY STATUS				Military Veteran	51	65	52
Never Married	631	644	686	Special Education Services Needed	80	85	97
Married / Cohabiting	365	410	372	Co-Occurring Psychological Problem	242	455	533
Previously Married	324	314	339	Co-Occurring Developmental Problem	26	34	43



# SUBSTANCE ABUSE SERVICE AREA 8


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	45.5	49.8	Alcohol	65.1	78.0
Cigarettes	29.5	31.7	Cigarettes	78.3	80.0
Chewing Tobacco	12.7	18.8	Marijuana	74.2	71.1
Marijuana	15.6	15.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.7	93.5
Inhalants	5.7	6.5	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	9.5	11.3	Were very sad	21.4	21.8
Over-the-counter medications for non-medical use	5.2	8.0	Were grouchy, irritable, or in a bad mood	25.9	25.7
Methamphetamine	1.8	1.1	Felt hopeless about the future	9.7	13.4
Cocaine	2.0	1.6	Felt like not eating or eating more than usual	19.2	20.2
Heroin	1.4	0.7	Slept a lot more or a lot less than usual	21.5	27.0
Hallucinogens	2.8	2.6	Had difficulty concentrating on school work	24.7	26.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.4	2.5	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	2.2	1.0	Seriously considered attempting suicide	12.6	11.7
Synthetic drugs (K2, bath salts, Spice, etc)	8.5		Made plan about how they would attempt suicide	8.7	8.7
<b>Average age of students' first use of:</b>			Attempted suicide	4.5	5.7
Alcohol	12.53	12.29	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.4	2.2
Cigarettes	12.19	12.19	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.06	13.40	Were threatened/injured with weapon at school	6.4	11.3
Inhalants	12.07	12.49	Were in a physical fight	22.1	24.2
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.1	3.8
Alcohol	21.0	23.3	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	13.1	12.1	Were victims of mean rumors or lies spread at school	50.6	58.7
Cigarettes	14.4	15.7	Had embarrassing or hurtful pictures/text of them posted on internet	15.4	13.5
Chewing Tobacco	8.2	10.2	Had embarrassing or hurtful pictures/text of them sent by cell phone	17.2	16.8
Marijuana	6.3	7.0	Were made fun of by others	64.1	71.8
Inhalants	2.1	2.8	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	5.6	6.4	Spread mean rumors or lies about other kids at school	28.9	32.8
Over-the-counter medications for non-medical use	3.6	5.0	Posted on internet embarrassing or hurtful pictures/text of someone	10.1	9.6
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	12.4	13.3
Alcohol	56.9	62.0	Made fun of other people	64.2	74.4
Cigarettes	47.6	51.6	<b>Percent of students who agree that:</b>		
Marijuana	30.2	32.3	Teachers notice and comment on student's good work	72.9	71.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.4	16.0	School provides feedback to parents on positive student performance	39.2	40.9
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	55.9	53.0
Alcohol	37.4	39.7	Rules are enforced fairly	61.3	61.1
Cigarettes	16.4	16.9	Students of all races/ethnicities are treated equally	80.8	79.3
Marijuana	9.6	12.1	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	81.6	81.1
Alcohol	54.5	56.2	Parents involve student in making family decisions	66.7	66.8
Cigarettes	78.4	76.3	It is important to be honest with parents regardless of consequences	86.0	82.5
Marijuana	83.8	83.3	Student could ask parent for help with a personal problem	75.4	75.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	94.7	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	74.9	74.3	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	89.0	88.4	Percentages are estimates based on weighted data.		
Marijuana	95.1	93.6	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.1	97.5	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	61.3	61.2			
Cigarettes	55.5	60.6			
Marijuana	32.4	35.6			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.7	21.9			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# SUBSTANCE ABUSE SERVICE AREA 9



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	9
Adult Psychiatric	Not Applicable
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	285,234
2012 Pop. Estimate	283,553

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	136,775	139,451	137,210
Employed	128,336	128,504	125,258
Unemployed	8,439	10,947	11,952
Unemployment Rate	6.2%	7.9%	8.7%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	13,434	13,970	14,064
Drop-outs	361	366	374
Drop-out Rate	2.7%	2.6%	2.7%
School Suspensions:			
Alcohol Incidents	20	13	35
Drug Incidents	140	177	113
Tobacco Incidents	4	1	1

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	3,797	3,864	4,042
Mother Reported Smoking while Pregnant	832	885	810

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	8	13	9
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	2,929	2,823	2,748
Suicides	43	38	53
Self-inflicted Injuries	380	368	417
Homicides	6	5	7
Assault Injuries	803	895	949
Alcohol Induced Deaths	13	14	13
Drug Induced Deaths	46	54	48
Smoking Attributable Deaths	516	523	509

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	2,270		
Alcohol Primary Diagnosis <sup>2</sup>	269		
Drug Primary Diagnosis <sup>2</sup>	177		
Alcohol Related Diagnosis	1,260	1,381	544
Drug Related Diagnosis	1,180	1,346	599
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	558		
Alcohol Primary Diagnosis <sup>2</sup>	223		
Drug Primary Diagnosis <sup>2</sup>	126		
Alcohol Related Diagnosis	599	606	1,589
Drug Related Diagnosis	468	575	1,198
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	2,736		
Alcohol Primary Diagnosis <sup>2</sup>	526		
Drug Primary Diagnosis <sup>2</sup>	415		
Alcohol Related Diagnosis	1,409	1,542	1,579
Drug Related Diagnosis	1,439	1,470	1,530

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	347	350	400
Fatal Crashes	13	13	14
Injury Crashes	152	156	185
Property Damage Crashes	182	181	201
Crash Fatalities	13	13	17
Crash Injuries	212	225	235
Drug Involved Crashes--Total	92	79	91
Fatal Crashes	3	1	2
Injury Crashes	38	31	33
Property Damage Crashes	51	47	56
Crash Fatalities	3	1	1
Crash Injuries	46	40	46

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	2,460	2,468	2,318
Liquor Law Arrests	415	475	652
Drug Arrests	1,032	1,345	1,661
Methamphetamine Lab Incidents	242	239	223
Violent Offenses	937	990	999
Property Offenses	9,625	9,438	9,831
Domestic Violence Reports	2,601	2,571	2,774

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	1,329	1,445	1,689
Violent Offenses	347	388	426
Alcohol Offenses	74	79	102
Drug Offenses	111	115	126
Status Offenses--Total	545	637	727
Truancy	140	186	229
Beyond Parental Control	124	149	160
Habitually Absent from Home	98	134	183
Injurious Behavior	148	137	120
Abuse/Neglect/Custody--Total	1,312	1,591	1,569
Abuse	137	165	209
Neglect	1,048	1,278	1,250
Custody Disputes	127	148	110

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	642	695	639
Parental Alcohol Use Related	25	27	19
Parental Drug Use Related	243	206	155
Parental Alcohol and Drug Use	21	30	17
Child Removed for Other Reason	353	432	448

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	236	152	125
Probation/Parole Admissions--Total	1,750	1,748	1,693
Probation/Parole Admissions--Drug	528	571	468
Probation/Parole Admissions--DWI	216	158	136
Prison Admissions--Total	819	876	926
Prison Admissions--Drug	213	273	258
Prison Admissions--DWI	77	86	79

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	223	230	219
Alcohol Package Carry-out Licenses	322	320	296

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 9

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	252	243	273
CSTAR Adolescent	154	114	132
CSTAR Women and Children	281	288	282
CSTAR General Adult	886	816	320
CSTAR Opioid	0	0	0
Primary Recovery Treatment	117	543	1,274
Clinical SATOP (CIP, YCIP, SROP)	237	216	251
Other Substance Abuse Treatment	0	*	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	1,376	1,254	1,503
- Adolescent Diversion Education Program	50	69	88
- Offender Education Program	506	476	586
- Weekend Intervention Program	264	196	315
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	93	109	132
Compulsive Gambling	5	5	*
Recovery Supports	532	260	168
Early Intervention	102	43	44

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	1,977	2,121	2,250	Alcohol	850	918	990
AGE				Marijuana / Hashish	417	452	543
Under 18	157	117	138	Cocaine (total)	34	30	43
18 to 24	325	369	424	- Crack	20	16	29
25 to 29	349	407	421	Stimulant (total)	472	513	478
30 to 34	330	329	298	- Methamphetamine	460	480	460
35 to 39	229	259	276	Heroin	5	14	6
40 to 44	187	213	232	Analgesic except Heroin	138	157	148
45 to 54	304	346	369	- Non-Prescription Methadone	*	*	*
55 and Over	96	81	92	PCP, LSD, other Hallucinogen	9	*	*
GENDER				Tranquilizer	32	25	31
Male	1,283	1,395	1,510	Inhalant	*	*	*
Female	694	726	740	Sedative	*	0	*
RACE / ETHNICITY				Other Medication or Illicit Drug	14	7	*
Caucasian	1,791	1,927	2,045	Average Age at First Use of Drug	17.2	17.3	17.1
African American	67	72	65	INJECTION DRUG USE			
Native American / Alaskan	5	11	24	Any Injection Use at Admission	268	302	293
Asian / Pacific Islander	6	9	12	- Daily Injection Use	38	44	52
Hispanic	71	71	72	- Weekly Injection Use	65	81	78
Other Race / Two or More Races	47	45	50	- Less than Weekly Injection Use	165	177	163
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	741	849	846	0	935	1,013	1,071
High School Graduate or G.E.D.	813	893	990	1 or 2	646	685	703
Associate Degree or Some College	407	359	384	3 or More	396	423	476
Bachelor or Advanced Degree	16	20	30	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	692	612	791
Employed	611	592	722	School	5	*	*
Unemployed	734	887	833	Mental Health Provider	14	18	26
Not in Labor Force	632	642	695	Health Care Provider	76	112	150
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	836	1,108	1,048
Independent Living	1,590	1,756	1,763	Other Referral Source	351	269	231
Dependent Living	249	238	369	TREATMENT ACCOMMODATION			
Homeless	78	89	80	Pregnant when Admitted to any Episode	29	30	29
MARITAL / FAMILY STATUS				Military Veteran	76	92	132
Never Married	901	955	1,061	Special Education Services Needed	234	223	200
Married / Cohabiting	562	592	586	Co-Occurring Psychological Problem	965	865	695
Previously Married	514	574	602	Co-Occurring Developmental Problem	58	55	51

# SUBSTANCE ABUSE SERVICE AREA 9

## MISSOURI STUDENT SURVEY 2010 AND 2012


	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	32.0	39.1	Alcohol	75.1	77.5
Cigarettes	23.1	28.5	Cigarettes	81.2	79.8
Chewing Tobacco	11.9	15.7	Marijuana	76.9	75.8
Marijuana	12.0	14.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.1	93.2
Inhalants	5.1	7.4			
Prescription medications not prescribed for student	7.1	10.7	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	5.7	8.0	Were very sad	18.2	20.7
Methamphetamine	1.2	1.1	Were grouchy, irritable, or in a bad mood	20.8	23.7
Cocaine	1.2	1.4	Felt hopeless about the future	10.6	11.2
Heroin	0.8	0.5	Felt like not eating or eating more than usual	16.8	17.6
Hallucinogens	2.7	2.4	Slept a lot more or a lot less than usual	18.5	25.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.6	1.8	Had difficulty concentrating on school work	21.1	23.3
Steroids not prescribed for student	1.2	1.1			
Synthetic drugs (K2, bath salts, Spice, etc)	7.1		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	10.5	11.2
Alcohol	12.31	12.43	Made plan about how they would attempt suicide	7.6	8.3
Cigarettes	12.10	12.04	Attempted suicide	4.9	5.6
Marijuana	13.23	13.45	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.7	2.1
Inhalants	12.13	12.17			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	12.3	16.4	Were threatened/injured with weapon at school	6.5	8.8
Binge Alcohol (5 or more drinks on one occasion)	6.7	8.5	Were in a physical fight	19.5	23.1
Cigarettes	10.0	14.5	Were in a fight and had to be treated by a doctor or nurse	3.2	4.0
Chewing Tobacco	6.8	8.5			
Marijuana	5.1	6.3	<b>Percent of students in past 3 months who:</b>		
Inhalants	2.0	3.4	Were victims of mean rumors or lies spread at school	48.6	53.8
Prescription medications not prescribed for student	3.7	6.2	Had embarrassing or hurtful pictures/text of them posted on internet	12.3	11.2
Over-the-counter medications for non-medical use	3.4	4.7	Had embarrassing or hurtful pictures/text of them sent by cell phone	15.2	13.4
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	59.8	66.5
Alcohol	44.6	52.2			
Cigarettes	38.0	44.2	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	26.1	31.9	Spread mean rumors or lies about other kids at school	24.8	30.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.0	15.5	Posted on internet embarrassing or hurtful pictures/text of someone	6.9	9.9
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	8.3	11.5
Alcohol	22.6	27.6	Made fun of other people	56.2	66.5
Cigarettes	11.9	15.7			
Marijuana	9.3	11.3	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	69.0	68.4
Alcohol	69.6	65.1	School provides feedback to parents on positive student performance	40.9	41.4
Cigarettes	83.4	77.6	Teachers praise student for hard work	55.2	54.7
Marijuana	86.1	83.7	Rules are enforced fairly	64.3	64.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.5	94.8	Students of all races/ethnicities are treated equally	77.3	79.5
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	83.8	80.9	<b>Percent of students who agree that:</b>		
Cigarettes	92.4	89.7	Parents notice and comment on student's good work	83.8	84.3
Marijuana	95.3	93.9	Parents involve student in making family decisions	71.4	71.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.4	97.6	It is important to be honest with parents regardless of consequences	89.0	85.5
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	78.0	78.4
Alcohol	46.3	50.9			
Cigarettes	45.8	53.8			
Marijuana	27.4	33.7			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.5	17.2			

### Notes:

Blank data cell indicates estimate not available for survey item or geographic area. Survey is not conducted in every school district nor reported for every county. Percentages are estimates based on weighted data. Estimates are not provided for geographic areas with low numbers of respondents. Some year-to-year differences in percentages are not statistically significant. Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# SUBSTANCE ABUSE SERVICE AREA 10



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	10
Adult Psychiatric	Not Applicable
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	528,472
2012 Pop. Estimate	536,709

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	267,701	270,177	264,456
Employed	249,650	247,447	239,697
Unemployed	18,051	22,730	24,759
Unemployment Rate	6.7%	8.4%	9.4%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	22,804	23,267	23,498
Drop-outs	456	472	525
Drop-out Rate	2.0%	2.0%	2.2%

School Suspensions:			
Alcohol Incidents	56	57	45
Drug Incidents	245	344	221
Tobacco Incidents	51	22	27

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	6,600	6,666	6,814
Mother Reported Smoking while Pregnant	1,240	1,291	1,272

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	29	39	22
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	4,744	4,819	4,700
Suicides	90	76	79
Self-inflicted Injuries	806	833	777
Homicides	17	14	14
Assault Injuries	1,764	1,711	1,600
Alcohol Induced Deaths	42	54	34
Drug Induced Deaths	101	134	106
Smoking Attributable Deaths	782	862	843

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	2,569		
Alcohol Primary Diagnosis <sup>2</sup>	120		
Drug Primary Diagnosis <sup>2</sup>	142		
Alcohol Related Diagnosis	658	1,114	1,099
Drug Related Diagnosis	1,025	1,556	1,238
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	2,732		
Alcohol Primary Diagnosis <sup>2</sup>	956		
Drug Primary Diagnosis <sup>2</sup>	626		
Alcohol Related Diagnosis	2,600	2,001	2,024
Drug Related Diagnosis	2,584	1,702	1,616
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	4,945		
Alcohol Primary Diagnosis <sup>2</sup>	1,934		
Drug Primary Diagnosis <sup>2</sup>	1,385		
Alcohol Related Diagnosis	3,772	2,985	2,639
Drug Related Diagnosis	3,323	2,556	2,111

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	590	592	759
Fatal Crashes	17	22	15
Injury Crashes	252	238	354
Property Damage Crashes	321	332	390
Crash Fatalities	18	25	15
Crash Injuries	374	344	380
Drug Involved Crashes--Total	141	143	143
Fatal Crashes	3	4	5
Injury Crashes	66	68	61
Property Damage Crashes	72	71	77
Crash Fatalities	3	5	5
Crash Injuries	72	99	59

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	2,992	2,834	2,947
Liquor Law Arrests	602	1,068	1,202
Drug Arrests	2,436	2,457	2,214
Methamphetamine Lab Incidents	207	108	78
Violent Offenses	2,255	2,319	2,298
Property Offenses	23,420	23,864	22,114
Domestic Violence Reports	5,086	5,306	5,169

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	2,596	2,608	2,687
Violent Offenses	808	892	903
Alcohol Offenses	90	148	127
Drug Offenses	269	266	218
Status Offenses--Total	1,131	1,065	1,025
Truancy	70	77	49
Beyond Parental Control	228	185	227
Habitually Absent from Home	206	176	208
Injurious Behavior	618	625	538
Abuse/Neglect/Custody--Total	1,269	1,376	1,041
Abuse	277	277	235
Neglect	830	983	711
Custody Disputes	162	116	95

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	713	775	563
Parental Alcohol Use Related	36	35	22
Parental Drug Use Related	217	256	144
Parental Alcohol and Drug Use	26	44	26
Child Removed for Other Reason	434	440	371

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	1,028	880	706
Probation/Parole Admissions--Total	3,328	3,087	3,345
Probation/Parole Admissions--Drug	1,124	995	1,176
Probation/Parole Admissions--DWI	236	187	213
Prison Admissions--Total	1,714	1,699	1,525
Prison Admissions--Drug	593	563	517
Prison Admissions--DWI	87	82	82

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	591	581	576
Alcohol Package Carry-out Licenses	477	466	438

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 10

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	846	943	898
CSTAR Adolescent	219	252	243
CSTAR Women and Children	273	314	309
CSTAR General Adult	966	877	845
CSTAR Opioid	0	*	*
Primary Recovery Treatment	942	1,098	1,711
Clinical SATOP (CIP, YCIP, SROP)	370	315	429
Other Substance Abuse Treatment	6	*	6

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	2,313	2,003	2,659
- Adolescent Diversion Education Program	52	44	78
- Offender Education Program	920	794	1,051
- Weekend Intervention Program	452	472	661
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	138	100	107
Compulsive Gambling	*	*	*
Recovery Supports	1,044	470	1,074
Early Intervention	267	240	123

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010
Total Individuals	3,296	3,229	3,537
AGE			
Under 18	222	257	252
18 to 24	607	643	696
25 to 29	598	562	635
30 to 34	490	459	505
35 to 39	341	328	392
40 to 44	359	316	345
45 to 54	531	539	573
55 and Over	148	124	139

GENDER			
Male	2,285	2,137	2,511
Female	1,010	1,090	1,026

RACE / ETHNICITY			
Caucasian	2,977	2,863	3,211
African American	185	229	203
Native American / Alaskan	14	11	13
Asian / Pacific Islander	13	5	10
Hispanic	67	72	70
Other Race / Two or More Races	74	78	68

EDUCATION			
Less than High School Diploma	1,109	1,187	1,328
High School Graduate or G.E.D.	1,389	1,374	1,486
Associate Degree or Some College	767	612	668
Bachelor or Advanced Degree	31	55	55

EMPLOYMENT			
Employed	912	773	1,032
Unemployed	1,270	1,366	1,461
Not in Labor Force	1,114	1,089	1,044

HOUSING / LIVING ARRANGEMENT			
Independent Living	2,545	2,447	2,826
Dependent Living	459	490	476
Homeless	251	237	166

MARITAL / FAMILY STATUS			
Never Married	1,683	1,666	1,852
Married / Cohabiting	769	750	782
Previously Married	844	812	903

PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Alcohol	1,313	1,329	1,527
Marijuana / Hashish	679	749	923
Cocaine (total)	82	86	102
- Crack	52	50	38
Stimulant (total)	707	577	519
- Methamphetamine	690	560	508
Heroin	100	69	56
Analgesic except Heroin	306	338	332
- Non-Prescription Methadone	6	8	9
PCP, LSD, other Hallucinogen	19	18	13
Tranquilizer	56	43	48
Inhalant	5	6	*
Sedative	*	5	8
Other Medication or Illicit Drug	25	8	5
Average Age at First Use of Drug	17.2	16.5	16.6

INJECTION DRUG USE			
Any Injection Use at Admission	657	556	471
- Daily Injection Use	135	129	126
- Weekly Injection Use	177	157	106
- Less than Weekly Injection Use	345	270	239

LIFETIME DUI / DWI ARRESTS			
0	1,675	1,736	1,859
1 or 2	1,040	984	999
3 or More	581	508	679

TREATMENT REFERRAL SOURCE			
Self / Family / Friend	1,112	1,081	980
School	6	14	5
Mental Health Provider	31	76	60
Health Care Provider	138	147	115
Court / Criminal Justice	1,795	1,703	2,165
Other Referral Source	204	207	212

TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	51	53	60
Military Veteran	171	183	164
Special Education Services Needed	264	221	157
Co-Occurring Psychological Problem	1,085	973	981
Co-Occurring Developmental Problem	81	60	73



# SUBSTANCE ABUSE SERVICE AREA 10

## MISSOURI STUDENT SURVEY 2010 AND 2012


	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	32.8	38.3	Alcohol	73.9	74.4
Cigarettes	22.4	26.7	Cigarettes	83.4	80.2
Chewing Tobacco	14.9	13.5	Marijuana	73.1	75.2
Marijuana	15.1	17.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.7	92.8
Inhalants	6.2	7.0			
Prescription medications not prescribed for student	8.9	12.5	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	6.6	8.8	Were very sad	19.3	18.4
Methamphetamine	1.5	1.1	Were grouchy, irritable, or in a bad mood	23.8	23.9
Cocaine	2.0	2.0	Felt hopeless about the future	11.0	11.7
Heroin	0.9	0.7	Felt like not eating or eating more than usual	17.6	17.9
Hallucinogens	3.4	3.9	Slept a lot more or a lot less than usual	20.0	25.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.5	2.6	Had difficulty concentrating on school work	22.0	25.5
Steroids not prescribed for student	1.4	1.1			
Synthetic drugs (K2, bath salts, Spice, etc)	7.3		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	12.5	12.1
Alcohol	12.48	12.44	Made plan about how they would attempt suicide	9.2	8.9
Cigarettes	12.20	12.13	Attempted suicide	5.9	5.3
Marijuana	13.06	13.32	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.8	2.4
Inhalants	12.01	12.22			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	13.4	16.1	Were threatened/injured with weapon at school	7.0	10.3
Binge Alcohol (5 or more drinks on one occasion)	7.8	12.4	Were in a physical fight	19.9	22.2
Cigarettes	10.4	14.0	Were in a fight and had to be treated by a doctor or nurse	3.8	3.8
Chewing Tobacco	6.2	7.1			
Marijuana	7.7	9.1	<b>Percent of students in past 3 months who:</b>		
Inhalants	2.7	3.0	Were victims of mean rumors or lies spread at school	49.2	54.5
Prescription medications not prescribed for student	4.6	7.0	Had embarrassing or hurtful pictures/text of them posted on internet	13.7	12.8
Over-the-counter medications for non-medical use	3.9	5.2	Had embarrassing or hurtful pictures/text of them sent by cell phone	16.4	14.6
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	60.1	67.7
Alcohol	46.5	54.8			
Cigarettes	40.1	47.4	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	33.8	38.1	Spread mean rumors or lies about other kids at school	26.7	32.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.6	21.3	Posted on internet embarrassing or hurtful pictures/text of someone	8.4	11.0
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.9	12.4
Alcohol	24.5	28.8	Made fun of other people	59.3	69.4
Cigarettes	12.7	15.4			
Marijuana	13.6	14.4	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	68.6	69.6
Alcohol	67.7	63.3	School provides feedback to parents on positive student performance	38.3	38.2
Cigarettes	81.6	76.9	Teachers praise student for hard work	57.3	55.6
Marijuana	81.3	80.5	Rules are enforced fairly	63.9	65.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	93.7	Students of all races/ethnicities are treated equally	78.4	80.0
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	83.3	81.7	<b>Percent of students who agree that:</b>		
Cigarettes	92.1	90.0	Parents notice and comment on student's good work	82.7	83.7
Marijuana	92.9	92.8	Parents involve student in making family decisions	69.6	71.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.3	97.4	It is important to be honest with parents regardless of consequences	85.4	82.8
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	76.1	77.6
Alcohol	51.5	55.6			
Cigarettes	49.4	57.1			
Marijuana	35.2	38.2			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.1	21.1			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# SUBSTANCE ABUSE SERVICE AREA 11



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	11
Adult Psychiatric	Not Applicable
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	306,402
2012 Pop. Estimate	307,489

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	142,497	147,253	147,291
Employed	132,377	134,790	134,266
Unemployed	10,120	12,463	13,025
Unemployment Rate	7.1%	8.5%	8.8%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	13,776	13,994	14,185
Drop-outs	339	391	417
Drop-out Rate	2.5%	2.8%	2.9%
School Suspensions:			
Alcohol Incidents	56	28	22
Drug Incidents	167	153	190
Tobacco Incidents	10	11	13

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	3,755	3,899	3,860
Mother Reported Smoking while Pregnant	832	843	867

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	10	12	5
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	2,596	2,536	2,524
Suicides	45	49	42
Self-inflicted Injuries	385	392	362
Homicides	16	16	7
Assault Injuries	1,066	1,137	1,083
Alcohol Induced Deaths	21	19	26
Drug Induced Deaths	37	46	35
Smoking Attributable Deaths	497	446	463

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,238		
Alcohol Primary Diagnosis <sup>2</sup>	50		
Drug Primary Diagnosis <sup>2</sup>	63		
Alcohol Related Diagnosis	404	656	592
Drug Related Diagnosis	544	690	549

Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,120		
Alcohol Primary Diagnosis <sup>2</sup>	314		
Drug Primary Diagnosis <sup>2</sup>	194		
Alcohol Related Diagnosis	1,155	797	897
Drug Related Diagnosis	947	596	561

Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	2,440		
Alcohol Primary Diagnosis <sup>2</sup>	525		
Drug Primary Diagnosis <sup>2</sup>	467		
Alcohol Related Diagnosis	1,102	1,014	871
Drug Related Diagnosis	997	897	664

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	349	332	394
Fatal Crashes	17	15	15
Injury Crashes	157	142	167
Property Damage Crashes	175	175	212
Crash Fatalities	17	16	15
Crash Injuries	219	195	215
Drug Involved Crashes--Total	58	43	52
Fatal Crashes	4	0	1
Injury Crashes	21	17	25
Property Damage Crashes	33	26	26
Crash Fatalities	2	0	2
Crash Injuries	22	22	27

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	2,071	2,023	2,246
Liquor Law Arrests	575	627	772
Drug Arrests	1,526	1,424	1,256
Methamphetamine Lab Incidents	57	81	93
Violent Offenses	1,006	1,000	947
Property Offenses	7,431	7,136	6,600
Domestic Violence Reports	2,336	1,994	1,978

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	1,473	1,320	1,744
Violent Offenses	380	412	578
Alcohol Offenses	80	71	101
Drug Offenses	142	104	182
Status Offenses--Total	1,241	1,355	1,199
Truancy	406	484	373
Beyond Parental Control	125	126	108
Habitually Absent from Home	139	119	150
Injurious Behavior	550	590	536
Abuse/Neglect/Custody--Total	1,633	1,276	1,203
Abuse	659	532	572
Neglect	963	725	616
Custody Disputes	11	19	15

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	351	331	300
Parental Alcohol Use Related	7	10	14
Parental Drug Use Related	124	87	55
Parental Alcohol and Drug Use	4	6	17
Child Removed for Other Reason	216	228	214

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	168	124	103
Probation/Parole Admissions--Total	1,946	1,769	1,838
Probation/Parole Admissions--Drug	643	564	597
Probation/Parole Admissions--DWI	187	176	169
Prison Admissions--Total	1,008	958	912
Prison Admissions--Drug	333	304	303
Prison Admissions--DWI	96	81	106

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	454	462	462
Alcohol Package Carry-out Licenses	348	354	335

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 11

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

<b>TREATMENT CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Detoxification	157	211	196
CSTAR Adolescent	125	111	136
CSTAR Women and Children	142	158	180
CSTAR General Adult	843	754	216
CSTAR Opioid	0	*	*
Primary Recovery Treatment	438	552	1,230
Clinical SATOP (CIP, YCIP, SROP)	285	267	206
Other Substance Abuse Treatment	*	*	8

<b>SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Offender Management Unit	1,423	1,380	1,705
- Adolescent Diversion Education Program	27	48	92
- Offender Education Program	545	544	662
- Weekend Intervention Program	324	323	438
<i>(See also Clinical SATOP at left)</i>			
<b>OTHER SERVICES PROVIDED</b>			
Co-Dependency	48	56	63
Compulsive Gambling	6	*	6
Recovery Supports	14	21	91
Early Intervention	71	46	8

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

<b>NUMBER ADMITTED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>PRIMARY DRUG PROBLEM</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	1,727	1,721	1,866	Alcohol	748	806	844
<b>AGE</b>				Marijuana / Hashish	424	396	495
Under 18	126	117	136	Cocaine (total)	63	65	93
18 to 24	298	357	381	- Crack	30	31	48
25 to 29	325	315	350	Stimulant (total)	254	199	210
30 to 34	266	258	275	- Methamphetamine	238	190	197
35 to 39	202	175	195	Heroin	109	98	74
40 to 44	162	146	183	Analgesic except Heroin	99	115	121
45 to 54	265	285	283	- Non-Prescription Methadone	0	*	*
55 and Over	83	68	63	PCP, LSD, other Hallucinogen	5	9	*
<b>GENDER</b>				Tranquilizer	6	25	15
Male	1,186	1,223	1,363	Inhalant	0	*	6
Female	541	498	503	Sedative	5	*	*
<b>RACE / ETHNICITY</b>				Other Medication or Illicit Drug	14	5	*
Caucasian	1,489	1,488	1,571	Average Age at First Use of Drug	17.5	16.9	16.8
African American	179	165	217	<b>INJECTION DRUG USE</b>			
Native American / Alaskan	*	*	5	Any Injection Use at Admission	252	185	200
Asian / Pacific Islander	6	*	*	- Daily Injection Use	59	55	54
Hispanic	25	30	29	- Weekly Injection Use	57	59	49
Other Race / Two or More Races	36	44	52	- Less than Weekly Injection Use	136	71	97
<b>EDUCATION</b>				<b>LIFETIME DUI / DWI ARRESTS</b>			
Less than High School Diploma	583	582	680	0	838	839	983
High School Graduate or G.E.D.	732	790	836	1 or 2	529	574	563
Associate Degree or Some College	395	323	317	3 or More	360	308	320
Bachelor or Advanced Degree	17	26	33	<b>TREATMENT REFERRAL SOURCE</b>			
<b>EMPLOYMENT</b>				Self / Family / Friend	398	441	429
Employed	591	547	604	School	*	5	6
Unemployed	568	648	748	Mental Health Provider	17	22	36
Not in Labor Force	568	526	514	Health Care Provider	55	48	53
<b>HOUSING / LIVING ARRANGEMENT</b>				Court / Criminal Justice	1,117	1,050	1,232
Independent Living	1,427	1,435	1,551	Other Referral Source	131	154	109
Dependent Living	198	204	242	<b>TREATMENT ACCOMMODATION</b>			
Homeless	44	48	35	Pregnant when Admitted to any Episode	27	30	22
<b>MARITAL / FAMILY STATUS</b>				Military Veteran	85	88	85
Never Married	950	939	1,002	Special Education Services Needed	163	160	154
Married / Cohabiting	387	405	430	Co-Occurring Psychological Problem	573	579	733
Previously Married	390	377	433	Co-Occurring Developmental Problem	53	44	65

# SUBSTANCE ABUSE SERVICE AREA 11

## MISSOURI STUDENT SURVEY 2010 AND 2012


	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	42.8	46.5	Alcohol	68.3	78.7
Cigarettes	24.9	29.7	Cigarettes	80.1	81.9
Chewing Tobacco	15.6	15.3	Marijuana	72.9	71.5
Marijuana	15.1	15.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.1	94.2
Inhalants	5.1	7.2			
Prescription medications not prescribed for student	9.4	12.3	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	7.1	8.5	Were very sad	18.5	22.6
Methamphetamine	1.2	1.3	Were grouchy, irritable, or in a bad mood	24.9	26.3
Cocaine	2.0	2.0	Felt hopeless about the future	10.4	13.2
Heroin	1.3	0.9	Felt like not eating or eating more than usual	17.5	19.9
Hallucinogens	2.8	3.4	Slept a lot more or a lot less than usual	19.2	27.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.6	2.7	Had difficulty concentrating on school work	23.8	25.0
Steroids not prescribed for student	1.6	1.6			
Synthetic drugs (K2, bath salts, Spice, etc)	6.7		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	13.6	13.2
Alcohol	12.50	12.29	Made plan about how they would attempt suicide	9.0	9.4
Cigarettes	12.42	12.13	Attempted suicide	5.5	5.8
Marijuana	13.49	13.37	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.3	2.4
Inhalants	12.17	12.20			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	20.0	22.0	Were threatened/injured with weapon at school	6.7	10.9
Binge Alcohol (5 or more drinks on one occasion)	12.5	11.1	Were in a physical fight	22.6	26.1
Cigarettes	11.9	14.0	Were in a fight and had to be treated by a doctor or nurse	3.8	4.7
Chewing Tobacco	7.6	8.5			
Marijuana	7.7	7.2	<b>Percent of students in past 3 months who:</b>		
Inhalants	2.5	3.5	Were victims of mean rumors or lies spread at school	47.9	54.7
Prescription medications not prescribed for student	5.1	7.7	Had embarrassing or hurtful pictures/text of them posted on internet	12.5	12.1
Over-the-counter medications for non-medical use	5.0	5.2	Had embarrassing or hurtful pictures/text of them sent by cell phone	15.2	13.5
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	57.2	68.9
Alcohol	57.0	61.1			
Cigarettes	45.7	48.8	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	33.6	35.8	Spread mean rumors or lies about other kids at school	26.8	33.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.0	20.1	Posted on internet embarrassing or hurtful pictures/text of someone	7.8	10.0
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	10.0	12.4
Alcohol	34.6	36.7	Made fun of other people	60.3	74.0
Cigarettes	16.3	15.8			
Marijuana	14.2	12.6	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	66.8	71.0
Alcohol	56.3	57.7	School provides feedback to parents on positive student performance	37.8	40.7
Cigarettes	78.2	77.0	Teachers praise student for hard work	49.3	53.1
Marijuana	81.4	82.5	Rules are enforced fairly	62.2	63.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.4	94.5	Students of all races/ethnicities are treated equally	75.9	76.4
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	75.6	77.8	<b>Percent of students who agree that:</b>		
Cigarettes	90.1	90.9	Parents notice and comment on student's good work	80.3	84.5
Marijuana	92.9	95.0	Parents involve student in making family decisions	67.4	70.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.7	97.8	It is important to be honest with parents regardless of consequences	84.1	83.5
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	74.0	76.7
Alcohol	58.2	60.3			
Cigarettes	54.5	56.9			
Marijuana	35.7	33.7			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.4	19.2			

### Notes:

Blank data cell indicates estimate not available for survey item or geographic area. Survey is not conducted in every school district nor reported for every county. Percentages are estimates based on weighted data. Estimates are not provided for geographic areas with low numbers of respondents. Some year-to-year differences in percentages are not statistically significant. Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# SUBSTANCE ABUSE SERVICE AREA 12



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	12
Adult Psychiatric	Not Applicable
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	319,063
2012 Pop. Estimate	324,064

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	167,089	167,678	164,924
Employed	157,513	155,590	152,005
Unemployed	9,576	12,088	12,919
Unemployment Rate	5.7%	7.2%	7.8%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	13,344	13,662	13,914
Drop-outs	345	281	333
Drop-out Rate	2.6%	2.1%	2.4%
School Suspensions:			
Alcohol Incidents	12	2	12
Drug Incidents	62	81	67
Tobacco Incidents	2	4	4

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	4,060	3,975	4,131
Mother Reported Smoking while Pregnant	779	790	770

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	11	13	12
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	2,801	2,613	2,629
Suicides	43	23	37
Self-inflicted Injuries	319	320	341
Homicides	10	8	13
Assault Injuries	981	960	975
Alcohol Induced Deaths	18	14	13
Drug Induced Deaths	43	40	39
Smoking Attributable Deaths	463	457	454

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,590		
Alcohol Primary Diagnosis <sup>2</sup>	159		
Drug Primary Diagnosis <sup>2</sup>	72		
Alcohol Related Diagnosis	882	765	703
Drug Related Diagnosis	691	665	551
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,176		
Alcohol Primary Diagnosis <sup>2</sup>	330		
Drug Primary Diagnosis <sup>2</sup>	187		
Alcohol Related Diagnosis	943	1,012	827
Drug Related Diagnosis	810	768	523
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	2,276		
Alcohol Primary Diagnosis <sup>2</sup>	482		
Drug Primary Diagnosis <sup>2</sup>	304		
Alcohol Related Diagnosis	1,254	1,323	1,078
Drug Related Diagnosis	1,164	1,051	725

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	306	407	409
Fatal Crashes	13	10	14
Injury Crashes	114	168	171
Property Damage Crashes	179	229	224
Crash Fatalities	15	10	14
Crash Injuries	176	235	196
Drug Involved Crashes--Total	46	59	56
Fatal Crashes	6	1	2
Injury Crashes	17	28	26
Property Damage Crashes	23	30	28
Crash Fatalities	7	1	2
Crash Injuries	20	45	32

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	1,984	2,575	2,115
Liquor Law Arrests	1,136	1,137	1,344
Drug Arrests	2,115	2,018	1,897
Methamphetamine Lab Incidents	59	70	93
Violent Offenses	1,109	1,046	1,057
Property Offenses	9,853	9,031	9,174
Domestic Violence Reports	2,796	2,633	2,426

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	1,919	2,254	2,346
Violent Offenses	550	655	613
Alcohol Offenses	47	74	81
Drug Offenses	173	141	139
Status Offenses--Total	1,594	1,806	1,896
Truancy	279	310	251
Beyond Parental Control	450	418	489
Habitually Absent from Home	172	237	244
Injurious Behavior	673	814	831
Abuse/Neglect/Custody--Total	570	457	522
Abuse	136	122	106
Neglect	344	295	335
Custody Disputes	90	40	81

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	316	168	230
Parental Alcohol Use Related	24	4	9
Parental Drug Use Related	62	36	52
Parental Alcohol and Drug Use	11	2	10
Child Removed for Other Reason	219	126	159

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	404	458	379
Probation/Parole Admissions--Total	2,559	2,405	2,432
Probation/Parole Admissions--Drug	720	684	667
Probation/Parole Admissions--DWI	203	197	162
Prison Admissions--Total	1,314	1,359	1,315
Prison Admissions--Drug	421	436	406
Prison Admissions--DWI	111	102	125

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	439	441	420
Alcohol Package Carry-out Licenses	314	298	298

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 12

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	197	222	249
CSTAR Adolescent	104	100	87
CSTAR Women and Children	242	249	280
CSTAR General Adult	559	470	293
CSTAR Opioid	0	0	*
Primary Recovery Treatment	560	963	1,400
Clinical SATOP (CIP, YCIP, SROP)	253	235	243
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	1,317	1,461	1,643
- Adolescent Diversion Education Program	68	64	66
- Offender Education Program	558	632	676
- Weekend Intervention Program	270	307	416
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	80	94	101
Compulsive Gambling	*	*	0
Recovery Supports	111	91	162
Early Intervention	27	25	21

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	1,606	1,899	2,198	Alcohol	708	859	1,033
AGE				Marijuana / Hashish	458	590	672
Under 18	112	98	88	Cocaine (total)	138	175	216
18 to 24	294	382	450	- Crack	74	107	124
25 to 29	281	349	434	Stimulant (total)	163	124	123
30 to 34	264	298	305	- Methamphetamine	148	118	116
35 to 39	181	196	267	Heroin	43	27	28
40 to 44	138	184	230	Analgesic except Heroin	62	82	93
45 to 54	250	310	342	- Non-Prescription Methadone	0	0	0
55 and Over	86	81	82	PCP, LSD, other Hallucinogen	9	15	16
GENDER				Tranquilizer	8	11	11
Male	1,034	1,318	1,570	Inhalant	*	*	*
Female	572	580	628	Sedative	*	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	12	7	*
Caucasian	1,193	1,363	1,603	Average Age at First Use of Drug	17.2	16.8	16.8
African American	321	430	495	INJECTION DRUG USE			
Native American / Alaskan	*	7	6	Any Injection Use at Admission	134	96	108
Asian / Pacific Islander	10	9	7	- Daily Injection Use	31	22	15
Hispanic	39	39	46	- Weekly Injection Use	47	17	29
Other Race / Two or More Races	55	66	67	- Less than Weekly Injection Use	56	57	64
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	521	613	663	0	834	1,047	1,140
High School Graduate or G.E.D.	672	813	1,018	1 or 2	549	570	692
Associate Degree or Some College	382	407	431	3 or More	223	281	366
Bachelor or Advanced Degree	30	65	86	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	505	636	579
Employed	486	643	820	School	*	*	*
Unemployed	583	681	789	Mental Health Provider	28	14	30
Not in Labor Force	537	574	589	Health Care Provider	43	49	57
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	896	1,077	1,425
Independent Living	1,306	1,562	1,876	Other Referral Source	127	118	104
Dependent Living	180	207	202	TREATMENT ACCOMMODATION			
Homeless	84	85	73	Pregnant when Admitted to any Episode	23	22	28
MARITAL / FAMILY STATUS				Military Veteran	69	64	99
Never Married	908	1,092	1,245	Special Education Services Needed	159	167	248
Married / Cohabiting	356	428	467	Co-Occurring Psychological Problem	556	621	770
Previously Married	342	378	486	Co-Occurring Developmental Problem	79	127	146



# SUBSTANCE ABUSE SERVICE AREA 12

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	45.1	47.8	Alcohol	67.3	73.1
Cigarettes	26.3	29.9	Cigarettes	77.9	80.1
Chewing Tobacco	18.2	13.4	Marijuana	73.6	70.4
Marijuana	17.3	19.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.3	93.2
Inhalants	5.5	7.1			
Prescription medications not prescribed for student	9.8	12.2	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	6.2	8.4	Were very sad	17.4	21.8
Methamphetamine	1.1	0.7	Were grouchy, irritable, or in a bad mood	24.1	29.7
Cocaine	2.0	2.4	Felt hopeless about the future	12.1	14.4
Heroin	0.5	0.6	Felt like not eating or eating more than usual	16.5	21.3
Hallucinogens	2.1	3.2	Slept a lot more or a lot less than usual	20.0	29.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.9	2.7	Had difficulty concentrating on school work	22.0	27.2
Steroids not prescribed for student	1.6	0.9			
Synthetic drugs (K2, bath salts, Spice, etc)	6.5		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	10.4	12.1
Alcohol	12.55	12.72	Made plan about how they would attempt suicide	8.4	8.1
Cigarettes	12.48	12.33	Attempted suicide	5.1	5.1
Marijuana	13.73	13.60	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.4	1.7
Inhalants	12.07	12.32			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	20.6	22.7	Were threatened/injured with weapon at school	6.2	9.1
Binge Alcohol (5 or more drinks on one occasion)	11.8	10.2	Were in a physical fight	21.2	21.2
Cigarettes	11.7	14.3	Were in a fight and had to be treated by a doctor or nurse	3.3	3.0
Chewing Tobacco	9.0	7.5			
Marijuana	7.4	10.0	<b>Percent of students in past 3 months who:</b>		
Inhalants	1.9	2.7	Were victims of mean rumors or lies spread at school	46.6	55.3
Prescription medications not prescribed for student	4.5	7.0	Had embarrassing or hurtful pictures/text of them posted on internet	13.6	12.1
Over-the-counter medications for non-medical use	3.3	5.2	Had embarrassing or hurtful pictures/text of them sent by cell phone	16.8	14.2
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	63.5	68.9
Alcohol	57.7	65.5			
Cigarettes	47.8	51.1	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	37.3	41.3	Spread mean rumors or lies about other kids at school	26.2	32.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.1	19.8	Posted on internet embarrassing or hurtful pictures/text of someone	9.7	10.1
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	10.1	12.8
Alcohol	36.3	37.4	Made fun of other people	65.6	74.1
Cigarettes	15.6	15.8			
Marijuana	11.9	14.8	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	69.3	70.5
Alcohol	57.2	54.1	School provides feedback to parents on positive student performance	43.4	43.0
Cigarettes	78.7	77.5	Teachers praise student for hard work	56.7	56.3
Marijuana	83.0	79.4	Rules are enforced fairly	63.5	65.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.9	94.6	Students of all races/ethnicities are treated equally	78.1	74.2
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	77.1	75.2	<b>Percent of students who agree that:</b>		
Cigarettes	90.6	89.4	Parents notice and comment on student's good work	83.0	83.4
Marijuana	94.4	93.2	Parents involve student in making family decisions	68.9	70.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.2	97.8	It is important to be honest with parents regardless of consequences	86.5	82.7
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	77.1	76.8
Alcohol	58.3	63.1			
Cigarettes	54.6	59.6			
Marijuana	35.6	39.7			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.0	19.9			


### Notes:

Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# SUBSTANCE ABUSE SERVICE AREA 13



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	13
Adult Psychiatric	Not Applicable
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	80,509
2012 Pop. Estimate	79,177

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	37,641	38,202	37,838
Employed	35,119	35,047	34,498
Unemployed	2,522	3,155	3,340
Unemployment Rate	6.7%	8.3%	8.8%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	3,725	3,804	3,909
Drop-outs	53	78	76
Drop-out Rate	1.4%	2.1%	1.9%
School Suspensions:			
Alcohol Incidents	7	3	2
Drug Incidents	18	11	18
Tobacco Incidents	0	3	1

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	893	950	1,012
Mother Reported Smoking while Pregnant	226	235	245

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	0	3	3
IDU and MSM <sup>1</sup>	0	*	*
IDU without MSM <sup>1</sup>	0	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	977	965	972
Suicides	14	21	13
Self-inflicted Injuries	105	101	89
Homicides	6	2	1
Assault Injuries	179	184	191
Alcohol Induced Deaths	4	1	4
Drug Induced Deaths	6	13	9
Smoking Attributable Deaths	187	177	185

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	527		
Alcohol Primary Diagnosis <sup>2</sup>	45		
Drug Primary Diagnosis <sup>2</sup>	31		
Alcohol Related Diagnosis	254	251	205
Drug Related Diagnosis	214	230	216
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	144		
Alcohol Primary Diagnosis <sup>2</sup>	25		
Drug Primary Diagnosis <sup>2</sup>	23		
Alcohol Related Diagnosis	131	86	118
Drug Related Diagnosis	125	63	69
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	639		
Alcohol Primary Diagnosis <sup>2</sup>	101		
Drug Primary Diagnosis <sup>2</sup>	70		
Alcohol Related Diagnosis	276	261	223
Drug Related Diagnosis	235	246	186

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	76	76	103
Fatal Crashes	4	0	6
Injury Crashes	34	38	59
Property Damage Crashes	38	38	38
Crash Fatalities	6	0	6
Crash Injuries	43	50	74
Drug Involved Crashes--Total	11	7	13
Fatal Crashes	1	0	0
Injury Crashes	5	3	10
Property Damage Crashes	5	4	3
Crash Fatalities	1	0	0
Crash Injuries	5	4	10

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	414	425	471
Liquor Law Arrests	168	201	210
Drug Arrests	374	393	402
Methamphetamine Lab Incidents	13	5	3
Violent Offenses	157	158	138
Property Offenses	1,236	1,193	1,239
Domestic Violence Reports	482	477	471

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	289	284	323
Violent Offenses	60	77	100
Alcohol Offenses	26	43	14
Drug Offenses	17	20	21
Status Offenses--Total	423	393	442
Truancy	241	189	213
Beyond Parental Control	70	66	76
Habitually Absent from Home	11	31	50
Injurious Behavior	99	103	90
Abuse/Neglect/Custody--Total	274	282	233
Abuse	91	82	74
Neglect	171	199	156
Custody Disputes	12	1	3

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	96	76	78
Parental Alcohol Use Related	6	4	3
Parental Drug Use Related	17	15	9
Parental Alcohol and Drug Use	3	1	3
Child Removed for Other Reason	70	56	63

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	94	90	100
Probation/Parole Admissions--Total	658	642	628
Probation/Parole Admissions--Drug	210	195	188
Probation/Parole Admissions--DWI	41	38	43
Prison Admissions--Total	411	414	408
Prison Admissions--Drug	140	130	125
Prison Admissions--DWI	27	35	30

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	89	87	91
Alcohol Package Carry-out Licenses	107	104	86

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 13

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	25	34	70
CSTAR Adolescent	46	19	31
CSTAR Women and Children	12	13	*
CSTAR General Adult	498	445	135
CSTAR Opioid	*	0	0
Primary Recovery Treatment	42	55	374
Clinical SATOP (CIP, YCIP, SROP)	70	55	31
Other Substance Abuse Treatment	0	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	264	277	297
- Adolescent Diversion Education Program	7	10	5
- Offender Education Program	96	105	116
- Weekend Intervention Program	63	47	78
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	*	7	*
Compulsive Gambling	0	*	*
Recovery Supports	8	*	104
Early Intervention	29	47	13

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	657	550	552	Alcohol	292	244	246
AGE				Marijuana / Hashish	169	144	166
Under 18	46	23	31	Cocaine (total)	12	6	9
18 to 24	132	117	136	- Crack	5	*	6
25 to 29	123	98	116	Stimulant (total)	109	83	69
30 to 34	111	93	77	- Methamphetamine	107	76	67
35 to 39	69	63	60	Heroin	6	8	5
40 to 44	71	69	48	Analgesic except Heroin	51	38	46
45 to 54	80	73	69	- Non-Prescription Methadone	*	0	*
55 and Over	25	14	15	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	11	7	8
Male	448	376	391	Inhalant	*	0	0
Female	209	174	161	Sedative	0	0	0
RACE / ETHNICITY				Other Medication or Illicit Drug	6	18	*
Caucasian	604	514	512	Average Age at First Use of Drug	17.2	17.0	16.6
African American	18	16	20	INJECTION DRUG USE			
Native American / Alaskan	*	*	0	Any Injection Use at Admission	73	45	40
Asian / Pacific Islander	*	*	0	- Daily Injection Use	*	10	10
Hispanic	20	10	12	- Weekly Injection Use	19	7	6
Other Race / Two or More Races	17	8	10	- Less than Weekly Injection Use	50	28	24
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	255	192	167	0	366	357	344
High School Graduate or G.E.D.	331	272	314	1 or 2	198	125	111
Associate Degree or Some College	66	83	63	3 or More	93	68	97
Bachelor or Advanced Degree	5	*	8	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	105	128	125
Employed	238	204	160	School	*	*	*
Unemployed	296	242	282	Mental Health Provider	*	*	5
Not in Labor Force	123	104	110	Health Care Provider	16	18	9
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	408	337	338
Independent Living	572	497	492	Other Referral Source	98	61	74
Dependent Living	62	34	49	TREATMENT ACCOMMODATION			
Homeless	12	12	6	Pregnant when Admitted to any Episode	5	*	*
MARITAL / FAMILY STATUS				Military Veteran	48	22	22
Never Married	346	283	297	Special Education Services Needed	71	44	20
Married / Cohabiting	167	130	143	Co-Occurring Psychological Problem	286	145	109
Previously Married	144	137	112	Co-Occurring Developmental Problem	35	14	9


# SUBSTANCE ABUSE SERVICE AREA 13

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	45.6	48.4	Alcohol	67.1	82.7
Cigarettes	32.7	32.0	Cigarettes	75.0	77.0
Chewing Tobacco	13.4	20.7	Marijuana	74.9	70.4
Marijuana	13.5	10.7	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	91.6	94.1
Inhalants	5.8	5.7	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	9.7	11.6	Were very sad	19.9	18.6
Over-the-counter medications for non-medical use	6.5	7.1	Were grouchy, irritable, or in a bad mood	25.0	22.9
Methamphetamine	1.4	0.7	Felt hopeless about the future	11.5	11.2
Cocaine	1.8	1.4	Felt like not eating or eating more than usual	16.6	16.6
Heroin	1.4	0.8	Slept a lot more or a lot less than usual	20.7	24.4
Hallucinogens	2.5	1.6	Had difficulty concentrating on school work	21.8	22.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.8	1.4	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.8	1.3	Seriously considered attempting suicide	11.7	11.3
Synthetic drugs (K2, bath salts, Spice, etc)	6.3		Made plan about how they would attempt suicide	8.7	8.3
<b>Average age of students' first use of:</b>			Attempted suicide	5.1	5.4
Alcohol	12.58	12.51	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.7	1.5
Cigarettes	12.81	12.39	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.62	14.00	Were threatened/injured with weapon at school	6.8	8.9
Inhalants	12.11	12.23	Were in a physical fight	21.3	22.2
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	2.7	3.9
Alcohol	21.9	21.4	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	13.5	9.0	Were victims of mean rumors or lies spread at school	54.3	58.9
Cigarettes	16.2	17.0	Had embarrassing or hurtful pictures/text of them posted on internet	15.3	14.2
Chewing Tobacco	11.1	11.0	Had embarrassing or hurtful pictures/text of them sent by cell phone	20.0	16.1
Marijuana	6.6	4.6	Were made fun of by others	64.7	70.6
Inhalants	2.3	3.0	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	5.4	6.1	Spread mean rumors or lies about other kids at school	30.6	37.1
Over-the-counter medications for non-medical use	4.5	4.2	Posted on internet embarrassing or hurtful pictures/text of someone	10.1	12.3
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	12.4	15.3
Alcohol	58.4	61.2	Made fun of other people	65.7	75.8
Cigarettes	52.1	53.4	<b>Percent of students who agree that:</b>		
Marijuana	31.2	26.9	Teachers notice and comment on student's good work	70.3	73.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.1	13.3	School provides feedback to parents on positive student performance	44.2	45.2
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	57.1	56.2
Alcohol	35.7	37.7	Rules are enforced fairly	62.7	64.7
Cigarettes	19.1	18.4	Students of all races/ethnicities are treated equally	82.2	82.9
Marijuana	10.7	7.4	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	81.1	82.8
Alcohol	54.7	56.2	Parents involve student in making family decisions	68.6	68.3
Cigarettes	74.8	75.0	It is important to be honest with parents regardless of consequences	86.5	84.3
Marijuana	85.0	87.6	Student could ask parent for help with a personal problem	74.1	75.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.6	96.6	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	77.9	75.3	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	89.1	88.4	Percentages are estimates based on weighted data.		
Marijuana	95.0	97.0	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.4	98.6	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	58.2	63.0			
Cigarettes	58.5	62.9			
Marijuana	32.6	28.5			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.5	15.5			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# SUBSTANCE ABUSE SERVICE AREA 14



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	14
Adult Psychiatric	Not Applicable
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	107,082
2012 Pop. Estimate	106,605

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	52,384	54,194	54,606
Employed	49,181	50,173	50,036
Unemployed	3,203	4,021	4,570
Unemployment Rate	6.1%	7.4%	8.4%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	4,779	4,847	4,930
Drop-outs	78	77	103
Drop-out Rate	1.6%	1.6%	2.1%
School Suspensions:			
Alcohol Incidents	9	1	0
Drug Incidents	11	16	3
Tobacco Incidents	2	3	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	1,281	1,249	1,295
Mother Reported Smoking while Pregnant	308	314	297

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	3	2	4
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	1,143	1,181	1,011
Suicides	15	12	16
Self-inflicted Injuries	119	124	142
Homicides	0	3	3
Assault Injuries	219	214	214
Alcohol Induced Deaths	2	8	5
Drug Induced Deaths	14	12	14
Smoking Attributable Deaths	197	217	166

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	604		
Alcohol Primary Diagnosis <sup>2</sup>	73		
Drug Primary Diagnosis <sup>2</sup>	35		
Alcohol Related Diagnosis	362	301	186
Drug Related Diagnosis	230	204	166
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	142		
Alcohol Primary Diagnosis <sup>2</sup>	12		
Drug Primary Diagnosis <sup>2</sup>	17		
Alcohol Related Diagnosis	91	223	339
Drug Related Diagnosis	90	143	210
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	649		
Alcohol Primary Diagnosis <sup>2</sup>	178		
Drug Primary Diagnosis <sup>2</sup>	97		
Alcohol Related Diagnosis	299	314	280
Drug Related Diagnosis	192	159	149

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	85	107	128
Fatal Crashes	3	4	6
Injury Crashes	43	47	52
Property Damage Crashes	39	56	70
Crash Fatalities	3	4	7
Crash Injuries	64	67	54
Drug Involved Crashes--Total	21	16	12
Fatal Crashes	0	1	0
Injury Crashes	7	3	3
Property Damage Crashes	14	12	9
Crash Fatalities	0	1	0
Crash Injuries	13	4	3

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	680	750	701
Liquor Law Arrests	408	453	488
Drug Arrests	603	536	492
Methamphetamine Lab Incidents	111	76	100
Violent Offenses	260	262	270
Property Offenses	2,871	3,027	2,864
Domestic Violence Reports	803	773	679

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	458	384	504
Violent Offenses	89	90	163
Alcohol Offenses	37	36	38
Drug Offenses	30	21	33
Status Offenses--Total	705	914	953
Truancy	131	176	157
Beyond Parental Control	125	179	175
Habitually Absent from Home	15	29	31
Injurious Behavior	411	498	514
Abuse/Neglect/Custody--Total	584	551	524
Abuse	137	118	130
Neglect	441	424	386
Custody Disputes	6	9	8

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	157	173	117
Parental Alcohol Use Related	1	8	0
Parental Drug Use Related	46	30	22
Parental Alcohol and Drug Use	3	7	0
Child Removed for Other Reason	107	128	95

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	142	129	140
Probation/Parole Admissions--Total	714	660	710
Probation/Parole Admissions--Drug	255	218	222
Probation/Parole Admissions--DWI	84	62	80
Prison Admissions--Total	391	366	379
Prison Admissions--Drug	160	130	130
Prison Admissions--DWI	46	25	36

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	159	156	166
Alcohol Package Carry-out Licenses	135	130	120

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 14

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	130	118	135
CSTAR Adolescent	65	69	65
CSTAR Women and Children	96	91	86
CSTAR General Adult	346	316	342
CSTAR Opioid	0	0	0
Primary Recovery Treatment	407	387	451
Clinical SATOP (CIP, YCIP, SROP)	88	77	100
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	554	519	616
- Adolescent Diversion Education Program	115	104	132
- Offender Education Program	155	141	156
- Weekend Intervention Program	103	107	134
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	39	33	28
Compulsive Gambling	0	0	0
Recovery Supports	0	14	106
Early Intervention	80	67	43

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	965	888	988	Alcohol	412	389	480
AGE				Marijuana / Hashish	313	265	320
Under 18	66	72	71	Cocaine (total)	34	52	29
18 to 24	249	234	272	- Crack	14	17	10
25 to 29	150	162	158	Stimulant (total)	122	105	98
30 to 34	141	127	122	- Methamphetamine	119	101	95
35 to 39	96	74	102	Heroin	33	16	12
40 to 44	86	59	84	Analgesic except Heroin	34	44	33
45 to 54	141	124	142	- Non-Prescription Methadone	0	0	*
55 and Over	36	36	37	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	6	7	8
Male	692	633	720	Inhalant	*	*	*
Female	273	255	268	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	9	*	*
Caucasian	866	777	870	Average Age at First Use of Drug	16.8	16.8	16.4
African American	68	71	88	INJECTION DRUG USE			
Native American / Alaskan	0	*	*	Any Injection Use at Admission	98	59	54
Asian / Pacific Islander	*	*	*	- Daily Injection Use	13	16	11
Hispanic	13	21	17	- Weekly Injection Use	23	14	13
Other Race / Two or More Races	22	24	16	- Less than Weekly Injection Use	62	29	30
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	317	322	334	0	536	482	537
High School Graduate or G.E.D.	521	469	492	1 or 2	291	269	272
Associate Degree or Some College	117	93	152	3 or More	138	137	179
Bachelor or Advanced Degree	10	*	10	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	131	166	142
Employed	343	304	333	School	*	*	0
Unemployed	309	319	414	Mental Health Provider	6	6	11
Not in Labor Force	313	265	241	Health Care Provider	29	17	13
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	648	617	748
Independent Living	770	727	829	Other Referral Source	119	81	73
Dependent Living	145	114	121	TREATMENT ACCOMMODATION			
Homeless	21	20	17	Pregnant when Admitted to any Episode	15	6	7
MARITAL / FAMILY STATUS				Military Veteran	43	36	50
Never Married	541	524	554	Special Education Services Needed	94	119	126
Married / Cohabiting	194	182	214	Co-Occurring Psychological Problem	341	277	381
Previously Married	230	182	217	Co-Occurring Developmental Problem	25	43	39



# SUBSTANCE ABUSE SERVICE AREA 14

## MISSOURI STUDENT SURVEY 2010 AND 2012


	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	42.6	45.9	Alcohol	68.6	84.4
Cigarettes	30.2	27.0	Cigarettes	76.2	81.5
Chewing Tobacco	13.3	18.6	Marijuana	76.0	67.1
Marijuana	13.2	7.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.7	93.4
Inhalants	5.1	5.1			
Prescription medications not prescribed for student	6.6	7.4	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	4.0	5.7	Were very sad	19.6	27.8
Methamphetamine	2.5	0.9	Were grouchy, irritable, or in a bad mood	25.8	34.3
Cocaine	2.9	1.2	Felt hopeless about the future	10.0	18.1
Heroin	2.1	0.4	Felt like not eating or eating more than usual	15.9	21.9
Hallucinogens	3.3	1.7	Slept a lot more or a lot less than usual	18.8	22.3
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.4	1.4	Had difficulty concentrating on school work	22.0	18.7
Steroids not prescribed for student	2.8	1.0			
Synthetic drugs (K2, bath salts, Spice, etc)	6.8		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	14.2	9.9
Alcohol	12.36	11.79	Made plan about how they would attempt suicide	11.1	5.5
Cigarettes	12.34	12.84	Attempted suicide	8.2	3.1
Marijuana	13.68	13.34	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.8	1.2
Inhalants	12.34	12.13			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	20.3	19.3	Were threatened/injured with weapon at school	8.9	9.9
Binge Alcohol (5 or more drinks on one occasion)	10.5	18.9	Were in a physical fight	22.1	20.7
Cigarettes	16.1	17.3	Were in a fight and had to be treated by a doctor or nurse	5.1	4.8
Chewing Tobacco	7.2	8.7			
Marijuana	5.9	3.4	<b>Percent of students in past 3 months who:</b>		
Inhalants	3.1	2.3	Were victims of mean rumors or lies spread at school	50.7	60.1
Prescription medications not prescribed for student	2.4	4.0	Had embarrassing or hurtful pictures/text of them posted on internet	14.9	14.3
Over-the-counter medications for non-medical use	2.8	3.3	Had embarrassing or hurtful pictures/text of them sent by cell phone	19.5	17.9
			Were made fun of by others	66.8	65.8
<b>Percent whose friends used in past 12 months:</b>			<b>Percent of students who, in the past 3 months:</b>		
Alcohol	54.4	59.1	Spread mean rumors or lies about other kids at school	32.0	32.1
Cigarettes	48.5	46.5	Posted on internet embarrassing or hurtful pictures/text of someone	7.4	10.1
Marijuana	32.4	21.1	Sent by cell phone embarrassing or hurtful pictures/text of someone	10.4	14.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.3	9.7	Made fun of other people	59.4	76.2
<b>Percent who would likely use, if offered by a best friend:</b>			<b>Percent of students who agree that:</b>		
Alcohol	34.3	33.9	Teachers notice and comment on student's good work	66.8	77.4
Cigarettes	21.1	18.7	School provides feedback to parents on positive student performance	37.9	45.7
Marijuana	12.2	7.3	Teachers praise student for hard work	51.7	61.5
			Rules are enforced fairly	50.8	69.3
<b>Percent who say it would be wrong to use:</b>			Students of all races/ethnicities are treated equally	79.0	71.6
Alcohol	57.3	59.4			
Cigarettes	72.0	78.5	<b>Percent of students who agree that:</b>		
Marijuana	81.2	89.2	Parents notice and comment on student's good work	81.3	86.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.0	95.9	Parents involve student in making family decisions	65.2	71.6
			It is important to be honest with parents regardless of consequences	80.2	80.8
<b>Percent whose parents would disapprove if they use:</b>			Student could ask parent for help with a personal problem	74.4	82.7
Alcohol	78.0	77.6			
Cigarettes	91.0	86.8			
Marijuana	95.1	96.7			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.7	98.4			
<b>Percent who say it would be easy to obtain:</b>					
Alcohol	55.4	55.4			
Cigarettes	50.8	50.5			
Marijuana	26.8	19.1			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	13.9	10.5			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# SUBSTANCE ABUSE SERVICE AREA 15



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	15
Adult Psychiatric	Not Applicable
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	75,288
2012 Pop. Estimate	75,162

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	35,920	36,536	36,226
Employed	33,447	33,422	32,700
Unemployed	2,473	3,114	3,526
Unemployment Rate	6.9%	8.5%	9.7%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	3,052	3,205	3,342
Drop-outs	86	108	75
Drop-out Rate	2.8%	3.4%	2.2%

School Suspensions:			
Alcohol Incidents	1	1	8
Drug Incidents	16	22	13
Tobacco Incidents	1	1	1

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	945	932	941
Mother Reported Smoking while Pregnant	274	263	279

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	2	0	0
IDU and MSM <sup>1</sup>	*	0	0
IDU without MSM <sup>1</sup>	*	0	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	797	803	802
Suicides	11	10	8
Self-inflicted Injuries	135	111	71
Homicides	1	0	3
Assault Injuries	181	196	230
Alcohol Induced Deaths	1	5	3
Drug Induced Deaths	5	12	5
Smoking Attributable Deaths	139	168	147

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	424		
Alcohol Primary Diagnosis <sup>2</sup>	17		
Drug Primary Diagnosis <sup>2</sup>	24		
Alcohol Related Diagnosis	186	202	157
Drug Related Diagnosis	152	157	121
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	226		
Alcohol Primary Diagnosis <sup>2</sup>	28		
Drug Primary Diagnosis <sup>2</sup>	20		
Alcohol Related Diagnosis	120	145	196
Drug Related Diagnosis	138	124	114
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	516		
Alcohol Primary Diagnosis <sup>2</sup>	81		
Drug Primary Diagnosis <sup>2</sup>	80		
Alcohol Related Diagnosis	207	244	231
Drug Related Diagnosis	211	159	145

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	59	73	86
Fatal Crashes	2	7	3
Injury Crashes	37	25	40
Property Damage Crashes	20	41	43
Crash Fatalities	1	8	3
Crash Injuries	52	40	51
Drug Involved Crashes--Total	18	14	13
Fatal Crashes	0	3	2
Injury Crashes	8	5	6
Property Damage Crashes	10	6	5
Crash Fatalities	0	3	2
Crash Injuries	10	16	7

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	333	436	472
Liquor Law Arrests	70	97	128
Drug Arrests	206	321	335
Methamphetamine Lab Incidents	42	53	49
Violent Offenses	137	166	134
Property Offenses	1,225	1,175	1,136
Domestic Violence Reports	557	552	611

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	309	363	348
Violent Offenses	75	111	104
Alcohol Offenses	21	27	14
Drug Offenses	20	16	13
Status Offenses--Total	247	299	326
Truancy	67	67	60
Beyond Parental Control	25	29	28
Habitually Absent from Home	10	36	34
Injurious Behavior	96	107	144
Abuse/Neglect/Custody--Total	167	141	191
Abuse	25	43	62
Neglect	139	95	117
Custody Disputes	3	3	12

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	83	62	83
Parental Alcohol Use Related	6	9	5
Parental Drug Use Related	20	11	11
Parental Alcohol and Drug Use	7	0	0
Child Removed for Other Reason	50	42	67

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	37	32	27
Probation/Parole Admissions--Total	681	570	583
Probation/Parole Admissions--Drug	205	184	153
Probation/Parole Admissions--DWI	32	39	30
Prison Admissions--Total	333	306	284
Prison Admissions--Drug	111	103	88
Prison Admissions--DWI	16	16	13

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	101	101	103
Alcohol Package Carry-out Licenses	106	101	93

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 15

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	50	85	77
CSTAR Adolescent	48	62	45
CSTAR Women and Children	46	63	67
CSTAR General Adult	89	66	23
CSTAR Opioid	0	*	*
Primary Recovery Treatment	382	334	362
Clinical SATOP (CIP, YCIP, SROP)	60	59	76
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	323	298	432
- Adolescent Diversion Education Program	19	23	38
- Offender Education Program	103	94	144
- Weekend Intervention Program	78	82	92
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	15	18	13
Compulsive Gambling	*	*	0
Recovery Supports	*	8	21
Early Intervention	34	35	15

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	588	567	573	Alcohol	245	243	274
AGE				Marijuana / Hashish	205	191	183
Under 18	48	61	47	Cocaine (total)	32	31	36
18 to 24	125	113	112	- Crack	6	16	20
25 to 29	116	98	95	Stimulant (total)	37	42	34
30 to 34	90	91	80	- Methamphetamine	33	41	33
35 to 39	42	55	56	Heroin	29	26	17
40 to 44	50	41	51	Analgesic except Heroin	26	22	18
45 to 54	97	85	110	- Non-Prescription Methadone	0	0	0
55 and Over	20	23	22	PCP, LSD, other Hallucinogen	5	*	0
GENDER				Tranquilizer	*	5	6
Male	437	399	418	Inhalant	0	*	*
Female	151	168	155	Sedative	0	*	0
RACE / ETHNICITY				Other Medication or Illicit Drug	7	*	*
Caucasian	495	493	489	Average Age at First Use of Drug	16.7	16.8	16.8
African American	74	62	67	INJECTION DRUG USE			
Native American / Alaskan	0	*	0	Any Injection Use at Admission	45	45	31
Asian / Pacific Islander	0	0	0	- Daily Injection Use	*	14	*
Hispanic	*	*	*	- Weekly Injection Use	11	11	13
Other Race / Two or More Races	18	9	14	- Less than Weekly Injection Use	31	20	14
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	195	218	213	0	307	283	282
High School Graduate or G.E.D.	309	268	282	1 or 2	173	192	187
Associate Degree or Some College	81	72	70	3 or More	108	92	104
Bachelor or Advanced Degree	*	9	8	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	55	108	84
Employed	202	169	185	School	0	*	0
Unemployed	248	258	241	Mental Health Provider	5	7	*
Not in Labor Force	138	140	147	Health Care Provider	6	16	19
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	463	399	444
Independent Living	479	464	480	Other Referral Source	48	36	23
Dependent Living	81	83	74	TREATMENT ACCOMMODATION			
Homeless	12	6	8	Pregnant when Admitted to any Episode	5	7	5
MARITAL / FAMILY STATUS				Military Veteran	27	18	29
Never Married	336	325	312	Special Education Services Needed	70	55	78
Married / Cohabiting	135	126	135	Co-Occurring Psychological Problem	172	156	173
Previously Married	117	116	126	Co-Occurring Developmental Problem	17	21	25


# SUBSTANCE ABUSE SERVICE AREA 15

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	46.0	50.4	Alcohol	63.8	76.7
Cigarettes	26.7	30.3	Cigarettes	74.6	77.9
Chewing Tobacco	6.9	15.8	Marijuana	72.2	69.4
Marijuana	13.8	14.5	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	90.5	93.0
Inhalants	5.6	5.8	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	8.3	12.8	Were very sad	19.5	21.5
Over-the-counter medications for non-medical use	6.1	7.6	Were grouchy, irritable, or in a bad mood	24.3	28.6
Methamphetamine	1.5	0.9	Felt hopeless about the future	10.0	14.6
Cocaine	2.1	1.6	Felt like not eating or eating more than usual	17.8	20.5
Heroin	1.0	0.2	Slept a lot more or a lot less than usual	17.1	29.2
Hallucinogens	2.7	2.3	Had difficulty concentrating on school work	23.2	29.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.2	1.6	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.9	1.5	Seriously considered attempting suicide	10.5	12.1
Synthetic drugs (K2, bath salts, Spice, etc)	6.8		Made plan about how they would attempt suicide	7.9	7.7
<b>Average age of students' first use of:</b>			Attempted suicide	5.3	6.8
Alcohol	12.55	12.25	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.1	2.5
Cigarettes	12.43	12.06	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.66	13.30	Were threatened/injured with weapon at school	7.0	9.2
Inhalants	11.79	11.60	Were in a physical fight	20.2	23.5
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.6	2.7
Alcohol	20.9	25.5	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	13.6	17.0	Were victims of mean rumors or lies spread at school	51.3	58.6
Cigarettes	13.1	16.1	Had embarrassing or hurtful pictures/text of them posted on internet	13.7	13.2
Chewing Tobacco	8.2	8.8	Had embarrassing or hurtful pictures/text of them sent by cell phone	17.3	15.7
Marijuana	6.2	6.2	Were made fun of by others	62.5	69.0
Inhalants	2.2	3.3	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	4.3	6.7	Spread mean rumors or lies about other kids at school	31.1	32.1
Over-the-counter medications for non-medical use	3.5	5.1	Posted on internet embarrassing or hurtful pictures/text of someone	9.4	11.7
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	13.3	14.1
Alcohol	56.9	62.9	Made fun of other people	65.0	72.8
Cigarettes	45.3	49.7	<b>Percent of students who agree that:</b>		
Marijuana	28.9	34.0	Teachers notice and comment on student's good work	67.2	73.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.3	14.4	School provides feedback to parents on positive student performance	37.0	35.2
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	54.6	54.4
Alcohol	36.0	40.8	Rules are enforced fairly	59.2	60.4
Cigarettes	14.7	16.7	Students of all races/ethnicities are treated equally	76.3	77.7
Marijuana	8.2	9.0	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	82.1	83.0
Alcohol	57.1	51.2	Parents involve student in making family decisions	68.1	70.1
Cigarettes	77.9	76.5	It is important to be honest with parents regardless of consequences	84.2	83.9
Marijuana	84.4	84.8	Student could ask parent for help with a personal problem	74.6	76.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.2	95.6	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	73.8	73.3	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	90.2	90.2	Percentages are estimates based on weighted data.		
Marijuana	94.8	95.0	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.0	98.6	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	54.9	58.8			
Cigarettes	51.4	57.9			
Marijuana	31.3	34.1			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.6	17.5			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# SUBSTANCE ABUSE SERVICE AREA 16



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	16
Adult Psychiatric	Not Applicable
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	547,056
2012 Pop. Estimate	556,185

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	295,351	299,241	291,403
Employed	275,780	275,227	263,734
Unemployed	19,571	24,014	27,669
Unemployment Rate	6.6%	8.0%	9.5%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	26,312	26,654	27,112
Drop-outs	516	547	572
Drop-out Rate	2.0%	2.1%	2.1%

School Suspensions:			
Alcohol Incidents	60	62	79
Drug Incidents	405	401	288
Tobacco Incidents	3	9	11

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	6,927	7,022	7,226
Mother Reported Smoking while Pregnant	1,044	1,108	966

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	11	16	26
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	3,984	3,925	3,635
Suicides	81	82	76
Self-inflicted Injuries	640	624	536
Homicides	15	15	13
Assault Injuries	1,443	1,404	1,339
Alcohol Induced Deaths	14	20	22
Drug Induced Deaths	103	86	69
Smoking Attributable Deaths	714	675	648

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	2,844		
Alcohol Primary Diagnosis <sup>2</sup>	241		
Drug Primary Diagnosis <sup>2</sup>	380		
Alcohol Related Diagnosis	1,076	1,676	1,163
Drug Related Diagnosis	1,306	1,727	1,201
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	3,231		
Alcohol Primary Diagnosis <sup>2</sup>	261		
Drug Primary Diagnosis <sup>2</sup>	240		
Alcohol Related Diagnosis	2,170	1,301	1,766
Drug Related Diagnosis	1,954	1,132	1,193
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	4,046		
Alcohol Primary Diagnosis <sup>2</sup>	783		
Drug Primary Diagnosis <sup>2</sup>	1,013		
Alcohol Related Diagnosis	1,850	1,658	1,571
Drug Related Diagnosis	2,737	2,326	1,438

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	538	589	610
Fatal Crashes	18	21	22
Injury Crashes	197	199	253
Property Damage Crashes	323	369	335
Crash Fatalities	19	23	19
Crash Injuries	286	282	319
Drug Involved Crashes--Total	99	96	104
Fatal Crashes	5	8	6
Injury Crashes	33	38	36
Property Damage Crashes	61	50	62
Crash Fatalities	5	8	5
Crash Injuries	34	47	41

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	3,195	3,036	3,148
Liquor Law Arrests	861	918	985
Drug Arrests	2,653	2,814	2,796
Methamphetamine Lab Incidents	273	248	223
Violent Offenses	1,020	948	949
Property Offenses	10,392	10,204	10,759
Domestic Violence Reports	2,502	2,402	2,572

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	2,584	2,263	2,597
Violent Offenses	485	522	581
Alcohol Offenses	129	165	171
Drug Offenses	290	220	313
Status Offenses--Total	985	1,082	1,054
Truancy	333	352	399
Beyond Parental Control	73	62	70
Habitually Absent from Home	306	349	362
Injurious Behavior	232	268	182
Abuse/Neglect/Custody--Total	599	487	646
Abuse	90	63	69
Neglect	498	398	549
Custody Disputes	11	26	28

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	373	280	272
Parental Alcohol Use Related	22	12	13
Parental Drug Use Related	151	113	91
Parental Alcohol and Drug Use	17	12	8
Child Removed for Other Reason	183	143	160

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	559	636	616
Probation/Parole Admissions--Total	2,742	2,859	2,813
Probation/Parole Admissions--Drug	869	902	832
Probation/Parole Admissions--DWI	264	265	259
Prison Admissions--Total	1,302	1,160	1,206
Prison Admissions--Drug	438	404	398
Prison Admissions--DWI	111	96	106

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	680	657	662
Alcohol Package Carry-out Licenses	385	374	368

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 16

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	212	228	196
CSTAR Adolescent	183	196	178
CSTAR Women and Children	229	280	322
CSTAR General Adult	675	282	89
CSTAR Opioid	60	62	54
Primary Recovery Treatment	212	705	1,257
Clinical SATOP (CIP, YCIP, SROP)	782	617	724
Other Substance Abuse Treatment	11	6	6

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	2,872	2,731	3,393
- Adolescent Diversion Education Program	75	58	209
- Offender Education Program	1,069	1,015	1,263
- Weekend Intervention Program	647	601	722
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	45	42	38
Compulsive Gambling	29	32	35
Recovery Supports	5	7	73
Early Intervention	9	15	24

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	2,067	2,042	2,514	Alcohol	1,054	950	1,257
AGE				Marijuana / Hashish	363	414	501
Under 18	194	196	195	Cocaine (total)	43	43	83
18 to 24	412	486	669	- Crack	34	32	55
25 to 29	391	395	479	Stimulant (total)	108	122	174
30 to 34	323	305	330	- Methamphetamine	98	110	162
35 to 39	193	179	254	Heroin	354	392	386
40 to 44	205	156	197	Analgesic except Heroin	91	82	79
45 to 54	259	245	305	- Non-Prescription Methadone	*	*	*
55 and Over	90	80	85	PCP, LSD, other Hallucinogen	12	*	*
GENDER				Tranquilizer	16	22	20
Male	1,369	1,371	1,698	Inhalant	*	5	*
Female	698	671	816	Sedative	*	5	5
RACE / ETHNICITY				Other Medication or Illicit Drug	19	*	*
Caucasian	1,926	1,897	2,347	Average Age at First Use of Drug	17.4	17.5	17.1
African American	76	84	99	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	364	384	384
Asian / Pacific Islander	6	*	6	- Daily Injection Use	135	142	132
Hispanic	36	27	25	- Weekly Injection Use	91	121	133
Other Race / Two or More Races	29	38	43	- Less than Weekly Injection Use	138	121	119
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	641	674	818	0	861	959	1,159
High School Graduate or G.E.D.	873	833	1,090	1 or 2	792	735	907
Associate Degree or Some College	521	451	525	3 or More	414	348	448
Bachelor or Advanced Degree	32	84	81	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	492	492	608
Employed	735	668	820	School	18	31	*
Unemployed	732	794	1,026	Mental Health Provider	8	24	37
Not in Labor Force	600	580	668	Health Care Provider	49	60	62
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	1,293	1,251	1,609
Independent Living	1,697	1,688	2,119	Other Referral Source	195	184	194
Dependent Living	257	260	281	TREATMENT ACCOMMODATION			
Homeless	69	60	56	Pregnant when Admitted to any Episode	38	54	50
MARITAL / FAMILY STATUS				Military Veteran	83	83	85
Never Married	1,217	1,270	1,577	Special Education Services Needed	138	160	146
Married / Cohabiting	443	398	463	Co-Occurring Psychological Problem	711	717	767
Previously Married	407	374	473	Co-Occurring Developmental Problem	63	44	63



# SUBSTANCE ABUSE SERVICE AREA 16

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	37.1	44.3	Alcohol	69.0	76.0
Cigarettes	18.3	23.6	Cigarettes	84.7	81.8
Chewing Tobacco	18.7	9.7	Marijuana	74.9	68.9
Marijuana	13.4	15.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.8	93.1
Inhalants	4.6	7.0			
Prescription medications not prescribed for student	7.5	10.7	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	6.0	7.6	Were very sad	17.5	15.6
Methamphetamine	0.9	0.7	Were grouchy, irritable, or in a bad mood	22.1	21.6
Cocaine	1.3	1.7	Felt hopeless about the future	11.4	10.8
Heroin	0.7	0.6	Felt like not eating or eating more than usual	16.7	16.4
Hallucinogens	2.3	3.6	Slept a lot more or a lot less than usual	20.0	24.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.8	2.1	Had difficulty concentrating on school work	24.4	24.2
Steroids not prescribed for student	1.1	1.0			
Synthetic drugs (K2, bath salts, Spice, etc)	5.3		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	10.5	10.9
Alcohol	12.68	12.41	Made plan about how they would attempt suicide	8.1	7.9
Cigarettes	12.55	12.34	Attempted suicide	4.9	5.0
Marijuana	13.60	13.45	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.7	1.8
Inhalants	11.52	11.82			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	16.4	21.4	Were threatened/injured with weapon at school	5.9	9.3
Binge Alcohol (5 or more drinks on one occasion)	9.2	12.2	Were in a physical fight	17.3	22.8
Cigarettes	8.2	12.8	Were in a fight and had to be treated by a doctor or nurse	2.9	4.2
Chewing Tobacco	3.9	5.4			
Marijuana	6.9	8.5	<b>Percent of students in past 3 months who:</b>		
Inhalants	2.1	3.3	Were victims of mean rumors or lies spread at school	44.5	52.5
Prescription medications not prescribed for student	3.9	6.4	Had embarrassing or hurtful pictures/text of them posted on internet	13.4	13.8
Over-the-counter medications for non-medical use	3.6	4.7	Had embarrassing or hurtful pictures/text of them sent by cell phone	15.3	14.5
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	59.4	69.8
Alcohol	51.2	59.6			
Cigarettes	39.0	47.8	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	35.6	37.8	Spread mean rumors or lies about other kids at school	28.3	36.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	15.8	19.4	Posted on internet embarrassing or hurtful pictures/text of someone	9.1	11.7
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.5	14.6
Alcohol	28.4	33.9	Made fun of other people	59.8	74.4
Cigarettes	9.9	14.1			
Marijuana	11.1	12.6	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	64.5	66.9
Alcohol	62.3	56.8	School provides feedback to parents on positive student performance	36.3	39.6
Cigarettes	85.4	80.2	Teachers praise student for hard work	53.1	53.0
Marijuana	83.3	81.9	Rules are enforced fairly	65.1	66.2
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.3	94.5	Students of all races/ethnicities are treated equally	75.9	77.4
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	79.9	77.0	<b>Percent of students who agree that:</b>		
Cigarettes	93.4	90.8	Parents notice and comment on student's good work	82.8	83.4
Marijuana	95.0	93.7	Parents involve student in making family decisions	67.5	69.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.7	97.2	It is important to be honest with parents regardless of consequences	85.2	80.9
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	76.9	76.9
Alcohol	58.9	62.3			
Cigarettes	49.6	55.9			
Marijuana	35.1	36.8			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.8	18.0			


### Notes:

Blank data cell indicates estimate not available for survey item or geographic area.  
 Survey is not conducted in every school district nor reported for every county.  
 Percentages are estimates based on weighted data.  
 Estimates are not provided for geographic areas with low numbers of respondents.  
 Some year-to-year differences in percentages are not statistically significant.  
 Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# SUBSTANCE ABUSE SERVICE AREA 17



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	17
Adult Psychiatric	Not Applicable
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	211,091
2012 Pop. Estimate	210,838

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	94,943	97,137	97,328
Employed	87,470	87,789	87,165
Unemployed	7,473	9,348	10,163
Unemployment Rate	7.9%	9.6%	10.4%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	9,506	9,866	10,209
Drop-outs	255	248	284
Drop-out Rate	2.7%	2.5%	2.8%
School Suspensions:			
Alcohol Incidents	15	15	22
Drug Incidents	66	58	89
Tobacco Incidents	6	4	5

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	2,434	2,418	2,467
Mother Reported Smoking while Pregnant	709	704	671

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	2	5	6
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	2,330	2,242	2,294
Suicides	38	28	24
Self-inflicted Injuries	353	389	312
Homicides	9	10	8
Assault Injuries	822	894	795
Alcohol Induced Deaths	11	6	13
Drug Induced Deaths	49	55	45
Smoking Attributable Deaths	440	419	463

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	2,315		
Alcohol Primary Diagnosis <sup>2</sup>	94		
Drug Primary Diagnosis <sup>2</sup>	190		
Alcohol Related Diagnosis	699	702	449
Drug Related Diagnosis	986	934	534
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	853		
Alcohol Primary Diagnosis <sup>2</sup>	91		
Drug Primary Diagnosis <sup>2</sup>	83		
Alcohol Related Diagnosis	569	500	509
Drug Related Diagnosis	606	488	545
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	2,880		
Alcohol Primary Diagnosis <sup>2</sup>	455		
Drug Primary Diagnosis <sup>2</sup>	510		
Alcohol Related Diagnosis	1,085	882	761
Drug Related Diagnosis	1,536	1,344	855

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	264	224	294
Fatal Crashes	17	16	12
Injury Crashes	119	110	134
Property Damage Crashes	128	98	148
Crash Fatalities	20	16	14
Crash Injuries	176	178	186
Drug Involved Crashes--Total	66	52	57
Fatal Crashes	4	4	2
Injury Crashes	29	20	30
Property Damage Crashes	33	28	25
Crash Fatalities	3	4	2
Crash Injuries	32	36	41

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	1,355	1,212	1,297
Liquor Law Arrests	421	563	565
Drug Arrests	1,307	1,338	1,319
Methamphetamine Lab Incidents	317	299	232
Violent Offenses	582	523	453
Property Offenses	5,369	4,911	5,867
Domestic Violence Reports	1,044	847	1,021

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	1,075	1,044	1,144
Violent Offenses	446	455	519
Alcohol Offenses	25	55	49
Drug Offenses	80	83	97
Status Offenses--Total	766	877	732
Truancy	318	376	242
Beyond Parental Control	149	170	181
Habitually Absent from Home	52	33	58
Injurious Behavior	178	244	195
Abuse/Neglect/Custody--Total	1,024	1,014	811
Abuse	391	353	284
Neglect	616	624	488
Custody Disputes	17	37	39

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	213	243	199
Parental Alcohol Use Related	5	4	4
Parental Drug Use Related	79	71	70
Parental Alcohol and Drug Use	13	12	16
Child Removed for Other Reason	116	156	109

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	141	144	142
Probation/Parole Admissions--Total	1,780	1,620	1,528
Probation/Parole Admissions--Drug	669	549	541
Probation/Parole Admissions--DWI	84	73	59
Prison Admissions--Total	907	763	876
Prison Admissions--Drug	335	296	281
Prison Admissions--DWI	44	22	51

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	248	251	234
Alcohol Package Carry-out Licenses	208	210	206

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 17

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	182	195	229
CSTAR Adolescent	73	69	116
CSTAR Women and Children	53	56	67
CSTAR General Adult	669	675	424
CSTAR Opioid	6	6	7
Primary Recovery Treatment	1,043	1,434	1,548
Clinical SATOP (CIP, YCIP, SROP)	182	143	176
Other Substance Abuse Treatment	10	*	5

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	957	878	1,104
- Adolescent Diversion Education Program	0	*	5
- Offender Education Program	391	407	424
- Weekend Intervention Program	214	242	265
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	21	10	52
Compulsive Gambling	*	*	7
Recovery Supports	8	34	95
Early Intervention	84	29	44

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010
Total Individuals	1,934	2,204	2,210
AGE			
Under 18	85	82	122
18 to 24	386	446	488
25 to 29	406	448	458
30 to 34	308	384	306
35 to 39	225	226	244
40 to 44	165	224	204
45 to 54	282	324	316
55 and Over	77	70	72

GENDER			
Male	1,313	1,481	1,526
Female	621	723	684

RACE / ETHNICITY			
Caucasian	1,841	2,099	2,121
African American	65	64	59
Native American / Alaskan	5	6	*
Asian / Pacific Islander	*	5	*
Hispanic	25	27	20
Other Race / Two or More Races	14	18	15

EDUCATION			
Less than High School Diploma	707	855	862
High School Graduate or G.E.D.	926	1,034	1,063
Associate Degree or Some College	294	297	261
Bachelor or Advanced Degree	7	18	24

EMPLOYMENT			
Employed	526	590	548
Unemployed	957	1,076	1,107
Not in Labor Force	451	538	555

HOUSING / LIVING ARRANGEMENT			
Independent Living	1,711	1,966	1,913
Dependent Living	157	194	234
Homeless	44	39	46

MARITAL / FAMILY STATUS			
Never Married	935	1,098	1,125
Married / Cohabiting	554	628	582
Previously Married	445	478	503

PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Alcohol	622	700	814
Marijuana / Hashish	498	651	596
Cocaine (total)	24	32	40
- Crack	13	15	24
Stimulant (total)	282	322	294
- Methamphetamine	272	313	284
Heroin	166	130	142
Analgesic except Heroin	292	322	289
- Non-Prescription Methadone	*	*	*
PCP, LSD, other Hallucinogen	*	*	*
Tranquilizer	34	31	27
Inhalant	7	*	*
Sedative	*	*	*
Other Medication or Illicit Drug	*	6	*
Average Age at First Use of Drug	18.1	18.2	17.7

INJECTION DRUG USE			
Any Injection Use at Admission	263	265	301
- Daily Injection Use	60	66	76
- Weekly Injection Use	63	70	65
- Less than Weekly Injection Use	140	129	160

LIFETIME DUI / DWI ARRESTS			
0	1,146	1,387	1,383
1 or 2	517	550	554
3 or More	271	267	273

TREATMENT REFERRAL SOURCE			
Self / Family / Friend	463	503	431
School	*	*	5
Mental Health Provider	15	20	73
Health Care Provider	81	65	75
Court / Criminal Justice	1,228	1,422	1,423
Other Referral Source	142	193	202

TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	23	27	30
Military Veteran	116	104	111
Special Education Services Needed	257	259	251
Co-Occurring Psychological Problem	733	643	776
Co-Occurring Developmental Problem	149	169	170

# SUBSTANCE ABUSE SERVICE AREA 17


## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	41.7	46.9	Alcohol	69.2	75.7
Cigarettes	26.5	31.0	Cigarettes	79.1	77.2
Chewing Tobacco	24.2	19.8	Marijuana	73.5	71.5
Marijuana	16.1	17.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.8	93.3
Inhalants	6.7	8.4			
Prescription medications not prescribed for student	10.3	14.7	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	7.0	9.3	Were very sad	21.5	19.2
Methamphetamine	1.3	1.3	Were grouchy, irritable, or in a bad mood	26.5	24.7
Cocaine	1.7	1.8	Felt hopeless about the future	12.6	13.0
Heroin	1.1	0.9	Felt like not eating or eating more than usual	18.0	19.5
Hallucinogens	3.0	3.4	Slept a lot more or a lot less than usual	21.1	26.9
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.0	1.8	Had difficulty concentrating on school work	25.0	26.3
Steroids not prescribed for student	2.1	1.6			
Synthetic drugs (K2, bath salts, Spice, etc)	6.7		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	13.1	13.8
Alcohol	12.28	12.01	Made plan about how they would attempt suicide	9.5	9.8
Cigarettes	12.00	11.62	Attempted suicide	5.6	5.9
Marijuana	13.40	13.11	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.1	1.8
Inhalants	11.83	12.13			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	19.4	22.9	Were threatened/injured with weapon at school	6.8	9.7
Binge Alcohol (5 or more drinks on one occasion)	11.9	14.0	Were in a physical fight	22.4	25.0
Cigarettes	13.2	16.6	Were in a fight and had to be treated by a doctor or nurse	3.5	3.8
Chewing Tobacco	10.0	11.5			
Marijuana	9.0	9.7	<b>Percent of students in past 3 months who:</b>		
Inhalants	3.5	3.8	Were victims of mean rumors or lies spread at school	50.3	58.7
Prescription medications not prescribed for student	5.9	8.3	Had embarrassing or hurtful pictures/text of them posted on internet	13.7	12.4
Over-the-counter medications for non-medical use	4.2	6.1	Had embarrassing or hurtful pictures/text of them sent by cell phone	16.3	15.3
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	61.2	70.1
Alcohol	54.1	62.3			
Cigarettes	44.8	49.0	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	33.7	36.6	Spread mean rumors or lies about other kids at school	25.9	33.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.4	17.5	Posted on internet embarrassing or hurtful pictures/text of someone	8.2	9.3
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	10.9	12.1
Alcohol	31.8	36.6	Made fun of other people	62.5	73.1
Cigarettes	15.0	17.2			
Marijuana	13.2	14.2	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	67.6	68.7
Alcohol	58.3	57.9	School provides feedback to parents on positive student performance	38.5	42.2
Cigarettes	78.6	76.7	Teachers praise student for hard work	53.7	53.9
Marijuana	81.2	81.9	Rules are enforced fairly	61.7	63.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.4	94.7	Students of all races/ethnicities are treated equally	77.3	79.0
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	76.3	75.2	<b>Percent of students who agree that:</b>		
Cigarettes	89.5	89.2	Parents notice and comment on student's good work	82.1	84.2
Marijuana	93.5	94.4	Parents involve student in making family decisions	67.8	68.3
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.3	97.8	It is important to be honest with parents regardless of consequences	86.6	82.5
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	74.7	76.1
Alcohol	55.2	59.5			
Cigarettes	51.5	58.3			
Marijuana	33.0	36.0			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	16.2	20.4			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# SUBSTANCE ABUSE SERVICE AREA 18



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	18
Adult Psychiatric	Not Applicable
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	127,952
2012 Pop. Estimate	127,569

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	56,124	56,689	56,917
Employed	51,923	51,600	51,314
Unemployed	4,201	5,089	5,603
Unemployment Rate	7.5%	9.0%	9.8%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	5,991	6,013	6,306
Drop-outs	70	90	118
Drop-out Rate	1.2%	1.5%	1.9%

School Suspensions:			
Alcohol Incidents	9	18	15
Drug Incidents	64	59	32
Tobacco Incidents	3	2	2

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	1,552	1,516	1,587
Mother Reported Smoking while Pregnant	408	451	434

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	2	2	4
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	1,510	1,419	1,442
Suicides	25	24	27
Self-inflicted Injuries	240	207	214
Homicides	8	6	7
Assault Injuries	302	255	262
Alcohol Induced Deaths	7	5	9
Drug Induced Deaths	10	17	18
Smoking Attributable Deaths	297	292	273

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,231		
Alcohol Primary Diagnosis <sup>2</sup>	101		
Drug Primary Diagnosis <sup>2</sup>	109		
Alcohol Related Diagnosis	475	430	220
Drug Related Diagnosis	634	551	244
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	163		
Alcohol Primary Diagnosis <sup>2</sup>	52		
Drug Primary Diagnosis <sup>2</sup>	29		
Alcohol Related Diagnosis	217	195	448
Drug Related Diagnosis	138	181	407
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,060		
Alcohol Primary Diagnosis <sup>2</sup>	139		
Drug Primary Diagnosis <sup>2</sup>	154		
Alcohol Related Diagnosis	410	494	394
Drug Related Diagnosis	438	469	291

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	156	184	183
Fatal Crashes	2	4	9
Injury Crashes	85	108	95
Property Damage Crashes	69	72	79
Crash Fatalities	2	4	9
Crash Injuries	116	169	124
Drug Involved Crashes--Total	22	35	19
Fatal Crashes	0	2	2
Injury Crashes	13	16	7
Property Damage Crashes	9	17	10
Crash Fatalities	0	2	1
Crash Injuries	17	23	9

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	878	697	602
Liquor Law Arrests	207	214	285
Drug Arrests	808	927	756
Methamphetamine Lab Incidents	83	64	29
Violent Offenses	245	270	330
Property Offenses	2,948	2,684	2,541
Domestic Violence Reports	367	380	385

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	496	438	421
Violent Offenses	98	114	132
Alcohol Offenses	43	26	32
Drug Offenses	41	42	30
Status Offenses--Total	974	984	950
Truancy	440	372	369
Beyond Parental Control	155	173	160
Habitually Absent from Home	50	64	77
Injurious Behavior	249	322	295
Abuse/Neglect/Custody--Total	751	560	458
Abuse	180	116	111
Neglect	519	383	303
Custody Disputes	52	61	44

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	116	114	149
Parental Alcohol Use Related	5	8	12
Parental Drug Use Related	31	30	17
Parental Alcohol and Drug Use	3	5	6
Child Removed for Other Reason	77	71	114

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	138	127	131
Probation/Parole Admissions--Total	857	737	673
Probation/Parole Admissions--Drug	290	211	192
Probation/Parole Admissions--DWI	62	42	41
Prison Admissions--Total	402	412	375
Prison Admissions--Drug	119	116	91
Prison Admissions--DWI	23	22	36

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	91	91	91
Alcohol Package Carry-out Licenses	134	134	134

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 18

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	173	140	113
CSTAR Adolescent	49	76	71
CSTAR Women and Children	28	42	79
CSTAR General Adult	176	171	166
CSTAR Opioid	*	0	0
Primary Recovery Treatment	353	379	439
Clinical SATOP (CIP, YCIP, SROP)	132	80	88
Other Substance Abuse Treatment	*	0	0

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	566	428	518
- Adolescent Diversion Education Program	*	*	7
- Offender Education Program	222	152	187
- Weekend Intervention Program	107	92	124
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	12	14	19
Compulsive Gambling	0	0	*
Recovery Supports	12	8	50
Early Intervention	5	10	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	741	754	816	Alcohol	324	320	369
AGE				Marijuana / Hashish	162	181	186
Under 18	51	81	69	Cocaine (total)	*	*	*
18 to 24	154	155	171	- Crack	0	*	*
25 to 29	117	149	147	Stimulant (total)	121	94	111
30 to 34	120	92	102	- Methamphetamine	119	91	110
35 to 39	83	77	101	Heroin	8	9	8
40 to 44	82	62	76	Analgesic except Heroin	92	124	119
45 to 54	95	105	116	- Non-Prescription Methadone	0	0	*
55 and Over	39	33	34	PCP, LSD, other Hallucinogen	*	0	0
GENDER				Tranquilizer	8	9	7
Male	488	502	562	Inhalant	7	5	8
Female	253	252	254	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	14	6	*
Caucasian	715	731	792	Average Age at First Use of Drug	17.3	16.4	17.1
African American	9	5	5	INJECTION DRUG USE			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	117	113	114
Asian / Pacific Islander	0	*	*	- Daily Injection Use	26	32	27
Hispanic	11	17	9	- Weekly Injection Use	36	32	31
Other Race / Two or More Races	8	9	10	- Less than Weekly Injection Use	55	49	56
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	275	318	354	0	369	440	448
High School Graduate or G.E.D.	347	329	346	1 or 2	252	207	225
Associate Degree or Some College	113	97	101	3 or More	120	107	143
Bachelor or Advanced Degree	6	10	15	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	191	175	156
Employed	95	98	81	School	5	*	*
Unemployed	355	416	415	Mental Health Provider	6	6	18
Not in Labor Force	291	240	320	Health Care Provider	24	28	22
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	451	472	547
Independent Living	638	621	707	Other Referral Source	64	70	70
Dependent Living	65	105	94	TREATMENT ACCOMMODATION			
Homeless	25	20	12	Pregnant when Admitted to any Episode	13	7	10
MARITAL / FAMILY STATUS				Military Veteran	21	16	25
Never Married	321	354	375	Special Education Services Needed	57	44	64
Married / Cohabiting	225	196	214	Co-Occurring Psychological Problem	214	198	311
Previously Married	195	204	226	Co-Occurring Developmental Problem	12	18	24



# SUBSTANCE ABUSE SERVICE AREA 18

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	39.6	46.3	Alcohol	71.3	77.6
Cigarettes	29.0	35.4	Cigarettes	78.0	76.9
Chewing Tobacco	17.1	26.1	Marijuana	79.9	74.2
Marijuana	11.2	13.6	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.6	92.9
Inhalants	6.3	7.6			
Prescription medications not prescribed for student	9.0	12.3	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	5.1	8.1	Were very sad	19.8	18.2
Methamphetamine	1.1	0.9	Were grouchy, irritable, or in a bad mood	23.9	23.0
Cocaine	1.2	1.1	Felt hopeless about the future	11.6	12.3
Heroin	0.8	0.7	Felt like not eating or eating more than usual	16.8	16.9
Hallucinogens	2.5	2.7	Slept a lot more or a lot less than usual	19.7	23.4
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.1	2.1	Had difficulty concentrating on school work	20.3	24.2
Steroids not prescribed for student	1.8	1.1			
Synthetic drugs (K2, bath salts, Spice, etc)	7.5		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	10.8	11.7
Alcohol	12.29	12.14	Made plan about how they would attempt suicide	8.9	9.2
Cigarettes	12.07	11.82	Attempted suicide	5.4	5.5
Marijuana	13.08	13.45	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.6	2.0
Inhalants	12.28	12.20			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	15.0	20.7	Were threatened/injured with weapon at school	6.4	10.5
Binge Alcohol (5 or more drinks on one occasion)	9.2	11.7	Were in a physical fight	20.9	26.9
Cigarettes	12.9	18.8	Were in a fight and had to be treated by a doctor or nurse	2.7	4.1
Chewing Tobacco	13.6	15.3			
Marijuana	4.5	6.0	<b>Percent of students in past 3 months who:</b>		
Inhalants	2.6	3.6	Were victims of mean rumors or lies spread at school	51.7	58.8
Prescription medications not prescribed for student	4.2	7.5	Had embarrassing or hurtful pictures/text of them posted on internet	12.8	11.9
Over-the-counter medications for non-medical use	2.9	5.1	Had embarrassing or hurtful pictures/text of them sent by cell phone	14.7	15.1
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	61.5	69.6
Alcohol	50.9	59.5			
Cigarettes	45.4	51.8	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	24.4	31.9	Spread mean rumors or lies about other kids at school	24.6	31.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	10.1	15.5	Posted on internet embarrassing or hurtful pictures/text of someone	8.3	9.1
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	8.7	11.5
Alcohol	29.1	35.5	Made fun of other people	57.2	69.5
Cigarettes	16.4	20.1			
Marijuana	8.3	10.3	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	73.0	72.9
Alcohol	62.2	57.3	School provides feedback to parents on positive student performance	40.6	40.8
Cigarettes	76.7	73.7	Teachers praise student for hard work	57.5	54.0
Marijuana	86.5	85.2	Rules are enforced fairly	64.1	61.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.5	95.5	Students of all races/ethnicities are treated equally	80.1	80.6
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	79.5	79.2	<b>Percent of students who agree that:</b>		
Cigarettes	88.5	88.6	Parents notice and comment on student's good work	82.4	83.4
Marijuana	95.5	95.2	Parents involve student in making family decisions	67.8	69.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.0	98.3	It is important to be honest with parents regardless of consequences	87.5	85.7
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	76.6	77.8
Alcohol	52.0	57.2			
Cigarettes	53.4	60.5			
Marijuana	27.8	34.2			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.8	18.4			


### Notes:

Blank data cell indicates estimate not available for survey item or geographic area. Survey is not conducted in every school district nor reported for every county. Percentages are estimates based on weighted data. Estimates are not provided for geographic areas with low numbers of respondents. Some year-to-year differences in percentages are not statistically significant. Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# SUBSTANCE ABUSE SERVICE AREA 19



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	19
Adult Psychiatric	Not Applicable
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	113,344
2012 Pop. Estimate	113,215

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	53,472	54,150	53,981
Employed	49,329	49,254	49,042
Unemployed	4,143	4,896	4,939
Unemployment Rate	7.7%	9.0%	9.1%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	4,962	5,108	5,109
Drop-outs	153	180	190
Drop-out Rate	3.1%	3.5%	3.7%
School Suspensions:			
Alcohol Incidents	9	16	4
Drug Incidents	32	37	63
Tobacco Incidents	1	6	6

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	1,368	1,378	1,379
Mother Reported Smoking while Pregnant	420	484	422

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	2	3	2
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	1,527	1,422	1,467
Suicides	19	24	12
Self-inflicted Injuries	281	295	260
Homicides	5	5	3
Assault Injuries	437	535	507
Alcohol Induced Deaths	3	7	9
Drug Induced Deaths	25	18	24
Smoking Attributable Deaths	328	300	322

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,304		
Alcohol Primary Diagnosis <sup>2</sup>	57		
Drug Primary Diagnosis <sup>2</sup>	89		
Alcohol Related Diagnosis	475	344	239
Drug Related Diagnosis	528	402	263
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	282		
Alcohol Primary Diagnosis <sup>2</sup>	37		
Drug Primary Diagnosis <sup>2</sup>	40		
Alcohol Related Diagnosis	245	307	462
Drug Related Diagnosis	180	305	488
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,588		
Alcohol Primary Diagnosis <sup>2</sup>	163		
Drug Primary Diagnosis <sup>2</sup>	170		
Alcohol Related Diagnosis	394	462	350
Drug Related Diagnosis	430	400	285

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	184	165	203
Fatal Crashes	7	7	14
Injury Crashes	81	82	98
Property Damage Crashes	96	76	91
Crash Fatalities	7	8	16
Crash Injuries	121	107	119
Drug Involved Crashes--Total	50	49	48
Fatal Crashes	3	2	1
Injury Crashes	30	19	28
Property Damage Crashes	17	28	19
Crash Fatalities	4	2	1
Crash Injuries	37	26	33

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	744	749	678
Liquor Law Arrests	127	187	283
Drug Arrests	740	648	676
Methamphetamine Lab Incidents	142	60	100
Violent Offenses	323	332	303
Property Offenses	3,563	3,117	2,684
Domestic Violence Reports	520	617	614

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	544	681	615
Violent Offenses	199	248	223
Alcohol Offenses	32	35	30
Drug Offenses	37	46	66
Status Offenses--Total	375	375	295
Truancy	114	143	63
Beyond Parental Control	121	92	99
Habitually Absent from Home	63	72	72
Injurious Behavior	44	21	36
Abuse/Neglect/Custody--Total	708	591	589
Abuse	113	98	146
Neglect	363	294	255
Custody Disputes	232	199	188

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	301	291	269
Parental Alcohol Use Related	6	17	8
Parental Drug Use Related	128	111	104
Parental Alcohol and Drug Use	18	11	10
Child Removed for Other Reason	149	152	147

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	156	126	103
Probation/Parole Admissions--Total	892	836	852
Probation/Parole Admissions--Drug	345	287	324
Probation/Parole Admissions--DWI	32	52	40
Prison Admissions--Total	432	485	485
Prison Admissions--Drug	152	170	168
Prison Admissions--DWI	13	28	20

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	139	138	138
Alcohol Package Carry-out Licenses	139	135	127

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 19

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	165	162	156
CSTAR Adolescent	65	54	51
CSTAR Women and Children	46	46	56
CSTAR General Adult	394	317	272
CSTAR Opioid	*	*	*
Primary Recovery Treatment	628	697	747
Clinical SATOP (CIP, YCIP, SROP)	131	114	82
Other Substance Abuse Treatment	*	*	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	441	388	453
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	137	92	153
- Weekend Intervention Program	80	94	129
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	5	10	6
Compulsive Gambling	*	*	*
Recovery Supports	318	137	37
Early Intervention	47	39	32

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	1,341	1,262	1,130	Alcohol	410	441	437
AGE				Marijuana / Hashish	404	364	342
Under 18	75	57	56	Cocaine (total)	40	28	49
18 to 24	254	255	234	- Crack	31	25	40
25 to 29	251	245	215	Stimulant (total)	242	195	144
30 to 34	222	200	167	- Methamphetamine	235	190	142
35 to 39	184	149	127	Heroin	35	31	14
40 to 44	121	119	124	Analgesic except Heroin	165	164	125
45 to 54	185	174	152	- Non-Prescription Methadone	0	*	*
55 and Over	49	63	55	PCP, LSD, other Hallucinogen	*	0	*
GENDER				Tranquilizer	31	33	12
Male	873	833	743	Inhalant	*	*	*
Female	468	429	387	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	8	*	*
Caucasian	1,224	1,157	1,030	Average Age at First Use of Drug	17.6	17.6	17.2
African American	92	84	74	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	142	111	86
Asian / Pacific Islander	*	0	0	- Daily Injection Use	23	28	21
Hispanic	13	11	11	- Weekly Injection Use	27	28	19
Other Race / Two or More Races	16	12	18	- Less than Weekly Injection Use	92	55	46
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	570	541	502	0	831	741	619
High School Graduate or G.E.D.	597	576	504	1 or 2	371	347	347
Associate Degree or Some College	170	140	117	3 or More	139	174	164
Bachelor or Advanced Degree	*	5	7	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	245	294	197
Employed	354	361	289	School	*	*	0
Unemployed	615	561	373	Mental Health Provider	14	13	26
Not in Labor Force	372	340	468	Health Care Provider	62	47	18
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	828	739	715
Independent Living	1,134	1,093	963	Other Referral Source	189	167	174
Dependent Living	161	130	132	TREATMENT ACCOMMODATION			
Homeless	39	31	30	Pregnant when Admitted to any Episode	20	18	17
MARITAL / FAMILY STATUS				Military Veteran	60	68	78
Never Married	543	497	463	Special Education Services Needed	193	167	151
Married / Cohabiting	441	402	346	Co-Occurring Psychological Problem	582	493	405
Previously Married	357	363	321	Co-Occurring Developmental Problem	107	107	106


# SUBSTANCE ABUSE SERVICE AREA 19

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	42.4	45.2	Alcohol	72.7	75.6
Cigarettes	30.8	35.2	Cigarettes	79.1	79.5
Chewing Tobacco	15.6	19.0	Marijuana	73.0	74.5
Marijuana	16.9	17.4	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.9	93.4
Inhalants	5.1	9.0	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	12.1	15.7	Were very sad	19.2	19.2
Over-the-counter medications for non-medical use	7.6	9.4	Were grouchy, irritable, or in a bad mood	25.4	24.1
Methamphetamine	1.8	1.8	Felt hopeless about the future	10.8	12.9
Cocaine	2.9	2.3	Felt like not eating or eating more than usual	18.1	18.8
Heroin	1.3	0.7	Slept a lot more or a lot less than usual	20.3	26.7
Hallucinogens	2.8	3.8	Had difficulty concentrating on school work	24.5	27.8
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.7	2.6	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	2.0	1.6	Seriously considered attempting suicide	12.6	12.4
Synthetic drugs (K2, bath salts, Spice, etc)	7.1		Made plan about how they would attempt suicide	8.4	8.9
<b>Average age of students' first use of:</b>			Attempted suicide	5.7	5.7
Alcohol	12.65	12.33	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.6	2.3
Cigarettes	12.18	11.94	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.34	13.39	Were threatened/injured with weapon at school	7.0	9.5
Inhalants	12.13	12.72	Were in a physical fight	23.5	25.6
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	3.6	4.5
Alcohol	18.1	20.6	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	11.8	12.9	Were victims of mean rumors or lies spread at school	52.0	58.6
Cigarettes	16.3	17.9	Had embarrassing or hurtful pictures/text of them posted on internet	11.6	11.9
Chewing Tobacco	9.8	10.5	Had embarrassing or hurtful pictures/text of them sent by cell phone	16.2	13.5
Marijuana	8.0	9.8	Were made fun of by others	57.7	67.2
Inhalants	1.5	3.6	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	6.2	9.7	Spread mean rumors or lies about other kids at school	24.2	31.3
Over-the-counter medications for non-medical use	4.2	5.7	Posted on internet embarrassing or hurtful pictures/text of someone	6.8	8.6
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	8.7	10.6
Alcohol	55.3	58.8	Made fun of other people	57.8	70.3
Cigarettes	50.0	52.7	<b>Percent of students who agree that:</b>		
Marijuana	35.9	35.9	Teachers notice and comment on student's good work	67.1	69.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.8	18.3	School provides feedback to parents on positive student performance	40.2	39.0
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	52.8	53.3
Alcohol	33.7	33.7	Rules are enforced fairly	60.3	60.7
Cigarettes	17.8	18.6	Students of all races/ethnicities are treated equally	75.8	75.1
Marijuana	12.3	12.7	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	82.5	84.1
Alcohol	59.1	58.2	Parents involve student in making family decisions	69.3	69.6
Cigarettes	76.7	74.9	It is important to be honest with parents regardless of consequences	87.8	85.8
Marijuana	82.5	82.1	Student could ask parent for help with a personal problem	77.7	77.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.6	94.4	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	80.0	78.6	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	90.2	88.6	Percentages are estimates based on weighted data.		
Marijuana	94.8	93.6	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.4	97.8	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	56.0	55.3			
Cigarettes	57.5	59.0			
Marijuana	38.2	36.5			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.6	18.9			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# SUBSTANCE ABUSE SERVICE AREA 20



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	20
Adult Psychiatric	Not Applicable
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	83,563
2012 Pop. Estimate	82,747

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	36,975	36,892	37,133
Employed	33,939	33,145	33,352
Unemployed	3,036	3,747	3,781
Unemployment Rate	8.2%	10.2%	10.2%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	3,850	4,047	4,054
Drop-outs	110	96	144
Drop-out Rate	2.9%	2.4%	3.6%
School Suspensions:			
Alcohol Incidents	7	3	1
Drug Incidents	16	33	42
Tobacco Incidents	1	1	6

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	1,171	1,189	1,207
Mother Reported Smoking while Pregnant	328	337	341

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	2	2	8
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	1,100	1,117	1,122
Suicides	15	12	11
Self-inflicted Injuries	213	240	202
Homicides	4	8	5
Assault Injuries	451	489	506
Alcohol Induced Deaths	5	5	6
Drug Induced Deaths	10	16	21
Smoking Attributable Deaths	253	216	234

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,323		
Alcohol Primary Diagnosis <sup>2</sup>	81		
Drug Primary Diagnosis <sup>2</sup>	87		
Alcohol Related Diagnosis	430	347	162
Drug Related Diagnosis	547	551	250
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	247		
Alcohol Primary Diagnosis <sup>2</sup>	25		
Drug Primary Diagnosis <sup>2</sup>	33		
Alcohol Related Diagnosis	177	243	388
Drug Related Diagnosis	166	361	431
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,019		
Alcohol Primary Diagnosis <sup>2</sup>	181		
Drug Primary Diagnosis <sup>2</sup>	155		
Alcohol Related Diagnosis	381	429	274
Drug Related Diagnosis	400	423	290

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	79	114	114
Fatal Crashes	4	7	4
Injury Crashes	36	55	51
Property Damage Crashes	39	52	59
Crash Fatalities	6	7	4
Crash Injuries	53	89	68
Drug Involved Crashes--Total	30	53	54
Fatal Crashes	2	6	1
Injury Crashes	17	25	27
Property Damage Crashes	11	22	26
Crash Fatalities	4	6	1
Crash Injuries	22	44	32

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	696	885	779
Liquor Law Arrests	103	150	184
Drug Arrests	881	899	823
Methamphetamine Lab Incidents	38	85	69
Violent Offenses	365	327	354
Property Offenses	2,280	2,136	2,083
Domestic Violence Reports	575	568	582

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	447	547	597
Violent Offenses	110	151	171
Alcohol Offenses	24	34	57
Drug Offenses	30	36	36
Status Offenses--Total	202	208	226
Truancy	54	44	24
Beyond Parental Control	64	59	82
Habitually Absent from Home	14	18	16
Injurious Behavior	62	82	99
Abuse/Neglect/Custody--Total	597	795	917
Abuse	165	216	250
Neglect	428	577	664
Custody Disputes	4	2	3

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	188	227	159
Parental Alcohol Use Related	15	10	3
Parental Drug Use Related	83	108	59
Parental Alcohol and Drug Use	7	11	5
Child Removed for Other Reason	83	98	92

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	82	78	104
Probation/Parole Admissions--Total	1,323	1,262	1,265
Probation/Parole Admissions--Drug	418	397	399
Probation/Parole Admissions--DWI	96	94	72
Prison Admissions--Total	725	675	749
Prison Admissions--Drug	222	210	236
Prison Admissions--DWI	64	54	68

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	75	74	83
Alcohol Package Carry-out Licenses	112	110	107

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 20

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	269	212	137
CSTAR Adolescent	74	85	78
CSTAR Women and Children	77	104	158
CSTAR General Adult	195	126	117
CSTAR Opioid	0	0	0
Primary Recovery Treatment	741	793	795
Clinical SATOP (CIP, YCIP, SROP)	65	53	60
Other Substance Abuse Treatment	0	0	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	310	327	427
- Adolescent Diversion Education Program	0	0	0
- Offender Education Program	123	136	191
- Weekend Intervention Program	65	55	94
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	6	10	9
Compulsive Gambling	0	0	0
Recovery Supports	73	66	71
Early Intervention	7	5	*

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	1,138	1,139	1,180	Alcohol	338	358	389
AGE				Marijuana / Hashish	410	412	453
Under 18	78	88	82	Cocaine (total)	103	114	110
18 to 24	219	217	240	- Crack	58	80	71
25 to 29	220	220	224	Stimulant (total)	153	126	107
30 to 34	174	167	164	- Methamphetamine	146	121	105
35 to 39	131	123	136	Heroin	14	8	11
40 to 44	99	98	109	Analgesic except Heroin	88	80	82
45 to 54	157	177	178	- Non-Prescription Methadone	0	*	0
55 and Over	60	49	47	PCP, LSD, other Hallucinogen	0	*	0
GENDER				Tranquilizer	27	33	23
Male	801	797	845	Inhalant	*	*	*
Female	337	342	335	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	*	*	0
Caucasian	820	809	818	Average Age at First Use of Drug	17.9	17.7	17.6
African American	295	306	333	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	48	42	45
Asian / Pacific Islander	0	0	*	- Daily Injection Use	9	9	9
Hispanic	12	11	8	- Weekly Injection Use	13	11	9
Other Race / Two or More Races	10	16	19	- Less than Weekly Injection Use	26	22	27
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	536	543	559	0	788	811	724
High School Graduate or G.E.D.	513	511	525	1 or 2	253	212	317
Associate Degree or Some College	85	81	85	3 or More	97	116	139
Bachelor or Advanced Degree	*	*	11	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	174	134	174
Employed	281	268	241	School	*	*	*
Unemployed	365	471	492	Mental Health Provider	10	11	28
Not in Labor Force	492	400	447	Health Care Provider	50	32	17
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	793	825	844
Independent Living	933	931	958	Other Referral Source	109	133	115
Dependent Living	170	181	184	TREATMENT ACCOMMODATION			
Homeless	12	18	15	Pregnant when Admitted to any Episode	11	21	18
MARITAL / FAMILY STATUS				Military Veteran	33	22	34
Never Married	551	597	578	Special Education Services Needed	74	103	88
Married / Cohabiting	339	301	352	Co-Occurring Psychological Problem	246	215	243
Previously Married	248	241	250	Co-Occurring Developmental Problem	23	18	21



# SUBSTANCE ABUSE SERVICE AREA 20

## MISSOURI STUDENT SURVEY 2010 AND 2012


	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	43.1	44.3	Alcohol	74.4	77.1
Cigarettes	33.3	35.4	Cigarettes	82.2	78.2
Chewing Tobacco	14.3	16.5	Marijuana	74.7	74.7
Marijuana	18.6	15.8	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.4	90.7
Inhalants	7.0	8.0			
Prescription medications not prescribed for student	13.3	14.7	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	6.0	7.3	Were very sad	19.0	17.5
Methamphetamine	1.2	0.9	Were grouchy, irritable, or in a bad mood	31.1	25.2
Cocaine	2.2	1.9	Felt hopeless about the future	10.0	11.1
Heroin	1.0	0.7	Felt like not eating or eating more than usual	17.8	18.3
Hallucinogens	1.4	1.9	Slept a lot more or a lot less than usual	21.0	25.0
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.5	1.8	Had difficulty concentrating on school work	22.5	25.2
Steroids not prescribed for student	1.7	1.8			
Synthetic drugs (K2, bath salts, Spice, etc)	7.7		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	12.4	12.3
Alcohol	12.71	12.67	Made plan about how they would attempt suicide	10.7	9.4
Cigarettes	11.89	12.14	Attempted suicide	6.2	6.9
Marijuana	13.81	13.72	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.4	3.2
Inhalants	12.40	12.12			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	18.3	20.4	Were threatened/injured with weapon at school	5.7	9.0
Binge Alcohol (5 or more drinks on one occasion)	11.7	11.8	Were in a physical fight	26.2	25.9
Cigarettes	17.0	17.2	Were in a fight and had to be treated by a doctor or nurse	3.3	4.9
Chewing Tobacco	8.0	8.3			
Marijuana	9.0	6.8	<b>Percent of students in past 3 months who:</b>		
Inhalants	2.5	3.3	Were victims of mean rumors or lies spread at school	55.6	60.3
Prescription medications not prescribed for student	7.9	9.6	Had embarrassing or hurtful pictures/text of them posted on internet	12.7	13.4
Over-the-counter medications for non-medical use	3.6	4.8	Had embarrassing or hurtful pictures/text of them sent by cell phone	17.4	15.2
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	63.7	69.4
Alcohol	55.9	58.7			
Cigarettes	51.3	54.4	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	37.1	36.4	Spread mean rumors or lies about other kids at school	25.8	31.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.6	14.7	Posted on internet embarrassing or hurtful pictures/text of someone	8.7	12.0
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	11.3	14.5
Alcohol	33.3	35.2	Made fun of other people	67.5	73.2
Cigarettes	17.2	17.9			
Marijuana	13.5	10.8	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	71.8	73.7
Alcohol	61.3	60.7	School provides feedback to parents on positive student performance	42.4	43.1
Cigarettes	76.5	75.2	Teachers praise student for hard work	54.6	54.9
Marijuana	81.8	82.7	Rules are enforced fairly	60.4	58.8
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.9	94.5	Students of all races/ethnicities are treated equally	69.7	69.2
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	82.0	81.4	<b>Percent of students who agree that:</b>		
Cigarettes	89.4	89.4	Parents notice and comment on student's good work	84.7	82.5
Marijuana	94.1	93.8	Parents involve student in making family decisions	70.0	70.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	98.7	97.1	It is important to be honest with parents regardless of consequences	86.2	83.4
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	78.1	76.5
Alcohol	53.6	57.4			
Cigarettes	57.5	60.1			
Marijuana	39.2	39.2			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	19.4	21.5			

Notes:  
Blank data cell indicates estimate not available for survey item or geographic area.  
Survey is not conducted in every school district nor reported for every county.  
Percentages are estimates based on weighted data.  
Estimates are not provided for geographic areas with low numbers of respondents.  
Some year-to-year differences in percentages are not statistically significant.  
Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# SUBSTANCE ABUSE SERVICE AREA 21



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	21
Adult Psychiatric	Not Applicable
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	176,570
2012 Pop. Estimate	177,677

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	90,167	91,155	89,977
Employed	84,599	84,102	82,410
Unemployed	5,568	7,053	7,567
Unemployment Rate	6.2%	7.7%	8.4%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	7,444	7,673	7,820
Drop-outs	165	150	218
Drop-out Rate	2.2%	2.0%	2.8%
School Suspensions:			
Alcohol Incidents	14	26	16
Drug Incidents	61	80	70
Tobacco Incidents	4	4	4

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	2,095	2,186	2,213
Mother Reported Smoking while Pregnant	515	587	513

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	9	3	0
IDU and MSM <sup>1</sup>	*	*	0
IDU without MSM <sup>1</sup>	*	*	0

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	1,832	1,831	1,811
Suicides	25	25	27
Self-inflicted Injuries	246	232	246
Homicides	5	3	10
Assault Injuries	590	609	579
Alcohol Induced Deaths	4	11	14
Drug Induced Deaths	30	25	15
Smoking Attributable Deaths	325	340	350

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,810		
Alcohol Primary Diagnosis <sup>2</sup>	113		
Drug Primary Diagnosis <sup>2</sup>	97		
Alcohol Related Diagnosis	678	528	317
Drug Related Diagnosis	795	628	318
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	151		
Alcohol Primary Diagnosis <sup>2</sup>	39		
Drug Primary Diagnosis <sup>2</sup>	22		
Alcohol Related Diagnosis	294	291	494
Drug Related Diagnosis	206	249	366
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,859		
Alcohol Primary Diagnosis <sup>2</sup>	321		
Drug Primary Diagnosis <sup>2</sup>	260		
Alcohol Related Diagnosis	788	720	513
Drug Related Diagnosis	753	630	397

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	181	186	199
Fatal Crashes	2	4	6
Injury Crashes	76	85	85
Property Damage Crashes	103	97	108
Crash Fatalities	2	4	7
Crash Injuries	89	108	103
Drug Involved Crashes--Total	60	42	48
Fatal Crashes	1	1	0
Injury Crashes	26	23	20
Property Damage Crashes	33	18	28
Crash Fatalities	1	1	0
Crash Injuries	25	29	19

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	1,227	1,211	1,255
Liquor Law Arrests	360	351	423
Drug Arrests	898	1,047	1,153
Methamphetamine Lab Incidents	85	151	93
Violent Offenses	769	817	811
Property Offenses	5,256	5,269	4,763
Domestic Violence Reports	1,407	1,354	1,302

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	1,081	1,350	1,561
Violent Offenses	217	275	279
Alcohol Offenses	66	58	65
Drug Offenses	80	60	70
Status Offenses--Total	477	539	614
Truancy	164	191	218
Beyond Parental Control	102	108	93
Habitually Absent from Home	89	104	116
Injurious Behavior	99	101	143
Abuse/Neglect/Custody--Total	328	421	411
Abuse	71	74	98
Neglect	163	218	224
Custody Disputes	94	129	89

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	196	205	190
Parental Alcohol Use Related	6	11	6
Parental Drug Use Related	68	75	54
Parental Alcohol and Drug Use	11	11	1
Child Removed for Other Reason	111	108	129

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	199	200	231
Probation/Parole Admissions--Total	1,353	1,288	1,263
Probation/Parole Admissions--Drug	515	543	486
Probation/Parole Admissions--DWI	95	110	84
Prison Admissions--Total	622	639	611
Prison Admissions--Drug	240	234	238
Prison Admissions--DWI	52	47	40

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	255	256	249
Alcohol Package Carry-out Licenses	170	166	161

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 21

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	190	163	154
CSTAR Adolescent	125	114	105
CSTAR Women and Children	156	176	193
CSTAR General Adult	439	235	131
CSTAR Opioid	*	0	*
Primary Recovery Treatment	542	714	957
Clinical SATOP (CIP, YCIP, SROP)	137	86	112
Other Substance Abuse Treatment	*	5	*

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	927	838	1,083
- Adolescent Diversion Education Program	*	*	5
- Offender Education Program	464	458	542
- Weekend Intervention Program	236	232	282
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	20	14	22
Compulsive Gambling	*	*	0
Recovery Supports	467	284	182
Early Intervention	18	13	12

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	1,486	1,388	1,379	Alcohol	565	495	552
AGE				Marijuana / Hashish	453	460	457
Under 18	134	120	104	Cocaine (total)	93	103	90
18 to 24	287	291	295	- Crack	58	61	66
25 to 29	270	277	266	Stimulant (total)	158	138	103
30 to 34	229	217	194	- Methamphetamine	143	132	98
35 to 39	138	136	146	Heroin	38	52	35
40 to 44	142	121	139	Analgesic except Heroin	124	96	98
45 to 54	223	185	184	- Non-Prescription Methadone	0	0	5
55 and Over	63	41	51	PCP, LSD, other Hallucinogen	11	7	*
GENDER				Tranquilizer	36	29	36
Male	1,052	955	961	Inhalant	*	*	0
Female	434	433	418	Sedative	*	*	5
RACE / ETHNICITY				Other Medication or Illicit Drug	6	*	*
Caucasian	1,190	1,082	1,075	Average Age at First Use of Drug	17.1	17.5	17.3
African American	233	255	254	INJECTION DRUG USE			
Native American / Alaskan	*	*	*	Any Injection Use at Admission	140	121	80
Asian / Pacific Islander	0	0	0	- Daily Injection Use	25	22	14
Hispanic	36	23	17	- Weekly Injection Use	32	29	21
Other Race / Two or More Races	33	31	34	- Less than Weekly Injection Use	83	70	44
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	534	532	532	0	816	804	742
High School Graduate or G.E.D.	673	628	632	1 or 2	414	367	412
Associate Degree or Some College	264	207	197	3 or More	256	217	225
Bachelor or Advanced Degree	15	21	18	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	322	279	268
Employed	421	396	396	School	*	*	7
Unemployed	558	564	555	Mental Health Provider	14	16	18
Not in Labor Force	507	428	428	Health Care Provider	68	39	29
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	937	929	931
Independent Living	1,148	1,038	1,047	Other Referral Source	123	124	126
Dependent Living	275	312	292	TREATMENT ACCOMMODATION			
Homeless	32	25	27	Pregnant when Admitted to any Episode	21	15	24
MARITAL / FAMILY STATUS				Military Veteran	87	59	71
Never Married	813	753	747	Special Education Services Needed	133	131	119
Married / Cohabiting	359	361	343	Co-Occurring Psychological Problem	462	413	371
Previously Married	314	274	289	Co-Occurring Developmental Problem	51	55	45


# SUBSTANCE ABUSE SERVICE AREA 21

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	39.4	46.8	Alcohol	71.2	75.6
Cigarettes	26.7	31.1	Cigarettes	78.8	77.9
Chewing Tobacco	10.5	17.4	Marijuana	77.7	72.1
Marijuana	11.2	17.9	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.5	92.9
Inhalants	5.3	7.5	<b>Percent of students who, in past 30 days:</b>		
Prescription medications not prescribed for student	7.0	12.7	Were very sad	19.0	19.6
Over-the-counter medications for non-medical use	5.4	7.5	Were grouchy, irritable, or in a bad mood	23.6	24.5
Methamphetamine	1.2	0.6	Felt hopeless about the future	10.7	13.5
Cocaine	1.4	1.0	Felt like not eating or eating more than usual	18.0	19.1
Heroin	0.5	0.7	Slept a lot more or a lot less than usual	20.1	27.5
Hallucinogens	2.5	3.0	Had difficulty concentrating on school work	22.6	24.2
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	1.6	2.0	<b>Percent of students who, in past 12 months:</b>		
Steroids not prescribed for student	1.4	1.2	Seriously considered attempting suicide	10.8	12.4
Synthetic drugs (K2, bath salts, Spice, etc)	6.0		Made plan about how they would attempt suicide	7.6	9.0
<b>Average age of students' first use of:</b>			Attempted suicide	4.9	5.8
Alcohol	12.52	12.63	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.1	2.1
Cigarettes	12.32	12.28	<b>Percent of students in past 12 months who:</b>		
Marijuana	13.58	13.69	Were threatened/injured with weapon at school	5.2	9.3
Inhalants	11.83	12.51	Were in a physical fight	19.5	20.6
<b>Percent of students who used in past 30 days:</b>			Were in a fight and had to be treated by a doctor or nurse	2.8	4.1
Alcohol	15.5	22.6	<b>Percent of students in past 3 months who:</b>		
Binge Alcohol (5 or more drinks on one occasion)	8.5	11.8	Were victims of mean rumors or lies spread at school	50.3	54.7
Cigarettes	13.4	16.6	Had embarrassing or hurtful pictures/text of them posted on internet	11.7	14.0
Chewing Tobacco	7.9	9.6	Had embarrassing or hurtful pictures/text of them sent by cell phone	15.9	14.8
Marijuana	5.1	8.8	Were made fun of by others	61.3	68.6
Inhalants	1.4	3.1	<b>Percent of students who, in the past 3 months:</b>		
Prescription medications not prescribed for student	3.4	6.9	Spread mean rumors or lies about other kids at school	30.8	34.5
Over-the-counter medications for non-medical use	3.1	5.0	Posted on internet embarrassing or hurtful pictures/text of someone	7.4	10.6
<b>Percent whose friends used in past 12 months:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	9.6	12.3
Alcohol	53.0	63.4	Made fun of other people	60.0	72.8
Cigarettes	43.1	52.2	<b>Percent of students who agree that:</b>		
Marijuana	29.7	39.6	Teachers notice and comment on student's good work	71.3	69.9
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	12.9	18.9	School provides feedback to parents on positive student performance	36.9	37.8
<b>Percent who would likely use, if offered by a best friend:</b>			Teachers praise student for hard work	54.7	54.2
Alcohol	28.3	35.8	Rules are enforced fairly	65.6	61.0
Cigarettes	13.9	17.2	Students of all races/ethnicities are treated equally	75.1	71.6
Marijuana	8.2	13.8	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Parents notice and comment on student's good work	82.7	83.1
Alcohol	61.0	57.3	Parents involve student in making family decisions	69.6	69.2
Cigarettes	79.9	75.5	It is important to be honest with parents regardless of consequences	85.5	84.6
Marijuana	86.4	80.9	Student could ask parent for help with a personal problem	76.2	77.7
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.9	94.4	<b>Notes:</b>		
<b>Percent whose parents would disapprove if they use:</b>			Blank data cell indicates estimate not available for survey item or geographic area.		
Alcohol	77.6	75.7	Survey is not conducted in every school district nor reported for every county.		
Cigarettes	90.3	88.9	Percentages are estimates based on weighted data.		
Marijuana	93.6	94.2	Estimates are not provided for geographic areas with low numbers of respondents.		
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	96.8	97.7	Some year-to-year differences in percentages are not statistically significant.		
<b>Percent who say it would be easy to obtain:</b>			Responses to some questions combine similar answer choices.		
Alcohol	56.8	61.0			
Cigarettes	52.7	58.8			
Marijuana	32.8	37.4			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	17.4	19.6			

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# SUBSTANCE ABUSE SERVICE AREA 22



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	22
Adult Psychiatric	Not Applicable
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	218,733
2012 Pop. Estimate	220,209

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	115,338	117,800	116,155
Employed	106,839	107,369	104,134
Unemployed	8,499	10,431	12,021
Unemployment Rate	7.4%	8.9%	10.3%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	10,668	10,877	11,134
Drop-outs	247	234	235
Drop-out Rate	2.3%	2.2%	2.1%
School Suspensions:			
Alcohol Incidents	26	24	10
Drug Incidents	109	110	115
Tobacco Incidents	4	1	2

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	2,662	2,758	2,859
Mother Reported Smoking while Pregnant	602	613	574

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	4	11	7
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	1,822	1,823	1,772
Suicides	41	37	32
Self-inflicted Injuries	279	260	155
Homicides	4	9	6
Assault Injuries	523	563	543
Alcohol Induced Deaths	12	4	7
Drug Induced Deaths	54	57	47
Smoking Attributable Deaths	355	373	363

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,659		
Alcohol Primary Diagnosis <sup>2</sup>	33		
Drug Primary Diagnosis <sup>2</sup>	132		
Alcohol Related Diagnosis	392	579	528
Drug Related Diagnosis	584	719	501
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	960		
Alcohol Primary Diagnosis <sup>2</sup>	82		
Drug Primary Diagnosis <sup>2</sup>	119		
Alcohol Related Diagnosis	735	624	634
Drug Related Diagnosis	766	568	554
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,299		
Alcohol Primary Diagnosis <sup>2</sup>	197		
Drug Primary Diagnosis <sup>2</sup>	421		
Alcohol Related Diagnosis	460	508	438
Drug Related Diagnosis	743	666	459

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	240	221	295
Fatal Crashes	7	8	14
Injury Crashes	102	97	117
Property Damage Crashes	131	116	164
Crash Fatalities	8	8	13
Crash Injuries	142	139	158
Drug Involved Crashes--Total	33	35	43
Fatal Crashes	1	5	5
Injury Crashes	18	11	13
Property Damage Crashes	14	19	25
Crash Fatalities	1	5	5
Crash Injuries	23	22	27

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	1,609	1,950	2,055
Liquor Law Arrests	826	730	945
Drug Arrests	1,563	1,574	1,682
Methamphetamine Lab Incidents	253	228	227
Violent Offenses	548	569	606
Property Offenses	4,496	4,248	4,503
Domestic Violence Reports	1,423	1,404	1,393

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	1,186	1,111	1,047
Violent Offenses	395	377	372
Alcohol Offenses	60	65	43
Drug Offenses	131	113	115
Status Offenses--Total	355	444	358
Truancy	172	237	207
Beyond Parental Control	38	47	44
Habitually Absent from Home	69	93	54
Injurious Behavior	76	65	53
Abuse/Neglect/Custody--Total	473	504	456
Abuse	40	54	49
Neglect	56	51	50
Custody Disputes	377	399	357

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	284	307	309
Parental Alcohol Use Related	8	9	20
Parental Drug Use Related	150	125	142
Parental Alcohol and Drug Use	12	16	14
Child Removed for Other Reason	114	157	133

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	100	99	84
Probation/Parole Admissions--Total	984	923	847
Probation/Parole Admissions--Drug	338	271	258
Probation/Parole Admissions--DWI	120	99	72
Prison Admissions--Total	437	369	362
Prison Admissions--Drug	141	105	113
Prison Admissions--DWI	63	41	42

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	183	174	183
Alcohol Package Carry-out Licenses	148	147	143

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREA 22

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	113	136	118
CSTAR Adolescent	178	162	142
CSTAR Women and Children	66	84	65
CSTAR General Adult	563	591	79
CSTAR Opioid	18	17	17
Primary Recovery Treatment	123	172	678
Clinical SATOP (CIP, YCIP, SROP)	301	237	237
Other Substance Abuse Treatment	6	*	12

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	1,261	1,049	1,349
- Adolescent Diversion Education Program	5	11	85
- Offender Education Program	490	409	470
- Weekend Intervention Program	262	234	308
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	18	18	25
Compulsive Gambling	7	*	9
Recovery Supports	5	*	70
Early Intervention	63	125	57

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010	PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Total Individuals	1,220	1,265	1,196	Alcohol	480	480	533
AGE				Marijuana / Hashish	281	292	273
Under 18	184	164	144	Cocaine (total)	24	40	38
18 to 24	235	278	270	- Crack	14	25	24
25 to 29	180	207	222	Stimulant (total)	132	126	98
30 to 34	199	190	135	- Methamphetamine	126	118	94
35 to 39	119	118	133	Heroin	229	241	192
40 to 44	115	99	116	Analgesic except Heroin	56	54	47
45 to 54	155	175	154	- Non-Prescription Methadone	*	*	*
55 and Over	33	34	22	PCP, LSD, other Hallucinogen	*	*	*
GENDER				Tranquilizer	6	23	8
Male	785	826	839	Inhalant	0	*	*
Female	435	439	357	Sedative	*	*	*
RACE / ETHNICITY				Other Medication or Illicit Drug	7	*	0
Caucasian	1,174	1,221	1,148	Average Age at First Use of Drug	18.2	18.0	17.4
African American	22	25	25	INJECTION DRUG USE			
Native American / Alaskan	*	0	*	Any Injection Use at Admission	266	260	209
Asian / Pacific Islander	*	*	0	- Daily Injection Use	74	95	70
Hispanic	9	7	10	- Weekly Injection Use	73	72	75
Other Race / Two or More Races	16	13	17	- Less than Weekly Injection Use	119	93	64
EDUCATION				LIFETIME DUI / DWI ARRESTS			
Less than High School Diploma	438	486	450	0	671	718	624
High School Graduate or G.E.D.	537	534	546	1 or 2	346	353	382
Associate Degree or Some College	239	228	184	3 or More	203	194	190
Bachelor or Advanced Degree	6	17	16	TREATMENT REFERRAL SOURCE			
EMPLOYMENT				Self / Family / Friend	321	357	316
Employed	337	338	374	School	*	*	*
Unemployed	499	537	407	Mental Health Provider	5	20	13
Not in Labor Force	384	390	415	Health Care Provider	22	33	29
HOUSING / LIVING ARRANGEMENT				Court / Criminal Justice	724	720	666
Independent Living	907	963	955	Other Referral Source	143	133	169
Dependent Living	202	201	179	TREATMENT ACCOMMODATION			
Homeless	29	30	44	Pregnant when Admitted to any Episode	31	20	15
MARITAL / FAMILY STATUS				Military Veteran	43	50	39
Never Married	779	811	775	Special Education Services Needed	52	56	53
Married / Cohabiting	232	230	225	Co-Occurring Psychological Problem	480	467	428
Previously Married	209	224	195	Co-Occurring Developmental Problem	40	39	40



# SUBSTANCE ABUSE SERVICE AREA 22

## MISSOURI STUDENT SURVEY 2010 AND 2012

	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	43.9	49.4	Alcohol	68.3	72.6
Cigarettes	25.8	27.6	Cigarettes	81.2	81.1
Chewing Tobacco	7.8	11.2	Marijuana	69.3	71.6
Marijuana	20.2	20.1	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	93.5	94.4
Inhalants	6.1	6.4			
Prescription medications not prescribed for student	9.7	13.4	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	7.2	9.5	Were very sad	21.0	20.5
Methamphetamine	1.2	0.8	Were grouchy, irritable, or in a bad mood	24.2	28.4
Cocaine	2.1	1.9	Felt hopeless about the future	11.3	11.0
Heroin	1.1	0.7	Felt like not eating or eating more than usual	18.5	20.1
Hallucinogens	3.6	3.8	Slept a lot more or a lot less than usual	20.6	25.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.6	2.6	Had difficulty concentrating on school work	26.1	23.4
Steroids not prescribed for student	1.7	1.2			
Synthetic drugs (K2, bath salts, Spice, etc)	8.3		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	12.2	11.6
Alcohol	12.75	12.69	Made plan about how they would attempt suicide	8.6	8.1
Cigarettes	12.85	12.44	Attempted suicide	5.3	5.3
Marijuana	13.79	13.68	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	1.6	1.6
Inhalants	12.48	12.20			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	20.0	25.1	Were threatened/injured with weapon at school	5.9	8.7
Binge Alcohol (5 or more drinks on one occasion)	11.8	9.4	Were in a physical fight	20.8	23.5
Cigarettes	13.3	14.2	Were in a fight and had to be treated by a doctor or nurse	3.2	4.1
Chewing Tobacco	6.2	5.8			
Marijuana	11.1	11.3	<b>Percent of students in past 3 months who:</b>		
Inhalants	2.7	3.1	Were victims of mean rumors or lies spread at school	48.5	50.7
Prescription medications not prescribed for student	5.8	7.9	Had embarrassing or hurtful pictures/text of them posted on internet	14.3	12.0
Over-the-counter medications for non-medical use	4.7	5.4	Had embarrassing or hurtful pictures/text of them sent by cell phone	16.9	13.8
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	59.9	66.9
Alcohol	57.1	64.4			
Cigarettes	47.7	51.6	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	43.1	44.1	Spread mean rumors or lies about other kids at school	27.4	31.5
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.5	21.2	Posted on internet embarrassing or hurtful pictures/text of someone	9.4	10.2
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	11.2	13.7
Alcohol	34.0	39.0	Made fun of other people	61.8	72.0
Cigarettes	13.9	15.8			
Marijuana	15.9	15.6	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	65.6	70.0
Alcohol	59.1	54.6	School provides feedback to parents on positive student performance	34.2	38.9
Cigarettes	80.6	78.8	Teachers praise student for hard work	53.2	57.0
Marijuana	77.7	78.3	Rules are enforced fairly	62.9	66.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	95.0	94.9	Students of all races/ethnicities are treated equally	78.8	79.9
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	77.1	75.2	<b>Percent of students who agree that:</b>		
Cigarettes	91.2	89.9	Parents notice and comment on student's good work	81.8	83.1
Marijuana	92.8	92.0	Parents involve student in making family decisions	67.2	67.6
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.9	97.5	It is important to be honest with parents regardless of consequences	85.7	82.6
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	76.3	76.9
Alcohol	59.6	63.0			
Cigarettes	57.1	61.6			
Marijuana	44.5	44.1			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	21.6	21.2			


### Notes:

Blank data cell indicates estimate not available for survey item or geographic area. Survey is not conducted in every school district nor reported for every county. Percentages are estimates based on weighted data. Estimates are not provided for geographic areas with low numbers of respondents. Some year-to-year differences in percentages are not statistically significant. Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.



# SUBSTANCE ABUSE SERVICE AREAS 23-25 (SL)



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	23-25 (SL)
Adult Psychiatric	Not Applicable
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	1,318,248
2012 Pop. Estimate	1,318,610

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	653,895	672,447	671,936
Employed	606,479	612,186	604,353
Unemployed	47,416	60,261	67,583
Unemployment Rate	7.3%	9.0%	10.1%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	55,550	57,776	59,498
Drop-outs	2,869	3,101	3,191
Drop-out Rate	5.2%	5.4%	5.4%
School Suspensions:			
Alcohol Incidents	81	98	61
Drug Incidents	590	637	537
Tobacco Incidents	7	16	21

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	16,891	16,486	16,906
Mother Reported Smoking while Pregnant	1,865	1,895	1,624

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total	219	273	226
IDU and MSM <sup>1</sup>	*	*	*
IDU without MSM <sup>1</sup>	*	*	*

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	12,168	12,297	12,150
Suicides	174	160	179
Self-inflicted Injuries	1,433	1,358	1,299
Homicides	165	186	206
Assault Injuries	6,831	6,738	6,954
Alcohol Induced Deaths	82	95	84
Drug Induced Deaths	257	228	210
Smoking Attributable Deaths	1,870	1,908	1,927

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	7,892		
Alcohol Primary Diagnosis <sup>2</sup>	593		
Drug Primary Diagnosis <sup>2</sup>	1,079		
Alcohol Related Diagnosis	3,347	4,055	3,652
Drug Related Diagnosis	4,621	4,590	4,256
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	8,631		
Alcohol Primary Diagnosis <sup>2</sup>	916		
Drug Primary Diagnosis <sup>2</sup>	627		
Alcohol Related Diagnosis	6,088	5,168	5,515
Drug Related Diagnosis	6,398	4,839	4,874
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	11,237		
Alcohol Primary Diagnosis <sup>2</sup>	3,247		
Drug Primary Diagnosis <sup>2</sup>	2,556		
Alcohol Related Diagnosis	6,712	6,164	5,440
Drug Related Diagnosis	8,525	6,281	4,307

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	896	1,000	984
Fatal Crashes	17	17	7
Injury Crashes	316	349	346
Property Damage Crashes	563	634	631
Crash Fatalities	18	18	5
Crash Injuries	491	554	320
Drug Involved Crashes--Total	140	151	123
Fatal Crashes	4	8	4
Injury Crashes	68	68	50
Property Damage Crashes	68	75	69
Crash Fatalities	4	8	4
Crash Injuries	64	113	53

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	5,407	5,714	6,735
Liquor Law Arrests	2,060	1,507	1,870
Drug Arrests	12,430	10,535	9,221
Methamphetamine Lab Incidents	117	78	38
Violent Offenses	9,022	9,503	10,560
Property Offenses	57,444	60,146	60,384
Domestic Violence Reports	7,218	7,465	7,216

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	8,517	8,193	9,098
Violent Offenses	1,965	2,394	2,588
Alcohol Offenses	170	124	194
Drug Offenses	533	602	624
Status Offenses--Total	1,870	2,001	1,835
Truancy	526	590	464
Beyond Parental Control	245	234	226
Habitually Absent from Home	981	1,076	1,026
Injurious Behavior	66	63	57
Abuse/Neglect/Custody--Total	2,275	1,835	2,025
Abuse	586	556	597
Neglect	1,455	1,056	1,209
Custody Disputes	234	223	219

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	628	664	799
Parental Alcohol Use Related	12	22	16
Parental Drug Use Related	151	126	122
Parental Alcohol and Drug Use	7	10	17
Child Removed for Other Reason	458	506	644

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	824	862	940
Probation/Parole Admissions--Total	7,495	7,562	8,156
Probation/Parole Admissions--Drug	2,004	2,145	2,556
Probation/Parole Admissions--DWI	275	197	103
Prison Admissions--Total	3,293	3,112	3,243
Prison Admissions--Drug	891	889	932
Prison Admissions--DWI	59	114	73

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	2,027	2,030	2,002
Alcohol Package Carry-out Licenses	838	830	846

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# SUBSTANCE ABUSE SERVICE AREAS 23-25 (SL)

## DIVISION OF BEHAVIORAL HEALTH: SUBSTANCE ABUSE AND COMPULSIVE GAMBLING ADMISSIONS

Some individuals were admitted to more than one category of substance abuse treatment and are counted once in each treatment category they accessed during the fiscal year:

TREATMENT CATEGORY	FY2012	FY2011	FY2010
Detoxification	1,293	1,343	1,334
CSTAR Adolescent	251	327	374
CSTAR Women and Children	1,118	1,208	1,291
CSTAR General Adult	1,791	1,502	690
CSTAR Opioid	456	514	333
Primary Recovery Treatment	894	1,638	3,112
Clinical SATOP (CIP, YCIP, SROP)	1,138	973	989
Other Substance Abuse Treatment	706	683	740

SUBSTANCE ABUSE TRAFFIC OFFENDER PROGRAM (SATOP)	FY2012	FY2011	FY2010
Offender Management Unit	4,682	4,668	5,650
- Adolescent Diversion Education Program	178	197	370
- Offender Education Program	1,936	1,925	2,199
- Weekend Intervention Program	956	989	1,235
(See also Clinical SATOP at left)			
OTHER SERVICES PROVIDED			
Co-Dependency	509	509	395
Compulsive Gambling	58	46	71
Recovery Supports	27	336	2,413
Early Intervention	152	65	78

The profiles below summarize individuals admitted to Division of Behavioral Health substance abuse treatment programs. Individuals are counted only once, regardless of their number of admissions within the fiscal year. Individuals admitted only to non-substance abuse treatment categories listed in the box above-right are not included below. An asterisk (\*) in a data cell indicates the count was fewer than 5 and suppressed to avoid disclosure of identifying information:

NUMBER ADMITTED	FY2012	FY2011	FY2010
Total Individuals	6,203	6,581	7,377
AGE			
Under 18	248	340	382
18 to 24	867	941	1,199
25 to 29	1,047	1,104	1,282
30 to 34	1,021	1,013	1,024
35 to 39	685	783	783
40 to 44	624	712	848
45 to 54	1,284	1,267	1,447
55 and Over	427	421	412

GENDER			
Male	4,135	4,566	5,248
Female	2,066	2,015	2,128

RACE / ETHNICITY			
Caucasian	2,664	2,685	2,894
African American	3,346	3,707	4,275
Native American / Alaskan	*	11	*
Asian / Pacific Islander	19	10	11
Hispanic	63	62	78
Other Race / Two or More Races	137	131	150

EDUCATION			
Less than High School Diploma	2,191	2,562	2,796
High School Graduate or G.E.D.	2,564	2,639	3,089
Associate Degree or Some College	1,357	1,203	1,276
Bachelor or Advanced Degree	91	177	216

EMPLOYMENT			
Employed	1,312	1,321	1,614
Unemployed	2,385	2,638	3,046
Not in Labor Force	2,506	2,622	2,717

HOUSING / LIVING ARRANGEMENT			
Independent Living	4,548	4,740	5,499
Dependent Living	642	875	1,069
Homeless	643	679	528

MARITAL / FAMILY STATUS			
Never Married	4,382	4,690	5,229
Married / Cohabiting	951	985	1,118
Previously Married	870	906	1,028

PRIMARY DRUG PROBLEM	FY2012	FY2011	FY2010
Alcohol	1,969	2,081	2,384
Marijuana / Hashish	1,187	1,434	1,878
Cocaine (total)	805	922	1,071
- Crack	573	803	931
Stimulant (total)	91	72	82
- Methamphetamine	75	64	71
Heroin	1,908	1,861	1,743
Analgesic except Heroin	164	143	147
- Non-Prescription Methadone	8	10	7
PCP, LSD, other Hallucinogen	42	40	44
Tranquilizer	17	16	14
Inhalant	*	*	*
Sedative	*	5	*
Other Medication or Illicit Drug	14	6	9
Average Age at First Use of Drug	19.9	19.5	18.8

INJECTION DRUG USE			
Any Injection Use at Admission	1,147	1,005	924
- Daily Injection Use	659	573	496
- Weekly Injection Use	216	204	192
- Less than Weekly Injection Use	272	228	236

LIFETIME DUI / DWI ARRESTS			
0	4,341	4,826	5,260
1 or 2	1,273	1,249	1,562
3 or More	589	506	555

TREATMENT REFERRAL SOURCE			
Self / Family / Friend	2,373	2,333	2,305
School	17	9	10
Mental Health Provider	44	72	72
Health Care Provider	195	164	239
Court / Criminal Justice	3,079	3,483	4,199
Other Referral Source	464	519	552

TREATMENT ACCOMMODATION			
Pregnant when Admitted to any Episode	178	171	153
Military Veteran	264	261	237
Special Education Services Needed	456	464	487
Co-Occurring Psychological Problem	1,593	1,589	1,763
Co-Occurring Developmental Problem	290	182	241

# SUBSTANCE ABUSE SERVICE AREAS 23-25 (SL)

## MISSOURI STUDENT SURVEY 2010 AND 2012


	2012	2010		2012	2010
<b>Percent of students who have ever used:</b>			<b>Percent who believe they risk harm if they use:</b>		
Alcohol	37.3	42.7	Alcohol	71.1	70.3
Cigarettes	19.9	23.9	Cigarettes	82.8	83.1
Chewing Tobacco	4.1	4.4	Marijuana	67.4	72.4
Marijuana	21.2	23.0	Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	92.2	92.7
Inhalants	4.7	5.4			
Prescription medications not prescribed for student	8.6	9.2	<b>Percent of students who, in past 30 days:</b>		
Over-the-counter medications for non-medical use	5.4	6.9	Were very sad	17.1	20.7
Methamphetamine	1.1	0.5	Were grouchy, irritable, or in a bad mood	24.4	25.3
Cocaine	1.5	1.3	Felt hopeless about the future	10.5	12.6
Heroin	1.0	0.6	Felt like not eating or eating more than usual	16.3	19.0
Hallucinogens	3.1	2.9	Slept a lot more or a lot less than usual	19.6	26.5
Club drugs (Ecstasy, GHB, roofie, Special K, etc)	2.2	2.2	Had difficulty concentrating on school work	23.0	25.1
Steroids not prescribed for student	1.2	0.8			
Synthetic drugs (K2, bath salts, Spice, etc)	5.5		<b>Percent of students who, in past 12 months:</b>		
<b>Average age of students' first use of:</b>			Seriously considered attempting suicide	12.4	11.7
Alcohol	13.12	12.86	Made plan about how they would attempt suicide	8.8	8.5
Cigarettes	12.71	12.63	Attempted suicide	6.4	5.7
Marijuana	13.89	13.70	Attempted suicide and resulting injury, poisoning, or overdose had to be treated by doctor or nurse	2.2	2.2
Inhalants	11.32	11.53			
<b>Percent of students who used in past 30 days:</b>			<b>Percent of students in past 12 months who:</b>		
Alcohol	18.1	20.8	Were threatened/injured with weapon at school	6.4	9.3
Binge Alcohol (5 or more drinks on one occasion)	10.3	10.8	Were in a physical fight	23.1	24.3
Cigarettes	9.5	11.8	Were in a fight and had to be treated by a doctor or nurse	4.3	4.1
Chewing Tobacco	2.0	2.2			
Marijuana	12.5	13.6	<b>Percent of students in past 3 months who:</b>		
Inhalants	2.5	2.8	Were victims of mean rumors or lies spread at school	44.7	48.7
Prescription medications not prescribed for student	5.1	6.1	Had embarrassing or hurtful pictures/text of them posted on internet	13.3	13.5
Over-the-counter medications for non-medical use	3.0	4.4	Had embarrassing or hurtful pictures/text of them sent by cell phone	14.2	12.4
<b>Percent whose friends used in past 12 months:</b>			Were made fun of by others	60.5	66.9
Alcohol	49.8	56.5			
Cigarettes	39.2	43.4	<b>Percent of students who, in the past 3 months:</b>		
Marijuana	42.3	45.0	Spread mean rumors or lies about other kids at school	28.8	32.4
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	14.5	16.8	Posted on internet embarrassing or hurtful pictures/text of someone	10.8	13.0
<b>Percent who would likely use, if offered by a best friend:</b>			Sent by cell phone embarrassing or hurtful pictures/text of someone	11.7	13.7
Alcohol	30.2	33.5	Made fun of other people	66.1	74.4
Cigarettes	11.0	11.6			
Marijuana	16.9	19.0	<b>Percent of students who agree that:</b>		
<b>Percent who say it would be wrong to use:</b>			Teachers notice and comment on student's good work	73.6	74.5
Alcohol	62.5	58.1	School provides feedback to parents on positive student performance	43.6	44.1
Cigarettes	83.3	81.0	Teachers praise student for hard work	61.9	60.1
Marijuana	75.8	74.9	Rules are enforced fairly	63.9	65.1
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	94.9	94.4	Students of all races/ethnicities are treated equally	69.4	74.6
<b>Percent whose parents would disapprove if they use:</b>					
Alcohol	80.7	79.2	<b>Percent of students who agree that:</b>		
Cigarettes	91.9	90.9	Parents notice and comment on student's good work	83.5	83.5
Marijuana	91.7	91.8	Parents involve student in making family decisions	72.0	71.0
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	97.3	97.0	It is important to be honest with parents regardless of consequences	83.6	81.4
<b>Percent who say it would be easy to obtain:</b>			Student could ask parent for help with a personal problem	76.8	75.7
Alcohol	57.4	61.0			
Cigarettes	50.8	55.5			
Marijuana	44.2	46.7			
Other Illicit (Cocaine, LSD, Meth, Club Drug, etc)	18.3	20.4			

### Notes:

Blank data cell indicates estimate not available for survey item or geographic area. Survey is not conducted in every school district nor reported for every county. Percentages are estimates based on weighted data. Estimates are not provided for geographic areas with low numbers of respondents. Some year-to-year differences in percentages are not statistically significant. Responses to some questions combine similar answer choices.

Data source: Missouri Institute of Mental Health, 2010-2012 Missouri Student Survey.

# PSYCHIATRIC SERVICE AREA 1



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	1
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	183,003
2012 Pop. Estimate	183,018

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	100,132	100,397	95,998
Employed	94,363	92,882	87,821
Unemployed	5,769	7,515	8,177
Unemployment Rate	5.8%	7.5%	8.5%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	7,562	7,999	8,178
Drop-outs	164	152	157
Drop-out Rate	2.2%	1.9%	1.9%
School Suspensions:			
Alcohol Incidents	2	6	7
Drug Incidents	51	23	23
Tobacco Incidents	1	0	0

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	2,163	2,270	2,381
Mother Reported Smoking while Pregnant	505	516	503

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total			
IDU and MSM <sup>1</sup>			
IDU without MSM <sup>1</sup>			

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	1,967	1,897	1,846
Suicides	22	30	27
Self-inflicted Injuries	242	243	185
Homicides	7	9	4
Assault Injuries	713	681	660
Alcohol Induced Deaths	15	16	9
Drug Induced Deaths	17	7	18
Smoking Attributable Deaths	349	352	348

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,523		
Alcohol Primary Diagnosis <sup>2</sup>	93		
Drug Primary Diagnosis <sup>2</sup>	73		
Alcohol Related Diagnosis	380	620	328
Drug Related Diagnosis	474	601	326
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	795		
Alcohol Primary Diagnosis <sup>2</sup>	211		
Drug Primary Diagnosis <sup>2</sup>	116		
Alcohol Related Diagnosis	716	554	638
Drug Related Diagnosis	631	397	456
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,912		
Alcohol Primary Diagnosis <sup>2</sup>	362		
Drug Primary Diagnosis <sup>2</sup>	203		
Alcohol Related Diagnosis	786	858	653
Drug Related Diagnosis	631	571	382

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	172	196	240
Fatal Crashes	8	6	11
Injury Crashes	81	87	89
Property Damage Crashes	83	103	123
Crash Fatalities	11	6	10
Crash Injuries	123	130	131
Drug Involved Crashes--Total	34	34	25
Fatal Crashes	2	1	1
Injury Crashes	15	17	12
Property Damage Crashes	17	16	12
Crash Fatalities	2	1	1
Crash Injuries	16	22	14

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	1,111	1,073	1,121
Liquor Law Arrests	736	683	579
Drug Arrests	1,128	1,306	1,305
Methamphetamine Lab Incidents	9	7	13
Violent Offenses	504	483	594
Property Offenses	5,710	5,276	5,492
Domestic Violence Reports	1,363	1,429	1,390

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	964	925	824
Violent Offenses	220	218	184
Alcohol Offenses	40	27	48
Drug Offenses	54	59	63
Status Offenses--Total	654	643	557
Truancy	221	207	136
Beyond Parental Control	170	181	206
Habitually Absent from Home	152	150	125
Injurious Behavior	96	85	82
Abuse/Neglect/Custody--Total	258	317	230
Abuse	28	43	30
Neglect	230	267	196
Custody Disputes	0	7	4

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	138	124	76
Parental Alcohol Use Related	6	5	4
Parental Drug Use Related	20	32	12
Parental Alcohol and Drug Use	1	1	1
Child Removed for Other Reason	111	86	59


<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	265	220	211
Probation/Parole Admissions--Total	1,693	1,517	1,490
Probation/Parole Admissions--Drug	560	554	465
Probation/Parole Admissions--DWI	138	114	127
Prison Admissions--Total	907	961	944
Prison Admissions--Drug	324	348	344
Prison Admissions--DWI	68	82	78

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	207	215	212
Alcohol Package Carry-out Licenses	184	173	166

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 1

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 1  
**CENSUS 2010** 183,003  
**2012 POPULATION ESTIMATE** 183,018

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.


<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	122	151	97
Anxiety Disorder	543	420	407
Dementia	8	9	12
Developmental Disorder	22	11	8
Impulse Control Disorder	532	513	464
Mood Disorder	1,181	1,133	1,121
Personality Disorder	93	94	104
Psychotic Disorder	483	450	456
Sexual Disorder	*	*	*
Other Diagnosis	321	298	277
Diagnosis Unknown	288	365	262

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	2,506	2,562	2,411	Less than High School Diploma	441	156	8
<b>AGE</b>				High School Grad or G.E.D.	553	193	10
Under 6	78	87	103	Associate Degree or Some College	203	106	7
6 to 9	272	277	271	Bachelor or Advanced Degree	47	15	0
10 to 13	289	316	261	Education Level Unknown	1,262	2,092	2,386
14 to 17	266	291	233	<b>EMPLOYMENT</b>			
18 to 24	172	175	158	Employed	140	52	*
25 to 29	146	142	155	Unemployed	971	408	23
30 to 34	142	152	146	Not in Labor Force	163	12	*
35 to 39	177	176	175	Employment Status Unknown	1,232	2,090	2,386
40 to 44	176	181	173	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	240	221	221	Independent Living	947	387	15
50 to 54	237	238	220	Dependent Living	505	351	27
55 to 59	144	140	145	Homeless	26	*	*
60 and Over	167	166	150	Other	15	12	*
Age Unknown	0	0	0	Housing Unknown	1,013	1,810	2,365
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,326	1,369	1,285	Self / Family / Friend	808	829	718
Female	1,180	1,193	1,126	School	148	145	135
Gender Unknown	0	0	0	Mental Health Provider	571	585	553
<b>RACE / ETHNICITY</b>				Health Care Provider	399	404	366
Caucasian	2,108	2,182	2,076	Court / Criminal Justice	198	167	162
African American	207	206	180	Other	358	403	440
Native American / Alaskan	18	26	12	Referral Source Unknown	24	29	37
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	71	54	47	Voluntary	2,361	2,405	2,249
Other Race	100	92	93	Civil	18	17	13
Race/Ethnicity Unknown	0	0	*	Criminal	102	108	110
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	137	134	118	Commitment Type Unknown	24	29	36
Past or Current Military Service	82	82	81				



# PSYCHIATRIC SERVICE AREAS 2, 3, 4, 5



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	2, 3, 4, 5
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	674,158
2012 Pop. Estimate	677,377

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	333,027	339,740	340,863
Employed	307,454	307,179	303,463
Unemployed	25,573	32,561	37,400
Unemployment Rate	7.7%	9.6%	11.0%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	28,672	29,317	29,642
Drop-outs	1,515	1,592	1,338
Drop-out Rate	5.3%	5.4%	4.5%
School Suspensions:			
Alcohol Incidents	38	56	43
Drug Incidents	418	406	369
Tobacco Incidents	10	12	8

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	9,583	9,763	10,348
Mother Reported Smoking while Pregnant	1,485	1,529	1,324

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total			
IDU and MSM <sup>1</sup>			
IDU without MSM <sup>1</sup>			

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	5,981	5,883	5,903
Suicides	127	93	98
Self-inflicted Injuries	1,120	1,133	1,127
Homicides	112	121	111
Assault Injuries	4,490	4,370	4,770
Alcohol Induced Deaths	65	72	67
Drug Induced Deaths	105	123	111
Smoking Attributable Deaths	974	942	958

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	7,059		
Alcohol Primary Diagnosis <sup>2</sup>	732		
Drug Primary Diagnosis <sup>2</sup>	385		
Alcohol Related Diagnosis	3,170	3,297	1,901
Drug Related Diagnosis	3,619	3,955	2,157
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,549		
Alcohol Primary Diagnosis <sup>2</sup>	492		
Drug Primary Diagnosis <sup>2</sup>	265		
Alcohol Related Diagnosis	3,133	3,213	3,771
Drug Related Diagnosis	2,683	2,605	3,052
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	5,955		
Alcohol Primary Diagnosis <sup>2</sup>	3,963		
Drug Primary Diagnosis <sup>2</sup>	1,539		
Alcohol Related Diagnosis	7,134	6,975	6,530
Drug Related Diagnosis	5,025	4,108	2,801

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	648	716	754
Fatal Crashes	13	9	23
Injury Crashes	307	289	312
Property Damage Crashes	328	418	402
Crash Fatalities	14	9	25
Crash Injuries	500	428	350
Drug Involved Crashes--Total	148	165	200
Fatal Crashes	3	2	7
Injury Crashes	77	79	101
Property Damage Crashes	68	84	92
Crash Fatalities	3	2	7
Crash Injuries	85	109	104

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	3,096	3,522	3,177
Liquor Law Arrests	575	892	1,289
Drug Arrests	2,001	3,800	6,377
Methamphetamine Lab Incidents	26	24	21
Violent Offenses	1,121	6,712	7,690
Property Offenses	14,421	43,841	41,841
Domestic Violence Reports	3,203	7,709	3,179

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	1,621	1,210	1,584
Violent Offenses	475	505	554
Alcohol Offenses	4	19	17
Drug Offenses	70	79	123
Status Offenses--Total	95	83	22
Truancy	3	21	1
Beyond Parental Control	10	22	2
Habitually Absent from Home	18	18	1
Injurious Behavior	10	11	17
Abuse/Neglect/Custody--Total	1,312	1,581	1,441
Abuse	142	197	7
Neglect	839	991	1,202
Custody Disputes	331	393	232

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	994	1,084	935
Parental Alcohol Use Related	51	27	32
Parental Drug Use Related	294	303	249
Parental Alcohol and Drug Use	20	41	34
Child Removed for Other Reason	629	713	620

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	871	870	809
Probation/Parole Admissions--Total	2,829	2,969	3,156
Probation/Parole Admissions--Drug	940	995	1,228
Probation/Parole Admissions--DWI	187	147	146
Prison Admissions--Total	1,165	1,357	1,417
Prison Admissions--Drug	249	320	364
Prison Admissions--DWI	95	106	73


<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	804	784	766
Alcohol Package Carry-out Licenses	463	445	434

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# PSYCHIATRIC SERVICE AREAS 2, 3, 4, 5

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 2-5  
**CENSUS 2010** 674,158  
**2012 POPULATION ESTIMATE** 677,377


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	627	534	587
Anxiety Disorder	3,054	2,400	2,238
Dementia	29	17	22
Developmental Disorder	73	69	76
Impulse Control Disorder	1,818	1,662	1,584
Mood Disorder	6,861	5,791	5,420
Personality Disorder	229	227	218
Psychotic Disorder	2,835	2,527	2,294
Sexual Disorder	8	12	13
Other Diagnosis	713	686	604
Diagnosis Unknown	2,845	2,671	5,480

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	14,653	13,020	15,376	Less than High School Diploma	1,403	919	1,008
<b>AGE</b>				High School Grad or G.E.D.	1,305	1,220	1,269
Under 6	169	164	223	Associate Degree or Some College	505	476	549
6 to 9	867	760	846	Bachelor or Advanced Degree	155	172	154
10 to 13	1,054	912	993	Education Level Unknown	11,285	10,233	12,396
14 to 17	1,100	1,061	1,165	<b>EMPLOYMENT</b>			
18 to 24	1,322	1,123	1,513	Employed	379	309	430
25 to 29	1,132	1,029	1,387	Unemployed	2,613	2,427	2,470
30 to 34	1,334	1,159	1,357	Not in Labor Force	1,084	71	109
35 to 39	1,176	1,061	1,342	Employment Status Unknown	10,577	10,213	12,367
40 to 44	1,291	1,177	1,440	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	1,568	1,448	1,802	Independent Living	2,756	2,139	2,215
50 to 54	1,666	1,411	1,521	Dependent Living	1,144	849	464
55 to 59	1,074	962	996	Homeless	256	161	185
60 and Over	900	753	791	Other	117	191	364
Age Unknown	0	0	0	Housing Unknown	10,380	9,680	12,148
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	7,222	6,540	7,736	Self / Family / Friend	7,141	5,496	6,416
Female	7,431	6,480	7,640	School	186	176	215
Gender Unknown	0	0	0	Mental Health Provider	1,315	1,460	1,585
<b>RACE / ETHNICITY</b>				Health Care Provider	2,081	1,636	1,822
Caucasian	6,812	6,195	7,334	Court / Criminal Justice	827	891	1,318
African American	6,494	5,437	6,606	Other	3,000	3,215	3,595
Native American / Alaskan	58	64	69	Referral Source Unknown	103	146	425
Asian / Pacific Islander	56	51	50	<b>TYPE OF COMMITMENT</b>			
Hispanic	437	384	456	Voluntary	14,360	12,667	14,779
Other Race	795	888	861	Civil	87	93	92
Race/Ethnicity Unknown	*	*	0	Criminal	115	126	107
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	6	8	*
Hearing Impaired	225	204	245	Commitment Type Unknown	85	126	394
Past or Current Military Service	297	290	346				

# PSYCHIATRIC SERVICE AREA 6



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	6
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	334,755
2012 Pop. Estimate	342,695

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	4,399	4,556	4,598
Mother Reported Smoking while Pregnant	625	653	586

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total			
IDU and MSM <sup>1</sup>			
IDU without MSM <sup>1</sup>			

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	2,331	2,358	2,296
Suicides	46	51	52
Self-inflicted Injuries	511	544	479
Homicides	14	9	9
Assault Injuries	1,039	1,014	1,123
Alcohol Induced Deaths	26	23	23
Drug Induced Deaths	33	36	44
Smoking Attributable Deaths	418	451	441

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	2,330		
Alcohol Primary Diagnosis <sup>2</sup>	201		
Drug Primary Diagnosis <sup>2</sup>	131		
Alcohol Related Diagnosis	881	1,063	717
Drug Related Diagnosis	913	1,048	727
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	485		
Alcohol Primary Diagnosis <sup>2</sup>	207		
Drug Primary Diagnosis <sup>2</sup>	121		
Alcohol Related Diagnosis	1,143	972	1,106
Drug Related Diagnosis	850	735	830
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	2,629		
Alcohol Primary Diagnosis <sup>2</sup>	829		
Drug Primary Diagnosis <sup>2</sup>	408		
Alcohol Related Diagnosis	1,730	1,741	1,484
Drug Related Diagnosis	1,316	1,143	802

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	254	320	310
Fatal Crashes	5	13	13
Injury Crashes	91	126	127
Property Damage Crashes	158	181	180
Crash Fatalities	5	13	12
Crash Injuries	137	170	141
Drug Involved Crashes--Total	55	43	52
Fatal Crashes	2	2	3
Injury Crashes	24	13	24
Property Damage Crashes	29	28	25
Crash Fatalities	2	2	2
Crash Injuries	28	19	23

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	182,982	183,595	179,297
Employed	171,342	169,407	163,551
Unemployed	11,640	14,188	15,746
Unemployment Rate	6.4%	7.7%	8.8%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	17,226	17,109	17,930
Drop-outs	358	379	475
Drop-out Rate	2.1%	2.2%	2.6%
School Suspensions:			
Alcohol Incidents	25	24	15
Drug Incidents	146	151	165
Tobacco Incidents	8	0	3

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	1,621	1,625	1,615
Liquor Law Arrests	507	464	690
Drug Arrests	1,128	1,154	1,092
Methamphetamine Lab Incidents	4	6	11
Violent Offenses	372	321	355
Property Offenses	4,120	3,856	3,461
Domestic Violence Reports	1,014	1,097	1,266

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	1,055	1,106	1,443
Violent Offenses	256	278	357
Alcohol Offenses	65	50	72
Drug Offenses	125	147	150
Status Offenses--Total	173	183	170
Truancy	44	43	45
Beyond Parental Control	51	54	56
Habitually Absent from Home	46	45	40
Injurious Behavior	26	37	29
Abuse/Neglect/Custody--Total	266	241	261
Abuse	46	41	46
Neglect	206	189	202
Custody Disputes	14	11	13

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	58	75	68
Parental Alcohol Use Related	4	5	11
Parental Drug Use Related	10	16	16
Parental Alcohol and Drug Use	2	0	1
Child Removed for Other Reason	42	54	40


<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	134	109	94
Probation/Parole Admissions--Total	1,364	1,222	1,210
Probation/Parole Admissions--Drug	383	329	326
Probation/Parole Admissions--DWI	124	109	97
Prison Admissions--Total	732	699	699
Prison Admissions--Drug	182	183	156
Prison Admissions--DWI	69	50	57

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	332	336	327
Alcohol Package Carry-out Licenses	226	228	223

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 6

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 6  
**CENSUS 2010** 334,755  
**2012 POPULATION ESTIMATE** 342,695


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	87	86	98
Anxiety Disorder	1,532	1,241	1,193
Dementia	17	13	16
Developmental Disorder	71	55	59
Impulse Control Disorder	646	496	502
Mood Disorder	2,602	2,162	2,188
Personality Disorder	604	394	374
Psychotic Disorder	532	448	438
Sexual Disorder	*	*	*
Other Diagnosis	257	226	238
Diagnosis Unknown	363	509	984

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	3,704	3,272	3,831	Less than High School Diploma	205	99	55
<b>AGE</b>				High School Grad or G.E.D.	178	189	110
Under 6	28	17	25	Associate Degree or Some College	72	62	45
6 to 9	126	92	102	Bachelor or Advanced Degree	26	15	11
10 to 13	174	140	187	Education Level Unknown	3,223	2,907	3,610
14 to 17	254	203	296	<b>EMPLOYMENT</b>			
18 to 24	354	311	427	Employed	115	39	24
25 to 29	349	326	414	Unemployed	361	321	193
30 to 34	401	351	387	Not in Labor Force	236	7	5
35 to 39	359	335	402	Employment Status Unknown	2,992	2,905	3,609
40 to 44	362	340	378	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	402	389	430	Independent Living	516	294	181
50 to 54	373	333	341	Dependent Living	231	212	28
55 to 59	280	224	221	Homeless	16	7	6
60 and Over	242	211	221	Other	10	12	15
Age Unknown	0	0	0	Housing Unknown	2,931	2,747	3,601
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,551	1,343	1,623	Self / Family / Friend	3,425	2,921	3,271
Female	2,153	1,929	2,208	School	*	5	6
Gender Unknown	0	0	0	Mental Health Provider	66	75	92
<b>RACE / ETHNICITY</b>				Health Care Provider	74	81	110
Caucasian	3,226	2,871	3,336	Court / Criminal Justice	25	26	39
African American	217	167	198	Other	80	99	146
Native American / Alaskan	15	13	19	Referral Source Unknown	31	65	167
Asian / Pacific Islander	17	14	17	<b>TYPE OF COMMITMENT</b>			
Hispanic	100	71	81	Voluntary	3,664	3,199	3,650
Other Race	129	132	175	Civil	*	0	*
Race/Ethnicity Unknown	0	*	5	Criminal	6	6	9
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	76	55	65	Commitment Type Unknown	31	66	167
Past or Current Military Service	46	42	51				

# PSYCHIATRIC SERVICE AREA 7



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	7
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	185,454
2012 Pop. Estimate	187,853

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	2,287	2,414	2,405
Mother Reported Smoking while Pregnant	481	490	411

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total			
IDU and MSM <sup>1</sup>			
IDU without MSM <sup>1</sup>			

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	1,546	1,592	1,503
Suicides	23	32	21
Self-inflicted Injuries	278	226	217
Homicides	7	4	4
Assault Injuries	552	550	471
Alcohol Induced Deaths	12	10	6
Drug Induced Deaths	29	19	15
Smoking Attributable Deaths	268	271	282

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,618		
Alcohol Primary Diagnosis <sup>2</sup>	105		
Drug Primary Diagnosis <sup>2</sup>	57		
Alcohol Related Diagnosis	524	601	355
Drug Related Diagnosis	522	528	346
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	191		
Alcohol Primary Diagnosis <sup>2</sup>	63		
Drug Primary Diagnosis <sup>2</sup>	39		
Alcohol Related Diagnosis	366	328	379
Drug Related Diagnosis	293	200	267
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,243		
Alcohol Primary Diagnosis <sup>2</sup>	296		
Drug Primary Diagnosis <sup>2</sup>	187		
Alcohol Related Diagnosis	607	651	593
Drug Related Diagnosis	551	514	378

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	164	186	224
Fatal Crashes	2	5	5
Injury Crashes	58	79	79
Property Damage Crashes	104	102	127
Crash Fatalities	2	6	4
Crash Injuries	83	104	115
Drug Involved Crashes--Total	29	34	34
Fatal Crashes	0	1	1
Injury Crashes	7	18	15
Property Damage Crashes	22	15	18
Crash Fatalities	0	2	1
Crash Injuries	7	33	15

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	91,833	93,610	90,868
Employed	85,462	85,394	81,826
Unemployed	6,371	8,216	9,042
Unemployment Rate	6.9%	8.8%	10.0%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	9,284	9,387	9,567
Drop-outs	179	144	212
Drop-out Rate	1.9%	1.5%	2.2%
School Suspensions:			
Alcohol Incidents	13	13	24
Drug Incidents	106	115	103
Tobacco Incidents	0	0	0

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	1,055	1,145	1,208
Liquor Law Arrests	536	562	591
Drug Arrests	822	938	974
Methamphetamine Lab Incidents	4	1	8
Violent Offenses	264	287	265
Property Offenses	4,169	3,912	3,968
Domestic Violence Reports	1,363	1,444	1,358

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	765	911	958
Violent Offenses	165	232	257
Alcohol Offenses	38	60	40
Drug Offenses	55	66	76
Status Offenses--Total	479	585	551
Truancy	49	68	68
Beyond Parental Control	122	168	130
Habitually Absent from Home	114	127	141
Injurious Behavior	191	220	211
Abuse/Neglect/Custody--Total	330	417	313
Abuse	10	42	49
Neglect	163	237	198
Custody Disputes	157	138	66

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	173	182	97
Parental Alcohol Use Related	7	12	6
Parental Drug Use Related	37	51	18
Parental Alcohol and Drug Use	8	15	0
Child Removed for Other Reason	121	104	73


<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	105	84	87
Probation/Parole Admissions--Total	1,191	1,116	1,135
Probation/Parole Admissions--Drug	378	348	369
Probation/Parole Admissions--DWI	97	103	74
Prison Admissions--Total	629	636	593
Prison Admissions--Drug	186	205	163
Prison Admissions--DWI	53	64	49

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	167	171	168
Alcohol Package Carry-out Licenses	162	161	154

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 7

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 7  
**CENSUS 2010** 185,454  
**2012 POPULATION ESTIMATE** 187,853

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.


<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	82	87	74
Anxiety Disorder	481	435	345
Dementia	*	*	*
Developmental Disorder	18	23	17
Impulse Control Disorder	279	265	245
Mood Disorder	882	853	718
Personality Disorder	39	34	39
Psychotic Disorder	206	189	180
Sexual Disorder	0	0	*
Other Diagnosis	107	106	104
Diagnosis Unknown	141	110	280

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	1,579	1,480	1,451	Less than High School Diploma	195	119	40
<b>AGE</b>				High School Grad or G.E.D.	188	204	53
Under 6	32	20	29	Associate Degree or Some College	57	63	15
6 to 9	122	122	116	Bachelor or Advanced Degree	19	14	*
10 to 13	191	164	157	Education Level Unknown	1,120	1,080	1,341
14 to 17	180	198	184	<b>EMPLOYMENT</b>			
18 to 24	157	134	153	Employed	70	52	19
25 to 29	126	120	122	Unemployed	317	342	89
30 to 34	115	121	120	Not in Labor Force	132	6	*
35 to 39	120	132	128	Employment Status Unknown	1,060	1,080	1,341
40 to 44	130	112	104	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	149	122	126	Independent Living	378	359	99
50 to 54	122	112	102	Dependent Living	224	277	58
55 to 59	78	67	66	Homeless	7	7	5
60 and Over	57	56	44	Other	16	15	*
Age Unknown	0	0	0	Housing Unknown	954	822	1,286
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	714	674	704	Self / Family / Friend	1,172	1,132	1,138
Female	865	806	747	School	7	*	*
Gender Unknown	0	0	0	Mental Health Provider	31	31	34
<b>RACE / ETHNICITY</b>				Health Care Provider	120	74	49
Caucasian	1,440	1,345	1,308	Court / Criminal Justice	41	46	54
African American	57	61	61	Other	200	185	157
Native American / Alaskan	5	*	7	Referral Source Unknown	8	8	17
Asian / Pacific Islander	8	5	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	21	20	25	Voluntary	1,556	1,462	1,424
Other Race	48	46	47	Civil	*	*	0
Race/Ethnicity Unknown	0	0	0	Criminal	11	5	7
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	42	45	49	Commitment Type Unknown	9	8	17
Past or Current Military Service	47	42	47				



# PSYCHIATRIC SERVICE AREA 8A



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	8A
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	82,114
2012 Pop. Estimate	81,581

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	989	973	1,094
Mother Reported Smoking while Pregnant	247	265	246

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total			
IDU and MSM <sup>1</sup>			
IDU without MSM <sup>1</sup>			

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	919	920	865
Suicides	11	14	14
Self-inflicted Injuries	107	96	140
Homicides	1	0	2
Assault Injuries	183	166	170
Alcohol Induced Deaths	8	7	4
Drug Induced Deaths	16	17	8
Smoking Attributable Deaths	160	179	145

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	452		
Alcohol Primary Diagnosis <sup>2</sup>	24		
Drug Primary Diagnosis <sup>2</sup>	30		
Alcohol Related Diagnosis	164	212	159
Drug Related Diagnosis	199	237	218
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	224		
Alcohol Primary Diagnosis <sup>2</sup>	61		
Drug Primary Diagnosis <sup>2</sup>	47		
Alcohol Related Diagnosis	224	140	184
Drug Related Diagnosis	204	161	173
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	651		
Alcohol Primary Diagnosis <sup>2</sup>	119		
Drug Primary Diagnosis <sup>2</sup>	132		
Alcohol Related Diagnosis	368	343	332
Drug Related Diagnosis	463	450	461

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	122	114	126
Fatal Crashes	5	6	7
Injury Crashes	63	49	50
Property Damage Crashes	54	59	57
Crash Fatalities	5	6	8
Crash Injuries	85	77	80
Drug Involved Crashes--Total	21	24	32
Fatal Crashes	0	0	0
Injury Crashes	7	10	12
Property Damage Crashes	14	14	20
Crash Fatalities	0	0	0
Crash Injuries	12	11	15

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	38,200	39,178	38,894
Employed	35,805	36,052	35,559
Unemployed	2,395	3,126	3,335
Unemployment Rate	6.3%	8.0%	8.6%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	4,046	4,169	4,228
Drop-outs	90	95	106
Drop-out Rate	2.2%	2.3%	2.5%
School Suspensions:			
Alcohol Incidents	1	1	7
Drug Incidents	67	45	35
Tobacco Incidents	2	1	0

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	545	406	415
Liquor Law Arrests	91	98	123
Drug Arrests	348	330	333
Methamphetamine Lab Incidents	79	70	73
Violent Offenses	269	242	276
Property Offenses	2,403	2,254	2,145
Domestic Violence Reports	607	529	564

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	230	291	337
Violent Offenses	68	87	79
Alcohol Offenses	11	18	19
Drug Offenses	23	22	30
Status Offenses--Total	117	124	149
Truancy	28	15	14
Beyond Parental Control	25	26	49
Habitually Absent from Home	24	45	47
Injurious Behavior	37	35	34
Abuse/Neglect/Custody--Total	228	232	249
Abuse	36	35	47
Neglect	102	111	127
Custody Disputes	90	86	75

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	97	100	103
Parental Alcohol Use Related	3	7	0
Parental Drug Use Related	31	22	20
Parental Alcohol and Drug Use	7	4	1
Child Removed for Other Reason	56	67	82

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	72	32	20
Probation/Parole Admissions--Total	574	497	529
Probation/Parole Admissions--Drug	165	149	136
Probation/Parole Admissions--DWI	44	23	32
Prison Admissions--Total	275	261	275
Prison Admissions--Drug	72	77	84
Prison Admissions--DWI	13	16	13


<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	47	52	48
Alcohol Package Carry-out Licenses	106	106	105

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# PSYCHIATRIC SERVICE AREA 8A

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8A  
**CENSUS 2010** 82,114  
**2012 POPULATION ESTIMATE** 81,581


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	66	88	54
Anxiety Disorder	309	338	229
Dementia	*	0	*
Developmental Disorder	21	21	17
Impulse Control Disorder	171	179	137
Mood Disorder	445	550	397
Personality Disorder	84	128	78
Psychotic Disorder	107	108	97
Sexual Disorder	*	*	*
Other Diagnosis	104	82	56
Diagnosis Unknown	314	174	456

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	1,039	1,056	1,115	Less than High School Diploma	108	54	31
<b>AGE</b>				High School Grad or G.E.D.	67	76	48
Under 6	22	19	18	Associate Degree or Some College	26	26	16
6 to 9	79	57	59	Bachelor or Advanced Degree	*	*	0
10 to 13	91	95	94	Education Level Unknown	834	896	1,020
14 to 17	102	96	92	<b>EMPLOYMENT</b>			
18 to 24	86	89	112	Employed	11	8	9
25 to 29	90	81	99	Unemployed	143	150	84
30 to 34	98	104	90	Not in Labor Force	94	5	*
35 to 39	81	111	126	Employment Status Unknown	791	893	1,019
40 to 44	100	108	94	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	85	102	127	Independent Living	191	147	84
50 to 54	89	95	94	Dependent Living	96	111	24
55 to 59	61	50	50	Homeless	*	*	*
60 and Over	55	49	60	Other	*	*	*
Age Unknown	0	0	0	Housing Unknown	748	793	1,005
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	506	496	499	Self / Family / Friend	470	547	671
Female	533	560	616	School	19	19	11
Gender Unknown	0	0	0	Mental Health Provider	75	114	102
<b>RACE / ETHNICITY</b>				Health Care Provider	129	168	146
Caucasian	987	1,007	1,064	Court / Criminal Justice	38	61	56
African American	8	5	11	Other	304	136	106
Native American / Alaskan	*	*	*	Referral Source Unknown	*	11	23
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	28	24	23	Voluntary	1,023	1,022	1,084
Other Race	13	16	9	Civil	9	15	7
Race/Ethnicity Unknown	0	0	0	Criminal	*	5	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	0
Hearing Impaired	53	79	77	Commitment Type Unknown	*	11	23
Past or Current Military Service	10	15	13				

# PSYCHIATRIC SERVICE AREA 8B



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	8B
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	112,950
2012 Pop. Estimate	111,236

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	48,862	49,959	49,911
Employed	45,108	45,289	44,906
Unemployed	3,754	4,670	5,005
Unemployment Rate	7.7%	9.3%	10.0%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	4,943	5,202	5,226
Drop-outs	155	135	137
Drop-out Rate	3.1%	2.6%	2.6%
School Suspensions:			
Alcohol Incidents	9	12	7
Drug Incidents	60	36	33
Tobacco Incidents	2	1	1

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	1,206	1,227	1,177
Mother Reported Smoking while Pregnant	325	347	323

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total			
IDU and MSM <sup>1</sup>			
IDU without MSM <sup>1</sup>			

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	1,512	1,501	1,437
Suicides	24	23	23
Self-inflicted Injuries	213	186	177
Homicides	5	5	6
Assault Injuries	342	341	352
Alcohol Induced Deaths	9	7	5
Drug Induced Deaths	20	21	8
Smoking Attributable Deaths	297	298	281

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,002		
Alcohol Primary Diagnosis <sup>2</sup>	56		
Drug Primary Diagnosis <sup>2</sup>	49		
Alcohol Related Diagnosis	439	417	377
Drug Related Diagnosis	424	420	353
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	289		
Alcohol Primary Diagnosis <sup>2</sup>	72		
Drug Primary Diagnosis <sup>2</sup>	43		
Alcohol Related Diagnosis	327	286	326
Drug Related Diagnosis	269	225	245
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,018		
Alcohol Primary Diagnosis <sup>2</sup>	173		
Drug Primary Diagnosis <sup>2</sup>	166		
Alcohol Related Diagnosis	474	496	417
Drug Related Diagnosis	514	563	411

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	119	138	143
Fatal Crashes	8	9	8
Injury Crashes	55	70	72
Property Damage Crashes	56	59	70
Crash Fatalities	10	9	11
Crash Injuries	75	111	87
Drug Involved Crashes--Total	23	23	20
Fatal Crashes	1	1	3
Injury Crashes	10	14	10
Property Damage Crashes	12	8	7
Crash Fatalities	1	1	6
Crash Injuries	11	20	17

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	721	729	603
Liquor Law Arrests	153	219	241
Drug Arrests	552	534	492
Methamphetamine Lab Incidents	14	77	71
Violent Offenses	338	326	343
Property Offenses	3,192	2,999	2,707
Domestic Violence Reports	722	633	557

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	616	591	665
Violent Offenses	164	178	252
Alcohol Offenses	51	52	66
Drug Offenses	33	37	28
Status Offenses--Total	584	473	547
Truancy	196	151	140
Beyond Parental Control	134	130	157
Habitually Absent from Home	57	51	59
Injurious Behavior	188	129	184
Abuse/Neglect/Custody--Total	644	601	645
Abuse	189	130	102
Neglect	436	434	461
Custody Disputes	19	37	82

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	125	160	88
Parental Alcohol Use Related	3	3	12
Parental Drug Use Related	41	51	16
Parental Alcohol and Drug Use	4	1	0
Child Removed for Other Reason	77	105	60

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	80	75	84
Probation/Parole Admissions--Total	826	779	715
Probation/Parole Admissions--Drug	199	202	177
Probation/Parole Admissions--DWI	72	54	62
Prison Admissions--Total	430	393	370
Prison Admissions--Drug	107	89	78
Prison Admissions--DWI	27	23	26

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	136	137	141
Alcohol Package Carry-out Licenses	156	150	145


\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 8B

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 8B  
**CENSUS 2010** 112,950  
**2012 POPULATION ESTIMATE** 111,236


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	57	57	51
Anxiety Disorder	625	624	604
Dementia	*	*	*
Developmental Disorder	22	20	21
Impulse Control Disorder	231	247	251
Mood Disorder	1,093	1,118	1,084
Personality Disorder	106	105	137
Psychotic Disorder	229	227	215
Sexual Disorder	*	*	*
Other Diagnosis	166	137	130
Diagnosis Unknown	121	122	231

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	1,735	1,732	1,719	Less than High School Diploma	353	251	187
<b>AGE</b>				High School Grad or G.E.D.	347	359	236
Under 6	17	16	13	Associate Degree or Some College	87	76	73
6 to 9	90	92	84	Bachelor or Advanced Degree	17	15	13
10 to 13	148	133	142	Education Level Unknown	931	1,031	1,210
14 to 17	129	142	154	<b>EMPLOYMENT</b>			
18 to 24	142	157	165	Employed	90	95	69
25 to 29	141	144	141	Unemployed	613	593	428
30 to 34	143	140	145	Not in Labor Force	214	15	14
35 to 39	137	143	151	Employment Status Unknown	818	1,029	1,208
40 to 44	178	168	170	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	200	214	201	Independent Living	711	621	438
50 to 54	184	188	168	Dependent Living	241	251	82
55 to 59	132	107	92	Homeless	16	8	6
60 and Over	94	88	93	Other	13	15	12
Age Unknown	0	0	0	Housing Unknown	754	837	1,181
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	755	771	801	Self / Family / Friend	1,190	1,221	1,191
Female	980	961	918	School	*	*	7
Gender Unknown	0	0	0	Mental Health Provider	109	125	138
<b>RACE / ETHNICITY</b>				Health Care Provider	170	118	76
Caucasian	1,678	1,669	1,646	Court / Criminal Justice	34	41	55
African American	16	16	15	Other	209	200	219
Native American / Alaskan	6	7	10	Referral Source Unknown	20	23	33
Asian / Pacific Islander	0	0	0	<b>TYPE OF COMMITMENT</b>			
Hispanic	18	20	23	Voluntary	1,687	1,672	1,646
Other Race	17	20	25	Civil	21	27	30
Race/Ethnicity Unknown	0	0	0	Criminal	*	8	9
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	31	32	33	Commitment Type Unknown	20	23	33
Past or Current Military Service	42	40	45				

# PSYCHIATRIC SERVICE AREA 9



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	9
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	211,003
2012 Pop. Estimate	209,540

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	2,881	2,965	3,027
Mother Reported Smoking while Pregnant	604	637	577

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total			
IDU and MSM <sup>1</sup>			
IDU without MSM <sup>1</sup>			

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	2,117	2,009	1,993
Suicides	33	25	40
Self-inflicted Injuries	283	282	286
Homicides	6	5	5
Assault Injuries	637	744	792
Alcohol Induced Deaths	5	9	9
Drug Induced Deaths	32	38	40
Smoking Attributable Deaths	371	365	378

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,869		
Alcohol Primary Diagnosis <sup>2</sup>	247		
Drug Primary Diagnosis <sup>2</sup>	152		
Alcohol Related Diagnosis	1,111	1,187	406
Drug Related Diagnosis	999	1,123	390
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	360		
Alcohol Primary Diagnosis <sup>2</sup>	173		
Drug Primary Diagnosis <sup>2</sup>	85		
Alcohol Related Diagnosis	407	487	1,426
Drug Related Diagnosis	291	422	1,038
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	2,133		
Alcohol Primary Diagnosis <sup>2</sup>	413		
Drug Primary Diagnosis <sup>2</sup>	292		
Alcohol Related Diagnosis	1,059	1,229	1,269
Drug Related Diagnosis	997	1,048	1,091

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	235	238	277
Fatal Crashes	8	7	8
Injury Crashes	96	109	110
Property Damage Crashes	131	122	144
Crash Fatalities	8	7	10
Crash Injuries	135	151	157
Drug Involved Crashes--Total	72	55	59
Fatal Crashes	3	1	2
Injury Crashes	32	21	21
Property Damage Crashes	37	33	36
Crash Fatalities	3	1	1
Crash Injuries	36	29	31

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	102,047	103,831	101,800
Employed	95,753	95,689	92,872
Unemployed	6,294	8,142	8,928
Unemployment Rate	6.2%	7.8%	8.8%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	9,730	10,176	10,222
Drop-outs	280	278	277
Drop-out Rate	2.9%	2.7%	2.7%
School Suspensions:			
Alcohol Incidents	19	12	28
Drug Incidents	80	132	82
Tobacco Incidents	2	0	1

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	1,943	2,089	1,918
Liquor Law Arrests	326	382	530
Drug Arrests	705	1,064	1,378
Methamphetamine Lab Incidents	165	171	157
Violent Offenses	682	758	726
Property Offenses	7,301	7,251	7,755
Domestic Violence Reports	2,013	2,047	2,228

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	1,115	1,166	1,365
Violent Offenses	282	305	349
Alcohol Offenses	63	62	83
Drug Offenses	89	95	99
Status Offenses--Total	453	534	594
Truancy	118	180	217
Beyond Parental Control	103	125	114
Habitually Absent from Home	76	89	140
Injurious Behavior	124	112	93
Abuse/Neglect/Custody--Total	1,130	1,385	1,338
Abuse	107	135	171
Neglect	984	1,188	1,132
Custody Disputes	39	62	35

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	550	601	540
Parental Alcohol Use Related	22	20	19
Parental Drug Use Related	212	188	135
Parental Alcohol and Drug Use	17	26	16
Child Removed for Other Reason	299	367	370


<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	164	120	105
Probation/Parole Admissions--Total	1,221	1,285	1,200
Probation/Parole Admissions--Drug	376	437	348
Probation/Parole Admissions--DWI	172	135	105
Prison Admissions--Total	561	631	659
Prison Admissions--Drug	146	203	177
Prison Admissions--DWI	64	72	67

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	179	181	174
Alcohol Package Carry-out Licenses	228	226	205

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 9

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 9  
**CENSUS 2010** 211,003  
**2012 POPULATION ESTIMATE** 209,540

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.


<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	418	420	376
Anxiety Disorder	1,766	1,701	1,391
Dementia	17	18	50
Developmental Disorder	67	67	54
Impulse Control Disorder	1,028	1,016	794
Mood Disorder	2,473	2,461	2,041
Personality Disorder	1,023	1,054	950
Psychotic Disorder	418	429	370
Sexual Disorder	19	16	13
Other Diagnosis	458	405	359
Diagnosis Unknown	361	287	1,331

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	4,374	4,223	4,603	Less than High School Diploma	402	265	233
<b>AGE</b>				High School Grad or G.E.D.	355	358	290
Under 6	74	68	96	Associate Degree or Some College	172	132	121
6 to 9	303	290	287	Bachelor or Advanced Degree	41	37	20
10 to 13	366	358	367	Education Level Unknown	3,404	3,431	3,939
14 to 17	374	374	356	<b>EMPLOYMENT</b>			
18 to 24	456	447	439	Employed	160	103	82
25 to 29	386	369	427	Unemployed	729	668	559
30 to 34	429	397	417	Not in Labor Force	263	21	23
35 to 39	378	391	426	Employment Status Unknown	3,222	3,431	3,939
40 to 44	386	338	404	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	413	412	472	Independent Living	830	650	529
50 to 54	416	391	423	Dependent Living	285	336	100
55 to 59	227	215	223	Homeless	41	49	40
60 and Over	166	173	266	Other	25	33	30
Age Unknown	0	0	0	Housing Unknown	3,193	3,155	3,904
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	2,032	1,899	2,043	Self / Family / Friend	3,345	3,276	3,224
Female	2,342	2,324	2,560	School	6	5	6
Gender Unknown	0	0	0	Mental Health Provider	146	167	232
<b>RACE / ETHNICITY</b>				Health Care Provider	184	153	158
Caucasian	4,030	3,935	4,274	Court / Criminal Justice	331	248	335
African American	86	67	78	Other	337	334	405
Native American / Alaskan	22	17	25	Referral Source Unknown	25	40	243
Asian / Pacific Islander	7	12	15	<b>TYPE OF COMMITMENT</b>			
Hispanic	120	85	89	Voluntary	4,034	3,945	4,126
Other Race	109	106	121	Civil	303	222	215
Race/Ethnicity Unknown	0	*	*	Criminal	11	14	17
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	60	55	57	Commitment Type Unknown	26	42	245
Past or Current Military Service	89	73	77				



# PSYCHIATRIC SERVICE AREA 10



<b>DBH REGION</b>	Southwest
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	10
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	520,589
2012 Pop. Estimate	529,141

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	6,527	6,592	6,735
Mother Reported Smoking while Pregnant	1,221	1,274	1,259

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total			
IDU and MSM <sup>1</sup>			
IDU without MSM <sup>1</sup>			

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	4,637	4,713	4,590
Suicides	89	75	78
Self-inflicted Injuries	796	823	768
Homicides	16	14	14
Assault Injuries	1,747	1,696	1,587
Alcohol Induced Deaths	42	52	34
Drug Induced Deaths	99	133	106
Smoking Attributable Deaths	767	841	829

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	2,518		
Alcohol Primary Diagnosis <sup>2</sup>	118		
Drug Primary Diagnosis <sup>2</sup>	137		
Alcohol Related Diagnosis	643	1,096	1,078
Drug Related Diagnosis	1,007	1,542	1,229
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	2,706		
Alcohol Primary Diagnosis <sup>2</sup>	945		
Drug Primary Diagnosis <sup>2</sup>	620		
Alcohol Related Diagnosis	2,568	1,980	2,003
Drug Related Diagnosis	2,557	1,694	1,603
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	4,897		
Alcohol Primary Diagnosis <sup>2</sup>	1,928		
Drug Primary Diagnosis <sup>2</sup>	1,376		
Alcohol Related Diagnosis	3,754	2,955	2,617
Drug Related Diagnosis	3,302	2,528	2,089

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	580	590	756
Fatal Crashes	17	22	14
Injury Crashes	245	236	248
Property Damage Crashes	318	332	390
Crash Fatalities	18	25	14
Crash Injuries	366	341	378
Drug Involved Crashes--Total	140	143	143
Fatal Crashes	3	4	5
Injury Crashes	65	68	61
Property Damage Crashes	72	71	77
Crash Fatalities	3	5	5
Crash Injuries	70	99	59

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	264,229	266,619	260,972
Employed	246,428	244,210	236,524
Unemployed	17,801	22,409	24,448
Unemployment Rate	6.7%	8.4%	9.4%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	22,461	22,892	23,111
Drop-outs	447	465	516
Drop-out Rate	2.0%	2.0%	2.2%
School Suspensions:			
Alcohol Incidents	56	57	45
Drug Incidents	238	344	217
Tobacco Incidents	51	22	27

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	2,964	2,807	2,932
Liquor Law Arrests	600	1,063	1,201
Drug Arrests	2,415	2,408	2,164
Methamphetamine Lab Incidents	205	106	71
Violent Offenses	2,241	2,309	2,295
Property Offenses	23,341	23,797	22,045
Domestic Violence Reports	5,067	5,301	5,151

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	2,580	2,596	2,683
Violent Offenses	805	888	901
Alcohol Offenses	90	147	127
Drug Offenses	268	264	215
Status Offenses--Total	1,106	1,044	1,009
Truancy	64	68	47
Beyond Parental Control	224	183	224
Habitually Absent from Home	204	176	204
Injurious Behavior	605	615	531
Abuse/Neglect/Custody--Total	1,223	1,350	1,023
Abuse	271	272	226
Neglect	792	962	702
Custody Disputes	160	116	95

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	708	769	559
Parental Alcohol Use Related	36	35	22
Parental Drug Use Related	217	252	144
Parental Alcohol and Drug Use	23	44	26
Child Removed for Other Reason	432	438	367

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	1,028	880	706
Probation/Parole Admissions--Total	3,283	3,053	3,309
Probation/Parole Admissions--Drug	1,111	980	1,160
Probation/Parole Admissions--DWI	236	187	212
Prison Admissions--Total	1,697	1,683	1,517
Prison Admissions--Drug	588	556	514
Prison Admissions--DWI	87	80	81


<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	588	578	573
Alcohol Package Carry-out Licenses	465	454	424

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# PSYCHIATRIC SERVICE AREA 10

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southwest  
**PSYCHIATRIC SERVICE AREA** 10  
**CENSUS 2010** 520,589  
**2012 POPULATION ESTIMATE** 529,141


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	146	257	160
Anxiety Disorder	1,141	1,189	898
Dementia	14	13	24
Developmental Disorder	84	101	79
Impulse Control Disorder	425	541	363
Mood Disorder	2,070	2,346	1,938
Personality Disorder	534	580	535
Psychotic Disorder	869	935	844
Sexual Disorder	8	10	12
Other Diagnosis	335	355	263
Diagnosis Unknown	613	666	1,143

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	3,961	4,662	4,425	Less than High School Diploma	738	436	116
<b>AGE</b>				High School Grad or G.E.D.	724	672	125
Under 6	122	170	184	Associate Degree or Some College	331	293	72
6 to 9	282	369	381	Bachelor or Advanced Degree	88	78	13
10 to 13	247	355	380	Education Level Unknown	2,080	3,183	4,099
14 to 17	283	381	364	<b>EMPLOYMENT</b>			
18 to 24	217	300	305	Employed	192	157	51
25 to 29	264	295	270	Unemployed	1,431	1,275	268
30 to 34	357	378	326	Not in Labor Force	618	63	10
35 to 39	348	379	334	Employment Status Unknown	1,720	3,167	4,096
40 to 44	391	424	414	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	471	544	486	Independent Living	1,548	1,142	238
50 to 54	417	447	427	Dependent Living	704	697	167
55 to 59	296	313	262	Homeless	54	39	14
60 and Over	266	307	292	Other	41	44	18
Age Unknown	0	0	0	Housing Unknown	1,614	2,740	3,988
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,868	2,276	2,162	Self / Family / Friend	2,553	3,241	3,060
Female	2,093	2,386	2,263	School	30	23	10
Gender Unknown	0	0	0	Mental Health Provider	152	163	191
<b>RACE / ETHNICITY</b>				Health Care Provider	393	269	114
Caucasian	3,564	4,208	4,028	Court / Criminal Justice	128	121	110
African American	119	126	98	Other	628	731	784
Native American / Alaskan	15	11	10	Referral Source Unknown	77	114	156
Asian / Pacific Islander	12	10	11	<b>TYPE OF COMMITMENT</b>			
Hispanic	61	65	52	Voluntary	3,805	4,446	4,176
Other Race	190	242	226	Civil	35	59	46
Race/Ethnicity Unknown	0	0	0	Criminal	39	36	43
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	113	112	89	Commitment Type Unknown	80	118	158
Past or Current Military Service	94	104	91				

# PSYCHIATRIC SERVICE AREA 11



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	11
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	246,463
2012 Pop. Estimate	247,559

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	3,055	3,184	3,173
Mother Reported Smoking while Pregnant	660	645	714

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total			
IDU and MSM <sup>1</sup>			
IDU without MSM <sup>1</sup>			

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	2,092	2,021	2,016
Suicides	33	41	38
Self-inflicted Injuries	277	275	247
Homicides	10	12	6
Assault Injuries	771	827	710
Alcohol Induced Deaths	17	14	21
Drug Induced Deaths	32	36	29
Smoking Attributable Deaths	402	360	370

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,063		
Alcohol Primary Diagnosis <sup>2</sup>	42		
Drug Primary Diagnosis <sup>2</sup>	52		
Alcohol Related Diagnosis	337	549	488
Drug Related Diagnosis	444	584	460
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	839		
Alcohol Primary Diagnosis <sup>2</sup>	269		
Drug Primary Diagnosis <sup>2</sup>	150		
Alcohol Related Diagnosis	978	676	735
Drug Related Diagnosis	755	455	464
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,916		
Alcohol Primary Diagnosis <sup>2</sup>	430		
Drug Primary Diagnosis <sup>2</sup>	383		
Alcohol Related Diagnosis	893	836	699
Drug Related Diagnosis	797	738	556

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	275	281	317
Fatal Crashes	15	11	9
Injury Crashes	121	115	116
Property Damage Crashes	139	155	171
Crash Fatalities	15	12	8
Crash Injuries	175	157	178
Drug Involved Crashes--Total	46	32	43
Fatal Crashes	3	0	0
Injury Crashes	15	11	21
Property Damage Crashes	28	21	22
Crash Fatalities	3	0	0
Crash Injuries	18	15	24

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	112,982	116,794	117,130
Employed	104,696	106,629	106,548
Unemployed	8,286	10,165	10,582
Unemployment Rate	7.3%	8.7%	9.0%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	11,548	11,674	11,733
Drop-outs	270	330	329
Drop-out Rate	2.3%	2.8%	2.8%
School Suspensions:			
Alcohol Incidents	56	26	19
Drug Incidents	160	149	175
Tobacco Incidents	7	5	11

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	1,708	1,657	1,851
Liquor Law Arrests	488	552	680
Drug Arrests	1,245	1,107	1,094
Methamphetamine Lab Incidents	48	68	64
Violent Offenses	880	850	804
Property Offenses	5,923	5,615	5,229
Domestic Violence Reports	1,863	1,550	1,522

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	1,161	1,088	1,504
Violent Offenses	330	355	524
Alcohol Offenses	68	56	78
Drug Offenses	118	79	154
Status Offenses--Total	1,045	1,168	1,011
Truancy	349	440	338
Beyond Parental Control	79	73	63
Habitually Absent from Home	132	107	137
Injurious Behavior	468	512	445
Abuse/Neglect/Custody--Total	1,523	1,183	1,070
Abuse	641	515	550
Neglect	879	661	513
Custody Disputes	3	7	7

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	310	292	259
Parental Alcohol Use Related	7	8	13
Parental Drug Use Related	101	74	42
Parental Alcohol and Drug Use	1	6	16
Child Removed for Other Reason	201	204	188


<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	130	95	75
Probation/Parole Admissions--Total	1,576	1,473	1,536
Probation/Parole Admissions--Drug	536	498	512
Probation/Parole Admissions--DWI	152	135	125
Prison Admissions--Total	831	779	752
Prison Admissions--Drug	278	256	251
Prison Admissions--DWI	70	63	85

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	403	410	412
Alcohol Package Carry-out Licenses	284	289	274

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 11

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 11  
**CENSUS 2010** 246,463  
**2012 POPULATION ESTIMATE** 247,559


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	53	42	35
Anxiety Disorder	747	707	642
Dementia	6	6	11
Developmental Disorder	18	16	23
Impulse Control Disorder	205	207	209
Mood Disorder	1,181	1,138	1,099
Personality Disorder	157	187	202
Psychotic Disorder	358	351	361
Sexual Disorder	*	*	6
Other Diagnosis	184	181	184
Diagnosis Unknown	133	120	142

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	1,929	1,836	1,755	Less than High School Diploma	462	309	209
<b>AGE</b>				High School Grad or G.E.D.	420	394	233
Under 6	14	14	17	Associate Degree or Some College	156	137	83
6 to 9	85	84	70	Bachelor or Advanced Degree	27	26	16
10 to 13	170	145	150	Education Level Unknown	864	970	1,214
14 to 17	170	167	181	<b>EMPLOYMENT</b>			
18 to 24	161	136	139	Employed	132	120	90
25 to 29	146	153	143	Unemployed	801	720	414
30 to 34	169	151	143	Not in Labor Force	277	36	37
35 to 39	159	169	147	Employment Status Unknown	719	960	1,214
40 to 44	157	163	163	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	226	227	205	Independent Living	955	726	465
50 to 54	205	183	169	Dependent Living	357	413	110
55 to 59	135	119	103	Homeless	12	15	5
60 and Over	132	125	125	Other	17	13	7
Age Unknown	0	0	0	Housing Unknown	588	669	1,168
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	860	822	805	Self / Family / Friend	1,055	979	927
Female	1,069	1,014	950	School	*	8	8
Gender Unknown	0	0	0	Mental Health Provider	184	206	219
<b>RACE / ETHNICITY</b>				Health Care Provider	244	167	119
Caucasian	1,717	1,645	1,585	Court / Criminal Justice	130	113	133
African American	116	98	90	Other	312	357	338
Native American / Alaskan	7	8	*	Referral Source Unknown	*	6	11
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	35	33	26	Voluntary	1,899	1,802	1,696
Other Race	51	49	48	Civil	9	8	26
Race/Ethnicity Unknown	0	0	0	Criminal	19	20	22
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	0	0
Hearing Impaired	64	66	72	Commitment Type Unknown	*	6	11
Past or Current Military Service	45	60	59				

# PSYCHIATRIC SERVICE AREA 12



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	12
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	334,670
2012 Pop. Estimate	339,689

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	4,260	4,183	4,332
Mother Reported Smoking while Pregnant	812	848	812

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total			
IDU and MSM <sup>1</sup>			
IDU without MSM <sup>1</sup>			

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	2,940	2,763	2,786
Suicides	45	23	38
Self-inflicted Injuries	332	333	356
Homicides	12	9	13
Assault Injuries	1,025	994	1,006
Alcohol Induced Deaths	18	16	13
Drug Induced Deaths	43	41	39
Smoking Attributable Deaths	483	477	477

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,618		
Alcohol Primary Diagnosis <sup>2</sup>	160		
Drug Primary Diagnosis <sup>2</sup>	73		
Alcohol Related Diagnosis	892	786	712
Drug Related Diagnosis	703	689	565
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,227		
Alcohol Primary Diagnosis <sup>2</sup>	340		
Drug Primary Diagnosis <sup>2</sup>	197		
Alcohol Related Diagnosis	978	1,039	868
Drug Related Diagnosis	847	801	549
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	2,370		
Alcohol Primary Diagnosis <sup>2</sup>	487		
Drug Primary Diagnosis <sup>2</sup>	313		
Alcohol Related Diagnosis	1,280	1,362	1,100
Drug Related Diagnosis	1,188	1,084	747

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	319	418	430
Fatal Crashes	13	11	15
Injury Crashes	118	172	182
Property Damage Crashes	188	235	235
Crash Fatalities	15	11	15
Crash Injuries	181	239	206
Drug Involved Crashes--Total	48	60	59
Fatal Crashes	6	1	2
Injury Crashes	18	29	28
Property Damage Crashes	24	30	29
Crash Fatalities	7	1	2
Crash Injuries	21	46	34

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	174,480	175,262	172,343
Employed	164,420	162,596	158,813
Unemployed	10,060	12,666	13,530
Unemployment Rate	5.8%	7.2%	7.9%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	14,050	14,362	14,627
Drop-outs	364	291	353
Drop-out Rate	2.6%	2.0%	2.4%
School Suspensions:			
Alcohol Incidents	12	2	13
Drug Incidents	65	82	70
Tobacco Incidents	2	4	4

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	2,036	2,623	2,165
Liquor Law Arrests	1,137	1,143	1,347
Drug Arrests	2,166	2,072	1,936
Methamphetamine Lab Incidents	64	79	110
Violent Offenses	1,123	1,065	1,085
Property Offenses	9,982	9,187	9,305
Domestic Violence Reports	2,825	2,664	2,455

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	1,946	2,275	2,383
Violent Offenses	553	661	623
Alcohol Offenses	51	80	86
Drug Offenses	173	143	142
Status Offenses--Total	1,612	1,822	1,909
Truancy	286	314	256
Beyond Parental Control	451	418	490
Habitually Absent from Home	172	239	246
Injurious Behavior	680	824	833
Abuse/Neglect/Custody--Total	586	483	569
Abuse	136	128	110
Neglect	360	315	378
Custody Disputes	90	40	81

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	322	178	243
Parental Alcohol Use Related	24	4	9
Parental Drug Use Related	65	38	56
Parental Alcohol and Drug Use	11	2	10
Child Removed for Other Reason	222	134	168


<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	404	458	379
Probation/Parole Admissions--Total	2,640	2,469	2,507
Probation/Parole Admissions--Drug	740	692	688
Probation/Parole Admissions--DWI	207	205	167
Prison Admissions--Total	1,364	1,407	1,350
Prison Admissions--Drug	440	447	418
Prison Admissions--DWI	116	107	126

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	448	453	429
Alcohol Package Carry-out Licenses	332	318	317

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 12

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 12  
**CENSUS 2010** 334,670  
**2012 POPULATION ESTIMATE** 339,689

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.


<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	101	68	32
Anxiety Disorder	1,301	1,115	870
Dementia	15	19	16
Developmental Disorder	30	27	30
Impulse Control Disorder	385	352	258
Mood Disorder	2,125	1,857	1,490
Personality Disorder	232	227	203
Psychotic Disorder	628	535	471
Sexual Disorder	*	*	*
Other Diagnosis	160	141	101
Diagnosis Unknown	318	274	390

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	3,693	3,150	2,653	Less than High School Diploma	743	434	245
<b>AGE</b>				High School Grad or G.E.D.	790	718	355
Under 6	17	15	8	Associate Degree or Some College	402	298	171
6 to 9	121	102	95	Bachelor or Advanced Degree	96	76	35
10 to 13	221	210	180	Education Level Unknown	1,662	1,624	1,847
14 to 17	258	226	203	<b>EMPLOYMENT</b>			
18 to 24	408	361	264	Employed	342	258	124
25 to 29	351	288	229	Unemployed	1,577	1,244	681
30 to 34	368	286	242	Not in Labor Force	474	53	23
35 to 39	314	277	239	Employment Status Unknown	1,300	1,595	1,825
40 to 44	369	308	250	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	405	347	320	Independent Living	1,890	1,305	702
50 to 54	358	298	254	Dependent Living	515	486	231
55 to 59	268	241	198	Homeless	50	25	12
60 and Over	235	191	171	Other	51	64	21
Age Unknown	0	0	0	Housing Unknown	1,187	1,270	1,687
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,670	1,391	1,152	Self / Family / Friend	1,781	1,612	1,545
Female	2,023	1,759	1,501	School	14	10	7
Gender Unknown	0	0	0	Mental Health Provider	342	351	327
<b>RACE / ETHNICITY</b>				Health Care Provider	895	555	190
Caucasian	2,907	2,519	2,147	Court / Criminal Justice	251	224	192
African American	574	444	358	Other	395	380	345
Native American / Alaskan	8	7	7	Referral Source Unknown	15	18	47
Asian / Pacific Islander	12	14	11	<b>TYPE OF COMMITMENT</b>			
Hispanic	53	48	38	Voluntary	3,611	3,055	2,524
Other Race	139	118	91	Civil	13	16	32
Race/Ethnicity Unknown	0	0	*	Criminal	47	55	45
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	5	*	*
Hearing Impaired	98	87	74	Commitment Type Unknown	17	21	50
Past or Current Military Service	91	78	74				



# PSYCHIATRIC SERVICE AREA 13



<b>DBH REGION</b>	Western
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	13
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	80,509
2012 Pop. Estimate	79,177

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	37,641	38,202	37,838
Employed	35,119	35,047	34,498
Unemployed	2,522	3,155	3,340
Unemployment Rate	6.7%	8.3%	8.8%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	3,725	3,804	3,909
Drop-outs	53	78	76
Drop-out Rate	1.4%	2.1%	1.9%
School Suspensions:			
Alcohol Incidents	7	3	2
Drug Incidents	18	11	18
Tobacco Incidents	0	3	1

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	893	950	1,012
Mother Reported Smoking while Pregnant	226	235	245

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total			
IDU and MSM <sup>1</sup>			
IDU without MSM <sup>1</sup>			

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	977	965	972
Suicides	14	21	13
Self-inflicted Injuries	105	101	89
Homicides	6	2	1
Assault Injuries	179	184	191
Alcohol Induced Deaths	4	1	4
Drug Induced Deaths	6	13	9
Smoking Attributable Deaths	187	177	185

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	527		
Alcohol Primary Diagnosis <sup>2</sup>	45		
Drug Primary Diagnosis <sup>2</sup>	31		
Alcohol Related Diagnosis	254	251	205
Drug Related Diagnosis	214	230	216
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	144		
Alcohol Primary Diagnosis <sup>2</sup>	25		
Drug Primary Diagnosis <sup>2</sup>	23		
Alcohol Related Diagnosis	131	86	118
Drug Related Diagnosis	125	63	69
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	639		
Alcohol Primary Diagnosis <sup>2</sup>	101		
Drug Primary Diagnosis <sup>2</sup>	70		
Alcohol Related Diagnosis	276	261	223
Drug Related Diagnosis	235	246	186

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	76	76	103
Fatal Crashes	4	0	6
Injury Crashes	34	38	38
Property Damage Crashes	38	38	38
Crash Fatalities	6	0	6
Crash Injuries	43	50	74
Drug Involved Crashes--Total	11	7	13
Fatal Crashes	1	0	0
Injury Crashes	5	3	10
Property Damage Crashes	5	4	3
Crash Fatalities	1	0	0
Crash Injuries	5	4	10

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	414	425	471
Liquor Law Arrests	168	201	210
Drug Arrests	374	393	402
Methamphetamine Lab Incidents	13	5	3
Violent Offenses	157	158	138
Property Offenses	1,236	1,193	1,239
Domestic Violence Reports	482	477	471

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	289	284	323
Violent Offenses	60	77	100
Alcohol Offenses	26	43	14
Drug Offenses	17	20	21
Status Offenses--Total	423	393	442
Truancy	241	189	213
Beyond Parental Control	70	66	76
Habitually Absent from Home	11	31	50
Injurious Behavior	99	103	90
Abuse/Neglect/Custody--Total	274	282	233
Abuse	91	82	74
Neglect	171	199	156
Custody Disputes	12	1	3

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	96	76	78
Parental Alcohol Use Related	6	4	3
Parental Drug Use Related	17	15	9
Parental Alcohol and Drug Use	3	1	3
Child Removed for Other Reason	70	56	63

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	94	90	100
Probation/Parole Admissions--Total	658	642	628
Probation/Parole Admissions--Drug	210	195	188
Probation/Parole Admissions--DWI	41	38	43
Prison Admissions--Total	411	414	408
Prison Admissions--Drug	140	130	125
Prison Admissions--DWI	27	35	30

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	89	87	91
Alcohol Package Carry-out Licenses	107	104	86

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.


<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# PSYCHIATRIC SERVICE AREA 13

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Western  
**PSYCHIATRIC SERVICE AREA** 13  
**CENSUS 2010** 80,509  
**2012 POPULATION ESTIMATE** 79,177


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	42	54	79
Anxiety Disorder	634	591	615
Dementia	5	*	5
Developmental Disorder	32	25	29
Impulse Control Disorder	228	215	233
Mood Disorder	958	925	999
Personality Disorder	70	93	110
Psychotic Disorder	161	163	146
Sexual Disorder	*	*	*
Other Diagnosis	124	116	146
Diagnosis Unknown	85	109	192

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	1,380	1,379	1,587	Less than High School Diploma	208	131	83
<b>AGE</b>				High School Grad or G.E.D.	268	286	189
Under 6	7	*	7	Associate Degree or Some College	67	86	60
6 to 9	73	63	96	Bachelor or Advanced Degree	13	16	9
10 to 13	124	120	130	Education Level Unknown	824	860	1,246
14 to 17	115	112	148	<b>EMPLOYMENT</b>			
18 to 24	116	117	158	Employed	87	72	46
25 to 29	107	117	141	Unemployed	398	427	279
30 to 34	110	120	130	Not in Labor Force	172	21	17
35 to 39	103	99	120	Employment Status Unknown	723	859	1,245
40 to 44	144	149	148	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	118	115	139	Independent Living	484	449	310
50 to 54	124	128	133	Dependent Living	226	223	76
55 to 59	119	105	92	Homeless	*	*	*
60 and Over	120	131	145	Other	6	13	*
Age Unknown	0	0	0	Housing Unknown	662	693	1,193
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	565	544	617	Self / Family / Friend	596	563	665
Female	815	835	970	School	19	16	27
Gender Unknown	0	0	0	Mental Health Provider	167	223	265
<b>RACE / ETHNICITY</b>				Health Care Provider	301	273	275
Caucasian	1,323	1,326	1,531	Court / Criminal Justice	113	95	88
African American	20	16	17	Other	172	195	240
Native American / Alaskan	*	*	*	Referral Source Unknown	12	14	27
Asian / Pacific Islander	0	0	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	19	18	20	Voluntary	1,363	1,355	1,552
Other Race	16	18	17	Civil	*	*	*
Race/Ethnicity Unknown	0	0	0	Criminal	*	7	6
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	28	22	14	Commitment Type Unknown	12	14	27
Past or Current Military Service	33	30	34				

# PSYCHIATRIC SERVICE AREA 14



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	14
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	107,082
2012 Pop. Estimate	106,605

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	1,281	1,249	1,295
Mother Reported Smoking while Pregnant	308	314	297

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total			
IDU and MSM <sup>1</sup>			
IDU without MSM <sup>1</sup>			

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	1,143	1,181	1,011
Suicides	15	12	16
Self-inflicted Injuries	119	124	142
Homicides	0	3	3
Assault Injuries	219	214	214
Alcohol Induced Deaths	2	8	5
Drug Induced Deaths	14	12	14
Smoking Attributable Deaths	197	217	166

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	604		
Alcohol Primary Diagnosis <sup>2</sup>	73		
Drug Primary Diagnosis <sup>2</sup>	35		
Alcohol Related Diagnosis	362	301	186
Drug Related Diagnosis	230	204	166
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	142		
Alcohol Primary Diagnosis <sup>2</sup>	12		
Drug Primary Diagnosis <sup>2</sup>	17		
Alcohol Related Diagnosis	91	223	339
Drug Related Diagnosis	90	143	210
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	649		
Alcohol Primary Diagnosis <sup>2</sup>	178		
Drug Primary Diagnosis <sup>2</sup>	97		
Alcohol Related Diagnosis	299	314	280
Drug Related Diagnosis	192	159	149

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	85	107	128
Fatal Crashes	3	4	6
Injury Crashes	43	47	48
Property Damage Crashes	39	56	70
Crash Fatalities	3	4	7
Crash Injuries	64	67	54
Drug Involved Crashes--Total	21	16	12
Fatal Crashes	0	1	0
Injury Crashes	7	3	3
Property Damage Crashes	14	12	9
Crash Fatalities	0	1	0
Crash Injuries	13	4	3

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	52,384	54,194	54,606
Employed	49,181	50,173	50,036
Unemployed	3,203	4,021	4,570
Unemployment Rate	6.1%	7.4%	8.4%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	4,779	4,847	4,930
Drop-outs	78	77	103
Drop-out Rate	1.6%	1.6%	2.1%
School Suspensions:			
Alcohol Incidents	9	1	0
Drug Incidents	11	16	3
Tobacco Incidents	2	3	0

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	680	750	701
Liquor Law Arrests	408	453	488
Drug Arrests	603	536	492
Methamphetamine Lab Incidents	111	76	100
Violent Offenses	260	262	270
Property Offenses	2,871	3,027	2,864
Domestic Violence Reports	803	773	679

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	458	384	504
Violent Offenses	89	90	163
Alcohol Offenses	37	36	38
Drug Offenses	30	21	33
Status Offenses--Total	705	914	953
Truancy	131	176	157
Beyond Parental Control	125	179	175
Habitually Absent from Home	15	29	31
Injurious Behavior	411	498	514
Abuse/Neglect/Custody--Total	584	551	524
Abuse	137	118	130
Neglect	441	424	386
Custody Disputes	6	9	8

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	157	173	117
Parental Alcohol Use Related	1	8	0
Parental Drug Use Related	46	30	22
Parental Alcohol and Drug Use	3	7	0
Child Removed for Other Reason	107	128	95


<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	142	129	140
Probation/Parole Admissions--Total	714	660	710
Probation/Parole Admissions--Drug	255	218	222
Probation/Parole Admissions--DWI	84	62	80
Prison Admissions--Total	391	366	379
Prison Admissions--Drug	160	130	130
Prison Admissions--DWI	46	25	36

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	159	156	166
Alcohol Package Carry-out Licenses	135	130	120

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 14

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 14  
**CENSUS 2010** 107,082  
**2012 POPULATION ESTIMATE** 106,605


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	42	64	59
Anxiety Disorder	283	310	290
Dementia	*	*	*
Developmental Disorder	11	9	8
Impulse Control Disorder	279	269	181
Mood Disorder	915	925	856
Personality Disorder	33	40	62
Psychotic Disorder	334	329	307
Sexual Disorder	0	*	*
Other Diagnosis	124	134	102
Diagnosis Unknown	134	165	272

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	1,716	1,738	1,699	Less than High School Diploma	403	303	245
<b>AGE</b>				High School Grad or G.E.D.	458	472	394
Under 6	12	8	*	Associate Degree or Some College	107	119	104
6 to 9	99	88	57	Bachelor or Advanced Degree	23	36	27
10 to 13	142	156	103	Education Level Unknown	725	808	929
14 to 17	166	168	142	<b>EMPLOYMENT</b>			
18 to 24	187	176	194	Employed	158	148	140
25 to 29	152	162	168	Unemployed	723	779	619
30 to 34	145	149	157	Not in Labor Force	197	5	11
35 to 39	150	145	159	Employment Status Unknown	638	806	929
40 to 44	142	146	154	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	182	192	202	Independent Living	795	689	560
50 to 54	144	152	151	Dependent Living	372	502	211
55 to 59	101	95	97	Homeless	8	12	*
60 and Over	94	101	114	Other	8	18	10
Age Unknown	0	0	0	Housing Unknown	533	517	914
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	832	870	850	Self / Family / Friend	507	421	441
Female	884	868	849	School	9	7	9
Gender Unknown	0	0	0	Mental Health Provider	117	129	144
<b>RACE / ETHNICITY</b>				Health Care Provider	140	111	105
Caucasian	1,523	1,566	1,544	Court / Criminal Justice	71	50	89
African American	132	121	114	Other	845	988	855
Native American / Alaskan	*	*	*	Referral Source Unknown	27	32	56
Asian / Pacific Islander	0	0	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	17	19	15	Voluntary	1,669	1,678	1,578
Other Race	41	31	22	Civil	*	8	45
Race/Ethnicity Unknown	0	0	0	Criminal	15	17	19
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	18	16	17	Commitment Type Unknown	27	32	55
Past or Current Military Service	51	56	58				

# PSYCHIATRIC SERVICE AREA 15



<b>DBH REGION</b>	Central
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	15
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	119,620
2012 Pop. Estimate	119,467

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	58,044	59,411	58,968
Employed	54,221	54,577	53,610
Unemployed	3,823	4,834	5,358
Unemployment Rate	6.6%	8.1%	9.1%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	4,574	4,825	5,080
Drop-outs	136	159	143
Drop-out Rate	3.0%	3.3%	2.8%
School Suspensions:			
Alcohol Incidents	1	3	10
Drug Incidents	20	25	25
Tobacco Incidents	4	7	3

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	1,445	1,439	1,427
Mother Reported Smoking while Pregnant	413	403	390

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total			
IDU and MSM <sup>1</sup>			
IDU without MSM <sup>1</sup>			

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	1,162	1,168	1,153
Suicides	21	18	11
Self-inflicted Injuries	230	215	171
Homicides	5	3	4
Assault Injuries	432	472	572
Alcohol Induced Deaths	5	8	8
Drug Induced Deaths	10	21	11
Smoking Attributable Deaths	214	234	217

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	571		
Alcohol Primary Diagnosis <sup>2</sup>	24		
Drug Primary Diagnosis <sup>2</sup>	34		
Alcohol Related Diagnosis	243	288	252
Drug Related Diagnosis	240	239	196
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	456		
Alcohol Primary Diagnosis <sup>2</sup>	63		
Drug Primary Diagnosis <sup>2</sup>	54		
Alcohol Related Diagnosis	262	239	317
Drug Related Diagnosis	293	232	185
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	946		
Alcohol Primary Diagnosis <sup>2</sup>	171		
Drug Primary Diagnosis <sup>2</sup>	155		
Alcohol Related Diagnosis	390	383	381
Drug Related Diagnosis	387	285	231

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	120	113	142
Fatal Crashes	4	10	8
Injury Crashes	69	48	49
Property Damage Crashes	47	55	73
Crash Fatalities	3	11	9
Crash Injuries	91	74	78
Drug Involved Crashes--Total	28	24	19
Fatal Crashes	1	3	3
Injury Crashes	13	10	8
Property Damage Crashes	14	11	8
Crash Fatalities	1	3	4
Crash Injuries	13	22	8

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	644	754	817
Liquor Law Arrests	156	166	217
Drug Arrests	436	584	458
Methamphetamine Lab Incidents	46	57	61
Violent Offenses	249	297	249
Property Offenses	2,604	2,540	2,376
Domestic Violence Reports	1,001	965	1,038

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	594	574	553
Violent Offenses	122	162	148
Alcohol Offenses	29	36	32
Drug Offenses	44	39	38
Status Offenses--Total	425	470	501
Truancy	117	107	90
Beyond Parental Control	70	82	72
Habitually Absent from Home	17	46	45
Injurious Behavior	171	175	233
Abuse/Neglect/Custody--Total	261	208	277
Abuse	43	54	80
Neglect	207	139	177
Custody Disputes	11	15	20

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	118	91	111
Parental Alcohol Use Related	6	11	6
Parental Drug Use Related	40	22	20
Parental Alcohol and Drug Use	10	0	1
Child Removed for Other Reason	62	58	84

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	75	61	55
Probation/Parole Admissions--Total	970	802	810
Probation/Parole Admissions--Drug	292	242	217
Probation/Parole Admissions--DWI	63	72	69
Prison Admissions--Total	460	437	409
Prison Admissions--Drug	147	140	128
Prison Admissions--DWI	37	29	33

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	143	141	144
Alcohol Package Carry-out Licenses	152	146	135


\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.

<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 15

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Central  
**PSYCHIATRIC SERVICE AREA** 15  
**CENSUS 2010** 119,620  
**2012 POPULATION ESTIMATE** 119,467

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.


<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	89	68	62
Anxiety Disorder	232	207	193
Dementia	5	5	6
Developmental Disorder	9	8	6
Impulse Control Disorder	382	366	363
Mood Disorder	1,117	1,087	1,203
Personality Disorder	47	53	57
Psychotic Disorder	229	235	245
Sexual Disorder	5	5	*
Other Diagnosis	37	39	45
Diagnosis Unknown	200	131	211

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	2,086	1,903	2,101	Less than High School Diploma	310	204	127
<b>AGE</b>				High School Grad or G.E.D.	269	259	165
Under 6	31	29	29	Associate Degree or Some College	75	82	42
6 to 9	139	126	125	Bachelor or Advanced Degree	14	15	9
10 to 13	186	167	151	Education Level Unknown	1,418	1,343	1,758
14 to 17	220	182	178	<b>EMPLOYMENT</b>			
18 to 24	216	197	227	Employed	121	115	81
25 to 29	168	160	212	Unemployed	469	426	250
30 to 34	189	182	192	Not in Labor Force	197	20	12
35 to 39	152	148	179	Employment Status Unknown	1,299	1,342	1,758
40 to 44	168	148	185	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	200	180	224	Independent Living	548	422	216
50 to 54	167	169	182	Dependent Living	288	304	151
55 to 59	128	97	97	Homeless	5	8	*
60 and Over	122	118	120	Other	9	9	5
Age Unknown	0	0	0	Housing Unknown	1,236	1,160	1,725
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	977	886	978	Self / Family / Friend	1,323	1,303	1,612
Female	1,109	1,017	1,123	School	27	23	19
Gender Unknown	0	0	0	Mental Health Provider	157	142	106
<b>RACE / ETHNICITY</b>				Health Care Provider	182	107	61
Caucasian	1,885	1,716	1,900	Court / Criminal Justice	70	48	55
African American	115	123	138	Other	324	273	228
Native American / Alaskan	5	*	*	Referral Source Unknown	*	7	20
Asian / Pacific Islander	*	*	5	<b>TYPE OF COMMITMENT</b>			
Hispanic	15	14	13	Voluntary	2,045	1,860	2,023
Other Race	64	44	43	Civil	5	6	26
Race/Ethnicity Unknown	0	0	0	Criminal	28	24	28
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	5	6	*
Hearing Impaired	63	54	47	Commitment Type Unknown	*	7	20
Past or Current Military Service	48	52	55				



# PSYCHIATRIC SERVICE AREA 16



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	16
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	547,056
2012 Pop. Estimate	556,185

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	6,927	7,022	7,226
Mother Reported Smoking while Pregnant	1,044	1,108	966

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total			
IDU and MSM <sup>1</sup>			
IDU without MSM <sup>1</sup>			

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	3,984	3,925	3,635
Suicides	81	82	76
Self-inflicted Injuries	640	624	536
Homicides	15	15	13
Assault Injuries	1,443	1,404	1,339
Alcohol Induced Deaths	14	20	22
Drug Induced Deaths	103	86	69
Smoking Attributable Deaths	714	675	648

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	2,844		
Alcohol Primary Diagnosis <sup>2</sup>	241		
Drug Primary Diagnosis <sup>2</sup>	380		
Alcohol Related Diagnosis	1,076	1,676	1,163
Drug Related Diagnosis	1,306	1,727	1,201
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	3,231		
Alcohol Primary Diagnosis <sup>2</sup>	261		
Drug Primary Diagnosis <sup>2</sup>	240		
Alcohol Related Diagnosis	2,170	1,301	1,766
Drug Related Diagnosis	1,954	1,132	1,193
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	4,046		
Alcohol Primary Diagnosis <sup>2</sup>	783		
Drug Primary Diagnosis <sup>2</sup>	1,013		
Alcohol Related Diagnosis	1,850	1,658	1,571
Drug Related Diagnosis	2,737	2,326	1,438

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	538	589	610
Fatal Crashes	18	21	22
Injury Crashes	197	199	204
Property Damage Crashes	323	369	335
Crash Fatalities	19	23	19
Crash Injuries	286	282	319
Drug Involved Crashes--Total	99	96	104
Fatal Crashes	5	8	6
Injury Crashes	33	38	36
Property Damage Crashes	61	50	62
Crash Fatalities	5	8	5
Crash Injuries	34	47	41

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	295,351	299,241	291,403
Employed	275,780	275,227	263,734
Unemployed	19,571	24,014	27,669
Unemployment Rate	6.6%	8.0%	9.5%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	26,312	26,654	27,112
Drop-outs	516	547	572
Drop-out Rate	2.0%	2.1%	2.1%
School Suspensions:			
Alcohol Incidents	60	62	79
Drug Incidents	405	401	288
Tobacco Incidents	3	9	11

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	3,195	3,036	3,148
Liquor Law Arrests	861	918	985
Drug Arrests	2,653	2,814	2,796
Methamphetamine Lab Incidents	273	248	223
Violent Offenses	1,020	948	949
Property Offenses	10,392	10,204	10,759
Domestic Violence Reports	2,502	2,402	2,572

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	2,584	2,263	2,600
Violent Offenses	485	522	581
Alcohol Offenses	129	165	171
Drug Offenses	290	220	313
Status Offenses--Total	985	1,082	1,054
Truancy	333	352	399
Beyond Parental Control	73	62	70
Habitually Absent from Home	306	349	362
Injurious Behavior	232	268	182
Abuse/Neglect/Custody--Total	599	487	646
Abuse	90	63	69
Neglect	498	398	549
Custody Disputes	11	26	28

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	373	280	272
Parental Alcohol Use Related	22	12	13
Parental Drug Use Related	151	113	91
Parental Alcohol and Drug Use	17	12	8
Child Removed for Other Reason	183	143	160

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	559	636	616
Probation/Parole Admissions--Total	2,742	2,859	2,813
Probation/Parole Admissions--Drug	869	902	832
Probation/Parole Admissions--DWI	264	265	259
Prison Admissions--Total	1,302	1,160	1,206
Prison Admissions--Drug	438	404	398
Prison Admissions--DWI	111	96	106


<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	680	657	662
Alcohol Package Carry-out Licenses	385	374	368

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# PSYCHIATRIC SERVICE AREA 16

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Eastern  
**PSYCHIATRIC SERVICE AREA** 16  
**CENSUS 2010** 547,056  
**2012 POPULATION ESTIMATE** 556,185


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

DIAGNOSIS CATEGORY	FY2012	FY2011	FY2010
Adjustment Disorder	96	89	91
Anxiety Disorder	1,971	1,667	1,291
Dementia	15	18	16
Developmental Disorder	148	141	117
Impulse Control Disorder	1,168	996	787
Mood Disorder	3,285	2,954	2,305
Personality Disorder	602	585	572
Psychotic Disorder	667	626	588
Sexual Disorder	9	9	9
Other Diagnosis	333	333	325
Diagnosis Unknown	408	368	320

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2012	FY2011	FY2010	EDUCATION	FY2012	FY2011	FY2010
Total Individuals	4,945	4,266	3,500	Less than High School Diploma	974	696	479
<b>AGE</b>				High School Grad or G.E.D.	659	812	579
Under 6	26	32	23	Associate Degree or Some College	398	483	286
6 to 9	387	303	226	Bachelor or Advanced Degree	95	110	61
10 to 13	511	430	349	Education Level Unknown	2,819	2,165	2,095
14 to 17	531	459	373	<b>EMPLOYMENT</b>			
18 to 24	485	432	358	Employed	324	338	260
25 to 29	425	369	305	Unemployed	1,436	1,644	1,080
30 to 34	426	330	243	Not in Labor Force	700	120	67
35 to 39	348	303	277	Employment Status Unknown	2,485	2,164	2,093
40 to 44	412	362	308	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	442	430	366	Independent Living	1,996	1,949	1,287
50 to 54	439	377	314	Dependent Living	655	821	269
55 to 59	272	229	178	Homeless	48	31	14
60 and Over	241	210	180	Other	35	29	16
Age Unknown	0	0	0	Housing Unknown	2,211	1,436	1,914
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	2,404	2,117	1,806	Self / Family / Friend	950	545	578
Female	2,541	2,149	1,694	School	542	351	396
Gender Unknown	0	0	0	Mental Health Provider	437	485	539
<b>RACE / ETHNICITY</b>				Health Care Provider	470	289	233
Caucasian	4,425	3,851	3,128	Court / Criminal Justice	158	105	166
African American	276	233	219	Other	2,352	2,440	1,513
Native American / Alaskan	11	9	7	Referral Source Unknown	36	51	75
Asian / Pacific Islander	12	*	5	<b>TYPE OF COMMITMENT</b>			
Hispanic	72	45	39	Voluntary	4,857	4,158	3,277
Other Race	149	124	102	Civil	12	25	113
Race/Ethnicity Unknown	0	0	0	Criminal	31	30	34
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	93	66	48	Commitment Type Unknown	44	51	75
Past or Current Military Service	73	67	65				

# PSYCHIATRIC SERVICE AREA 17A



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	17A
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	109,907
2012 Pop. Estimate	109,452

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	1,244	1,251	1,251
Mother Reported Smoking while Pregnant	305	333	335

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total			
IDU and MSM <sup>1</sup>			
IDU without MSM <sup>1</sup>			

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	1,223	1,185	1,174
Suicides	23	16	14
Self-inflicted Injuries	135	168	156
Homicides	6	3	4
Assault Injuries	398	440	328
Alcohol Induced Deaths	5	3	4
Drug Induced Deaths	25	33	17
Smoking Attributable Deaths	214	210	234

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	728		
Alcohol Primary Diagnosis <sup>2</sup>	42		
Drug Primary Diagnosis <sup>2</sup>	86		
Alcohol Related Diagnosis	260	333	225
Drug Related Diagnosis	323	385	262
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	442		
Alcohol Primary Diagnosis <sup>2</sup>	61		
Drug Primary Diagnosis <sup>2</sup>	51		
Alcohol Related Diagnosis	334	283	228
Drug Related Diagnosis	374	284	252
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,051		
Alcohol Primary Diagnosis <sup>2</sup>	252		
Drug Primary Diagnosis <sup>2</sup>	224		
Alcohol Related Diagnosis	517	452	354
Drug Related Diagnosis	461	475	301

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	138	129	182
Fatal Crashes	9	7	3
Injury Crashes	59	62	63
Property Damage Crashes	70	60	100
Crash Fatalities	9	7	3
Crash Injuries	86	97	104
Drug Involved Crashes--Total	28	39	38
Fatal Crashes	0	3	1
Injury Crashes	13	15	22
Property Damage Crashes	15	21	15
Crash Fatalities	0	3	1
Crash Injuries	13	22	29

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	51,355	52,483	52,697
Employed	47,756	47,965	47,882
Unemployed	3,599	4,518	4,815
Unemployment Rate	7.0%	8.6%	9.1%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	4,888	4,992	5,016
Drop-outs	129	157	153
Drop-out Rate	2.6%	3.1%	3.1%
School Suspensions:			
Alcohol Incidents	12	12	18
Drug Incidents	28	42	73
Tobacco Incidents	1	0	2

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	797	675	755
Liquor Law Arrests	293	409	347
Drug Arrests	736	795	783
Methamphetamine Lab Incidents	117	105	72
Violent Offenses	322	312	263
Property Offenses	2,949	3,130	3,078
Domestic Violence Reports	600	585	611

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	527	531	517
Violent Offenses	231	194	206
Alcohol Offenses	14	27	28
Drug Offenses	47	58	69
Status Offenses--Total	391	509	447
Truancy	146	253	167
Beyond Parental Control	61	74	82
Habitually Absent from Home	40	19	45
Injurious Behavior	112	144	130
Abuse/Neglect/Custody--Total	785	786	635
Abuse	316	308	250
Neglect	454	465	362
Custody Disputes	15	13	23

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	112	117	102
Parental Alcohol Use Related	1	4	0
Parental Drug Use Related	38	33	34
Parental Alcohol and Drug Use	10	5	8
Child Removed for Other Reason	63	75	60


<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	94	73	76
Probation/Parole Admissions--Total	900	758	767
Probation/Parole Admissions--Drug	391	286	286
Probation/Parole Admissions--DWI	46	39	26
Prison Admissions--Total	429	342	414
Prison Admissions--Drug	168	137	122
Prison Admissions--DWI	22	9	34

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	153	156	143
Alcohol Package Carry-out Licenses	119	123	118

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 17A

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 17A  
**CENSUS 2010** 109,907  
**2012 POPULATION ESTIMATE** 109,452


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	19	23	35
Anxiety Disorder	554	518	465
Dementia	*	*	*
Developmental Disorder	22	20	23
Impulse Control Disorder	230	201	204
Mood Disorder	883	849	761
Personality Disorder	83	91	105
Psychotic Disorder	172	153	152
Sexual Disorder	0	0	*
Other Diagnosis	89	101	99
Diagnosis Unknown	58	56	141

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	1,352	1,232	1,213	Less than High School Diploma	324	159	75
<b>AGE</b>				High School Grad or G.E.D.	253	208	82
Under 6	10	10	15	Associate Degree or Some College	89	69	18
6 to 9	79	60	69	Bachelor or Advanced Degree	11	6	6
10 to 13	99	78	81	Education Level Unknown	675	790	1,032
14 to 17	117	103	115	<b>EMPLOYMENT</b>			
18 to 24	111	122	127	Employed	85	68	33
25 to 29	140	115	115	Unemployed	523	363	139
30 to 34	130	121	93	Not in Labor Force	86	18	9
35 to 39	109	103	106	Employment Status Unknown	658	783	1,032
40 to 44	135	114	99	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	142	147	152	Independent Living	560	398	155
50 to 54	123	112	102	Dependent Living	209	202	34
55 to 59	84	80	76	Homeless	6	*	6
60 and Over	73	67	63	Other	5	13	5
Age Unknown	0	0	0	Housing Unknown	572	618	1,013
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	570	520	531	Self / Family / Friend	815	743	733
Female	782	712	682	School	15	6	12
Gender Unknown	0	0	0	Mental Health Provider	24	25	28
<b>RACE / ETHNICITY</b>				Health Care Provider	152	112	78
Caucasian	1,281	1,174	1,158	Court / Criminal Justice	50	48	56
African American	29	28	21	Other	296	296	291
Native American / Alaskan	*	*	*	Referral Source Unknown	0	*	15
Asian / Pacific Islander	0	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	22	18	21	Voluntary	1,337	1,205	1,152
Other Race	17	10	9	Civil	6	13	35
Race/Ethnicity Unknown	0	0	*	Criminal	8	11	10
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	37	40	45	Commitment Type Unknown	0	*	15
Past or Current Military Service	25	26	28				

# PSYCHIATRIC SERVICE AREA 17B



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	17B
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	101,184
2012 Pop. Estimate	101,386

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	1,190	1,167	1,216
Mother Reported Smoking while Pregnant	404	371	336

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total			
IDU and MSM <sup>1</sup>			
IDU without MSM <sup>1</sup>			

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	1,107	1,057	1,120
Suicides	15	12	10
Self-inflicted Injuries	218	221	156
Homicides	3	7	4
Assault Injuries	424	454	467
Alcohol Induced Deaths	6	3	9
Drug Induced Deaths	24	22	28
Smoking Attributable Deaths	225	209	229

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,587		
Alcohol Primary Diagnosis <sup>2</sup>	52		
Drug Primary Diagnosis <sup>2</sup>	104		
Alcohol Related Diagnosis	439	369	224
Drug Related Diagnosis	663	549	272
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	411		
Alcohol Primary Diagnosis <sup>2</sup>	30		
Drug Primary Diagnosis <sup>2</sup>	32		
Alcohol Related Diagnosis	235	217	281
Drug Related Diagnosis	232	204	293
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,829		
Alcohol Primary Diagnosis <sup>2</sup>	203		
Drug Primary Diagnosis <sup>2</sup>	286		
Alcohol Related Diagnosis	568	430	407
Drug Related Diagnosis	1,075	869	554

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	126	95	112
Fatal Crashes	8	9	9
Injury Crashes	60	48	49
Property Damage Crashes	58	38	48
Crash Fatalities	11	9	11
Crash Injuries	90	81	82
Drug Involved Crashes--Total	38	13	19
Fatal Crashes	4	1	1
Injury Crashes	16	5	8
Property Damage Crashes	18	7	10
Crash Fatalities	4	1	1
Crash Injuries	19	14	12

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	43,588	44,654	44,631
Employed	39,714	39,824	39,283
Unemployed	3,874	4,830	5,348
Unemployment Rate	8.9%	10.8%	12.0%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	4,618	4,874	5,194
Drop-outs	126	91	131
Drop-out Rate	2.7%	1.9%	2.5%
School Suspensions:			
Alcohol Incidents	3	3	4
Drug Incidents	38	16	16
Tobacco Incidents	5	4	3

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	558	537	542
Liquor Law Arrests	128	154	218
Drug Arrests	571	543	536
Methamphetamine Lab Incidents	200	194	160
Violent Offenses	260	211	190
Property Offenses	2,420	1,781	2,789
Domestic Violence Reports	444	262	410

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	548	513	627
Violent Offenses	215	261	313
Alcohol Offenses	11	28	21
Drug Offenses	33	25	28
Status Offenses--Total	375	368	285
Truancy	172	123	75
Beyond Parental Control	88	96	99
Habitually Absent from Home	12	14	13
Injurious Behavior	66	100	65
Abuse/Neglect/Custody--Total	239	228	176
Abuse	75	45	34
Neglect	162	159	126
Custody Disputes	2	24	16

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	101	126	97
Parental Alcohol Use Related	4	0	4
Parental Drug Use Related	41	38	36
Parental Alcohol and Drug Use	3	7	8
Child Removed for Other Reason	53	81	49


<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	47	71	66
Probation/Parole Admissions--Total	880	862	761
Probation/Parole Admissions--Drug	278	263	255
Probation/Parole Admissions--DWI	38	34	33
Prison Admissions--Total	478	421	462
Prison Admissions--Drug	167	159	159
Prison Admissions--DWI	22	13	17

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	95	95	91
Alcohol Package Carry-out Licenses	89	87	88

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 17B

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 17B  
**CENSUS 2010** 101,184  
**2012 POPULATION ESTIMATE** 101,386

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.


<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	35	41	90
Anxiety Disorder	359	328	349
Dementia	13	21	28
Developmental Disorder	45	48	49
Impulse Control Disorder	249	236	236
Mood Disorder	958	941	1,142
Personality Disorder	399	429	606
Psychotic Disorder	536	532	589
Sexual Disorder	59	56	65
Other Diagnosis	143	185	324
Diagnosis Unknown	255	204	278

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	2,065	1,953	2,297	Less than High School Diploma	433	244	184
<b>AGE</b>				High School Grad or G.E.D.	379	283	196
Under 6	8	8	7	Associate Degree or Some College	82	71	55
6 to 9	61	61	41	Bachelor or Advanced Degree	36	9	11
10 to 13	118	108	95	Education Level Unknown	1,135	1,346	1,851
14 to 17	125	126	102	<b>EMPLOYMENT</b>			
18 to 24	161	161	255	Employed	71	35	27
25 to 29	149	140	205	Unemployed	787	564	408
30 to 34	176	150	185	Not in Labor Force	146	10	11
35 to 39	167	157	198	Employment Status Unknown	1,061	1,344	1,851
40 to 44	189	166	203	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	225	229	289	Independent Living	655	399	288
50 to 54	245	243	263	Dependent Living	374	341	182
55 to 59	189	175	199	Homeless	5	10	11
60 and Over	252	229	255	Other	21	15	*
Age Unknown	0	0	0	Housing Unknown	1,010	1,188	1,815
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,196	1,135	1,331	Self / Family / Friend	631	631	818
Female	869	818	966	School	16	20	8
Gender Unknown	0	0	0	Mental Health Provider	321	283	273
<b>RACE / ETHNICITY</b>				Health Care Provider	297	176	237
Caucasian	1,859	1,761	2,096	Court / Criminal Justice	342	369	435
African American	157	141	143	Other	442	458	502
Native American / Alaskan	5	5	7	Referral Source Unknown	16	16	24
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	19	20	19	Voluntary	1,767	1,645	1,853
Other Race	23	24	25	Civil	9	29	157
Race/Ethnicity Unknown	0	0	*	Criminal	151	149	140
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	136	127	135
Hearing Impaired	90	83	104	Commitment Type Unknown	*	*	12
Past or Current Military Service	116	125	177				



# PSYCHIATRIC SERVICE AREA 18



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	18
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	127,952
2012 Pop. Estimate	127,569

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	56,124	56,689	56,917
Employed	51,923	51,600	51,314
Unemployed	4,201	5,089	5,603
Unemployment Rate	7.5%	9.0%	9.8%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	5,991	6,013	6,306
Drop-outs	70	90	118
Drop-out Rate	1.2%	1.5%	1.9%
School Suspensions:			
Alcohol Incidents	9	18	15
Drug Incidents	64	59	32
Tobacco Incidents	3	2	2

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	1,552	1,516	1,587
Mother Reported Smoking while Pregnant	408	451	434

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total			
IDU and MSM <sup>1</sup>			
IDU without MSM <sup>1</sup>			

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	1,510	1,419	1,442
Suicides	25	24	27
Self-inflicted Injuries	240	207	214
Homicides	8	6	7
Assault Injuries	302	255	262
Alcohol Induced Deaths	7	5	9
Drug Induced Deaths	10	17	18
Smoking Attributable Deaths	297	292	273

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,231		
Alcohol Primary Diagnosis <sup>2</sup>	101		
Drug Primary Diagnosis <sup>2</sup>	109		
Alcohol Related Diagnosis	475	430	220
Drug Related Diagnosis	634	551	244
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	163		
Alcohol Primary Diagnosis <sup>2</sup>	52		
Drug Primary Diagnosis <sup>2</sup>	29		
Alcohol Related Diagnosis	217	195	448
Drug Related Diagnosis	138	181	407
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,060		
Alcohol Primary Diagnosis <sup>2</sup>	139		
Drug Primary Diagnosis <sup>2</sup>	154		
Alcohol Related Diagnosis	410	494	394
Drug Related Diagnosis	438	469	291

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	156	184	183
Fatal Crashes	2	4	9
Injury Crashes	85	108	110
Property Damage Crashes	69	72	79
Crash Fatalities	2	4	9
Crash Injuries	116	169	124
Drug Involved Crashes--Total	22	35	19
Fatal Crashes	0	2	2
Injury Crashes	13	16	7
Property Damage Crashes	9	17	10
Crash Fatalities	0	2	1
Crash Injuries	17	23	9

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	878	697	602
Liquor Law Arrests	207	214	285
Drug Arrests	808	927	756
Methamphetamine Lab Incidents	83	64	29
Violent Offenses	245	270	330
Property Offenses	2,948	2,684	2,541
Domestic Violence Reports	367	380	385

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	496	438	421
Violent Offenses	98	114	132
Alcohol Offenses	43	26	32
Drug Offenses	41	42	30
Status Offenses--Total	974	984	950
Truancy	440	372	369
Beyond Parental Control	155	173	160
Habitually Absent from Home	50	64	77
Injurious Behavior	249	322	295
Abuse/Neglect/Custody--Total	751	560	458
Abuse	180	116	111
Neglect	519	383	303
Custody Disputes	52	61	44

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	116	114	149
Parental Alcohol Use Related	5	8	12
Parental Drug Use Related	31	30	17
Parental Alcohol and Drug Use	3	5	6
Child Removed for Other Reason	77	71	114

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	138	127	131
Probation/Parole Admissions--Total	857	737	673
Probation/Parole Admissions--Drug	290	211	192
Probation/Parole Admissions--DWI	62	42	41
Prison Admissions--Total	402	412	375
Prison Admissions--Drug	119	116	91
Prison Admissions--DWI	23	22	36

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	91	91	91
Alcohol Package Carry-out Licenses	134	134	134

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.


<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# PSYCHIATRIC SERVICE AREA 18

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 18  
**CENSUS 2010** 127,952  
**2012 POPULATION ESTIMATE** 127,569


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	64	38	59
Anxiety Disorder	639	390	380
Dementia	*	*	*
Developmental Disorder	5	8	8
Impulse Control Disorder	198	120	99
Mood Disorder	1,153	860	863
Personality Disorder	18	18	25
Psychotic Disorder	144	106	110
Sexual Disorder	*	*	*
Other Diagnosis	57	38	40
Diagnosis Unknown	184	72	83

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	1,877	1,364	1,394	Less than High School Diploma	281	148	104
<b>AGE</b>				High School Grad or G.E.D.	267	305	138
Under 6	6	8	23	Associate Degree or Some College	59	56	41
6 to 9	53	35	27	Bachelor or Advanced Degree	15	11	6
10 to 13	86	68	52	Education Level Unknown	1,255	844	1,105
14 to 17	90	75	68	<b>EMPLOYMENT</b>			
18 to 24	228	168	212	Employed	92	31	23
25 to 29	213	156	159	Unemployed	536	482	262
30 to 34	214	129	135	Not in Labor Force	248	8	6
35 to 39	165	108	131	Employment Status Unknown	1,001	843	1,103
40 to 44	209	150	150	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	214	186	174	Independent Living	688	459	251
50 to 54	198	136	133	Dependent Living	162	135	55
55 to 59	120	90	84	Homeless	38	37	25
60 and Over	81	55	46	Other	*	*	*
Age Unknown	0	0	0	Housing Unknown	985	731	1,060
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	849	605	639	Self / Family / Friend	826	447	474
Female	1,028	759	755	School	5	*	0
Gender Unknown	0	0	0	Mental Health Provider	84	96	143
<b>RACE / ETHNICITY</b>				Health Care Provider	560	460	354
Caucasian	1,819	1,323	1,346	Court / Criminal Justice	64	50	82
African American	10	9	9	Other	338	308	336
Native American / Alaskan	5	*	5	Referral Source Unknown	0	*	5
Asian / Pacific Islander	0	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	25	14	16	Voluntary	1,867	1,354	1,361
Other Race	18	14	16	Civil	*	*	24
Race/Ethnicity Unknown	0	0	0	Criminal	7	*	*
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	0	0	0
Hearing Impaired	69	62	67	Commitment Type Unknown	*	*	5
Past or Current Military Service	43	40	43				

# PSYCHIATRIC SERVICE AREA 19



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	19
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	133,625
2012 Pop. Estimate	133,357

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	1,775	1,793	1,837
Mother Reported Smoking while Pregnant	523	573	547

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total			
IDU and MSM <sup>1</sup>			
IDU without MSM <sup>1</sup>			

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	1,769	1,720	1,792
Suicides	23	30	18
Self-inflicted Injuries	374	380	345
Homicides	9	8	6
Assault Injuries	671	753	777
Alcohol Induced Deaths	4	9	10
Drug Induced Deaths	34	32	39
Smoking Attributable Deaths	387	339	374

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,838		
Alcohol Primary Diagnosis <sup>2</sup>	95		
Drug Primary Diagnosis <sup>2</sup>	131		
Alcohol Related Diagnosis	665	488	285
Drug Related Diagnosis	787	675	359
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	433		
Alcohol Primary Diagnosis <sup>2</sup>	41		
Drug Primary Diagnosis <sup>2</sup>	51		
Alcohol Related Diagnosis	305	410	630
Drug Related Diagnosis	257	482	715
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,992		
Alcohol Primary Diagnosis <sup>2</sup>	264		
Drug Primary Diagnosis <sup>2</sup>	248		
Alcohol Related Diagnosis	575	689	471
Drug Related Diagnosis	611	619	422

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	192	207	226
Fatal Crashes	8	9	14
Injury Crashes	88	101	104
Property Damage Crashes	96	97	111
Crash Fatalities	8	10	17
Crash Injuries	131	134	114
Drug Involved Crashes--Total	49	78	77
Fatal Crashes	2	5	1
Injury Crashes	29	35	39
Property Damage Crashes	18	38	37
Crash Fatalities	3	5	1
Crash Injuries	38	52	41

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	60,984	61,330	61,619
Employed	56,086	55,486	55,615
Unemployed	4,898	5,844	6,004
Unemployment Rate	8.0%	9.5%	9.7%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	6,058	6,255	6,220
Drop-outs	210	224	242
Drop-out Rate	3.5%	3.6%	3.9%
School Suspensions:			
Alcohol Incidents	9	16	4
Drug Incidents	38	58	92
Tobacco Incidents	2	5	8

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	1,002	1,125	978
Liquor Law Arrests	180	261	355
Drug Arrests	1,295	1,100	1,150
Methamphetamine Lab Incidents	142	77	131
Violent Offenses	528	492	503
Property Offenses	4,688	4,199	3,863
Domestic Violence Reports	656	758	743

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	595	789	688
Violent Offenses	212	266	251
Alcohol Offenses	12	48	30
Drug Offenses	33	54	58
Status Offenses--Total	325	311	310
Truancy	93	97	34
Beyond Parental Control	123	110	140
Habitually Absent from Home	67	73	77
Injurious Behavior	31	18	49
Abuse/Neglect/Custody--Total	749	930	1,037
Abuse	201	256	303
Neglect	542	671	724
Custody Disputes	6	3	10

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	239	289	224
Parental Alcohol Use Related	14	22	3
Parental Drug Use Related	92	112	68
Parental Alcohol and Drug Use	11	20	6
Child Removed for Other Reason	122	135	147


<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	182	150	143
Probation/Parole Admissions--Total	1,539	1,414	1,443
Probation/Parole Admissions--Drug	510	440	473
Probation/Parole Admissions--DWI	88	90	75
Prison Admissions--Total	779	791	845
Prison Admissions--Drug	235	265	269
Prison Admissions--DWI	52	55	59

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	154	154	164
Alcohol Package Carry-out Licenses	183	180	172

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 19

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 19  
**CENSUS 2010** 133,625  
**2012 POPULATION ESTIMATE** 133,357


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	42	56	100
Anxiety Disorder	395	369	485
Dementia	*	*	*
Developmental Disorder	9	9	9
Impulse Control Disorder	181	157	186
Mood Disorder	997	908	1,143
Personality Disorder	176	193	238
Psychotic Disorder	300	258	266
Sexual Disorder	*	5	*
Other Diagnosis	90	92	134
Diagnosis Unknown	219	125	358

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	1,662	1,427	1,997	Less than High School Diploma	325	197	149
<b>AGE</b>				High School Grad or G.E.D.	300	238	155
Under 6	7	*	7	Associate Degree or Some College	56	46	28
6 to 9	71	42	47	Bachelor or Advanced Degree	7	6	*
10 to 13	108	96	140	Education Level Unknown	974	940	1,662
14 to 17	98	86	115	<b>EMPLOYMENT</b>			
18 to 24	133	115	202	Employed	37	42	26
25 to 29	137	118	188	Unemployed	564	442	304
30 to 34	152	126	178	Not in Labor Force	177	*	5
35 to 39	144	126	205	Employment Status Unknown	884	940	1,662
40 to 44	172	144	196	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	201	176	237	Independent Living	606	400	265
50 to 54	171	144	175	Dependent Living	209	175	69
55 to 59	128	119	154	Homeless	7	*	*
60 and Over	140	132	153	Other	18	12	*
Age Unknown	0	0	0	Housing Unknown	822	836	1,658
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	784	647	917	Self / Family / Friend	484	425	803
Female	878	780	1,080	School	34	32	40
Gender Unknown	0	0	0	Mental Health Provider	222	245	301
<b>RACE / ETHNICITY</b>				Health Care Provider	353	260	197
Caucasian	1,435	1,228	1,773	Court / Criminal Justice	307	231	235
African American	188	172	190	Other	236	190	245
Native American / Alaskan	*	0	0	Referral Source Unknown	26	44	176
Asian / Pacific Islander	0	0	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	16	13	14	Voluntary	1,591	1,349	1,756
Other Race	22	14	19	Civil	*	12	47
Race/Ethnicity Unknown	0	0	0	Criminal	39	19	17
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	68	58	64	Commitment Type Unknown	24	43	175
Past or Current Military Service	42	39	61				

# PSYCHIATRIC SERVICE AREA 20



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	20
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	102,473
2012 Pop. Estimate	101,744

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	1,293	1,324	1,331
Mother Reported Smoking while Pregnant	380	421	384

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total			
IDU and MSM <sup>1</sup>			
IDU without MSM <sup>1</sup>			

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	1,279	1,232	1,240
Suicides	17	11	13
Self-inflicted Injuries	197	238	224
Homicides	2	5	5
Assault Injuries	395	458	405
Alcohol Induced Deaths	6	6	10
Drug Induced Deaths	7	7	9
Smoking Attributable Deaths	272	253	280

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,253		
Alcohol Primary Diagnosis <sup>2</sup>	73		
Drug Primary Diagnosis <sup>2</sup>	75		
Alcohol Related Diagnosis	424	347	200
Drug Related Diagnosis	526	494	279
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	128		
Alcohol Primary Diagnosis <sup>2</sup>	34		
Drug Primary Diagnosis <sup>2</sup>	26		
Alcohol Related Diagnosis	201	246	366
Drug Related Diagnosis	140	278	337
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	984		
Alcohol Primary Diagnosis <sup>2</sup>	155		
Drug Primary Diagnosis <sup>2</sup>	130		
Alcohol Related Diagnosis	386	394	288
Drug Related Diagnosis	370	339	255

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	117	116	133
Fatal Crashes	5	5	7
Injury Crashes	45	56	56
Property Damage Crashes	67	55	62
Crash Fatalities	7	5	7
Crash Injuries	60	85	94
Drug Involved Crashes--Total	51	35	43
Fatal Crashes	4	3	1
Injury Crashes	26	12	26
Property Damage Crashes	21	20	16
Crash Fatalities	6	3	1
Crash Injuries	28	22	34

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	49,715	49,783	49,076
Employed	46,091	45,264	44,548
Unemployed	3,624	4,519	4,528
Unemployment Rate	7.3%	9.1%	9.2%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	4,746	4,979	5,046
Drop-outs	66	70	126
Drop-out Rate	1.4%	1.4%	2.5%
School Suspensions:			
Alcohol Incidents	12	6	8
Drug Incidents	26	44	45
Tobacco Incidents	3	6	6

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	697	756	695
Liquor Law Arrests	127	176	210
Drug Arrests	639	840	798
Methamphetamine Lab Incidents	69	132	60
Violent Offenses	495	487	488
Property Offenses	2,335	2,354	2,086
Domestic Violence Reports	1,046	1,021	1,070

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	687	769	806
Violent Offenses	152	238	215
Alcohol Offenses	67	41	76
Drug Offenses	60	49	66
Status Offenses--Total	429	460	431
Truancy	176	174	126
Beyond Parental Control	72	64	60
Habitually Absent from Home	32	52	39
Injurious Behavior	116	130	178
Abuse/Neglect/Custody--Total	622	581	609
Abuse	79	66	101
Neglect	305	308	324
Custody Disputes	238	207	184

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	305	287	255
Parental Alcohol Use Related	7	10	10
Parental Drug Use Related	140	128	109
Parental Alcohol and Drug Use	14	2	9
Child Removed for Other Reason	144	147	127


<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	116	133	146
Probation/Parole Admissions--Total	1,151	1,127	1,135
Probation/Parole Admissions--Drug	439	443	457
Probation/Parole Admissions--DWI	59	72	46
Prison Admissions--Total	559	574	603
Prison Admissions--Drug	225	210	224
Prison Admissions--DWI	32	32	37

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	104	102	104
Alcohol Package Carry-out Licenses	109	106	104

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 20

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 20  
**CENSUS 2010** 102,473  
**2012 POPULATION ESTIMATE** 101,744

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.


<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	153	186	202
Anxiety Disorder	375	298	281
Dementia	*	*	5
Developmental Disorder	11	10	14
Impulse Control Disorder	237	228	264
Mood Disorder	1,229	981	908
Personality Disorder	247	191	170
Psychotic Disorder	273	249	233
Sexual Disorder	0	0	*
Other Diagnosis	111	89	126
Diagnosis Unknown	200	168	342

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	2,254	1,935	2,008	Less than High School Diploma	355	163	157
<b>AGE</b>				High School Grad or G.E.D.	215	176	130
Under 6	27	33	52	Associate Degree or Some College	45	44	46
6 to 9	129	130	153	Bachelor or Advanced Degree	8	9	6
10 to 13	198	183	205	Education Level Unknown	1,631	1,543	1,669
14 to 17	252	248	270	<b>EMPLOYMENT</b>			
18 to 24	189	158	172	Employed	58	23	24
25 to 29	178	117	118	Unemployed	441	367	312
30 to 34	197	150	134	Not in Labor Force	214	*	*
35 to 39	167	115	134	Employment Status Unknown	1,541	1,542	1,669
40 to 44	173	138	128	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	223	197	206	Independent Living	558	353	320
50 to 54	217	189	174	Dependent Living	227	194	44
55 to 59	146	131	117	Homeless	15	*	0
60 and Over	158	146	145	Other	6	6	*
Age Unknown	0	0	0	Housing Unknown	1,448	1,380	1,640
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	1,010	862	939	Self / Family / Friend	948	824	753
Female	1,244	1,073	1,069	School	42	40	53
Gender Unknown	0	0	0	Mental Health Provider	267	273	313
<b>RACE / ETHNICITY</b>				Health Care Provider	339	251	281
Caucasian	1,876	1,595	1,630	Court / Criminal Justice	150	107	176
African American	286	260	306	Other	503	423	392
Native American / Alaskan	*	5	*	Referral Source Unknown	5	17	40
Asian / Pacific Islander	*	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	35	33	31	Voluntary	2,236	1,903	1,904
Other Race	52	41	37	Civil	5	11	55
Race/Ethnicity Unknown	0	0	0	Criminal	8	*	6
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	54	51	54	Commitment Type Unknown	*	17	40
Past or Current Military Service	32	27	30				



# PSYCHIATRIC SERVICE AREA 21



<b>DBH REGION</b>	Southeast
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	21
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	137,379
2012 Pop. Estimate	138,538

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	1,566	1,636	1,631
Mother Reported Smoking while Pregnant	360	414	345

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total			
IDU and MSM <sup>1</sup>			
IDU without MSM <sup>1</sup>			

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	1,411	1,418	1,368
Suicides	19	20	19
Self-inflicted Injuries	169	149	139
Homicides	3	3	7
Assault Injuries	412	422	410
Alcohol Induced Deaths	2	8	9
Drug Induced Deaths	24	20	12
Smoking Attributable Deaths	247	265	252

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,346		
Alcohol Primary Diagnosis <sup>2</sup>	83		
Drug Primary Diagnosis <sup>2</sup>	67		
Alcohol Related Diagnosis	494	384	233
Drug Related Diagnosis	557	412	193
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	119		
Alcohol Primary Diagnosis <sup>2</sup>	26		
Drug Primary Diagnosis <sup>2</sup>	18		
Alcohol Related Diagnosis	210	185	348
Drug Related Diagnosis	155	155	233
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,490		
Alcohol Primary Diagnosis <sup>2</sup>	246		
Drug Primary Diagnosis <sup>2</sup>	207		
Alcohol Related Diagnosis	602	528	378
Drug Related Diagnosis	602	495	295

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	135	142	157
Fatal Crashes	0	4	3
Injury Crashes	60	65	66
Property Damage Crashes	75	73	85
Crash Fatalities	0	4	3
Crash Injuries	72	85	82
Drug Involved Crashes--Total	40	31	30
Fatal Crashes	0	1	0
Injury Crashes	18	20	10
Property Damage Crashes	22	10	20
Crash Fatalities	0	1	0
Crash Injuries	18	25	9

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	69,915	71,084	70,396
Employed	65,690	65,751	64,641
Unemployed	4,225	5,333	5,755
Unemployment Rate	6.0%	7.5%	8.2%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	5,452	5,594	5,718
Drop-outs	152	132	184
Drop-out Rate	2.8%	2.4%	3.2%
School Suspensions:			
Alcohol Incidents	9	23	9
Drug Incidents	45	48	38
Tobacco Incidents	1	0	2

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	968	964	1,039
Liquor Law Arrests	283	251	325
Drug Arrests	585	654	704
Methamphetamine Lab Incidents	54	87	71
Violent Offenses	434	497	477
Property Offenses	4,076	3,969	3,581
Domestic Violence Reports	800	760	685

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	790	1,020	1,281
Violent Offenses	162	170	207
Alcohol Offenses	43	38	46
Drug Offenses	54	39	48
Status Offenses--Total	300	351	394
Truancy	63	107	145
Beyond Parental Control	92	85	74
Habitually Absent from Home	67	69	88
Injurious Behavior	58	56	51
Abuse/Neglect/Custody--Total	262	296	271
Abuse	69	66	90
Neglect	107	110	95
Custody Disputes	86	120	86

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	141	147	139
Parental Alcohol Use Related	6	6	4
Parental Drug Use Related	47	54	40
Parental Alcohol and Drug Use	11	11	1
Child Removed for Other Reason	77	76	94

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	139	121	149
Probation/Parole Admissions--Total	878	845	802
Probation/Parole Admissions--Drug	329	344	279
Probation/Parole Admissions--DWI	76	94	75
Prison Admissions--Total	441	434	397
Prison Admissions--Drug	154	139	149
Prison Admissions--DWI	45	42	32


<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	211	212	202
Alcohol Package Carry-out Licenses	129	125	119

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# PSYCHIATRIC SERVICE AREA 21

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Southeast  
**PSYCHIATRIC SERVICE AREA** 21  
**CENSUS 2010** 137,379  
**2012 POPULATION ESTIMATE** 138,538


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	419	219	77
Anxiety Disorder	573	363	225
Dementia	*	*	*
Developmental Disorder	12	12	6
Impulse Control Disorder	776	297	329
Mood Disorder	2,625	1,570	998
Personality Disorder	79	89	103
Psychotic Disorder	430	358	309
Sexual Disorder	*	*	*
Other Diagnosis	131	76	88
Diagnosis Unknown	764	165	576

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	5,164	2,632	2,301	Less than High School Diploma	342	258	214
<b>AGE</b>				High School Grad or G.E.D.	273	325	219
Under 6	17	6	25	Associate Degree or Some College	76	80	55
6 to 9	288	119	149	Bachelor or Advanced Degree	35	36	26
10 to 13	407	129	215	Education Level Unknown	4,438	1,933	1,787
14 to 17	427	136	199	<b>EMPLOYMENT</b>			
18 to 24	599	284	268	Employed	84	79	71
25 to 29	472	271	207	Unemployed	571	595	422
30 to 34	523	292	195	Not in Labor Force	179	32	22
35 to 39	454	248	169	Employment Status Unknown	4,330	1,926	1,786
40 to 44	420	267	215	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	446	283	230	Independent Living	553	494	348
50 to 54	433	256	192	Dependent Living	386	382	167
55 to 59	318	175	124	Homeless	9	8	*
60 and Over	360	166	113	Other	14	10	5
Age Unknown	0	0	0	Housing Unknown	4,202	1,738	1,779
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	2,239	1,203	1,123	Self / Family / Friend	3,567	1,679	1,415
Female	2,925	1,429	1,177	School	39	18	25
Gender Unknown	0	0	*	Mental Health Provider	310	194	169
<b>RACE / ETHNICITY</b>				Health Care Provider	530	260	197
Caucasian	4,358	2,229	1,895	Court / Criminal Justice	141	105	118
African American	279	160	169	Other	562	360	340
Native American / Alaskan	*	*	*	Referral Source Unknown	15	16	37
Asian / Pacific Islander	6	*	*	<b>TYPE OF COMMITMENT</b>			
Hispanic	385	162	145	Voluntary	5,119	2,582	2,195
Other Race	134	77	87	Civil	9	15	51
Race/Ethnicity Unknown	0	0	0	Criminal	19	20	21
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	*
Hearing Impaired	226	138	113	Commitment Type Unknown	13	13	33
Past or Current Military Service	103	75	69				

# PSYCHIATRIC SERVICE AREA 22



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	22
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	218,733
2012 Pop. Estimate	220,209

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	2,662	2,758	2,859
Mother Reported Smoking while Pregnant	602	613	574

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total			
IDU and MSM <sup>1</sup>			
IDU without MSM <sup>1</sup>			

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	1,822	1,823	1,772
Suicides	41	37	32
Self-inflicted Injuries	279	260	155
Homicides	4	9	6
Assault Injuries	523	563	543
Alcohol Induced Deaths	12	4	7
Drug Induced Deaths	54	57	47
Smoking Attributable Deaths	355	373	363

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,659		
Alcohol Primary Diagnosis <sup>2</sup>	33		
Drug Primary Diagnosis <sup>2</sup>	132		
Alcohol Related Diagnosis	392	579	528
Drug Related Diagnosis	584	719	501
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	960		
Alcohol Primary Diagnosis <sup>2</sup>	82		
Drug Primary Diagnosis <sup>2</sup>	119		
Alcohol Related Diagnosis	735	624	634
Drug Related Diagnosis	766	568	554
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	1,299		
Alcohol Primary Diagnosis <sup>2</sup>	197		
Drug Primary Diagnosis <sup>2</sup>	421		
Alcohol Related Diagnosis	460	508	438
Drug Related Diagnosis	743	666	459

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	240	221	295
Fatal Crashes	7	8	14
Injury Crashes	102	97	98
Property Damage Crashes	131	116	164
Crash Fatalities	8	8	13
Crash Injuries	142	139	158
Drug Involved Crashes--Total	33	35	43
Fatal Crashes	1	5	5
Injury Crashes	18	11	13
Property Damage Crashes	14	19	25
Crash Fatalities	1	5	5
Crash Injuries	23	22	27

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	115,338	117,800	116,155
Employed	106,839	107,369	104,134
Unemployed	8,499	10,431	12,021
Unemployment Rate	7.4%	8.9%	10.3%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	10,668	10,877	11,134
Drop-outs	247	234	235
Drop-out Rate	2.3%	2.2%	2.1%
School Suspensions:			
Alcohol Incidents	26	24	10
Drug Incidents	109	110	115
Tobacco Incidents	4	1	2

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	1,609	1,950	2,055
Liquor Law Arrests	826	730	945
Drug Arrests	1,563	1,574	1,682
Methamphetamine Lab Incidents	253	228	227
Violent Offenses	548	569	606
Property Offenses	4,496	4,248	4,503
Domestic Violence Reports	1,423	1,404	1,393

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	1,186	1,111	1,047
Violent Offenses	395	377	372
Alcohol Offenses	60	65	43
Drug Offenses	131	113	115
Status Offenses--Total	355	444	358
Truancy	172	237	207
Beyond Parental Control	38	47	44
Habitually Absent from Home	69	93	54
Injurious Behavior	76	65	53
Abuse/Neglect/Custody--Total	473	504	456
Abuse	40	54	49
Neglect	56	51	50
Custody Disputes	377	399	357

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	284	307	309
Parental Alcohol Use Related	8	9	20
Parental Drug Use Related	150	125	142
Parental Alcohol and Drug Use	12	16	14
Child Removed for Other Reason	114	157	133


<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	100	99	84
Probation/Parole Admissions--Total	984	923	847
Probation/Parole Admissions--Drug	338	271	258
Probation/Parole Admissions--DWI	120	99	72
Prison Admissions--Total	437	369	362
Prison Admissions--Drug	141	105	113
Prison Admissions--DWI	63	41	42

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	183	174	183
Alcohol Package Carry-out Licenses	148	147	143

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 22

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Eastern  
**PSYCHIATRIC SERVICE AREA** 22  
**CENSUS 2010** 218,733  
**2012 POPULATION ESTIMATE** 220,209


Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	39	45	45
Anxiety Disorder	843	858	750
Dementia	13	17	16
Developmental Disorder	68	69	68
Impulse Control Disorder	341	332	311
Mood Disorder	1,399	1,461	1,427
Personality Disorder	687	739	668
Psychotic Disorder	309	313	315
Sexual Disorder	*	*	*
Other Diagnosis	196	183	188
Diagnosis Unknown	140	185	198

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	1,933	2,065	2,059	Less than High School Diploma	352	177	98
<b>AGE</b>				High School Grad or G.E.D.	357	233	89
Under 6	7	7	5	Associate Degree or Some College	174	82	19
6 to 9	34	33	42	Bachelor or Advanced Degree	31	26	10
10 to 13	76	73	80	Education Level Unknown	1,019	1,547	1,843
14 to 17	118	112	122	<b>EMPLOYMENT</b>			
18 to 24	175	194	225	Employed	200	87	30
25 to 29	210	243	240	Unemployed	687	424	186
30 to 34	220	223	213	Not in Labor Force	152	10	0
35 to 39	179	203	200	Employment Status Unknown	894	1,544	1,843
40 to 44	202	213	222	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	238	261	266	Independent Living	904	448	148
50 to 54	218	244	217	Dependent Living	166	139	67
55 to 59	137	135	124	Homeless	8	*	*
60 and Over	119	124	103	Other	9	9	*
Age Unknown	0	0	0	Housing Unknown	846	1,467	1,839
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	838	908	921	Self / Family / Friend	841	1,019	1,054
Female	1,095	1,157	1,138	School	7	6	10
Gender Unknown	0	0	0	Mental Health Provider	167	168	171
<b>RACE / ETHNICITY</b>				Health Care Provider	311	208	145
Caucasian	1,839	1,975	1,973	Court / Criminal Justice	102	106	114
African American	44	43	41	Other	475	524	526
Native American / Alaskan	*	*	*	Referral Source Unknown	30	34	39
Asian / Pacific Islander	7	8	7	<b>TYPE OF COMMITMENT</b>			
Hispanic	12	10	8	Voluntary	1,888	2,004	1,962
Other Race	27	26	27	Civil	8	17	48
Race/Ethnicity Unknown	0	0	0	Criminal	7	10	11
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	*	*	0
Hearing Impaired	12	11	12	Commitment Type Unknown	29	33	38
Past or Current Military Service	37	42	37				

# PSYCHIATRIC SERVICE AREA 23



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	23
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	998,954
2012 Pop. Estimate	1,000,438

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	11,934	11,643	11,785
Mother Reported Smoking while Pregnant	1,116	1,145	973

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total			
IDU and MSM <sup>1</sup>			
IDU without MSM <sup>1</sup>			

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	9,177	9,251	9,069
Suicides	131	120	130
Self-inflicted Injuries	950	901	911
Homicides	72	80	84
Assault Injuries	3,785	3,638	3,736
Alcohol Induced Deaths	49	59	37
Drug Induced Deaths	161	151	133
Smoking Attributable Deaths	1,401	1,415	1,446

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	4,794		
Alcohol Primary Diagnosis <sup>2</sup>	341		
Drug Primary Diagnosis <sup>2</sup>	570		
Alcohol Related Diagnosis	2,033	2,687	2,137
Drug Related Diagnosis	2,378	2,595	2,205
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	6,114		
Alcohol Primary Diagnosis <sup>2</sup>	632		
Drug Primary Diagnosis <sup>2</sup>	382		
Alcohol Related Diagnosis	4,117	3,235	3,762
Drug Related Diagnosis	3,650	2,722	3,047
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	6,860		
Alcohol Primary Diagnosis <sup>2</sup>	1,674		
Drug Primary Diagnosis <sup>2</sup>	1,304		
Alcohol Related Diagnosis	3,609	3,073	2,886
Drug Related Diagnosis	3,885	2,900	2,163

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	772	807	803
Fatal Crashes	12	10	5
Injury Crashes	261	286	297
Property Damage Crashes	499	511	523
Crash Fatalities	13	10	4
Crash Injuries	379	425	259
Drug Involved Crashes--Total	126	135	111
Fatal Crashes	3	5	4
Injury Crashes	58	61	44
Property Damage Crashes	65	69	63
Crash Fatalities	3	5	4
Crash Injuries	56	100	48

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	513,956	526,884	513,532
Employed	479,555	483,704	465,387
Unemployed	34,401	43,180	48,145
Unemployment Rate	6.7%	8.2%	9.4%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	46,496	48,348	49,708
Drop-outs	1,223	1,230	1,562
Drop-out Rate	2.6%	2.5%	3.1%
School Suspensions:			
Alcohol Incidents	77	89	60
Drug Incidents	411	485	392
Tobacco Incidents	6	15	21

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	5,144	5,238	6,091
Liquor Law Arrests	1,523	1,200	1,347
Drug Arrests	8,263	7,489	6,314
Methamphetamine Lab Incidents	93	74	30
Violent Offenses	3,072	3,294	3,204
Property Offenses	29,456	30,409	30,507
Domestic Violence Reports	4,889	5,185	4,593

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	6,561	6,005	6,655
Violent Offenses	1,382	1,696	1,832
Alcohol Offenses	166	116	187
Drug Offenses	450	468	503
Status Offenses--Total	1,512	1,587	1,538
Truancy	310	312	273
Beyond Parental Control	162	184	180
Habitually Absent from Home	930	992	966
Injurious Behavior	60	61	57
Abuse/Neglect/Custody--Total	1,601	1,324	1,553
Abuse	523	488	543
Neglect	938	684	819
Custody Disputes	140	152	191

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	415	429	539
Parental Alcohol Use Related	10	14	13
Parental Drug Use Related	102	66	66
Parental Alcohol and Drug Use	7	9	16
Child Removed for Other Reason	296	340	444


<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	260	222	239
Probation/Parole Admissions--Total	4,040	4,253	4,419
Probation/Parole Admissions--Drug	680	833	995
Probation/Parole Admissions--DWI	259	185	98
Prison Admissions--Total	1,531	1,494	1,577
Prison Admissions--Drug	297	304	313
Prison Admissions--DWI	55	109	70

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	1,255	1,264	1,232
Alcohol Package Carry-out Licenses	662	658	662

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.  
<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).  
<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.

# PSYCHIATRIC SERVICE AREA 23

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Eastern  
**PSYCHIATRIC SERVICE AREA** 23  
**CENSUS 2010** 998,954  
**2012 POPULATION ESTIMATE** 1,000,438

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.


DIAGNOSIS CATEGORY	FY2012	FY2011	FY2010
Adjustment Disorder	69	72	79
Anxiety Disorder	858	815	747
Dementia	10	7	12
Developmental Disorder	108	102	85
Impulse Control Disorder	687	654	501
Mood Disorder	2,954	2,649	2,452
Personality Disorder	593	603	694
Psychotic Disorder	1,737	1,679	1,653
Sexual Disorder	10	10	9
Other Diagnosis	250	268	310
Diagnosis Unknown	580	329	548

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

NUMBER SERVED	FY2012	FY2011	FY2010	EDUCATION	FY2012	FY2011	FY2010
Total Individuals	5,534	4,847	4,736	Less than High School Diploma	792	438	190
<b>AGE</b>				High School Grad or G.E.D.	847	670	265
Under 6	13	6	9	Associate Degree or Some College	404	377	164
6 to 9	165	124	90	Bachelor or Advanced Degree	278	142	54
10 to 13	301	235	175	Education Level Unknown	3,213	3,220	4,063
14 to 17	450	409	385	<b>EMPLOYMENT</b>			
18 to 24	561	476	484	Employed	336	212	92
25 to 29	461	408	415	Unemployed	1,886	1,395	562
30 to 34	461	394	403	Not in Labor Force	474	28	23
35 to 39	424	374	398	Employment Status Unknown	2,838	3,212	4,059
40 to 44	471	417	444	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	650	576	591	Independent Living	2,103	1,416	570
50 to 54	611	557	539	Dependent Living	580	397	101
55 to 59	448	421	387	Homeless	81	33	24
60 and Over	518	450	416	Other	48	48	21
Age Unknown	0	0	0	Housing Unknown	2,722	2,953	4,020
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	2,734	2,395	2,389	Self / Family / Friend	1,361	1,291	1,392
Female	2,800	2,452	2,347	School	100	83	71
Gender Unknown	0	0	0	Mental Health Provider	930	961	992
<b>RACE / ETHNICITY</b>				Health Care Provider	732	487	445
Caucasian	2,667	2,308	2,243	Court / Criminal Justice	339	295	388
African American	2,596	2,319	2,295	Other	2,057	1,713	1,398
Native American / Alaskan	5	*	*	Referral Source Unknown	15	17	50
Asian / Pacific Islander	21	14	18	<b>TYPE OF COMMITMENT</b>			
Hispanic	66	53	44	Voluntary	5,411	4,725	4,456
Other Race	179	149	130	Civil	23	32	161
Race/Ethnicity Unknown	0	0	*	Criminal	83	73	71
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	9	5	*
Hearing Impaired	170	119	85	Commitment Type Unknown	8	12	46
Past or Current Military Service	113	104	115				



# PSYCHIATRIC SERVICE AREAS 24, 25



<b>DBH REGION</b>	Eastern
<b>DBH SERVICE AREAS</b>	
Substance Abuse	Not Applicable
Adult Psychiatric	24, 25
<b>FIPS COUNTY CODE</b>	
<b>POPULATION</b>	
Census 2010	319,294
2012 Pop. Estimate	318,172

<b>EMPLOYMENT</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Labor Force	139,939	145,563	158,404
Employed	126,924	128,482	138,966
Unemployed	13,015	17,081	19,438
Unemployment Rate	9.3%	11.7%	12.3%

<b>SCHOOL REPORTS</b>	<b>2011-2012</b>	<b>2010-2011</b>	<b>2009-2010</b>
Enrollment Grades 9-12	9,053	9,428	9,790
Drop-outs	1,646	1,871	1,629
Drop-out Rate	18.2%	19.8%	16.6%

School Suspensions:			
Alcohol Incidents	4	9	1
Drug Incidents	179	152	145
Tobacco Incidents	1	1	0

<b>POLICE REPORTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
DUI Arrests, DWI Tracking System	263	476	644
Liquor Law Arrests	537	307	523
Drug Arrests	4,167	3,046	2,907
Methamphetamine Lab Incidents	24	4	8
Violent Offenses	5,950	6,209	7,356
Property Offenses	27,988	29,737	29,877
Domestic Violence Reports	2,329	2,280	2,623

<b>JUVENILE COURT REFERRALS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Juvenile Law Violations--Total	1,956	2,188	2,455
Violent Offenses	583	698	756
Alcohol Offenses	4	8	7
Drug Offenses	83	134	121
Status Offenses--Total	358	414	297
Truancy	216	278	191
Beyond Parental Control	83	50	46
Habitually Absent from Home	51	84	60
Injurious Behavior	6	2	0
Abuse/Neglect/Custody--Total	674	511	472
Abuse	63	68	54
Neglect	517	372	390
Custody Disputes	94	71	28

<b>JUVENILE COURT PLACEMENTS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Out-of-Home Placements--Total	213	235	260
Parental Alcohol Use Related	2	8	3
Parental Drug Use Related	49	60	56
Parental Alcohol and Drug Use	0	1	1
Child Removed for Other Reason	162	166	200

<b>CRIMINAL JUSTICE</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Drug Court Participants	564	640	701
Probation/Parole Admissions--Total	3,455	3,309	3,737
Probation/Parole Admissions--Drug	1,324	1,312	1,561
Probation/Parole Admissions--DWI	16	12	5
Prison Admissions--Total	1,762	1,618	1,666
Prison Admissions--Drug	594	585	619
Prison Admissions--DWI	4	5	3

<b>RETAIL ALCOHOL OUTLETS</b>	<b>2012</b>	<b>2011</b>	<b>2010</b>
Alcohol On-Premise Drink Licenses	772	766	770
Alcohol Package Carry-out Licenses	176	172	184

<b>BIRTH RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Births--Total	4,957	4,843	5,121
Mother Reported Smoking while Pregnant	749	750	651

<b>HIV DISEASE RISK FACTORS</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
New HIV/AIDS Cases--Total			
IDU and MSM <sup>1</sup>			
IDU without MSM <sup>1</sup>			

<b>DEATHS and INJURIES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Resident Deaths--Total	2,991	3,046	3,081
Suicides	43	40	49
Self-inflicted Injuries	483	457	388
Homicides	93	106	122
Assault Injuries	3,046	3,100	3,218
Alcohol Induced Deaths	33	36	47
Drug Induced Deaths	96	77	77
Smoking Attributable Deaths	468	492	480

<b>HOSPITAL EPISODES</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Hospitalization, no Emergency Room:			
Mental Illness Primary Diagnosis <sup>2</sup>	3,098		
Alcohol Primary Diagnosis <sup>2</sup>	252		
Drug Primary Diagnosis <sup>2</sup>	509		
Alcohol Related Diagnosis	1,314	1,368	1,515
Drug Related Diagnosis	2,243	1,995	2,051
Emergency Room + Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	2,517		
Alcohol Primary Diagnosis <sup>2</sup>	284		
Drug Primary Diagnosis <sup>2</sup>	245		
Alcohol Related Diagnosis	1,971	1,933	1,753
Drug Related Diagnosis	2,748	2,117	1,827
Emergency Room, no Hospitalization:			
Mental Illness Primary Diagnosis <sup>2</sup>	4,377		
Alcohol Primary Diagnosis <sup>2</sup>	1,573		
Drug Primary Diagnosis <sup>2</sup>	1,252		
Alcohol Related Diagnosis	3,103	3,091	2,554
Drug Related Diagnosis	4,640	3,381	2,144

<b>TRAFFIC: IMPAIRED DRIVER</b>	<b>2011</b>	<b>2010</b>	<b>2009</b>
Alcohol Involved Crashes--Total	124	193	181
Fatal Crashes	5	7	2
Injury Crashes	55	63	76
Property Damage Crashes	64	123	108
Crash Fatalities	5	8	1
Crash Injuries	112	129	61
Drug Involved Crashes--Total	14	16	12
Fatal Crashes	1	3	0
Injury Crashes	10	7	6
Property Damage Crashes	3	6	6
Crash Fatalities	1	3	0
Crash Injuries	8	13	5

\* Cell value is less than 5 and suppressed to avoid disclosure of identifying information.


<sup>1</sup> Risk factors: IDU (injection drug use) and MSM (men who have sex with men).

<sup>2</sup> Based on codes developed by the Healthcare Cost and Utilization Project.



# PSYCHIATRIC SERVICE AREAS 24, 25

## DIVISION OF BEHAVIORAL HEALTH: PSYCHIATRIC SERVICES



**DBH REGION** Eastern  
**PSYCHIATRIC SERVICE AREA** 24-25  
**CENSUS 2010** 319,294  
**2012 POPULATION ESTIMATE** 318,172

Individuals who received psychiatric services had the following types of disorders. The total number of diagnoses is larger than the number served because some individuals had more than one type of disorder.

<b>DIAGNOSIS CATEGORY</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Adjustment Disorder	100	90	125
Anxiety Disorder	671	660	657
Dementia	17	19	27
Developmental Disorder	52	52	51
Impulse Control Disorder	636	563	467
Mood Disorder	3,039	2,910	2,862
Personality Disorder	706	726	872
Psychotic Disorder	2,480	2,468	2,366
Sexual Disorder	10	13	16
Other Diagnosis	254	296	383
Diagnosis Unknown	911	647	1,638

The profiles below summarize individuals who received clinical services from the Division of Behavioral Health psychiatric programs. Individuals are counted only once based on their first treatment episode of the fiscal year. Information that was not reported is listed as unknown. An asterisk (\*) in a data cell indicates the count was fewer than five (5) and suppressed to avoid disclosing identifying information.

<b>NUMBER SERVED</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>	<b>EDUCATION</b>	<b>FY2012</b>	<b>FY2011</b>	<b>FY2010</b>
Total Individuals	6,713	6,228	7,117	Less than High School Diploma	1,171	824	421
<b>AGE</b>				High School Grad or G.E.D.	735	715	375
Under 6	17	15	12	Associate Degree or Some College	362	344	215
6 to 9	217	161	115	Bachelor or Advanced Degree	191	125	62
10 to 13	299	223	253	Education Level Unknown	4,254	4,220	6,044
14 to 17	335	294	326	<b>EMPLOYMENT</b>			
18 to 24	499	474	696	Employed	279	239	136
25 to 29	470	443	616	Unemployed	1,923	1,779	910
30 to 34	544	512	562	Not in Labor Force	725	27	35
35 to 39	496	490	634	Employment Status Unknown	3,786	4,183	6,036
40 to 44	609	586	729	<b>HOUSING / LIVING ARRANGEMENT</b>			
45 to 49	893	869	1,006	Independent Living	2,090	1,587	778
50 to 54	948	921	968	Dependent Living	672	526	182
55 to 59	758	690	660	Homeless	186	107	105
60 and Over	628	550	540	Other	61	62	51
Age Unknown	0	0	0	Housing Unknown	3,704	3,946	6,001
<b>GENDER</b>				<b>TREATMENT REFERRAL SOURCE</b>			
Male	3,441	3,218	3,683	Self / Family / Friend	2,588	2,433	2,859
Female	3,272	3,010	3,434	School	40	21	26
Gender Unknown	0	0	0	Mental Health Provider	879	979	1,029
<b>RACE / ETHNICITY</b>				Health Care Provider	720	515	489
Caucasian	1,705	1,600	1,808	Court / Criminal Justice	512	542	731
African American	4,738	4,370	5,048	Other	1,917	1,660	1,719
Native American / Alaskan	*	*	*	Referral Source Unknown	57	78	264
Asian / Pacific Islander	24	26	27	<b>TYPE OF COMMITMENT</b>			
Hispanic	50	42	46	Voluntary	6,410	5,853	6,375
Other Race	192	185	181	Civil	31	68	207
Race/Ethnicity Unknown	*	*	*	Criminal	210	225	268
<b>TREATMENT ACCOMMODATION</b>				Sexual Predatory	7	6	*
Hearing Impaired	170	141	150	Commitment Type Unknown	55	76	264
Past or Current Military Service	207	192	228				

# MISSOURI: 2012 POPULATION ESTIMATES BY AGE, GENDER, RACE, AND HISPANIC ORIGIN

	Age Group	All Races			White		Black or African American		American Indian or Alaska Native		Asian		Hawaiian or Pacific Islander		Two or More Races	
		Total	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
Total	All Ages	6,021,988	2,951,036	3,070,952	2,485,574	2,564,030	335,461	370,618	16,060	15,571	50,761	56,331	3,963	3,858	59,217	60,544
	0-4	379,246	194,100	185,146	151,456	143,927	27,268	26,327	1,048	1,056	3,761	3,654	359	438	10,208	9,744
	5-9	390,989	199,842	191,147	158,466	150,535	27,275	26,520	1,086	1,066	3,653	3,884	412	367	8,950	8,775
	10-14	394,749	201,886	192,863	162,052	153,879	27,925	26,976	1,138	1,130	3,081	3,441	316	348	7,374	7,089
	15-19	403,441	207,196	196,245	164,945	155,858	30,809	29,171	1,282	1,190	3,653	3,566	344	303	6,163	6,157
	20-24	428,576	215,892	212,684	172,151	169,858	31,557	31,115	1,355	1,262	5,393	4,974	417	374	5,019	5,101
	25-29	401,037	200,562	200,475	166,523	163,628	24,201	26,332	1,106	1,086	4,859	5,258	452	385	3,421	3,786
	30-34	390,702	194,995	195,707	163,064	160,143	22,540	25,555	1,191	1,056	4,794	5,304	378	353	3,028	3,296
	35-39	351,524	174,932	176,592	146,286	144,215	20,120	23,282	1,080	970	4,611	5,168	297	297	2,538	2,660
	40-44	379,258	188,262	190,996	159,690	158,643	20,693	24,032	1,116	1,022	4,254	4,581	274	250	2,235	2,468
	45-49	408,739	202,212	206,527	173,608	174,453	21,958	24,719	1,150	1,165	3,214	3,685	196	207	2,086	2,298
	50-54	447,790	220,104	227,686	191,472	195,246	22,606	25,668	1,230	1,264	2,460	2,974	194	174	2,142	2,360
	55-59	410,651	199,130	211,521	174,909	182,644	19,091	22,705	1,093	1,123	1,949	2,842	131	150	1,957	2,057
	60-64	352,105	168,206	183,899	150,118	160,719	14,050	18,288	811	836	1,720	2,490	87	79	1,420	1,487
	65-69	279,973	132,115	147,858	119,543	131,750	9,588	12,663	541	530	1,360	1,769	47	52	1,036	1,094
	70-74	207,316	95,457	111,859	86,958	100,119	6,432	9,425	415	338	926	1,135	35	28	691	814
	75-79	156,707	69,006	87,701	63,246	78,892	4,497	7,264	217	217	575	753	15	17	456	558
	80-84	118,900	48,007	70,893	44,558	64,594	2,732	5,217	126	134	291	535	6	20	294	393
	85+	120,285	39,132	81,153	36,529	74,927	2,119	5,359	75	126	207	318	3	16	199	407
Non-Hispanic	All Ages	5,796,674	2,833,681	2,962,993	2,384,684	2,471,801	329,724	364,935	12,462	12,346	49,730	55,362	3,218	3,189	53,863	55,360
	0-4	353,376	180,938	172,438	140,567	133,459	26,517	25,564	714	755	3,655	3,533	267	345	9,218	8,782
	5-9	365,606	186,963	178,643	147,613	140,034	26,563	25,817	735	725	3,563	3,789	324	277	8,165	8,001
	10-14	373,361	190,825	182,536	152,638	145,218	27,364	26,429	849	806	2,995	3,363	254	276	6,725	6,444
	15-19	383,725	196,937	186,788	156,257	147,920	30,259	28,632	968	899	3,552	3,493	271	242	5,630	5,602
	20-24	407,970	204,660	203,310	162,709	161,956	30,897	30,556	995	952	5,281	4,880	331	315	4,447	4,651
	25-29	381,281	189,624	191,657	157,029	155,980	23,655	25,858	772	862	4,769	5,175	367	347	3,032	3,435
	30-34	371,952	184,944	187,008	154,377	152,648	22,065	25,088	823	791	4,690	5,223	316	284	2,673	2,974
	35-39	335,051	166,234	168,817	138,685	137,544	19,762	22,889	779	718	4,534	5,064	244	235	2,230	2,367
	40-44	365,432	180,943	184,489	153,230	152,955	20,422	23,742	888	805	4,180	4,518	219	205	2,004	2,264
	45-49	397,201	196,251	200,950	168,335	169,545	21,723	24,476	927	979	3,163	3,640	164	181	1,939	2,129
	50-54	438,094	215,116	222,978	187,047	191,157	22,392	25,457	1,081	1,074	2,419	2,937	171	151	2,006	2,202
	55-59	403,471	195,454	208,017	171,656	179,569	18,941	22,551	960	983	1,907	2,813	117	134	1,873	1,967
	60-64	346,970	165,612	181,358	147,806	158,463	13,946	18,170	727	760	1,704	2,470	79	74	1,350	1,421
	65-69	276,574	130,455	146,119	118,053	130,207	9,528	12,581	488	489	1,345	1,756	43	46	998	1,040
	70-74	204,886	94,356	110,530	85,971	98,920	6,402	9,377	373	307	917	1,118	29	27	664	781
	75-79	154,963	68,195	86,768	62,521	78,037	4,463	7,230	196	201	566	747	14	15	435	538
	80-84	117,651	47,500	70,151	44,089	63,918	2,716	5,187	118	123	287	529	6	20	284	374
	85+	119,110	38,674	80,436	36,101	74,271	2,109	5,331	69	117	203	314	2	15	190	388
Hispanic	All Ages	225,314	117,355	107,959	100,890	92,229	5,737	5,683	3,598	3,225	1,031	969	745	669	5,354	5,184
	0-4	25,870	13,162	12,708	10,889	10,468	751	763	334	301	106	121	92	93	990	962
	5-9	25,383	12,879	12,504	10,853	10,501	712	703	351	341	90	95	88	90	785	774
	10-14	21,388	11,061	10,327	9,414	8,661	561	547	289	324	86	78	62	72	649	645
	15-19	19,716	10,259	9,457	8,688	7,938	550	539	314	291	101	73	73	61	533	555
	20-24	20,606	11,232	9,374	9,442	7,902	660	559	360	310	112	94	86	59	572	450
	25-29	19,756	10,938	8,818	9,494	7,648	546	474	334	224	90	83	85	38	389	351
	30-34	18,750	10,051	8,699	8,687	7,495	475	467	368	265	104	81	62	69	355	322
	35-39	16,473	8,698	7,775	7,601	6,671	358	393	301	252	77	104	53	62	308	293
	40-44	13,826	7,319	6,507	6,460	5,688	271	290	228	217	74	63	55	45	231	204
	45-49	11,538	5,961	5,577	5,273	4,908	235	243	223	186	51	45	32	26	147	169
	50-54	9,696	4,988	4,708	4,425	4,089	214	211	149	190	41	37	23	23	136	158
	55-59	7,180	3,676	3,504	3,253	3,075	150	154	133	140	42	29	14	16	84	90
	60-64	5,135	2,594	2,541	2,312	2,256	104	118	84	76	16	20	8	5	70	66
	65-69	3,399	1,660	1,739	1,490	1,543	60	82	53	41	15	13	4	6	38	54
	70-74	2,430	1,101	1,329	987	1,199	30	48	42	31	9	17	6	1	27	33
	75-79	1,744	811	933	725	855	34	34	21	16	9	6	1	2	21	20
	80-84	1,249	507	742	469	676	16	30	8	11	4	6	0	0	10	19
	85+	1,175	458	717	428	656	10	28	6	9	4	4	1	1	9	19

Crisis Assistance

Programs

Alcohol & Drug Abuse


Mental Illness

Developmental Disabilities

[Home](#) » [Alcohol & Drug Abuse](#) » [Data Maps](#)

**For statewide data click here.**

For county data, click on the county:



## Alcohol & Drug Abuse

[About Us](#)

[How & Where to Get Help](#)

[Programs & Services](#)

[Information for Providers](#)

[Alcohol & Drug Fact Sheets](#)

[Bulletins](#)

[Helpful Links](#)

[State Advisory Council](#)

[MO Behavioral Health  
Epidemiology Workgroup](#)

[Behavioral Health Data Tool](#)

[Reports & Statistics](#)

[Organization & Personnel](#)

## Related Information

[Substance Abuse Traffic Offender  
Program \(SATOP\)](#)

[Missouri Substance Abuse](#)

[Professional Credentialing Board  
\(MSAPCB\)](#)

## About Mental Health

[The Department  
Publications](#)  
[News Releases](#)  
[Topics A-Z](#)  
[Contact Information / Facilities](#)

## Mental Health Services

[Deaf Services](#)  
[Children's Office](#)  
[Employment Services](#)  
[Housing](#)  
[Disaster Services](#)

## For Your Information

[Alcohol & Drug Abuse Fact Sheets](#)  
[Developmental Disabilities Publications](#)  
[Mental Illness Fact Sheets](#)  
[Frequently Asked Questions](#)  
[Employee Disqualification Information](#)


## Stay Connected



**MISSOURI DEPARTMENT OF MENTAL HEALTH**

**Division of Behavioral Health**

**NATIONAL SURVEY ON DRUG USE AND HEALTH  
Areas Sampled for Substance Abuse and Mental Illness Estimates**




**Legend**

- Western Region Except Jackson County
- Jackson County
- Central Region
- Eastern Region Except Saint Louis City and County
- Saint Louis City and County
- Southwest Region
- Southeast Region

**MISSOURI DEPARTMENT OF MENTAL HEALTH  
DIVISION OF BEHAVIORAL HEALTH**

**REGIONS AND SUBSTANCE ABUSE SERVICE AREAS**




**MAP LEGEND**

- DIVISION OF BEHAVIORAL HEALTH REGION BOUNDARY
- SUBSTANCE ABUSE SERVICE AREA BOUNDARY
- COUNTY BOUNDARY



**MISSOURI DEPARTMENT OF MENTAL HEALTH  
DIVISION OF BEHAVIORAL HEALTH**

**REGIONS AND ADULT PSYCHIATRIC SERVICE AREAS**



**MAP LEGEND**

- DIVISION OF BEHAVIORAL HEALTH REGION BOUNDARY
- ADULT PSYCHIATRIC SERVICE AREA BOUNDARY
- COUNTY BOUNDARY



° > «±°°ıı ' ±ııμ̄ ° a #²ııı³

Survey data represent a valuable source of information on prevalence estimates, use and behavior patterns, drug preferences, and emerging trends. Survey data, however, are not without limitations. No single survey exists which covers all populations abusing substances. Substance abuse surveys typically fall into the following categories: 1) household surveys, 2) criminal justice surveys, and 3) school surveys. These surveys can miss segments of the population that have been impacted by substance abuse including the incarcerated, the homeless, and school dropouts. The survey data are self-reported and have inherent validity concerns due to respondent dishonesty, forgetfulness, or poor comprehension. Assessments of validity have been mixed. Research suggests that validity concerns are more evident for the criminal justice population and for reporting use of some drugs such as cocaine and heroin that may have an associated stigma. Nevertheless, collection of alcohol and drug use data via surveys provides useful information on large diverse populations that would not otherwise be available. Characteristics and highlights of the following survey data sources are provided:

[Missouri Student Survey \(MSS\)](#)

[Missouri College Health Behavior Survey \(MCHBS\)](#)

[National Survey on Drug Use and Health \(NSDUH\)](#)

[Youth Risk Behavior Surveillance System \(YRBSS\)](#)

[Behavioral Risk Factor Surveillance System \(BRFSS\)](#)

[Monitoring the Future \(MTF\)](#)

## Missouri Student Survey (MSS)

- **Conducted by:** Missouri Department of Mental Health (DMH)
- **Established:** 2000
- **Frequency of Reporting:** Even-numbered years
- **Type of survey:** School
- **Mode of survey:** Web-based
- **Grade levels:** Grades 6-12 but most concentrated on grade 9
- **Completed surveys:** 108,526, with final adjusted sample of 98,140
- **Level of reporting:** Missouri and Missouri counties
- **Some strengths:** MSS is offered to all Missouri public school districts. MSS includes the younger middle school population in addition to the high school population. MSS also captures data on risk and protective factors and mental health issues in addition to substance use behaviors. 2010 and 2012 data are weighted by county population estimates for age groups 10-14 and 15-19, gender, race and Hispanic origin.
- **Some limitations:** Some school districts opt out of the survey, so county-level data are not available for non-participation counties. Data are not publicly available for counties that contain only one school district, including the City of Saint Louis. Data are only available every other year, and data prior to 2010 are un-weighted.
- **Other notes:** MSS combines ecstasy with other club drugs which is different than NSDUH.
- **Website:** <http://dmh.mo.gov/ada/rpts/survey.htm>

## Missouri College Health Behavior Survey (MCHBS)

- **Conducted by:** Missouri Partners in Prevention
- **Established:** 2007 to replace annual Core Alcohol and Drug Survey
- **Frequency of Reporting:** Annual
- **Type of survey:** School/Higher Education
- **Mode of survey:** On-line survey using stratified random samples of student email addresses
- **Grade levels:** Undergraduate students at 21 Missouri higher education institutions
- **Completed interviews:** Varies by campus
- **Level of reporting:** Campus level
- **Some strengths:** The MCHBS measures attitudes, perceptions, and opinions about use of alcohol and drugs in addition to use and consequences of use. Other behaviors surveyed include gambling, safe driving, mental health issues, and tobacco use. Key items have been validity tested against the Core Alcohol and Drug Survey with comparable results.
- **Some limitations:** MCHBS is not a national survey.
- **Website:** <http://pip.missouri.edu>

## National Survey on Drug Use and Health (NSDUH)

- **Conducted by:** Substance Abuse and Mental Health Services Administration (SAMHSA)
- **Established:** 1971, originally titled National Household Survey on Drug Abuse
- **Frequency of Reporting:** Annual
- **Type of survey:** Household survey of civilian non-institutionalized population
- **Mode of survey:** Face-to-face interview
- **Age groups:** Ages 12 or older
- **Completed interviews:** 70,109 nationwide and about 900 in Missouri for 2011 survey year.
- **Level of reporting:** National but can also obtain state and sub-state planning regions by combining multiple survey years
- **Some strengths:** NSDUH allows for year-to-year comparisons for national data and a rolling multi-year comparison for state and sub-state data. In addition to substance use data, NSDUH provides data on past year alcohol or illicit drug dependence or abuse.
- **Some limitations:** NSDUH interviews household residents only, and the survey estimates are based on these populations. Not represented in the surveys are prison and jail inmates, other institutionalized individuals, and the homeless. Limited drug and demographic data are available at the state level because of the small sample size. NSDUH does not separate out smokeless tobacco and chewing tobacco. Age categories generally limited to 12-17, 18-25, and 26 and older.
- **Other notes:** NSDUH definitions of binge drinking and heavy drinking do not depend on gender and therefore differ from those of the Behavioral Risk Factor Survey (BRFS).
- **Website:** <http://www.samhsa.gov/data/NSDUH.aspx>

## Youth Risk Behavior Surveillance System (YRBSS)

- **Conducted by:** Centers for Disease Control
- **Established:** 1991
- **Frequency of Reporting:** Every odd-numbered year
- **Type of survey:** School
- **Mode of survey:** Paper questionnaire
- **Grade levels:** 9 through 12
- **Completed and usable questionnaires:** 15,425 nationwide in 2011
- **Level of reporting:** National and State
- **Some strengths:** YRBSS target population includes all public, Catholic, and other private school students in grades 9-12. Survey has questions on alcohol, tobacco, and drugs including lifetime steroid and IV drug use.
- **Some limitations:** Some states do not participate in the YRBSS—three in 2011. Some states, including Missouri in 2011, participate but do not have data available for every survey year due to small sample size. YRBSS does not capture data on home-schooled children. Questions on past 30-day use are limited to alcohol, tobacco, marijuana, and cocaine. Data are only available every other year.

- **Other notes:** YRBSS definition of binge drinking similar to that of the National Survey on Drug Use and Health (NSDUH).
- **Website:** <http://www.cdc.gov/HealthyYouth/yrbs/index.htm>

## Behavioral Risk Factor Surveillance System (BRFSS)

- **Conducted by:** Centers for Disease Control (CDC) in partnership with state health departments
- **Established:** 1984
- **Frequency of Reporting:** Annual
- **Type of survey:** Household
- **Mode of survey:** Telephone interview
- **Age groups:** Ages 18 or older
- **Completed interviews:** Annually about 350,000 nationwide including 6,000 in Missouri in 2011.
- **Level of reporting:** National, state, and Missouri Department of Health and Senior Services planning regions
- **Some strengths:** BRFSS includes data on adult consumption of alcohol and use of tobacco. BRFSS has a relatively large sample size. The survey allows for year-to-year comparisons.
- **Some limitations:** BRFSS does not include data on drug use nor does it include adolescents in its target population.
- **Other notes:** BRFSS definitions of binge drinkers and heavy drinkers differ from that of the National Survey on Drug Use and Health (NSDUH); BRFSS binge drinking definitions are gender-specific.
- **Website:** <http://www.cdc.gov/brfss>

## Monitoring the Future (MTF)

- **Conducted by:** National Institute on Drug Abuse (NIDA)
- **Established:** 1975
- **Frequency of Reporting:** Annual
- **Type of survey:** School
- **Mode of survey:** Paper questionnaire
- **Grade levels:** 8, 10, 12; college students; young adults
- **Completed questionnaires:** About 50,000 students in 420 public and private secondary schools nationwide
- **Level of reporting:** National
- **Some strengths:** MTF provides data on lifetime, past year, and past 30 day use of various illicit drugs. Questions regarding prescription drug use including use of OxyContin, Vicodin, and Ritalin have been added in recent years. MTF also captures data on perception of harm and disapproval.
- **Some limitations:** MTF does not provide state level data.
- **Other notes:**
- **Website:** <http://www.monitoringthefuture.org>